

BUREAU OF RECLAMATION
LOWER COLORADO REGION
BOULDER CITY, NEVADA

ACCUMULATIONS FOR MAY 2000

| DAY | GLEN CANYON | | LAKE MEAD ELEV. | HOOVER DAM | | | | | LAKE MOHAVE ELEV. | DAVIS DAM | | | MWD | | LAKE HAVASU ELEV. | PARKER DAM | | | C.A.P. | | | | |
|-------|-------------|-------------|-----------------|------------|--------------|---------|-----------|-------------|-------------------|-----------|--------------|---------|--------|-------------|-------------------|------------------|-------|--------------|--------|-------|-------------|-------------|--|
| | CFS | ACCUM. A.F. | | HOOVER CFS | RELEASE A.F. | ACCUM. | GROSS GEN | RATE KWH/AF | | CFS | RELEASE A.F. | ACCUM. | GEN | DIVER. A.F. | | AT INTAKE ACCUM. | CFS | RELEASE A.F. | ACCUM. | GEN. | DIVER. A.F. | ACCUM. A.F. | |
| 1 | 16300 | 32331 | 1208.67 | 23695 | 46999 | 46999 | 23207 | 494 | 643.21 | 17720 | 35154 | 35154 | 4411 | 3515 | 3515 | 447.84 | 14470 | 28695 | 28695 | 1865 | 5361 | 5361 | |
| 2 | 17000 | 66050 | 1208.56 | 22806 | 45234 | 92234 | 22210 | 491 | 643.44 | 17740 | 35190 | 70344 | 4418 | 3535 | 7050 | 447.88 | 14490 | 28741 | 57436 | 1862 | 5792 | 11153 | |
| 3 | 29000 | 123570 | 1208.51 | 20343 | 40350 | 132584 | 19957 | 495 | 643.42 | 19900 | 39471 | 109815 | 4415 | 3307 | 10357 | 447.85 | 14970 | 29696 | 87132 | 1933 | 5994 | 17147 | |
| 4 | 30100 | 183273 | 1208.48 | 19280 | 38240 | 170824 | 18800 | 492 | 643.56 | 17740 | 35177 | 144992 | 4402 | 2975 | 13332 | 448.45 | 11460 | 22740 | 109872 | 1431 | 5543 | 22690 | |
| 5 | 30100 | 242975 | 1208.63 | 16671 | 33067 | 203891 | 16118 | 487 | 643.29 | 19200 | 38083 | 183075 | 4404 | 3929 | 17261 | 448.34 | 15480 | 30697 | 140569 | 1987 | 5997 | 28687 | |
| 6 | 29800 | 302083 | 1208.76 | 18710 | 37111 | 241002 | 18238 | 491 | 643.25 | 19000 | 37686 | 220761 | 4374 | 3595 | 20856 | 448.19 | 15460 | 30663 | 171232 | 1923 | 6244 | 34931 | |
| 7 | 19500 | 340760 | 1208.91 | 14693 | 29144 | 270146 | 14142 | 485 | 643.00 | 19000 | 37686 | 258447 | 4411 | 3473 | 24329 | 448.15 | 14510 | 28776 | 200008 | 1877 | 6240 | 41171 | |
| 8 | 19000 | 378446 | 1209.01 | 20200 | 40065 | 310211 | 19445 | 485 | 643.11 | 17750 | 35211 | 293658 | 4414 | 3507 | 27836 | 448.09 | 13960 | 27696 | 227704 | 1784 | 5879 | 47050 | |
| 9 | 17000 | 412165 | 1208.95 | 24485 | 48565 | 358777 | 24020 | 495 | 643.39 | 18000 | 35702 | 329360 | 4402 | 3527 | 31363 | 448.03 | 13970 | 27709 | 255413 | 1810 | 6042 | 53092 | |
| 10 | 17000 | 445884 | 1208.77 | 24295 | 48188 | 406965 | 23977 | 498 | 643.89 | 17700 | 35105 | 364465 | 4394 | 3472 | 34835 | 447.98 | 13980 | 27728 | 283141 | 1822 | 5962 | 59054 | |
| 11 | 16900 | 479405 | 1208.77 | 19161 | 38004 | 444969 | 18691 | 492 | 643.99 | 17630 | 34961 | 399426 | 4401 | 3534 | 38369 | 448.05 | 11990 | 23783 | 306924 | 1556 | 5878 | 64932 | |
| 12 | 17000 | 513124 | 1208.70 | 19759 | 39191 | 484161 | 19366 | 494 | 644.07 | 18000 | 35702 | 435128 | 4401 | 3527 | 41896 | 447.96 | 13970 | 27702 | 334626 | 1801 | 6001 | 70933 | |
| 13 | 17000 | 546843 | 1208.73 | 14651 | 29060 | 513220 | 14071 | 484 | 643.77 | 18000 | 35702 | 470830 | 4393 | 3530 | 45426 | 447.83 | 14020 | 27817 | 362443 | 1825 | 6203 | 77136 | |
| 14 | 17000 | 580562 | 1208.77 | 12537 | 24868 | 538088 | 11773 | 473 | 643.32 | 18000 | 35702 | 506532 | 4374 | 3509 | 48935 | 447.66 | 14480 | 28725 | 391168 | 1866 | 6235 | 83371 | |
| 15 | 17000 | 614281 | 1208.69 | 20707 | 41072 | 579160 | 20158 | 491 | 643.36 | 17730 | 35161 | 541693 | 4397 | 3799 | 52734 | 447.65 | 13510 | 26801 | 417969 | 1742 | 5323 | 88694 | |
| 16 | 16900 | 647802 | 1208.62 | 20361 | 40386 | 619547 | 19835 | 491 | 643.53 | 17740 | 35185 | 576878 | 4406 | 3805 | 56539 | 447.61 | 14000 | 27764 | 445733 | 1792 | 5587 | 94281 | |
| 17 | 17000 | 681521 | 1208.55 | 21065 | 41781 | 661328 | 20600 | 493 | 643.72 | 18600 | 36893 | 613771 | 4416 | 3922 | 60461 | 447.53 | 14520 | 28800 | 474533 | 1869 | 5781 | 100062 | |
| 18 | 17000 | 715240 | 1208.47 | 22988 | 45596 | 706925 | 22555 | 495 | 644.09 | 17440 | 34585 | 648356 | 4338 | 3840 | 64301 | 447.87 | 9450 | 18742 | 493275 | 1215 | 5790 | 105852 | |
| 19 | 12800 | 740628 | 1208.39 | 23633 | 46875 | 753800 | 23142 | 494 | 644.06 | 17740 | 35195 | 683551 | 4437 | 3695 | 67996 | 447.85 | 13500 | 26775 | 520050 | 1753 | 5795 | 111647 | |
| 20 | 17000 | 774347 | 1208.32 | 20674 | 41005 | 794805 | 20199 | 493 | 644.39 | 18100 | 35901 | 719452 | 3717 | 3516 | 71512 | 447.81 | 13460 | 26702 | 546752 | 1754 | 5993 | 117640 | |
| 21 | 17000 | 808066 | 1208.25 | 22539 | 44706 | 839512 | 22004 | 492 | 644.55 | 18800 | 37289 | 756741 | 3353 | 3499 | 75011 | 447.82 | 13470 | 26708 | 573460 | 1753 | 5122 | 122762 | |
| 22 | 17000 | 841785 | 1208.15 | 25657 | 50890 | 890402 | 25204 | 495 | 644.90 | 14610 | 28979 | 785720 | 3572 | 2950 | 77961 | 447.81 | 13980 | 27732 | 601192 | 1813 | 4799 | 127561 | |
| 23 | 19000 | 879471 | 1208.02 | 22549 | 44725 | 935127 | 21980 | 491 | 645.00 | 21300 | 42248 | 827968 | 4385 | 3456 | 81417 | 447.92 | 13960 | 27688 | 628880 | 1814 | 5696 | 133257 | |
| 24 | 18900 | 916959 | 1208.02 | 16744 | 33212 | 968339 | 16047 | 483 | 644.64 | 17970 | 35643 | 863611 | 4518 | 3514 | 84931 | 448.10 | 13980 | 27727 | 656607 | 1820 | 6242 | 139499 | |
| 25 | 19000 | 954645 | 1208.01 | 20246 | 40157 | 1008496 | 19662 | 490 | 644.68 | 19600 | 38876 | 902487 | 4550 | 3524 | 88455 | 448.67 | 9470 | 18791 | 675398 | 1202 | 6242 | 145741 | |
| 26 | 18900 | 992132 | 1207.95 | 20512 | 40684 | 1049181 | 19975 | 491 | 644.78 | 17900 | 35504 | 937991 | 4477 | 3526 | 91981 | 448.74 | 12980 | 25740 | 701138 | 1678 | 6256 | 151997 | |
| 27 | 16800 | 1025454 | 1207.88 | 22554 | 44735 | 1093916 | 21981 | 491 | 645.09 | 17590 | 34889 | 972880 | 4407 | 3970 | 95951 | 448.68 | 13500 | 26769 | 727907 | 1753 | 6198 | 158195 | |
| 28 | 13500 | 1052231 | 1207.84 | 19300 | 38281 | 1132197 | 18457 | 482 | 645.07 | 18900 | 37488 | 1010368 | 4740 | 3945 | 99896 | 448.58 | 13490 | 26762 | 754669 | 1752 | 5983 | 164178 | |
| 29 | 13500 | 1079008 | 1207.81 | 17937 | 35578 | 1167775 | 17260 | 485 | 645.11 | 18800 | 37289 | 1047657 | 4745 | 3950 | 103846 | 448.57 | 13500 | 26777 | 781446 | 1759 | 6254 | 170432 | |
| 30 | 13400 | 1105587 | 1207.77 | 16031 | 31797 | 1199572 | 15349 | 483 | 644.75 | | | | 5017 | 3465 | 107311 | 448.54 | 13500 | 26782 | 808228 | 1773 | 6007 | 176439 | |
| 31 | 12900 | 1131173 | 1207.67 | 18086 | 35873 | 1235445 | 17535 | 489 | 644.75 | 17700 | 35107 | | 4404 | 3455 | 110766 | 448.67 | 13450 | 26683 | 834911 | 1760 | 5919 | 182358 | |
| TOTAL | | | | | | | 605958 | | | | | | 135493 | | | | | | | 54342 | | | |

BUREAU OF RECLAMATION
 LOWER COLORADO REGION
 BOULDER CITY, NEVADA

AVAILABLE RESERVOIR ELEVATIONS AND CONTENTS FOR MAY 2000

| AVAILABLE CAPACITY IN A.F. ELEVATION IN FEET | | | LAKE MEAD *25877000 1219.6 | LAKE MOHAVE 1809800 647.0 | | | LAKE HAVASU 619400 450.0 | | | SENATOR WASH 9144 240.0 | | | | | |
|---|------------------------|-----------------------|----------------------------------|---------------------------------|---------------|----------------|--------------------------------|---------------|----------------|-------------------------------|---------------|----------------|---------------------------|--------------|---------------|
| DAY | TOTAL SYSTEM STORAGE** | TOTAL AVAILABLE SPACE | ELEVATION FEET | HOOVER CONTENT 1000A.F. | RELEASE ft3/s | ELEVATION FEET | DAVIS CONTENT 1000A.F. | RELEASE ft3/s | ELEVATION FEET | PARKER CONTENT 1000A.F. | RELEASE ft3/s | ELEVATION FEET | SENATOR WASH CONTENT A.F. | PUMPED ft3/s | RELEASE ft3/s |
| 1 | 52704.5 | 8177.5 | 1208.67 | 24197 | 23700 | 643.21 | 1704.4 | 17700 | 447.84 | 576.9 | 14500 | 229.55 | 5645 | 4 | 0 |
| 2 | 52701.4 | 8180.7 | 1208.56 | 24180 | 22800 | 643.44 | 1710.7 | 17700 | 447.88 | 577.8 | 14500 | 229.19 | 5541 | 0 | 0 |
| 3 | 52676.7 | 8205.3 | 1208.51 | 24173 | 20300 | 643.42 | 1710.4 | 19900 | 447.85 | 577.2 | 15000 | 227.48 | 5065 | 0 | 200 |
| 4 | 52678.7 | 8203.3 | 1208.48 | 24168 | 19300 | 643.56 | 1714.2 | 17700 | 448.45 | 588.8 | 11500 | 224.87 | 4384 | 0 | 311 |
| 5 | 52689.1 | 8193.0 | 1208.63 | 24190 | 16700 | 643.29 | 1706.7 | 19200 | 448.34 | 586.7 | 15500 | 228.12 | 5240 | 463 | 0 |
| 6 | 52700.6 | 8181.5 | 1208.76 | 24210 | 18700 | 643.25 | 1705.6 | 19000 | 448.19 | 583.6 | 15500 | 229.55 | 5645 | 233 | 0 |
| 7 | 52745.0 | 8137.0 | 1208.91 | 24233 | 14700 | 643.00 | 1698.6 | 19000 | 448.15 | 582.8 | 14500 | 229.77 | 5708 | 82 | 0 |
| 8 | 52796.4 | 8085.6 | 1209.01 | 24248 | 20200 | 643.11 | 1701.6 | 17800 | 448.09 | 581.8 | 14000 | 229.40 | 5602 | 1 | 0 |
| 9 | 52828.0 | 8054.1 | 1208.95 | 24238 | 24500 | 643.39 | 1709.6 | 18000 | 448.03 | 580.6 | 14000 | 229.02 | 5492 | 0 | 0 |
| 10 | 52847.8 | 8034.3 | 1208.77 | 24212 | 24300 | 643.89 | 1723.3 | 17700 | 447.98 | 579.6 | 14000 | 229.69 | 5685 | 145 | 0 |
| 11 | 52891.6 | 7990.4 | 1208.77 | 24212 | 19200 | 643.99 | 1725.9 | 17600 | 448.05 | 580.9 | 12000 | 225.30 | 4492 | 0 | 625 |
| 12 | 52916.5 | 7965.5 | 1208.70 | 24201 | 19800 | 644.07 | 1728.2 | 18000 | 447.96 | 579.3 | 14000 | 223.58 | 4069 | 98 | 269 |
| 13 | 52933.2 | 7948.8 | 1208.73 | 24205 | 14700 | 643.77 | 1720.0 | 18000 | 447.83 | 576.7 | 14000 | 226.35 | 4763 | 381 | 0 |
| 14 | 52949.3 | 7932.7 | 1208.77 | 24212 | 12500 | 643.32 | 1707.5 | 18000 | 447.66 | 573.7 | 14500 | 229.85 | 5732 | 485 | 0 |
| 15 | 52957.2 | 7924.8 | 1208.69 | 24199 | 20700 | 643.36 | 1708.5 | 17700 | 447.65 | 573.4 | 13500 | 229.42 | 5608 | 0 | 0 |
| 16 | 52963.8 | 7918.3 | 1208.62 | 24189 | 20400 | 643.53 | 1713.3 | 17700 | 447.61 | 572.6 | 14000 | 229.05 | 5501 | 0 | 0 |
| 17 | 52962.7 | 7919.3 | 1208.55 | 24179 | 21100 | 643.72 | 1718.5 | 18600 | 447.53 | 571.2 | 14500 | 228.69 | 5399 | 0 | 0 |
| 18 | 52976.8 | 7905.3 | 1208.47 | 24166 | 23000 | 644.09 | 1728.7 | 17400 | 447.87 | 577.5 | 9450 | 229.84 | 5792 | 208 | 0 |
| 19 | 52963.7 | 7918.3 | 1208.39 | 24155 | 23600 | 644.06 | 1728.0 | 17700 | 447.85 | 577.2 | 13500 | 229.46 | 5619 | 0 | 0 |
| 20 | 52959.8 | 7922.2 | 1208.32 | 24144 | 20700 | 644.39 | 1736.9 | 18100 | 447.81 | 576.5 | 13500 | 229.11 | 5518 | 0 | 0 |
| 21 | 52949.7 | 7932.4 | 1208.25 | 24133 | 22500 | 644.55 | 1741.4 | 18800 | 447.82 | 576.5 | 13500 | 229.88 | 5740 | 156 | 0 |
| 22 | 52947.0 | 7935.1 | 1208.15 | 24119 | 25700 | 644.90 | 1751.1 | 14600 | 447.81 | 576.4 | 14000 | 229.47 | 5622 | 0 | 0 |
| 23 | 52931.7 | 7950.4 | 1208.02 | 24099 | 22500 | 645.00 | 1753.8 | 21300 | 447.92 | 578.6 | 14000 | 229.05 | 5501 | 0 | 0 |
| 24 | 52926.7 | 7955.4 | 1208.02 | 24099 | 16700 | 644.64 | 1744.0 | 18000 | 448.10 | 582.0 | 14000 | 228.72 | 5508 | 0 | 0 |
| 25 | 52955.3 | 7926.8 | 1208.01 | 24098 | 20200 | 644.68 | 1744.9 | 19600 | 448.67 | 593.1 | 9470 | 228.35 | 5304 | 0 | 0 |
| 26 | 52976.6 | 7905.4 | 1207.95 | 24088 | 20500 | 644.78 | 1747.9 | 17900 | 448.74 | 594.3 | 13000 | 229.19 | 5541 | 168 | 0 |
| 27 | 53002.8 | 7879.3 | 1207.88 | 24078 | 22600 | 645.09 | 1756.5 | 17600 | 448.68 | 593.3 | 13500 | 229.60 | 5659 | 98 | 0 |
| 28 | 53037.1 | 7844.9 | 1207.84 | 24072 | 19300 | 645.07 | 1756.0 | 18900 | 448.58 | 591.3 | 13500 | 229.26 | 5561 | 0 | 0 |
| 29 | 53082.9 | 7799.2 | 1207.81 | 24068 | 17900 | 645.11 | 1756.8 | 18800 | 448.57 | 591.1 | 13500 | 230.00 | 5775 | 164 | 0 |
| 30 | 53111.6 | 7770.5 | 1207.77 | 24062 | 16000 | 644.75 | 1746.8 | | 448.54 | 590.6 | 13500 | 229.61 | 5662 | 0 | 0 |
| 31 | 53148.3 | 7733.8 | 1207.67 | 24047 | 18100 | 644.75 | 1746.9 | 17700 | 448.67 | 593.1 | 13500 | 229.23 | 5553 | 0 | 0 |
| TOTAL | | | | | 622900 | | | 545700 | | | 421420 | | | 2686 | 1405 |
| AVE. | | | | | 20090 | | | 17600 | | | 13590 | | | 87 | 45 |
| AC FT | | | | | 1236000 | | | 1082000 | | | 836000 | | | 5328 | 2787 |

* BOTTOM OF EXCLUSIVE FLOOD CONTROL SPACE
 ** INCLUDES FONTENELLE AND CRYSTAL RESERVOIRS

BUREAU OF RECLAMATION
 LOWER COLORADO REGION
 BOULDER CITY, NEVADA

COLORADO RIVER STORAGE PROJECT DATA (operational) FOR MAY 2000

| DATE | LAKE POWELL | | | | FLAMING GORGE | | | NAVAJO | | | BLUE MESA | | | MORROW POINT | | |
|------|-----------------------------|---|-------------------------------------|------------------|---|------------------------------------|------------------|---|------------------------------------|------------------|---|-----------------------------------|------------------|---|-----------------------------------|------------------|
| | COMPUTED INFLOW FT3/S | MAX. STORAGE MAX. ELEV. 3700.0 FEET ELEVATION (FEET) | 24322000 AF CONTENT (1000 AF) | RELEASE FT3/S | MAX. STORAGE MAX. ELEV. 6040.0 FEET ELEVATION (FEET) | 3749000 AF CONTENT (1000 AF) | RELEASE FT3/S | MAX. STORAGE MAX. ELEV. 6085.0 FEET ELEVATION (FEET) | 1696000 AF CONTENT (1000 AF) | RELEASE FT3/S | MAX. STORAGE MAX. ELEV. 7519.4 FEET ELEVATION (FEET) | 829500 AF CONTENT (1000 AF) | RELEASE FT3/S | MAX. STORAGE MAX. ELEV. 7160.0 FEET ELEVATION (FEET) | 117025 AF CONTENT (1000 AF) | RELEASE FT3/S |
| 1 | 19900 | 3676.02 | 20684 | 16300 | 6025.99 | 3200 | 1840 | 6073.40 | 1530 | 500 | 7488.13 | 566.9 | 1290 | 7155.29 | 113.2 | 1440 |
| 2 | 20400 | 3676.03 | 20686 | 17000 | 6025.99 | 3200 | 1850 | 6073.52 | 1530 | 500 | 7488.44 | 569.3 | 1290 | 7155.78 | 113.6 | 1360 |
| 3 | 19000 | 3675.87 | 20663 | 29000 | 6025.98 | 3200 | 1770 | 6073.70 | 1530 | 500 | 7488.94 | 573.1 | 1060 | 7155.95 | 113.8 | 1300 |
| 4 | 18600 | 3675.74 | 20644 | 30100 | 6026.00 | 3200 | 1850 | 6073.92 | 1540 | 500 | 7489.64 | 578.5 | 730 | 7155.70 | 113.6 | 1150 |
| 5 | 20000 | 3675.64 | 20630 | 30100 | 6026.02 | 3200 | 1910 | 6074.16 | 1540 | 500 | 7490.43 | 584.7 | 810 | 7155.53 | 113.4 | 1230 |
| 6 | 22700 | 3675.53 | 20614 | 29800 | 6025.97 | 3200 | 1850 | 6074.44 | 1540 | 500 | 7491.27 | 591.3 | 960 | 7155.74 | 113.6 | 1320 |
| 7 | 24400 | 3675.64 | 20630 | 19500 | 6026.00 | 3200 | 1850 | 6074.66 | 1550 | 500 | 7492.21 | 598.6 | 340 | 7154.74 | 112.8 | 1190 |
| 8 | 25700 | 3675.77 | 20649 | 19000 | 6026.00 | 3200 | 1870 | 6074.88 | 1550 | 500 | 7493.19 | 606.4 | 1170 | 7156.27 | 114.0 | 1170 |
| 9 | 26900 | 3675.92 | 20670 | 17000 | 6025.99 | 3200 | 1860 | 6075.08 | 1550 | 500 | 7494.15 | 614.0 | 280 | 7155.29 | 113.2 | 1160 |
| 10 | 28300 | 3676.08 | 20693 | 17000 | 6026.02 | 3200 | 1850 | 6075.22 | 1550 | 500 | 7494.94 | 620.3 | 350 | 7155.78 | 113.6 | 590 |
| 11 | 30800 | 3676.30 | 20724 | 16900 | 6026.00 | 3200 | 1860 | 6075.35 | 1560 | 500 | 7495.78 | 627.0 | 0 | 7154.27 | 112.4 | 1050 |
| 12 | 30100 | 3676.48 | 20750 | 17000 | 6026.00 | 3200 | 1860 | 6075.48 | 1560 | 500 | 7496.60 | 633.7 | 110 | 7151.90 | 110.6 | 1480 |
| 13 | 28100 | 3676.59 | 20766 | 17000 | 6025.99 | 3200 | 1870 | 6075.64 | 1560 | 500 | 7497.27 | 639.1 | 180 | 7150.01 | 109.1 | 1260 |
| 14 | 27800 | 3676.73 | 20786 | 17000 | 6025.99 | 3200 | 1870 | 6075.74 | 1560 | 500 | 7497.79 | 643.3 | 500 | 7148.24 | 107.7 | 1490 |
| 15 | 27000 | 3676.84 | 20802 | 17000 | 6025.97 | 3200 | 1870 | 6075.82 | 1560 | 500 | 7498.04 | 645.3 | 1430 | 7148.87 | 108.2 | 1430 |
| 16 | 24600 | 3676.92 | 20813 | 16900 | 6025.94 | 3200 | 2320 | 6075.88 | 1560 | 500 | 7498.24 | 646.9 | 1430 | 7149.41 | 108.6 | 1480 |
| 17 | 22300 | 3676.96 | 20819 | 17000 | 6025.89 | 3190 | 3070 | 6075.92 | 1560 | 500 | 7498.61 | 650.0 | 910 | 7148.65 | 108.0 | 1500 |
| 18 | 22300 | 3677.04 | 20830 | 17000 | 6025.80 | 3190 | 3130 | 6075.98 | 1570 | 500 | 7498.71 | 650.8 | 1930 | 7147.42 | 107.1 | 2790 |
| 19 | 20800 | 3677.07 | 20834 | 12800 | 6025.73 | 3190 | 3110 | 6076.02 | 1570 | 500 | 7498.71 | 650.8 | 1750 | 7146.16 | 106.1 | 2270 |
| 20 | 19800 | 3677.10 | 20839 | 17000 | 6025.65 | 3180 | 3130 | 6076.04 | 1570 | 500 | 7498.60 | 649.9 | 2600 | 7145.66 | 105.7 | 2970 |
| 21 | 19200 | 3677.11 | 20840 | 17000 | 6025.57 | 3180 | 3140 | 6076.10 | 1570 | 500 | 7498.34 | 647.8 | 3160 | 7144.35 | 104.8 | 3900 |
| 22 | 18400 | 3677.15 | 20846 | 17000 | 6025.48 | 3180 | 3440 | 6076.16 | 1570 | 500 | 7497.95 | 644.6 | 4510 | 7147.75 | 107.3 | 3440 |
| 23 | 18700 | 3677.17 | 20849 | 19000 | 6025.34 | 3170 | 4230 | 6076.28 | 1570 | 500 | 7497.93 | 644.4 | 3220 | 7147.56 | 107.2 | 3430 |
| 24 | 20000 | 3677.16 | 20847 | 18900 | 6025.17 | 3170 | 4610 | 6076.46 | 1570 | 500 | 7498.21 | 646.7 | 3160 | 7151.62 | 110.3 | 2190 |
| 25 | 21500 | 3677.23 | 20857 | 19000 | 6025.05 | 3160 | 4590 | 6076.60 | 1570 | 500 | 7498.79 | 651.4 | 2430 | 7154.81 | 112.9 | 1740 |
| 26 | 23500 | 3677.35 | 20875 | 18900 | 6024.92 | 3160 | 4600 | 6076.74 | 1580 | 500 | 7499.50 | 657.2 | 910 | 7154.29 | 112.4 | 1570 |
| 27 | 27300 | 3677.50 | 20896 | 16800 | 6024.76 | 3150 | 4600 | 6076.82 | 1580 | 500 | 7500.01 | 661.4 | 1110 | 7154.76 | 112.8 | 1280 |
| 28 | 28600 | 3677.74 | 20931 | 13500 | 6024.60 | 3150 | 4590 | 6076.94 | 1580 | 500 | 7500.53 | 665.7 | 1250 | 7155.15 | 113.1 | 1520 |
| 29 | 28400 | 3678.00 | 20968 | 13500 | 6024.50 | 3140 | 4600 | 6077.08 | 1580 | 500 | 7501.34 | 672.4 | 870 | 7155.13 | 113.1 | 1370 |
| 30 | 28400 | 3678.24 | 21003 | 13400 | 6024.34 | 3140 | 4600 | 6077.16 | 1580 | 1340 | 7502.24 | 679.9 | 830 | 7156.16 | 113.9 | 940 |
| 31 | 31300 | 3678.53 | 21045 | 12900 | 6024.17 | 3130 | 4580 | 6077.04 | 1580 | 2350 | 7503.23 | 688.1 | 310 | 7156.13 | 113.9 | 800 |
| TOT | 744800 | | | 570300 | | | 90170 | | | 18190 | | | 40880 | | | 51810 |
| AVE | 24026 | | | 18400 | | | 2910 | | | 590 | | | 1320 | | | 1670 |
| A F | 1477300 | | | 1131000 | | | 179000 | | | 36100 | | | 81100 | | | 102800 |

BUREAU OF RECLAMATION
 LOWER COLORADO REGION
 BOULDER CITY, NEVADA

GLEN CANYON TO HOOVER DAM LOSSES

MAY 2000

| DATE | GLEN RELEASE CFS | HOOVER RELEASE CFS | LAKE MEAD STORAGE 1000 AF | STORAGE CHANGE 1000 AF | LAKE MEAD PUMPING CFS | LAKE MEAD EVAPORATION CFS | CHANGE BANK STORAGE CFS | LOSS CFS | ACCUMUL. A. F. | INFLOW CFS |
|-------|------------------------|--------------------------|------------------------------------|------------------------------|--------------------------------|------------------------------------|----------------------------------|-------------|-------------------|---------------|
| 1 | 16300 | 23700 | 24197 | -16 | | 1293 | -524 | | | |
| 2 | 17000 | 22800 | 24180 | -17 | | 1293 | -557 | | | |
| 3 | 29000 | 20300 | 24173 | -7 | | 1293 | -229 | | | |
| 4 | 30100 | 19300 | 24168 | -5 | | 1293 | -164 | | | |
| 5 | 30100 | 16700 | 24190 | 22 | | 1293 | 721 | | | |
| 6 | 29800 | 18700 | 24210 | 20 | | 1293 | 655 | | | |
| 7 | 19500 | 14700 | 24233 | 23 | | 1293 | 754 | | | |
| 8 | 19000 | 20200 | 24248 | 15 | | 1293 | 492 | | | |
| 9 | 17000 | 24500 | 24238 | -10 | | 1293 | -328 | | | |
| 10 | 17000 | 24300 | 24212 | -26 | | 1293 | -852 | | | |
| 11 | 16900 | 19200 | 24212 | 0 | | 1293 | 0 | | | |
| 12 | 17000 | 19800 | 24201 | -11 | | 1293 | -360 | | | |
| 13 | 17000 | 14700 | 24205 | 4 | | 1293 | 131 | | | |
| 14 | 17000 | 12500 | 24212 | 7 | | 1293 | 229 | | | |
| 15 | 17000 | 20700 | 24199 | -13 | | 1293 | -426 | | | |
| 16 | 16900 | 20400 | 24189 | -10 | | 1293 | -328 | | | |
| 17 | 17000 | 21100 | 24179 | -10 | | 1293 | -328 | | | |
| 18 | 17000 | 23000 | 24166 | -13 | | 1293 | -426 | | | |
| 19 | 12800 | 23600 | 24155 | -11 | | 1293 | -360 | | | |
| 20 | 17000 | 20700 | 24144 | -11 | | 1293 | -360 | | | |
| 21 | 17000 | 22500 | 24133 | -11 | | 1293 | -360 | | | |
| 22 | 17000 | 25700 | 24119 | -14 | | 1293 | -459 | | | |
| 23 | 19000 | 22500 | 24099 | -20 | | 1293 | -655 | | | |
| 24 | 18900 | 16700 | 24099 | 0 | | 1293 | 0 | | | |
| 25 | 19000 | 20200 | 24098 | -1 | | 1293 | -33 | | | |
| 26 | 18900 | 20500 | 24088 | -10 | | 1293 | -328 | | | |
| 27 | 16800 | 22600 | 24078 | -10 | | 1293 | -328 | | | |
| 28 | 13500 | 19300 | 24072 | -6 | | 1293 | -197 | | | |
| 29 | 13500 | 17900 | 24068 | -4 | | 1293 | -131 | | | |
| 30 | 13400 | 16000 | 24062 | -6 | | 1293 | -197 | | | |
| 31 | 12900 | 18100 | 24047 | -15 | | 1293 | -492 | | | |
| TOTAL | 570000 | 622870 | | | 0 | 40083 | | | -191919 | 0 |

