

___ MEASUREMENT OF CONCRETE

Measurement, for payment, of concrete required to be placed directly upon or against surfaces of excavation ¹(, except concrete in canal lining,) ¹(and concrete in tunnel lining) will be made to the lines for which payment for excavation is made. ¹[Measurement, for payment, of concrete in canal lining will be made to the neatlines shown on the drawings. Measurement, for payment, of concrete in tunnel lining will be made in accordance with paragraph ___ (Concrete in Tunnel Lining).] ¹[No measurement, for payment, of concrete in the items listed in subparagraph ___b. (Payment for Concrete) will be made.] Measurement, for payment, of all other concrete will be made to the neatlines of the structures, unless otherwise specifically shown on the drawings or prescribed in these specifications.

²(In the event cavities resulting from overexcavation, as determined by the Contracting Officer, are required to be filled with concrete, the materials furnished by the Government and used for such refilling will be charged to the Contractor at their cost to the Government at the point of delivery to the Contractor.)

In measuring concrete for payment, the volume of all openings, recesses, ducts, embedded pipes, woodwork, and metalwork, each of which is larger than 100 square inches in cross section, will be deducted.

¹Delete if not applicable.

²Delete if no concrete materials are to be furnished by the Government.

3-15-85 Revision: Revised first paragraph.