

**FACILITIES INSTRUCTIONS,  
STANDARDS, AND TECHNIQUES  
VOLUME 5-9**

**MANAGEMENT AND SAFE  
HANDLING PROCEDURES FOR  
SULFUR HEXAFLUORIDE (SF<sub>6</sub>) GAS**

**MARCH 2004**

**UNITED STATES DEPARTMENT OF THE INTERIOR  
BUREAU OF RECLAMATION**



REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suit 1204, Arlington VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Report (0704-0188), Washington DC 20503.			
1. AGENCY USE ONLY (Leave Blank)	2. REPORT DATE March 2004	3. REPORT TYPE AND DATES COVERED Final	
4. TITLE AND SUBTITLE FIST 5-9, Management and Safe Handling Procedures for Sulfur Hexafluoride (SF <sub>6</sub> ) Gas			5. FUNDING NUMBERS
6. AUTHOR(S) Bureau of Reclamation Hydroelectric Research and Technical Services Group Denver, Colorado			
7. PERFORMING ORGANIZATIONS NAME(S) AND ADDRESS(ES) Bureau of Reclamation Denver Federal Center PO Box 25007 Denver CO 80225-0007			8. PERFORMING ORGANIZATION REPORT NUMBER FIST 5-9
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Hydroelectric Research and Technical Services Group Bureau of Reclamation Mail Code D-8450 PO Box 25007 Denver CO 80225			10. SPONSORING/MONITORING AGENCY REPORT NUMBER DIBR
11. SUPPLEMENTARY NOTES			
12a. DISTRIBUTION AVAILABILITY STATEMENT Available from the National Technical Information Service, Operations Division, 5285 Port Royal Road, Springfield, VA 22161			12b. DISTRIBUTION CODE
13. ABSTRACT ( <i>Maximum 200 words</i> ) Bureau of Reclamation facilities have many circuit breakers containing SF <sub>6</sub> gas as an insulating medium. SF <sub>6</sub> has been identified as a greenhouse gas that may be responsible for global warming. Release of SF <sub>6</sub> gas into the atmosphere during maintenance work or an accident must be reduced, tracked, and reported to the EPA. This document describes Reclamation's management and safe handling procedures for SF <sub>6</sub> gas. The document outlines Reclamation's SF <sub>6</sub> emission reduction goals and strategy, reporting procedures, safe handling practices, training, and risk assessment and mitigation program.			
14. SUBJECT TERMS SF <sub>6</sub> , SF <sub>6</sub> Management, SF <sub>6</sub> Handling, SF <sub>6</sub> Management and Handling, SF <sub>6</sub> Emission Reduction, SF <sub>6</sub> Circuit Breakers, greenhouse gas, global warming			15. NUMBER OF PAGES 16
			16. PRICE CODE
17. SECURITY CLASSIFICATION OF REPORT UL	18. SECURITY CLASSIFICATION OF THIS PAGE UL	19. SECURITY CLASSIFICATION OF ABSTRACT UL	20. LIMITATION OF ABSTRACT UL

**FACILITIES INSTRUCTIONS,  
STANDARDS, AND TECHNIQUES  
VOLUME 5-9**

**MANAGEMENT AND SAFE  
HANDLING PROCEDURES FOR  
SULFUR HEXAFLUORIDE (SF<sub>6</sub>) GAS**

**HYDROELECTRIC RESEARCH AND  
TECHNICAL SERVICES GROUP**

**UNITED STATES DEPARTMENT OF THE INTERIOR  
BUREAU OF RECLAMATION**

**MARCH 2004**

## **DISCLAIMER**

This written matter consists of general information for internal Bureau of Reclamation operations and maintenance staff use. The information contained in this document regarding commercial products or firms may not be used for advertising or promotional purposes and is not to be construed as an endorsement of any product or firm by the Bureau of Reclamation.

































