1

December 15, 2003

Edward Little, Branch Chief Ecology Branch, U.S.G.S. BRD/CERC Columbia, MO 65201



Re: Request for Proposal

Dear Dr. Little:

I'm writing on behalf of the Whirling Disease Steering Committee, to request that you submit a full proposal for 2004-2005 research funding of your whirling disease vector assessment project. The RFP is enclosed. The submittal deadline will be February 13, 2004. Please review both the 5-year research plan and the request for preproposals before preparing your proposal; they can be found at:

http://water.montana.edu/mwc/programs/fisheries/whirling/

Here are specific comments of the Steering Committee regarding your full proposal: please review the work of Rick Barrows on bird vectors, as reported at the Whirling Disease Symposium a few years ago (http://www.whirling-disease.org/). The committee views your draft budget as quite high. There will be three full proposals on this topic, and the committee will select the one that shows the best experimental/observational design and the most judicious use of WD Initiative funding.

Please do not hesitate to contact me if you have any questions about this solicitation.

Sincerely,

Gretchen Rupp

Director


Gretchen Rupp, Director Huffman Building 101 P.O. Box 172690 Montana State University Bozeman, MT 59717-2690 Fax: 406-994-1774 Tel: 406-994-6690 Marvin Miller, Assoc. Director Montana Bureau of Mines Montana Tech 1300 W. Park Ave. Burte, MT 59701-8997 Fax: 406-496-4451 Tel: 406-496-4155

Don Potts, Assoc. Director School of Forestry University of Montana Missoula, MT 59812 Fax: 406-243-4510 Tel: 406-243-5522 E-mail: fo_dfp@selway.umt.edu

2

December 15, 2003

Edward Little, Branch Chief Ecology Branch, U.S.G.S. BRD/CERC Columbia, MO 65201



Re: Whirling Disease Initiative

Dear Mr. Little:

I am sorry to say that the Whirling Disease Steering Committee has decided not to request a full proposal from you for 2004-2005 research funding on filtration efficacy for whirling disease TAM removal. All of the membrane filtration techniques suggested for testing (with nominal pore sizes ranging from 0.08-5 microns) would easily collect TAMs following exhaustive prefiltration; thus there appears to be no reason to conduct such assays.

Please do not hesitate to contact me if you have any questions about this decision.

Sincerely,

Gretchen Rupp

Director