PERFORMANCE REPORT

U.S. Fish and Wildlife Service Agreement No. 20181AG901

CAP Gila River Basin Native Fishes Conservation Program financial support for the maintenance of Gila and Yaqui topminnow refuge stocks at ASU

Paul C. Marsh School of Life Sciences Arizona State University Tempe, Arizona 85287-4501

Gila topminnow *Poeciliopsis occidentalis* and Yaqui topminnow *P. sonoriensis* are two, federally-listed endangered fish species that are native to Arizona. Several stocks have been held in protective custody by Arizona State University for a number of years as part of on-going conservation and recovery actions in the species' behalf. Stocks are housed in facilities of the Department of Animal Care & Technologies (DACT) on the ASU Tempe campus, and DACT staff provides routine maintenance and care of these animals.

This report summarizes project activities for the period April 1, 2010 through March 31, 2011. All established project goals for the reporting period were successfully met.

The following stocks are currently being held: Gila topminnow: Bylas Springs, Cienega Creek, Monkey Spring, Redrock Canyon, Sharp Spring; Yaqui topminnow: North Pond and Tule Spring (SBNWR), combined.

The following augmentations from wild populations have taken place or are planned: Cienega Creek and SBNWR (Yaqui) planned for spring 2011.

The following transfers of Gila topminnow were made:

September 27, 2010. Sharp Spring fish were transferred to Arizona Game and Fish Department (AZGFD) for its use.

October 15, 2010. Redrock Canyon fish were transferred to AZGFD for its use.

Problems and solutions: None other than routine matters arose during the reporting period and all were dealt with effectively and successfully.

A detailed account of project activities is provided in the accompany Table and comprehensive Histories narrative.

Table. Current status of Gila topminnow (*Poeciliopsis occidentalis*) and Yaqui topminnow (*P. sonoriensis*) stocks held and maintained in protective captivity in the Animal Resources Center at Arizona State University, Tempe, as of April 2011.

Wild	Original ASU Acquisition	Most Recent	Next	Location/Comment
Stock/Source		Augmentation	Augmentation	
Bylas Springs	June 24, 1994	May 23, 2006	Make inquiry	Tanks 6 and 9. Tank 7 population
	N=20	N=150-175	with San Carlos	was lost on November 19, 2007
	Roper Lake State Park (via Bylas Springs in 1988)	Fish stocked in Tank 6.	Tribe biologist.	
		June 13, 2007		
	May 1997	Unknown number of		
	N=17	young-of-year fish moved		
	Bylas Springs	from Tank 6 to Tank 9.		
Cienega Creek	June 20, 1994	April 19, 2011	Spring 2013	Tank 2.
	N=20	N=165; 112F, 53 M		
Monkey Spring	September 1993	Feb 3, 2010	Spring 2012	Tank 5.
	N=10 (not confirmed)	N=115		
	June 29, 1994			
	N=20			
Red Rock	May 25, 2006	None	Extirpated in	Tank 10. Tank 7 was used as a
Canyon	N=166; 119F, 47M	None	the wild.	temporary holding facility for Desert
Carryon	From Desert Harbor Elementary School (via		tile wild.	Harbor topminnow. Those fish were
	Red Rock Canyon in February 2002)			returned on September 3, 2008.
Sharp Spring	July 20, 1994	None	Extirpated in	Tanks 4 and 8. Tank 8 stock split
Chaip Opining	N=18	None	the wild.	from Tank 4 (original) as insurance
	14-10		tric wiid.	against catastrophic loss.
Super topminnow	November 6, 2000	None	n/a	Tank 1. A combination of Bylas,
Capor topriminow	110101111111111111111111111111111111111	T T T T T T T T T T T T T T T T T T T	11/4	Cienega, Monkey and Sharp stocks.
Yaqui topminnow	June 1998	April 21, 2011	Spring 2013	Tank 3.
	N=39	N=104; 50 F, 23 M		
	Tule Spring and North Pond (SBNWR)	North Pond and 12 F, 19 M		
	, , ,	Hay Hollow (SBNWR)		

Histories of Captive *Poeciliopsis* Stocks at Arizona State University

Bylas Springs

Twenty (20) adult females were collected by Marsh et al. from Roper Lake State Park near Safford, AZ, on June 24, 1994 and transported alive to ASU (ASU Federal Endangered Species Permit report to USFWS, Albuquerque, MN; Marsh unpublished field notes). The source of the Roper Lake stock was 300 fish removed from Bylas Middle Spring (S2) on September 26, 1988 (Weedman 1998). Seventeen (17) fish were collected from Bylas Springs and moved to ASU via USFWS in May 1997 via San Carlos FAO (R. Scheffer, personal communication in Weedman 1998). It is unknown if these fish augmented or replaced those acquired in 1994.

Tank 6

A past Animal Resource Center tank label indicated the original captive Bylas Springs topminnow stock was potentially moved into Tank 6 on October 8, 2000 (ARC notes). Approximately 50-100 topminnows collected by Paul Marsh from Bylas Springs¹ were infused into Tank 6 on June 12, 2006 and again on July 25, 2006 (J. White-James email). Approximately 320-350 fish were removed from the tank on October 3, 2007 and stocked on the Muleshoe Ranch².

Tank 7

The origin of this tank is unknown, though it is thought to originate from some of the topminnows collected by Paul Marsh on May 23, 2006¹. Approximately 320-350 fish were removed from Tank 7 on October 3, 2007 and stocked on the Muleshoe Ranch². An extensive fish die-off due to unknown reasons occurred during October and November 2007. All fish in Tank 7 were dead by November 19, 2007.

Tank 9

Individuals in Tank 9 are progeny of "20 F" fish moved from Tank 6 on July 23, 2005 as insurance against catastrophic loss of the original stock. On June 13, 2007, an unknown number of young topminnows were transferred from Tank 6 into Tank 9 (J. White-James email). Approximately 320-350 fish were removed from Tank 9 on October 3, 2007 and stocked on the Muleshoe Ranch².

Cienega Creek

Tank 2

Twenty-three (23) adult females were collected by Marsh et al. on June 29, 1994 from Cienega Creek near Mattie Canyon (ASU permit report; PCM unpublished). Weedman (1998) erroneously reports the date as July 1994. It is unknown if these fish augmented or replaced those reportedly acquired in 1993. There is a record of Carla Hurt moving 86 fish into Tank 2 on December 5, 2002 (C. Hurt email), but the history of these Cienega Creek topminnow is unknown. Eighty-one (81) individuals (72F and 9M) were collected from Cienega Creek by Abe Karam (via USFWS, Tucson) on June 1, 2006 (A. Karam memo). Those fish were quarantined in aquaria for a month, and then transferred to Tank 2 on July 25, 2006 (J. White-James email).

¹ On May 23, 2006, 150-175 fish (mixed Bylas S1 and S2) from Dewey San Carlos Apache Tribe & M. Brouder USFWS Pinetop were used to augment the ASU captive fish stock (P. Marsh email). Fish were quarantined in three aquaria upon arrival at the ARC and later distributed into tanks.

²Fish were transported by vehicle to the TNC San Pedro Preserve, held overnight, then transported via helicopter on October 4, 2007 to several sites on the TNC Muleshoe Ranch (PCM field notes; Mary Richardson, USFWS, Phoenix)

During October 2007 approximately 77 individuals were found dead due to unknown causes and the remaining fish from Tank 2 were quarantined in aquaria (J. White-James emails). On January 23, 2008, the 18 remaining healthy individuals were returned to Tank 2. Abe Karam (via USFWS, Tucson) collected 166 individuals (99F and 67 M) from Cienega Creek on June 4, 2008 (A. Karam memo). These fish were quarantined in aquaria, and over the following days, approximately 32 individuals were found dead due to unknown causes. After one month in quarantine and no further mortalities, 134 fish were added to Tank 2, which contained 18 individuals (J. White-James email). On April 19, 2011, A. Karam and K. Patterson collected 165 individuals (112 Females, 53 males) from Cienega Creek. Those fish are currently quarantined at ASU for the next 30 days (memo to follow).

Monkey Spring

Tank 5

During September 1993, 10 individuals were collected from Monkey Spring and brought into captivity, though this stock acquisition could not be validated from collection and permit reporting records available at ASU (P. Marsh, personal communication). Approximately 25 individuals were collected by Marsh et al. on June 29, 1994 at Monkey Spring (ASU permit report; PCM unpublished). Carla Hurt moved 168 fish derived from the original stock in aquaria to Tank 5 on November 1, 2002 (C. Hurt email). The email implies there was already a population of Monkey Spring topminnows established in Tank 5 when these additional fish were added, so the exact inception date of Tank 5 is unknown. Marsh et al. augmented the population with 100 individuals collected from Monkey Spring on May 30, 2007 (P. Marsh email). Karam and Adelsburger augmented the population with 115 individuals (45 females, 47 males, 23 juveniles) collected from Monkey Spring on February 3, 2010 (A. Karam memo).

Red Rock Canyon

Eighty (80) topminnows were collected by AZGFD from Red Rock Canyon (Falls exclosure & Cott Tank drainage) on February 19 and 20, 2002 and held in aquaria, awaiting completion of a refuge pond at Desert Harbor Elementary School (J. Voeltz email). On June 13, 2002 AZGFD released 60 (54 F, 6 M) of those individuals into the refuge pond at Desert Harbor Elementary School (J. Voeltz email).

Tank 10

Arizona Game and Fish Department collected 166 individuals (119 F, 47 M) from Desert Harbor Elementary School on May 25, 2006 and transported those fish to ASU where they were quarantined in aquaria (J. Voeltz email). All individuals were moved into Tank 10 on June 12, 2006 (J. White-James email). Approximately 447 fish died of unknown causes between November 14 and December 2, 2007 (J. White-James emails). One hundred individuals (79 F, 21 M) were collected via AZGFD from Desert Harbor Elementary School on January 29, 2008 and were quarantined in aquaria at ASU for 30-d (P. Marsh email). Those fish were added to Tank 10 on February 29, 2008. The wild stock of topminnows in Red Rock Canyon has since been extirpated. On October 15, 2010, approximately 1,500 topminnow were removed from Tank 10 by Jeff Sorenson (AZGFD) and Abe Karam (M&A). Those fish were transported by AZGFD to a pond at The Audubon Center at Rio Salado in Phoenix. A robust population of 1000+ topminnow remains in Tank 10.

Tank 7

Tank 7 was set up as a temporary topminnow holding facility while infrastructure repairs were made to the refuge facility at Desert Harbor Elementary School (R. Timmons email). Approximately 340 topminnows were collected by AZGFD from Desert Harbor Elementary School during March 2008. Those fish were added to Tank 7 on March 28, 2008, but 40-45 individuals had jumped out of the tank or died by the next morning (J. White-James email). Arizona Game and Fish Department collected an additional 100 individuals from Desert Harbor Elementary School (R. Timmons email) and transported them to ASU on February 15, 2008. Ross Timmons removed 200 individuals from Tank 7 on July 3, 2008, and 100 individuals on August 8, 2008 and transported them back to the repaired refuge facility at Desert Harbor School (P. Marsh emails). The remaining fish (N=259) were collected by AZGFD employees on September 3, 2008 and were stocked into a private pond in Amado, AZ (A. Karam email). Tank 7 was subsequently drained, cleaned, and remains fishless.

Sharp Spring

Tank 4

Eighteen (18) adult females were collected by P. Marsh on July 20, 1994 (ASU permit report; PCM unpublished). The wild stock of fish in Sharp Spring has since been extirpated.

Tank 8

Carla Hurt moved 20 fish derived from the original stock of Sharp Spring fish in Tank 4 to Tank 8 on December 10, 2002 (C. Hurt email). These fish were split off as insurance against catastrophic loss of the original stock because of concerns about viability of the wild source, which is now extirpated.

Super Topminnow

Tank 1

Topminnow in Tank 1 consists of a combination of Bylas, Cienega, Monkey and Sharp stocks which were acquired for graduate student research under Phil Hedrick. During November 13-16, 2007, approximately 132 individuals died of unknown causes.

Yaqui Topminnow

Tank 3

Original acquisition of this stock took place during June 1998 when 39 mixed sized individuals were collected from North Pond and Tule Spring (genetically identical) on the USFWS San Bernardino National Wildlife Refuge (SBNWR) near Douglas, Arizona. Fish were transferred alive by Kevin Cobble (USFWS), less one mortality, to ASU (ASU permit report). Marsh et al. collected 100 individuals from Twin Pond on San Bernardino NWR on June 27, 2007 (P. Marsh email) to augment Tank 3. Those fish were quarantined in aquaria for ~45-d during which time 60 individuals died of unknown causes. The remaining 40 individuals were infused into Tank 3 on August 15, 2007. Karam and Behrstock (via SBNWR) collected 178 individuals (78 F, 100 M) from North Pond and Tule Spring (A. Karam memo) on June 25, 2008 to augment Tank 3. Some of the fish were infected with yellow grub. Fish were quarantined in aquaria for 30-d during which time ~ 40 individuals died due to unknown causes. On April 21, 2011 A. Karam and K. Patterson collected 104 Yaqui

Topminnow from SBNWR. Collections were made with the help of FWS staff. 50 males and 23 females were collected from North Pond, and 19 males and 12 females were collected from Hay Hollow. All fish were transported to ASU and remain quarantined for the next 30 days (memo to follow).

References

Marsh, P. C. 1994. Report for 1994 activities and 1995 permit application for U.S. Fish and Wildlife Service Endangered Species Subpermit PRT 67681. Report, in part, to U.S. Fish and Wildlife Service, Albuquerque, NM.

Weedman, D. A. 1998. Gila topminnow, *Poeciliopsis occidentalis occidentalis*, revised recovery plan. U.S. Fish and Wildlife Service, Albuquerque, NM. 86 pages. Draft document.