

Appendix M

Modeling Assumptions: Lake Mead Storage and Delivery of Conserved System and Non-system Water

Four of the action alternatives assume some form of a Lake Mead storage and delivery mechanism for conserved system and non-system water (the Basin States, Conservation Before Shortage, and Reservoir Storage alternatives, and the Preferred Alternative). This appendix describes the modeling assumptions used in the CRSS model to represent the creation and delivery of storage credits. At this time, the specific entities that may participate in the storage and delivery mechanism and the magnitude and timing of the storage and delivery of the conserved water are unknown. However, modeling assumptions with respect to the entities that might participate and their respective level of participation were needed to enable the evaluation of the mechanisms considered under each alternative and their potential effects on environmental resources. These assumptions are a reasonable and appropriate representation of potential conservation activities and the storage and delivery of water under the alternatives for purposes of environmental analyses.

Table of Contents

M.1	Introduction.....	M-1
M.2	General Modeling Assumptions	M-2
M.2.1	Generation of Storage Credits.....	M-2
M.2.2	Delivery of Storage Credits	M-3
M.2.3	Examples of Storage Credit Accounting.....	M-4
M.3	Modeling Assumptions Specific to Alternatives	M-5
M.3.1	Basin States Alternative.....	M-5
M.3.2	Conservation Before Shortage	M-8
M.3.3	Reservoir Storage Alternative.....	M-11
M.3.4	Preferred Alternative.....	M-14
M.3.5	Summary of Assumed Storage and Delivery Activities	M-15

List of Tables

Table M-1	Example of Storage Credit Accounting (af)	M-4
Table M-2	Basin States Alternative Volume Limitations of ICS	M-5
Table M-3	Assumed Creation and Delivery Schedules for ICS Under the Basin States Alternative.....	M-7
Table M-4	Conservation Before Shortage Alternative Volume Limitations of ICS	M-8
Table M-5	Assumed Storage and Delivery Schedules for Other Conservation Activities Under the Conservation Before Shortage Alternative (af)	M-10
Table M-6	Reservoir Storage Alternative Volume Limitations of Storage and Delivery Mechanism.....	M-11
Table M-7	Assumed Storage and Delivery Schedules for Other Conservation Activities Under the Reservoir Storage Alternative (af)	M-12
Table M-8	Preferred Alternative Volume Limitations of ICS.....	M-14
Table M-9	Assumed Storage and Delivery Schedules for Other Conservation Activities Under the Preferred Alternative.....	M-15
Table M-10	Modeling Assumptions for Storage and Delivery of Conserved System and Non-System Water.....	M-156

This page intentionally left blank

Appendix M

M.1 Introduction

As described in the Draft EIS, the proposed federal action is comprised of four key elements, one of which is a mechanism for “Lake Mead Storage and Delivery of Conserved System or Non-system Water” (Section 1.2 and Section 2.1). Four of the five action alternatives in the Final EIS (Basin States, Conservation Before Shortage, and Reservoir Storage alternatives and the Preferred Alternative) included some expression of a storage and delivery mechanism. Intentionally Created Surplus (ICS), as proposed by the Basin States and Conservation Before Shortage alternatives, is one way to implement this element and is the mechanism proposed by the Preferred Alternative. Reclamation has published draft guidelines in the Final EIS that describe the proposed administration of the ICS mechanism (Appendix S). In this appendix, however, the storage and delivery mechanism is described in more general terms for modeling purposes only.

At this time, it is unknown which entities might participate in a Lake Mead mechanism that allows the storage and delivery of conserved system and non-system water. Furthermore, the timing and magnitude of the storage and delivery of conserved water is unknown. However, modeling assumptions with respect to the entities that might participate and their respective level of participation were needed to enable the evaluation of the mechanism and its potential effects on environmental resources, particularly to reservoir storage and river flows downstream of Lake Mead.

The proposed federal action is for the purpose of adopting additional operational guidelines to improve the Department’s annual management and operation of key Colorado River reservoirs for an interim period through 2026. However, in order to assess the potential effects of the proposed federal action in this Final EIS, certain modeling assumptions are used that display projected water deliveries to Mexico. Reclamation’s modeling assumptions are not intended to constitute an interpretation or application of the 1944 Treaty or to represent current United States policy or a determination of future United States policy regarding deliveries to Mexico. The United States will conduct all necessary and appropriate discussions regarding the proposed federal action and implementation of the 1944 Treaty with Mexico through the IBWC in consultation with the Department of State.¹

For two of the action alternatives (the Conservation Before Shortage Alternative and the Reservoir Storage Alternative), it was assumed that storage credits would be generated and used

¹ Notwithstanding the lack of an existing mechanism to implement such modeling assumptions, Reclamation utilized these assumptions for a number of reasons, including the following: (1) a larger volume of potential storage in Lake Mead is identified; (2) the maximum potential impacts on river flows downstream of Hoover Dam are identified; (3) the alternative proponent’s recommendations as to participating entities and levels of participation are modeled; (4) the arbitrary assignment of water conservation amounts to entities in the Lower Basin states is avoided; and (5) the modeling impacts of a program of potential future cooperation between the United States and Mexico are identified.

for environmental purposes. These modeling assumptions were utilized in this Final EIS in order to analyze the potential impacts to environmental resources of the storage and delivery mechanism, particularly with regard to reservoir elevations and river flow impacts. The use of these modeling assumptions does not represent any determination by Reclamation as to whether, or how, these releases could be made under current management of the river.

M.2 General Modeling Assumptions

Four alternatives assume some form of a Lake Mead storage and delivery mechanism for conserved system and non-system water (the Basin States, Conservation Before Shortage and Reservoir Storage alternatives, and the Preferred Alternative). This section explains the general modeling assumptions regarding how storage credits are generated and delivered within the CRSS model. Examples of the accounting of storage credits within the model are also presented below.

M.2.1 Generation of Storage Credits

When storage credits are created, the model assumes either a delivery from Lake Mead is decreased or a new gain to the system is introduced, resulting in an increase to Lake Mead storage. If the reduced delivery is located downstream of Lake Mead, creation of the storage credit results in a reduction in the release from Lake Mead and river flow downstream.

At the beginning of each year, the model assumes that storage credits will be generated based on annual schedules and that the scheduled amount does not change throughout the year. The ability to store conservation credits in Lake Mead is assumed to be in effect from 2008 through 2026 (i.e., conserved water is assumed to not be stored in Lake Mead after 2026).

The activity resulting in the creation of credits is assumed to originate from a point on the Colorado River located furthest downstream in order to evaluate the maximum effects of the storage and delivery mechanism on river flows. In general, water conserved for use by a particular state is assumed to be generated by an entity within that state that had an annual depletion schedule sufficiently large enough to accommodate the reductions. In the case of the Conservation Before Shortage and Reservoir Storage alternatives, which assume unassigned storage and delivery activities and/or storage and delivery activities for Mexico and the federal government, and the Preferred Alternative, which analyzes additional activities to disclose the environmental impacts of a larger ICS program, these activities were assumed to occur within Mexico because this is the last major user in the lower part of the river and again, this permitted evaluation of the potential effects on river flow reductions².

² Reclamation's modeling assumptions are not intended to constitute an interpretation or application of the 1944 Treaty or to represent current United States policy or a determination of future United States policy regarding deliveries to Mexico. The United States will conduct all necessary and appropriate discussions regarding the proposed federal action and implementation of the 1944 Treaty with Mexico through the IBWC in consultation with the Department of State.

Appendix M

A one-time system assessment is assumed to be dedicated to the system upon the creation of a storage credit. The system assessment is assumed to be five percent of the volume of water conserved for the Basin States and Conservation Before Shortage alternatives and for the Preferred Alternative. For the Reservoir Storage Alternative, the system assessment is assumed to be ten percent of the volume of water conserved. For example, if an entity wishes to receive credit for 100 kaf, then the credits that must be generated become:
 $100 \text{ kaf} / (1 - \text{system assessment})$.

The model assumes that the accounting of storage credits occurs annually, at the end of the calendar year. Storage credits in Lake Mead are assumed to be subject to the following rules:

- an annual three percent deduction for evaporation. The deduction is applied at the end of the year and is based on the available credits at the end of the previous year. Therefore, evaporation reductions are assumed to not apply to ICS credits created and delivered within the same year;
- no evaporation deductions occur during shortage conditions;
- under the Basin States and Conservation Before Shortage alternatives and the Preferred Alternative, if flood control releases occur, storage credits would be reduced on a pro-rata basis among all entities with stored water until no credits remain. For these alternatives and the Reservoir Storage Alternative, a reasonable approximation of this operation was made whereby storage credits were assumed to be eliminated and stored water reverted to system water when flood control releases are made;
- the total volume of storage credits in Lake Mead at any given time is not included in the determination of a Quantified Surplus using the 70R Strategy; and
- the amount of storage credits that may be generated in a single year is constrained by assumed maximum annual and maximum total limits. These assumed limits vary by alternative and are presented in Section M.3.

M.2.2 Delivery of Storage Credits

When storage credits are delivered from Lake Mead, the model assumes that a delivery from Lake Mead was increased for that year, resulting in a decrease in Lake Mead storage. If the increased delivery is located downstream of Lake Mead, delivery of the storage credit results in an increase in the release from Lake Mead and downstream river flows.

At the beginning of each year, the model assumes that storage credits will be delivered based on annual schedules and that the scheduled delivery amount does not change throughout the year. Although the ability to store conservation credits in Lake Mead is assumed to be in effect from 2008 through 2026 (i.e., conserved water may not be stored in Lake Mead after 2026), a ten-year period (2027 through 2036) was assumed for entities to take any storage credits remaining after the end of the interim period.

After 2026, some conservation activities assumed to be undertaken by Nevada are assumed to continue through 2060 (tributary conservation, groundwater return flows, and system augmentation described further in Section M.3.1). The model assumes delivery of that water to Nevada in the year that the conservation occurs.

M.2.3 Examples of Storage Credit Accounting

Table M-1 provides an example of storage credit accounting in CRSS. A Put refers to the creation of credits. A Take is the delivery of credits. Although most calculations in CRSS occur on a monthly basis, the model calculates available storage credits annually, at the end of the year. At the end of year n, the balance of storage credits is determined as,

$$Balance_n = Balance_{n-1} + Put(1 - Assessment\%) - Take - Evap\%(Balance_{n-1})$$

Table M-1
Example of Storage Credit Accounting (af)

Year	Put	Assessment ¹	Put Adjusted for Assessment	Requested Take	Actual Take	Evaporation	Balance
1	0	0	0	0	0	0	0
2	200,000	10,000	190,000	0	0	0	190,000
3	100,000	5,000	95,000	50,000	50,000	5,700	229,300
4	0	0	0	200,000	200,000	6,879	22,421
5	0	0	0	50,000	21,748	673	0

¹ Assuming a system assessment of five percent.

Year 1: The storage credit balance is zero and there is no activity for this year.

Year 2: A put of 200 kaf is scheduled for this year. There is a 200 kaf reduction in delivery for this year. Assuming a system assessment of five percent, 190 kaf of storage credits are generated for this year and ten kaf (five percent of 200 kaf) is credited to the system. There are no takes scheduled. Evaporation is counted as three percent of the previous year’s balance. Because the balance in Year 1 is 0, there is no evaporation loss deducted in Year 2.

Year 3: Applying the scheduled put and take values to the equation above, a storage credit balance of 229,300 af is created.

$$229,300 = 190,000 + 100,000(1 - 0.05) - 50,000 - 0.03(190,000)$$

Year 4: Applying the scheduled put and take values to the equation above, a storage credit balance of 22,421 af is created.

$$22,421 = 229,300 + 0(1 - 0.05) - 200,000 - 0.03(229,300)$$

Year 5: The requested take is higher than the available storage credits. Therefore the actual take is constrained by the available storage credits and is therefore limited to 21,748 af.

M.3 Modeling Assumptions Specific to Alternatives

Modeling assumptions with respect to the entities that might participate and their respective level of participation were needed to enable the evaluation of the potential effects of the mechanism for each alternative. These assumptions include the maximum amount of storage credits that may be created during any year, the maximum amount of storage credits that may be recovered during any year, and the maximum total amount of storage credits that may be available at any one time. In addition, assumptions with regard to the timing and magnitude of the storage and delivery of conserved water are needed. The assumptions made for each alternative are detailed in the following sections.

M.3.1 Basin States Alternative

The Basin States Alternative proposes the Intentionally Created Surplus (ICS) mechanism and assumes the levels of participation as shown in Table M-2 (Section 2.3).

Table M-2
Basin States Alternative
Volume Limitations of ICS

Entity	Maximum Annual ICS Creation (kaf)	Maximum Cumulative ICS (kaf)	Maximum Annual ICS Delivery (kaf)
Arizona	100	300	300
California	400	1,500	400
Nevada	125	300	300
Total	625	2,100	1,000

These volume limitations are recognized in CRSS as are other rules that specify under which water supply conditions ICS may be delivered or accounted for as summarized in Section M.3.5. The schedules for Arizona, California and Nevada were provided by the Arizona Department of Water Resources (ADWR), the Metropolitan Water District of Southern California (MWD) and the Southern Nevada Water Authority (SNWA), respectively, and are detailed below.

M.3.1.1 Arizona

In order to analyze the maximum effects on river flows, the model assumes that Arizona ICS is generated through extraordinary conservation by the Yuma County Water Users Association and are delivered to CAP. According to the schedules provided by ADWR, the creation of ICS begins in 2017, as shown in Table M-3. It was assumed that ICS is created and delivered during a Normal Condition.

M.3.1.2 California

In order to analyze the maximum effects on river flows, the model assumes that California ICS is generated through extraordinary conservation by the Imperial Irrigation District and are delivered to MWD. Schedules for the creation and delivery of ICS were

provided by MWD. One hundred (100) schedules were provided, corresponding to the 100 hydrologic traces used in the ISM simulations (Section 4.2). As an example, one of these schedules is presented in Table M-3. In 2008, California is assumed to begin with an ICS account of 100 kaf due to pilot programs in place in 2006 and 2007. It was assumed that storage credits are created and delivered during a Normal Condition.

M.3.1.3 Nevada

As provided by SNWA, four different conservation activities are assumed to be undertaken by Nevada to generate ICS credits. Each activity is subject to different assumptions as to when ICS credits may be generated and used as described below. The schedules provided by SNWA are shown in Table M-3.

Tributary Conservation. It was assumed that water from extraordinary conservation on the Virgin River and Muddy River would generate ICS credits. This activity is assumed to be in place during the period 2009 through 2060. In the CRSS model, a gain to Lake Mead was introduced as the source of this ICS and it is assumed that delivery is taken by SNWA from Lake Mead. In general, it was assumed that credits may be created during all water supply conditions (except the Flood Control Surplus Condition) and may be delivered during a Normal Condition and a Shortage Condition. However, it was also assumed that SNWA would take ICS during a Full Domestic Surplus Condition, if needed, to avoid exceeding the maximum total amount of ICS. After 2026, it is assumed that the tributary conservation ICS would continue to be created each year and would be used in the same year. The system assessment is assumed to be in effect through 2060.

Groundwater. Nevada state groundwater introduced into Lake Mead or wastewater produced from Nevada state groundwater, are assumed to be available to SNWA during the period 2009 through 2060. In the CRSS model, a gain to Lake Mead was introduced as the source of groundwater and it was assumed that delivery is taken by SNWA from Lake Mead. It was assumed that such ICS may be created and delivered during a Normal Condition and a Shortage Condition. After 2026, it is assumed that such flows would continue to be created each year and would be used in the same year. The system assessment is assumed to be in effect through 2060.

System Augmentation. SNWA is assumed to receive water generated from future system augmentation projects (e.g., desalinization) beginning in 2020 through 2060. To account for water created through system augmentation, a gain was introduced to the system downstream of Imperial Dam. System augmentation water is assumed to be generated and taken during all water supply conditions except during a Flood Control Surplus Condition. After 2026, it is assumed that the system augmentation water would continue to be created each year and would be used in the same year. The system assessment for system augmentation is assumed to be in effect through 2060.

Drop 2 Storage Reservoir. The proposed Drop 2 Storage Reservoir Project is assumed to be in operation beginning in 2010 and assumed to conserve an average of 69 kafy, reducing the average delivery of non-storable flows to Mexico from 77 kafy to 8 kafy under all

**Modeling Assumptions:
Lake Mead Storage and Delivery
of Conserved System and
Non-system Water**

Appendix M

alternatives (Section 4.2). Under the four action alternatives that assume a storage and delivery mechanism, SNWA is assumed to use water conserved by the Drop 2 Storage Reservoir beginning in 2013 during a Surplus Condition (excluding the Flood Control Surplus Condition) and a Normal Condition. A system assessment is not applied to Drop 2 Storage Reservoir water. Nevada is assumed to take Drop 2 Storage Reservoir water at a maximum rate of 40 kaf each year until a total of 300 kaf has been taken. Thereafter, water conserved by the Drop 2 Reservoir is assumed to be system water.

Table M-3
Assumed Creation and Delivery Schedules for ICS Under the Basin States Alternative¹

Year	Arizona		California2		Tributary		Nevada		System	
	Extraordinary Conservation (af)		Extraordinary Conservation (af)		Conservation (af)		Groundwater (af)		Augmentation (af)	
	Creation	Deliver	Creation	Deliver	Creation	Deliver	Creation	Deliver	Creation	Deliver
2008	0	0	400,000	0	0	0	0	0	0	0
2009	0	0	400,000	0	30,000	5,000	13,000	13,000	0	0
2010	0	0	400,000	0	30,000	5,000	13,000	13,000	0	0
2011	0	0	400,000	0	30,000	5,000	13,000	13,000	0	0
2012	0	0	400,000	0	30,000	5,000	13,000	13,000	0	0
2013	0	0	400,000	0	30,000	5,000	13,000	13,000	0	0
2014	0	0	100,000	0	30,000	5,000	13,000	13,000	0	0
2015	0	0	0	0	30,000	5,000	13,000	13,000	0	0
2016	0	0	300,000	0	30,000	5,000	13,000	13,000	0	0
2017	100,000	0	400,000	0	30,000	5,000	13,000	13,000	0	0
2018	100,000	0	300,000	0	30,000	5,000	13,000	13,000	0	0
2019	100,000	0	200,000	0	30,000	5,000	13,000	13,000	0	0
2020	0	300,000	0	100,000	30,000	5,000	80,000	80,000	75,000	75,000
2021	100,000	50,000	0	100,000	30,000	5,000	80,000	80,000	75,000	75,000
2022	100,000	0	0	200,000	30,000	5,000	80,000	80,000	75,000	75,000
2023	100,000	0	0	0	30,000	5,000	80,000	80,000	75,000	75,000
2024	50,000	0	100,000	0	30,000	5,000	80,000	80,000	75,000	75,000
2025	0	50,000	0	100,000	30,000	30,000	80,000	80,000	75,000	75,000
2026	0	50,000	0	400,000	30,000	30,000	80,000	80,000	75,000	75,000
2027	0	50,000	0	300,000	30,000	60,000	80,000	80,000	75,000	75,000
2028	0	50,000	0	200,000	30,000	60,000	80,000	80,000	75,000	75,000
2029	0	50,000	0	0	30,000	60,000	80,000	80,000	75,000	75,000
2030	0	50,000	0	0	30,000	60,000	80,000	80,000	75,000	75,000
2031	0	50,000	0	400,000	30,000	60,000	80,000	80,000	75,000	75,000
2032	0	50,000	0	400,000	30,000	60,000	80,000	80,000	75,000	75,000
2033	0	50,000	0	400,000	30,000	60,000	80,000	80,000	75,000	75,000
2034	0	50,000	0	400,000	30,000	60,000	80,000	80,000	75,000	75,000
2035	0	50,000	0	400,000	30,000	60,000	80,000	80,000	75,000	75,000
2036	0	50,000	0	400,000	30,000	60,000	80,000	80,000	75,000	75,000
2037	0	0	0	0	30,000	30,000	80,000	80,000	75,000	75,000
2038	0	0	0	0	30,000	30,000	80,000	80,000	75,000	75,000
2039	0	0	0	0	30,000	30,000	80,000	80,000	75,000	75,000
2040	0	0	0	0	30,000	30,000	80,000	80,000	75,000	75,000
2041	0	0	0	0	30,000	30,000	80,000	80,000	75,000	75,000
2042	0	0	0	0	30,000	30,000	80,000	80,000	75,000	75,000
2043	0	0	0	0	30,000	30,000	80,000	80,000	75,000	75,000
2044	0	0	0	0	30,000	30,000	80,000	80,000	75,000	75,000
2045	0	0	0	0	30,000	30,000	80,000	80,000	75,000	75,000
2046	0	0	0	0	30,000	30,000	80,000	80,000	75,000	75,000

**Table M-3
Assumed Creation and Delivery Schedules for ICS Under the Basin States Alternative¹**

Year	Arizona		California ²		Tributary		Nevada		System	
	Extraordinary Conservation (af)		Extraordinary Conservation (af)		Conservation (af)		Groundwater (af)		Augmentation (af)	
	Creation	Deliver	Creation	Deliver	Creation	Deliver	Creation	Deliver	Creation	Deliver
2047	0	0	0	0	30,000	30,000	80,000	80,000	75,000	75,000
2048	0	0	0	0	30,000	30,000	80,000	80,000	75,000	75,000
2049	0	0	0	0	30,000	30,000	80,000	80,000	75,000	75,000
2050	0	0	0	0	30,000	30,000	80,000	80,000	75,000	75,000
2051	0	0	0	0	30,000	30,000	80,000	80,000	75,000	75,000
2052	0	0	0	0	30,000	30,000	80,000	80,000	75,000	75,000
2053	0	0	0	0	30,000	30,000	80,000	80,000	75,000	75,000
2054	0	0	0	0	30,000	30,000	80,000	80,000	75,000	75,000
2055	0	0	0	0	30,000	30,000	80,000	80,000	75,000	75,000
2056	0	0	0	0	30,000	30,000	80,000	80,000	75,000	75,000
2057	0	0	0	0	30,000	30,000	80,000	80,000	75,000	75,000
2058	0	0	0	0	30,000	30,000	80,000	80,000	75,000	75,000
2059	0	0	0	0	30,000	30,000	80,000	80,000	75,000	75,000
2060	0	0	0	0	30,000	30,000	80,000	80,000	75,000	75,000

¹ Actual modeled delivery amounts may be less depending on availability, system assessment, and evaporation losses.

² Reclamation was provided 100 distinct storage and delivery schedules by MWD to be used with the Index Sequential Method. The schedule in this table is an example of one schedule corresponding to one hydrologic sequence.

M.3.2 Conservation Before Shortage

The Conservation Before Shortage Alternative assumes the levels of participation shown in Table M-4 (Section 2.4).

**Table M-4
Conservation Before Shortage Alternative
Volume Limitations of ICS**

Entity	Maximum Annual ICS Creation (kaf)	Maximum Cumulative ICS (kaf)	Maximum Annual ICS Delivery (kaf)
Arizona	100	300	300
California	400	1,500	400
Nevada	125	300	300
Unassigned	825	2,100	600
Total	1,450	4,200	1,600

These volume limitations are recognized in CRSS as are other rules that specify under which water supply conditions conserved system or non-system water may be delivered or stored as summarized in Section M.3.5. The schedules for the Conservation Before Shortage Alternative for the participation of the Lower Division states were assumed to be identical to those used in the Basin States Alternative (Table M-3). The schedules for the expanded

Appendix M

participation by other entities (Unassigned in Table M-4) were provided by the non-governmental organizations (NGOs) and are detailed below.

The Conservation Before Shortage proposal includes voluntary, compensated reductions in water use prior to the imposition of involuntary shortages (Section 2.4). To model this proposal, it was assumed that storage credits of 400, 500 and 600 kafy would be created when Lake Mead was at specific elevations within the range of 1,075 feet msl and 1,025 feet msl (Section 2.4). For modeling purposes and to maximize river flow effects, these storage credits were assumed to be generated via extraordinary conservation within Mexico. The system assessment is applied when these storage credits are created and evaporation losses are applied to the account balance at the end of each year. The maximum positive volume for the account is assumed to be 1.5 maf and any additional water that is conserved above that amount is assumed to convert to system water.

It was assumed that these storage credits would remain in Lake Mead and would be counted toward the replacement of the bypass flows to the Cienega de Santa Clara in Mexico. The model maintains an accounting for the bypass flow replacement. In each year, the model releases 109 kaf (Section 4.2) for the bypass flows and deducts that amount from the bypass flow replacement account. Any deficit that accumulates in the account is tracked and offset at a later time when Lake Mead is below elevation 1,075 feet msl and storage credits are created.

The NGOs also postulated that storage credits would be generated by Mexico and be used for the purpose of environmental flows and other purposes in Mexico. These credits would be subject to the system assessment and evaporation losses and would be stored and delivered during a Surplus Condition or a Normal Condition, but not during a Flood Control Surplus Condition or a Shortage Condition. Two sets of flows are assumed to occur. The first are pulse flows to the Colorado River Delta flowing into the Gulf of California, assumed to occur every five years after the last flood control release, with the first flow scheduled for 2012 (referred to as Delta Pulse Flows in Table M-5). Each year, storage credits of 50 kaf are assumed to be generated. Delta pulse flows are of magnitude 250 kaf; however, in the fifth year, the storage credit of 50 kaf is assumed to be stored and delivered in the same year and a system assessment is not applied. The model assumes that Delta pulse flows would flow past the Northerly International Border (NIB) and are counted as an additional delivery to Mexico. The second set of flows (termed Other Flows Below NIB in Table M-5) are assumed also to occur every five years, with the first scheduled for 2010 at a volume of 80 kaf. Each year 40 kaf of storage credits is scheduled to be created for these flows. After 2010, these flows increase to a volume of 200 kaf and similar to the Delta Pulse Flows, in the fifth year the 40 kaf is assumed to be stored and delivered in the same year. The model also assumes that this water would flow past the NIB and is counted as an additional delivery to Mexico.

The NGOs postulated an additional activity to create 100 kafy of storage credits for environmental uses within the United States (termed Additional Environmental Uses in Table M-5). It was assumed that these credits would be created and delivered during a

**Modeling Assumptions:
Lake Mead Storage and Delivery
of Conserved System and
Non-system Water**

Appendix M

Normal Condition and a Surplus Condition and would be subject to the system assessment and evaporation losses. For modeling purposes and to maximize river flow effects, this water was also assumed to be generated via extraordinary conservation within Mexico.

The assumed schedules for these activities are presented in Table M-5.

**Table M-5
Assumed Storage and Delivery Schedules for
Other Conservation Activities Under the Conservation Before Shortage Alternative¹ (af)**

Year	Delta Pulse Flows		Other Flows Below NIB		Additional Environmental Uses	
	STORE	DELIVER	STORE	DELIVER	STORE	DELIVER
2008	52,632	0	42,105	0	105,263	100,000
2009	52,632	0	42,105	0	105,263	100,000
2010	52,632	0	0	80,000	105,263	100,000
2011	52,632	0	42,105	0	105,263	100,000
2012	50,000	250,000	42,105	0	105,263	100,000
2013	52,632	0	42,105	0	105,263	100,000
2014	52,632	0	42,105	0	105,263	100,000
2015	52,632	0	40,000	200,000	105,263	100,000
2016	52,632	0	42,105	0	105,263	100,000
2017	50,000	250,000	42,105	0	105,263	100,000
2018	52,632	0	42,105	0	105,263	100,000
2019	52,632	0	42,105	0	105,263	100,000
2020	52,632	0	40,000	200,000	105,263	100,000
2021	52,632	0	42,105	0	105,263	100,000
2022	50,000	250,000	42,105	0	105,263	100,000
2023	52,632	0	42,105	0	105,263	100,000
2024	52,632	0	42,105	0	105,263	100,000
2025	52,632	0	40,000	200,000	105,263	100,000
2026	52,632	0	42,105	0	105,263	100,000
2027	0	250,000	0	0	0	100,000
2028	0	0	0	0	0	100,000
2029	0	0	0	0	0	100,000
2030	0	0	0	200,000	0	100,000
2031	0	0	0	0	0	100,000
2032	0	250,000	0	0	0	100,000
2033	0	0	0	0	0	100,000
2034	0	0	0	0	0	100,000
2035	0	0	0	200,000	0	100,000
2036	0	0	0	0	0	100,000
2037	0	0	0	0	0	0
2038	0	0	0	0	0	0
2039	0	0	0	0	0	0
2040	0	0	0	0	0	0
2041	0	0	0	0	0	0
2042	0	0	0	0	0	0
2043	0	0	0	0	0	0
2044	0	0	0	0	0	0
2045	0	0	0	0	0	0
2046	0	0	0	0	0	0
2047	0	0	0	0	0	0

Appendix M

Table M-5
Assumed Storage and Delivery Schedules for
Other Conservation Activities Under the Conservation Before Shortage Alternative¹ (af)

Year	Delta Pulse Flows		Other Flows Below NIB		Additional Environmental Uses	
	STORE	DELIVER	STORE	DELIVER	STORE	DELIVER
2048	0	0	0	0	0	0
2049	0	0	0	0	0	0
2050	0	0	0	0	0	0
2051	0	0	0	0	0	0
2052	0	0	0	0	0	0
2053	0	0	0	0	0	0
2054	0	0	0	0	0	0
2055	0	0	0	0	0	0
2056	0	0	0	0	0	0
2057	0	0	0	0	0	0
2058	0	0	0	0	0	0
2059	0	0	0	0	0	0
2060	0	0	0	0	0	0

¹ Storage amounts are adjusted for system assessment. Actual modeled delivery amounts may be less depending on availability and evaporation losses.

M.3.3 Reservoir Storage Alternative

The Reservoir Storage Alternative assumes the levels of participation as shown in Table M-6 (Section 2.6).

Table M-6
Reservoir Storage Alternative
Volume Limitations of Storage and Delivery Mechanism

Entity	Maximum Annual Storage of Conserved System or Non-system Water (kaf)	Maximum Total Storage of Conserved System or Non-system Water (kaf)	Maximum Annual Delivery of Conserved System or Non-system Water (kaf)
Arizona	100	300	300
California	400	1,500	400
Nevada	125	300	300
Unassigned	475	950	950
Total	1,100	3,050	1,950

These volume limitations are recognized in CRSS as are other rules that specify under which water supply conditions conserved system or non-system water may be delivered or stored as summarized in Section M.3.5. The schedules for the Reservoir Storage Alternative for the participation of the Lower Division states were assumed to be identical to those used in the Basin States Alternative (Table M-3). The schedules for the expanded participation by other entities (Unassigned in Table M-6) are detailed below.

Some of the activities assumed in the Conservation Before Shortage Alternative were also assumed for the Reservoir Storage Alternative. In particular, the schedules for the Delta Pulse Flows and Other Flows Below NIB (Table M-5) were assumed to be identical. Other additional activities were assumed for the Reservoir Storage Alternative in order to assess the potential effects of a storage and delivery mechanism with limits different from either the Basin States or the Conservation Before Shortage alternatives.

During all water supply conditions, except the Flood Control Surplus condition, storage credits are assumed to be created to replace bypass flows to the Cienega de Santa Clara in Mexico. The model assumes that 109 kafy is released from Lake Mead for the bypass flows (Section 4.2). Because the system assessment for the Reservoir Storage Alternative is assumed to be ten percent, storage credits of 121 kafy are assumed to be created each year to replace the bypass flows (termed Bypass Flow Replacement in Table M-7). For modeling purposes and to maximize river flow effects, this water was assumed to be generated via extraordinary conservation within Mexico.

It was also assumed that storage credits of 55 kafy would be created for environmental purposes (in the amount of 50 kafy after the system assessment) in the United States (termed Environmental Uses in Table M-7). These credits are assumed to be created and delivered during all conditions (except the Flood Control Surplus Condition). For modeling purposes and to maximize river flow effects, this water was assumed to be generated via extraordinary conservation within Mexico.

During a Normal Condition and a Surplus Condition, an additional 150 kafy is assumed to be created each year with a delivery of 100 kafy (termed “Additional Conservation Activities” in Table M-7). For modeling purposes and to maximize river flow effects, this water was assumed to be generated via extraordinary conservation within Mexico and delivered to SNWA at Lake Mead.

The assumed schedules for these activities are shown in Table M-7.

Table M-7
Assumed Storage and Delivery Schedules for Other Conservation Activities Under the Reservoir Storage Alternative¹
(af)

Year	Environmental Uses		Bypass Flow Replacement		Additional Conservation Activities	
	STORE	DELIVER	STORE	DELIVER	STORE	DELIVER
2008	55,555	50,000	121,111	109,000	150,000	100,000
2009	55,555	50,000	121,111	109,000	150,000	100,000
2010	55,555	50,000	121,111	109,000	150,000	100,000
2011	55,555	50,000	121,111	109,000	150,000	100,000
2012	55,555	50,000	121,111	109,000	150,000	100,000
2013	55,555	50,000	121,111	109,000	150,000	100,000
2014	55,555	50,000	121,111	109,000	150,000	100,000
2015	55,555	50,000	121,111	109,000	150,000	100,000
2016	55,555	50,000	121,111	109,000	150,000	100,000
2017	55,555	50,000	121,111	109,000	150,000	100,000

**Modeling Assumptions:
Lake Mead Storage and Delivery
of Conserved System and
Non-system Water**

Appendix M

Table M-7
Assumed Storage and Delivery Schedules for Other Conservation Activities Under the Reservoir Storage Alternative¹
(af)

Year	Environmental Uses		Bypass Flow Replacement		Additional Conservation Activities	
	STORE	DELIVER	STORE	DELIVER	STORE	DELIVER
2018	55,555	50,000	121,111	109,000	150,000	100,000
2019	55,555	50,000	121,111	109,000	150,000	100,000
2020	55,555	50,000	121,111	109,000	150,000	100,000
2021	55,555	50,000	121,111	109,000	150,000	100,000
2022	55,555	50,000	121,111	109,000	150,000	100,000
2023	55,555	50,000	121,111	109,000	150,000	100,000
2024	55,555	50,000	121,111	109,000	150,000	100,000
2025	55,555	50,000	121,111	109,000	150,000	100,000
2026	55,555	50,000	121,111	109,000	150,000	100,000
2027	0	50,000	0	109,000	0	100,000
2028	0	50,000	0	109,000	0	100,000
2029	0	50,000	0	109,000	0	100,000
2030	0	50,000	0	109,000	0	100,000
2031	0	50,000	0	109,000	0	100,000
2032	0	50,000	0	109,000	0	100,000
2033	0	50,000	0	109,000	0	100,000
2034	0	50,000	0	109,000	0	100,000
2035	0	50,000	0	109,000	0	100,000
2036	0	50,000	0	109,000	0	100,000
2037	0	0	0	0	0	0
2038	0	0	0	0	0	0
2039	0	0	0	0	0	0
2040	0	0	0	0	0	0
2041	0	0	0	0	0	0
2042	0	0	0	0	0	0
2043	0	0	0	0	0	0
2044	0	0	0	0	0	0
2045	0	0	0	0	0	0
2046	0	0	0	0	0	0
2047	0	0	0	0	0	0
2048	0	0	0	0	0	0
2049	0	0	0	0	0	0
2050	0	0	0	0	0	0
2051	0	0	0	0	0	0
2052	0	0	0	0	0	0
2053	0	0	0	0	0	0
2054	0	0	0	0	0	0
2055	0	0	0	0	0	0
2056	0	0	0	0	0	0
2057	0	0	0	0	0	0
2058	0	0	0	0	0	0
2059	0	0	0	0	0	0
2060	0	0	0	0	0	0

¹ Storage amounts are adjusted for system assessment. Actual modeled delivery amounts may be less depending on availability and evaporation losses.

M.3.4 Preferred Alternative

The Preferred Alternative assumes the levels of participation as shown in Table M-8 (Section 2.7).

Table M-8
Preferred Alternative
Volume Limitations of ICS

Entity	Maximum Annual ICS Creation (kaf)	Maximum Cumulative ICS (kaf)	Maximum Annual ICS Delivery (kaf)
Arizona	100	300	300
California	400	1,500	400
Nevada	125	300	300
Total¹	625	2,100	1,000
Additional Amounts	625	2,100	1,000
Total²	1,250	4,200	2,000

¹ It is anticipated that the ICS mechanism will be implemented to allow a maximum cumulative amount of ICS credits that would be available at any one time of up to 2.1 maf.

² The analysis of potential effects in this Final EIS includes a maximum cumulative amount of ICS credits that would be available at any one time of up to 4.2 maf.

These volume limitations are recognized in CRSS as are other rules that specify under which water supply conditions conserved system or non-system water may be delivered or stored as summarized in Section M.3.5. The schedules for the Preferred Alternative for the participation of the Lower Division states were assumed to be identical to those under the Basin States Alternative (Table M-3). The schedules for the expanded participation by other entities (Additional Amounts in Table M-9) are detailed below.

In order to analyze the maximum effects on river flows, the model assumed that additional amounts of storage credits are generated through extraordinary conservation within Mexico and delivered to Mexico³. It was assumed that these credits are stored and delivered during a Normal Condition.

³ Notwithstanding the lack of an existing mechanism to implement such modeling assumptions, Reclamation utilized these assumptions for a number of reasons, including the following: (1) a larger volume of potential storage in Lake Mead is identified; (2) the maximum potential impacts on river flows downstream of Hoover Dam are identified; (3) the alternative proponent's recommendations as to participating entities and levels of participation are modeled; (4) the arbitrary assignment of water conservation amounts to entities in the Lower Basin states is avoided; and (5) the modeling impacts of a program of potential future cooperation between the United States and Mexico are identified.

Table M-9
Assumed Storage and Delivery Schedules for Other Conservation Activities Under the Preferred Alternative¹

Year	Additional Amounts (af)		Year	Additional Amounts (af)		Year	Additional Amounts (af)	
	STORE	DELIVER		STORE	DELIVER		STORE	DELIVER
2008	350,000	0	2026	0	200,000	2044	0	0
2009	300,000	0	2027	0	250,000	2045	0	0
2010	625,000	300,000	2028	0	250,000	2046	0	0
2011	300,000	0	2029	0	250,000	2047	0	0
2012	250,000	100,000	2030	0	250,000	2048	0	0
2013	250,000	100,000	2031	0	250,000	2049	0	0
2014	250,000	0	2032	0	250,000	2050	0	0
2015	250,000	300,000	2033	0	250,000	2051	0	0
2016	250,000	200,000	2034	0	250,000	2052	0	0
2017	300,000	200,000	2035	0	250,000	2053	0	0
2018	300,000	400,000	2036	0	250,000	2054	0	0
2019	300,000	100,000	2037	0	0	2055	0	0
2020	300,000	100,000	2038	0	0	2056	0	0
2021	300,000	100,000	2039	0	0	2057	0	0
2022	300,000	100,000	2040	0	0	2058	0	0
2023	300,000	100,000	2041	0	0	2059	0	0
2024	300,000	0	2042	0	0	2060	0	0
2025	0	1,000,000	2043	0	0			

¹ Actual modeled delivery amounts may be less depending on availability, system assessment and evaporation losses.

M.3.5 Summary of Assumed Storage and Delivery Activities

A summary of the activities assumed to occur under the various water supply conditions (Surplus Condition, Normal Condition, and Shortage Condition) for each alternative is presented in Table M-10.

**Modeling Assumptions:
Lake Mead Storage and Delivery
of Conserved System and
Non-system Water**

Appendix M

**Table M-10
Modeling Assumptions for Storage and Delivery of Conserved System and Non-System Water**

Water Supply Condition	BS, CBS, RS & PA ¹											PA Additional Amounts			
	California			Arizona		Nevada				CBS & RS			CBS	RS	
	Extraordinary Conservation	Extraordinary Conservation	Extraordinary Conservation	Extraordinary Conservation	Groundwater	System Augmentation	Drop 2 Reservoir ⁴	Mexico ⁶	Federal	Extraordinary Conservation					
Flood Control	no	no	no	no	no	no	no	no	no	no	no	no	no	no	no
Surplus	no	no	no	no	no	no	no	no	no	no	no	no	no	no	no
Quantified (70R) Surplus	no	no	yes	no	no	yes	yes	yes	yes	yes	yes	yes	yes	yes	no
Full Domestic Surplus	no	no	yes	no	no	yes	yes	yes	yes	yes	yes	yes	yes	yes	no
Normal	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
Shortage (involuntary and voluntary compensated reductions)	no	no	yes	no	yes	yes	yes	no	no	no	no	no	no	no	no
System Assessment	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
Period of Activity	2006-2026	2017-2026	2009-2060	2009-2060	2009-2060	2020-2060	Temporary	2008-2026	2008-2026	2008-2026	2008-2026	2008-2026	2008-2026	2008-2026	2008-2026

- Notes:
1. BS = Basin States Alternative, CBS = Conservation Before Shortage Alternative, RS = Reservoir Storage Alternative, PA = Preferred Alternative
 2. yes = activity assumed to occur
 3. no = activity assumed to not occur
 4. Beginning in 2013, Nevada is assumed to receive 40 kaf of the water conserved by the Drop 2 Storage Reservoir during Normal Condition and Surplus Condition years until a total of 300 kaf has been credited to Nevada. Thereafter, water conserved by the Drop 2 Storage Reservoir is assumed to be system water.
 5. Under the Conservation Before Shortage Alternative, extraordinary conservation is assumed to be undertaken by the federal government during voluntary compensated reductions but not during involuntary shortage conditions.
 6. These modeling assumptions do not reflect policy decisions and are not intended to constitute interpretation or application of the 1944 Treaty.