


RECLAMATION

Managing Water in the West

Los Angeles Basin Stormwater Conservation Study

Task 3.1 Climate Change and Hydrologic Projections

Appendices



U.S. Department of the Interior
Bureau of Reclamation
Technical Service Center
Water and Environmental Resources Division (86-68200)

October 2013

Mission Statements

The U.S. Department of the Interior protects America's natural resources and heritage, honors our cultures and tribal communities, and supplies the energy to power our future.

The mission of the Bureau of Reclamation is to manage, develop, and protect water and related resources in an environmentally and economically sound manner in the interest of the American public.

Appendix A: CMIP3-BCSD Projection Membership Diagrams and Projection Membership Tables

Tables

Table A-1. CMIP3-BCSD Future Period 1: Projection Membership	A-2
Table A-2. CMIP3-BCSD Future Period 2: Projection Membership	A-4
Table A-3. CMIP3-BCSD Future Period 3: Projection Membership	A-6
Table A-4. CMIP3-BCSD Future Period 4: Projection Membership	A-8
Table A-5. CMIP3-BCSD Future Period 5: Projection Membership	A-10
Table A-6. CMIP3-BCSD Future Period 6: Projection Membership	A-12

Figures

Figure A-1. CMIP3-BCSD: Changes in Median Annual Temperature Percent Difference of the 24 hour-50 year Precipitation for Period 1.	A-1
Figure A-2. CMIP3-BCSD: Changes in Median Annual Temperature Percent Difference of the 24 hour-50 year Precipitation for Period 2	A-3
Figure A-3. CMIP3-BCSD: Changes in Median Annual Temperature Percent Difference of the 24 hour-50 year Precipitation for Period 3	A-5
Figure A-4. CMIP3-BCSD: Changes in Median Annual Temperature Percent Difference of the 24 hour-50 year Precipitation for Period 4	A-7
Figure A-5. CMIP3-BCSD: Changes in Median Annual Temperature Percent Difference of the 24 hour-50 year Precipitation for Period 5	A-9
Figure A-6. CMIP3-BCSD: Changes in Median Annual Temperature Percent Difference of the 24 hour-50 year Precipitation for Period 6	A-11




Figure A-1. CMIP3-BCSD: Changes in Median Annual Temperature Percent Difference of the 24 hour-50 year Precipitation for Period 1.

Table A-1. CMIP3-BCSD Future Period 1: Projection Membership

CMIP3-BCSD Future Period 1: Projection Membership					
Q2 – Diminished precipitation, hotter temperature			Q1 – Enhanced precipitation, hotter temperature		
<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>	<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>
16	miroc3_2_medres.2	a1b	14	ipsl_cm4.1	a1b
29	ncar_ccsm3_0.1	a1b	17	miroc3_2_medres.3	a1b
33	ncar_ccsm3_0.6	a1b	18	miub_echo_g.1	a1b
45	cccma_cgcm3_1.5	a2	36	ncar_pcm1.2	a1b
54	miroc3_2_medres.2	a2	39	ukmo_hadcm3.1	a1b
58	miub_echo_g.3	a2	51	inmcm3_0.1	a2
90	miroc3_2_medres.2	b1	82	cnrm_cm3.1	b1
104	ncar_ccsm3_0.2	b1	84	gfdl_cm2_0.1	b1
107	ncar_ccsm3_0.5	b1	87	inmcm3_0.1	b1
108	ncar_ccsm3_0.6	b1	92	miub_echo_g.1	b1
Q3 - Diminished precipitation, warmer temperature			Q4 - Enhanced precipitation, warmer temperature		
<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>	<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>
5	cccma_cgcm3_1.4	a1b	8	csiro_mk3_0.1	a1b
25	mri_cgcm2_3_2a.2	a1b	9	gfdl_cm2_0.1	a1b
26	mri_cgcm2_3_2a.3	a1b	19	miub_echo_g.2	a1b
28	mri_cgcm2_3_2a.5	a1b	40	bccr_bcm2_0.1	a2
38	ncar_pcm1.4	a1b	44	cccma_cgcm3_1.4	a2
41	cccma_cgcm3_1.1	a2	46	cnrm_cm3.1	a2
61	mpi_echam5.3	a2	47	csiro_mk3_0.1	a2
66	mri_cgcm2_3_2a.5	a2	99	mri_cgcm2_3_2a.2	b1
80	cccma_cgcm3_1.4	b1	100	mri_cgcm2_3_2a.3	b1
97	mpi_echam5.3	b1	102	mri_cgcm2_3_2a.5	b1
Q5 – Central Tendency					
<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>			
3	cccma_cgcm3_1.2	a1b			
15	miroc3_2_medres.1	a1b			
20	miub_echo_g.3	a1b			
30	ncar_ccsm3_0.2	a1b			
55	miroc3_2_medres.3	a2			
76	bccr_bcm2_0.1	b1			
78	cccma_cgcm3_1.2	b1			
96	mpi_echam5.2	b1			
103	ncar_ccsm3_0.1	b1			
110	ncar_pcm1.2	b1			




Figure A-2. CMIP3-BCSD: Changes in Median Annual Temperature Percent Difference of the 24 hour-50 year Precipitation for Period 2

Table A-2 CMIP3-BCSD Future Period 2: Projection Membership

CMIP3-BCSD Future Period 2: Projection Membership					
Q2 – Diminished precipitation, hotter temperature			Q1 – Enhanced precipitation, hotter temperature		
<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>	<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>
11	giss_model_e_r.2	a1b	14	ipsl_cm4.1	a1b
16	miroc3_2_medres.2	a1b	34	ncar_ccsm3_0.7	a1b
30	ncar_ccsm3_0.2	a1b	38	ncar_pcm1.4	a1b
31	ncar_ccsm3_0.3	a1b	39	ukmo_hadcm3.1	a1b
58	miub_echo_g.3	a2	51	inmcm3_0.1	a2
69	ncar_ccsm3_0.3	a2	68	ncar_ccsm3_0.2	a2
70	ncar_ccsm3_0.4	a2	87	inmcm3_0.1	b1
90	miroc3_2_medres.2	b1	106	ncar_ccsm3_0.4	b1
93	miub_echo_g.2	b1	109	ncar_ccsm3_0.7	b1
107	ncar_ccsm3_0.5	b1	112	ukmo_hadcm3.1	b1
Q3 - Diminished precipitation, warmer temperature			Q4 - Enhanced precipitation, warmer temperature		
<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>	<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>
1	bccr_bcm2_0.1	a1b	7	cnrm_cm3.1	a1b
23	mpi_echam5.3	a1b	26	mri_cgcm2_3_2a.3	a1b
24	mri_cgcm2_3_2a.1	a1b	27	mri_cgcm2_3_2a.4	a1b
61	mpi_echam5.3	a2	35	ncar_pcm1.1	a1b
63	mri_cgcm2_3_2a.2	a2	46	cnrm_cm3.1	a2
65	mri_cgcm2_3_2a.4	a2	55	miroc3_2_medres.3	a2
73	ncar_pcm1.3	a2	57	miub_echo_g.2	a2
80	cccma_cgcm3_1.4	b1	64	mri_cgcm2_3_2a.3	a2
102	mri_cgcm2_3_2a.5	b1	99	mri_cgcm2_3_2a.2	b1
104	ncar_ccsm3_0.2	b1	101	mri_cgcm2_3_2a.4	b1
Q5 – Central Tendency					
<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>			
2	cccma_cgcm3_1.1	a1b			
3	cccma_cgcm3_1.2	a1b			
5	cccma_cgcm3_1.4	a1b			
10	gfdl_cm2_1.1	a1b			
21	mpi_echam5.1	a1b			
36	ncar_pcm1.2	a1b			
53	miroc3_2_medres.1	a2			
78	cccma_cgcm3_1.2	b1			
84	gfdl_cm2_0.1	b1			
88	ipsl_cm4.1	b1			




Figure A-3. CMIP3-BCSD: Changes in Median Annual Temperature Percent Difference of the 24 hour-50 year Precipitation for Period 3

Table A-3. CMIP3-BCSD Future Period 3: Projection Membership

CMIP3-BCSD Future Period 3: Projection Membership					
Q2 – Diminished precipitation, hotter temperature			Q1 – Enhanced precipitation, hotter temperature		
<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>	<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>
9	gfdl_cm2_0.1	a1b	3	cccma_cgcm3_1.2	a1b
10	gfdl_cm2_1.1	a1b	7	cnrm_cm3.1	a1b
14	ipsl_cm4.1	a1b	36	ncar_pcm1.2	a1b
16	miroc3_2_medres.2	a1b	38	ncar_pcm1.4	a1b
29	ncar_ccsm3_0.1	a1b	39	ukmo_hadcm3.1	a1b
31	ncar_ccsm3_0.3	a1b	45	cccma_cgcm3_1.5	a2
32	ncar_ccsm3_0.5	a1b	75	ukmo_hadcm3.1	a2
37	ncar_pcm1.3	a1b	87	inmcm3_0.1	b1
48	gfdl_cm2_0.1	a2	88	ipsl_cm4.1	b1
89	miroc3_2_medres.1	b1	109	ncar_ccsm3_0.7	b1
Q3 - Diminished precipitation, warmer temperature			Q4 - Enhanced precipitation, warmer temperature		
<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>	<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>
5	cccma_cgcm3_1.4	a1b	40	bccr_bcm2_0.1	a2
46	cnrm_cm3.1	a2	47	csiro_mk3_0.1	a2
60	mpi_echam5.2	a2	76	bccr_bcm2_0.1	b1
62	mri_cgcm2_3_2a.1	a2	79	cccma_cgcm3_1.3	b1
71	ncar_pcm1.1	a2	82	cnrm_cm3.1	b1
77	cccma_cgcm3_1.1	b1	97	mpi_echam5.3	b1
78	cccma_cgcm3_1.2	b1	100	mri_cgcm2_3_2a.3	b1
86	giss_model_e_r.1	b1	101	mri_cgcm2_3_2a.4	b1
98	mri_cgcm2_3_2a.1	b1	105	ncar_ccsm3_0.3	b1
110	sresb1.ncar_pcm1.2	b1	111	ncar_pcm1.3	b1
Q5 – Central Tendency					
<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>			
1	bccr_bcm2_0.1	a1b			
2	cccma_cgcm3_1.1	a1b			
4	cccma_cgcm3_1.3	a1b			
28	mri_cgcm2_3_2a.5	a1b			
74	ncar_pcm1.4	a2			
91	miroc3_2_medres.3	b1			
92	miub_echo_g.1	b1			
94	miub_echo_g.3	b1			
107	ncar_ccsm3_0.5	b1			
108	ncar_ccsm3_0.6	b1			




Figure A-4. CMIP3-BCSD: Changes in Median Annual Temperature Percent Difference of the 24 hour-50 year Precipitation for Period 4

Table A-4. CMIP3-BCSD Future Period 4: Projection Membership

CMIP3-BCSD Future Period 4: Projection Membership					
Q2 – Diminished precipitation, hotter temperature			Q1 – Enhanced precipitation, hotter temperature		
<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>	<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>
10	gfdl_cm2_1.1	a1b	14	ipsl_cm4.1	a1b
15	miroc3_2_medres.1	a1b	22	mpi_echam5.2	a1b
20	miub_echo_g.3	a1b	32	ncar_ccsm3_0.5	a1b
21	mpi_echam5.1	a1b	34	ncar_ccsm3_0.7	a1b
30	ncar_ccsm3_0.2	a1b	42	cccma_cgcm3_1.2	a2
33	ncar_ccsm3_0.6	a1b	56	miub_echo_g.1	a2
39	ukmo_hadcm3.1	a1b	57	miub_echo_g.2	a2
53	miroc3_2_medres.1	a2	58	miub_echo_g.3	a2
54	miroc3_2_medres.2	a2	67	ncar_ccsm3_0.1	a2
70	ncar_ccsm3_0.4	a2	69	ncar_ccsm3_0.3	a2
Q3 - Diminished precipitation, warmer temperature			Q4 - Enhanced precipitation, warmer temperature		
<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>	<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>
28	mri_cgcm2_3_2a.5	a1b	7	cnrm_cm3.1	a1b
61	mpi_echam5.3	a2	8	siro_mk3_0.1	a1b
65	mri_cgcm2_3_2a.4	a2	47	csiro_mk3_0.1	a2
77	cccma_cgcm3_1.1	b1	64	mri_cgcm2_3_2a.3	a2
80	cccma_cgcm3_1.4	b1	74	ncar_pcm1.4	a2
93	miub_echo_g.2	b1	76	bccr_bcm2_0.1	b1
96	mpi_echam5.2	b1	79	cccma_cgcm3_1.3	b1
97	mpi_echam5.3	b1	86	giss_model_e_r.1	b1
98	mri_cgcm2_3_2a.1	b1	101	mri_cgcm2_3_2a.4	b1
110	ncar_pcm1.2	b1	103	ncar_ccsm3_0.1	b1
Q5 – Central Tendency					
<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>			
2	cccma_cgcm3_1.1	a1b			
6	cccma_cgcm3_1.5	a1b			
36	ncar_pcm1.2	a1b			
38	ncar_pcm1.4	a1b			
41	cccma_cgcm3_1.1	a2			
68	ncar_ccsm3_0.2	a2			
88	ipsl_cm4.1	b1			
95	mpi_echam5.1	b1			
107	ncar_ccsm3_0.5	b1			
112	ukmo_hadcm3.1	b1			




Figure A-5. CMIP3-BCSD: Changes in Median Annual Temperature Percent Difference of the 24 hour-50 year Precipitation for Period 5

Table A-5. CMIP3-BCSD Future Period 5: Projection Membership

CMIP3-BCSD Future Period 5: Projection Membership					
Q2 – Diminished precipitation, hotter temperature			Q1 – Enhanced precipitation, hotter temperature		
<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>	<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>
18	miub_echo_g.1	a1b	9	gfdl_cm2_0.1	a1b
21	mpi_echam5.1	a1b	13	inmcm3_0.1	a1b
22	mpi_echam5.2	a1b	14	ipsl_cm4.1	a1b
45	cccma_cgcm3_1.5	a2	17	miroc3_2_medres.3	a1b
48	gfdl_cm2_0.1	a2	19	miub_echo_g.2	a1b
53	miroc3_2_medres.1	a2	56	miub_echo_g.1	a2
54	miroc3_2_medres.2	a2	57	miub_echo_g.2	a2
55	miroc3_2_medres.3	a2	67	ncar_ccsm3_0.1	a2
59	mpi_echam5.1	a2	87	inmcm3_0.1	b1
69	ncar_ccsm3_0.3	a2	88	ipsl_cm4.1	b1
Q3 - Diminished precipitation, warmer temperature			Q4 - Enhanced precipitation, warmer temperature		
<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>	<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>
5	cccma_cgcm3_1.4	a1b	2	cccma_cgcm3_1.1	a1b
25	mri_cgcm2_3_2a.2	a1b	27	mri_cgcm2_3_2a.4	a1b
65	mri_cgcm2_3_2a.4	a2	47	csiro_mk3_0.1	a2
66	mri_cgcm2_3_2a.5	a2	72	ncar_pcm1.2	a2
71	ncar_pcm1.1	a2	77	cccma_cgcm3_1.1	b1
76	bccr_bcm2_0.1	b1	80	cccma_cgcm3_1.4	b1
78	cccma_cgcm3_1.2	b1	82	cnrm_cm3.1	b1
85	gfdl_cm2_1.1	b1	86	giss_model_e_r.1	b1
98	mri_cgcm2_3_2a.1	b1	103	ncar_ccsm3_0.1	b1
110	ncar_pcm1.2	b1	109	ncar_ccsm3_0.7	b1
Q5 – Central Tendency					
<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>			
1	bccr_bcm2_0.1	a1b			
3	cccma_cgcm3_1.2	a1b			
4	cccma_cgcm3_1.3	a1b			
31	ncar_ccsm3_0.3	a1b			
37	ncar_pcm1.3	a1b			
40	bccr_bcm2_0.1	a2			
50	giss_model_e_r.1	a2			
92	miub_echo_g.1	b1			
95	mpi_echam5.1	b1			
96	mpi_echam5.2	b1			




Figure A-6. CMIP3-BCSD: Changes in Median Annual Temperature Percent Difference of the 24 hour-50 year Precipitation for Period 6

Table A-6. CMIP3-BCSD Future Period 6: Projection Membership

CMIP3-BCSD Future Period 6: Projection Membership					
Q2 – Diminished precipitation, hotter temperature			Q1 – Enhanced precipitation, hotter temperature		
<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>	<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>
15	miroc3_2_medres.1	a1b	14	ipsl_cm4.1	a1b
16	miroc3_2_medres.2	a1b	17	miroc3_2_medres.3	a1b
18	miub_echo_g.1	a1b	42	cccma_cgcm3_1.2	a2
20	miub_echo_g.3	a1b	43	cccma_cgcm3_1.3	a2
21	mpi_echam5.1	a1b	51	inmcm3_0.1	a2
45	cccma_cgcm3_1.5	a2	52	ipsl_cm4.1	a2
48	gfdl_cm2_0.1	a2	67	ncar_ccsm3_0.1	a2
53	miroc3_2_medres.1	a2	68	ncar_ccsm3_0.2	a2
59	mpi_echam5.1	a2	69	ncar_ccsm3_0.3	a2
70	ncar_ccsm3_0.4	a2	75	ukmo_hadcm3.1	a2
Q3 - Diminished precipitation, warmer temperature			Q4 - Enhanced precipitation, warmer temperature		
<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>	<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>
28	mri_cgcm2_3_2a.5	a1b	47	csiro_mk3_0.1	a2
77	cccma_cgcm3_1.1	b1	76	bccr_bcm2_0.1	b1
83	csiro_mk3_0.1	b1	78	cccma_cgcm3_1.2	b1
85	gfdl_cm2_1.1	b1	79	cccma_cgcm3_1.3	b1
97	mpi_echam5.3	b1	80	cccma_cgcm3_1.4	b1
98	mri_cgcm2_3_2a.1	b1	81	cccma_cgcm3_1.5	b1
102	mri_cgcm2_3_2a.5	b1	86	giss_model_e_r.1	b1
104	ncar_ccsm3_0.2	b1	100	mri_cgcm2_3_2a.3	b1
110	ncar_pcm1.2	b1	103	ncar_ccsm3_0.1	b1
111	ncar_pcm1.3	b1	105	ncar_ccsm3_0.3	b1
Q5 – Central Tendency					
<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>			
1	bccr_bcm2_0.1	a1b			
30	ncar_ccsm3_0.2	a1b			
31	ncar_ccsm3_0.3	a1b			
50	giss_model_e_r.1	a2			
63	mri_cgcm2_3_2a.2	a2			
71	ncar_pcm1.1	a2			
88	ipsl_cm4.1	b1			
91	miroc3_2_medres.3	b1			
94	miub_echo_g.3	b1			
112	ukmo_hadcm3.1	b1			

Appendix B: CMIP5-BCSD Projection Membership Diagrams and Projection Membership Tables

Tables

Table B-1. CMIP5-BCSD Future Period 1: Projection Membership	B-2
Table B-2. CMIP5-BCSD Future Period 2: Projection Membership	B-4
Table B-3. CMIP5-BCSD Future Period 3: Projection Membership	B-6
Table B-4. CMIP5-BCSD Future Period 4: Projection Membership	B-8
Table B-5. CMIP5-BCSD Future Period 5: Projection Membership	B-10
Table B-6. CMIP5-BCSD Future Period 6: Projection Membership	B-12

Figures

Figure B1. CMIP5-BCSD: Changes in Median Annual Temperature Percent Difference of the 24 hour-50 year Precipitation for Period 1	B-1
Figure B-2. CMIP5-BCSD: Changes in Median Annual Temperature Percent Difference of the 24 hour-50 year Precipitation for Period 2	B-3
Figure B-3. CMIP5-BCSD: Changes in Median Annual Temperature Percent Difference of the 24 hour-50 year Precipitation for Period 3	B-5
Figure B-4. CMIP5-BCSD: Changes in Median Annual Temperature Percent Difference of the 24 hour-50 year Precipitation for Period 4	B-7
Figure B-5. CMIP5-BCSD: Changes in Median Annual Temperature Percent Difference of the 24 hour-50 year Precipitation for Period 5	B-9
Figure B-6. CMIP5-BCSD: Changes in Median Annual Temperature Percent Difference of the 24 hour-50 year Precipitation for Period 6	B-11

Appendix B: CMIP5-BCSD Projection Membership Diagrams and Projection Membership Tables




Figure B1. CMIP5-BCSD: Changes in Median Annual Temperature Percent Difference of the 24 hour-50 year Precipitation for Period 1

Table B-1. CMIP5-BCSD Future Period 1: Projection Membership

CMIP5-BCSD Future Period 1: Projection Membership					
Q2 – Diminished precipitation, hotter temperature			Q1 – Enhanced precipitation, hotter temperature		
<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>	<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>
7	bcc-csm1-1	rcp60	1	access1-0	rcp45
11	bnu-esm	rcp85	25	cmcc-cm	rcp45
14	canesm2	rcp85	60	hadgem2-ao	rcp60
41	gfdl-cm3	rcp45	61	hadgem2-ao	rcp85
43	gfdl-cm3	rcp85	70	ipsl-cm5a-mr	rcp26
54	giss-e2-r	rcp26	71	ipsl-cm5a-mr	rcp45
63	hadgem2-cc	rcp85	72	ipsl-cm5a-mr	rcp60
67	hadgem2-es	rcp85	76	miroc-esm-chem	rcp26
86	miroc5	rcp60	90	mpi-esm-lr	rcp85
91	mpi-esm-mr	rcp26	100	noresm1-m	rcp85
Q3 - Diminished precipitation, warmer temperature			Q4 - Enhanced precipitation, warmer temperature		
<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>	<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>
3	bcc-csm1-1-m	rcp45	17	ccsm4	rcp60
15	ccsm4	rcp26	18	ccsm4	rcp85
16	ccsm4	rcp45	22	cesm1-cam5	rcp45
33	fgoals-g2	rcp26	26	cmcc-cm	rcp85
42	gfdl-cm3	rcp60	36	fio-esm	rcp26
49	gfdl-esm2m	rcp45	37	fio-esm	rcp45
50	gfdl-esm2m	rcp60	38	fio-esm	rcp60
51	gfdl-esm2m	rcp85	44	gfdl-esm2g	rcp26
82	miroc-esm	rcp60	46	gfdl-esm2g	rcp60
95	mri-cgcm3	rcp45	75	ipsl-cm5b-lr	rcp85
Q5 – Central Tendency					
<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>			
24	cesm1-cam5	rcp85			
47	gfdl-esm2g	rcp85			
65	hadgem2-es	rcp45			
66	hadgem2-es	rcp60			
78	miroc-esm-chem	rcp60			
79	miroc-esm-chem	rcp85			
85	miroc5	rcp45			
87	miroc5	rcp85			
92	mpi-esm-mr	rcp45			
99	noresm1-m	rcp60			




Figure B-2. CMIP5-BCSD: Changes in Median Annual Temperature Percent Difference of the 24 hour-50 year Precipitation for Period 2

Table B-2. CMIP5-BCSD Future Period 2: Projection Membership

CMIP5-BCSD Future Period 2: Projection Membership					
Q2 – Diminished precipitation, hotter temperature			Q1 – Enhanced precipitation, hotter temperature		
<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>	<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>
20	cesm1-bgc	rcp85	2	access1-0	rcp85
40	gfdl-cm3	rcp26	10	bnu-esm	rcp45
64	hadgem2-es	rcp26	12	canesm2	rcp26
67	hadgem2-es	rcp85	29	csiro-mk3-6-0	rcp26
76	miroc-esm-chem	rcp26	54	giss-e2-r	rcp26
77	miroc-esm-chem	rcp45	58	hadgem2-ao	rcp26
78	miroc-esm-chem	rcp60	71	ipsl-cm5a-mr	rcp45
79	miroc-esm-chem	rcp85	73	ipsl-cm5a-mr	rcp85
90	mpi-esm-lr	rcp85	89	mpi-esm-lr	rcp45
97	noresm1-m	rcp26	100	noresm1-m	rcp85
Q3 - Diminished precipitation, warmer temperature			Q4 - Enhanced precipitation, warmer temperature		
<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>	<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>
17	ccsm4	rcp60	4	bcc-csm1-1-m	rcp85
23	cesm1-cam5	rcp60	6	bcc-csm1-1	rcp45
33	fgoals-g2	rcp26	15	ccsm4	rcp26
49	gfdl-esm2m	rcp45	31	csiro-mk3-6-0	rcp60
53	giss-e2-r-cc	rcp45	36	fio-esm	rcp26
75	ipsl-cm5b-lr	rcp85	38	fio-esm	rcp60
82	miroc-esm	rcp60	48	gfdl-esm2m	rcp26
94	mri-cgcm3	rcp26	50	gfdl-esm2m	rcp60
96	mri-cgcm3	rcp85	68	inmcm4	rcp45
99	noresm1-m	rcp60	69	inmcm4	rcp85
Q5 – Central Tendency					
<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>			
5	bcc-csm1-1	rcp26			
19	cesm1-bgc	rcp45			
24	cesm1-cam5	rcp85			
30	csiro-mk3-6-0	rcp45			
44	gfdl-esm2g	rcp26			
52	giss-e2-h-cc	rcp45			
60	hadgem2-ao	rcp60			
62	hadgem2-cc	rcp45			
70	ipsl-cm5a-mr	rcp26			
81	miroc-esm	rcp45			

CMIP5-BCSD




Figure B-3. CMIP5-BCSD: Changes in Median Annual Temperature Percent Difference of the 24 hour-50 year Precipitation for Period 3

Table B-3. CMIP5-BCSD Future Period 3: Projection Membership

CMIP5-BCSD Future Period 3: Projection Membership					
Q2 – Diminished precipitation, hotter temperature			Q1 – Enhanced precipitation, hotter temperature		
<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>	<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>
13	canesm2	rcp45	2	access1-0	rcp85
41	gfdl-cm3	rcp45	8	bcc-csm1-1	rcp85
43	gfdl-cm3	rcp85	24	cesm1-cam5	rcp85
59	hadgem2-ao	rcp45	26	cmcc-cm	rcp85
63	hadgem2-cc	rcp85	60	hadgem2-ao	rcp60
71	ipsl-cm5a-mr	rcp45	72	ipsl-cm5a-mr	rcp60
77	miroc-esm-chem	rcp45	75	ipsl-cm5b-lr	rcp85
78	miroc-esm-chem	rcp60	79	miroc-esm-chem	rcp85
90	mpi-esm-lr	rcp85	83	miroc-esm	rcp85
92	mpi-esm-mr	rcp45	87	miroc5	rcp85
Q3 - Diminished precipitation, warmer temperature			Q4 - Enhanced precipitation, warmer temperature		
<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>	<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>
7	bcc-csm1-1	rcp60	17	ccsm4	rcp60
15	ccsm4	rcp26	18	ccsm4	rcp85
33	fgoals-g2	rcp26	28	cnrm-cm5	rcp85
48	gfdl-esm2m	rcp26	37	fio-esm	rcp45
52	giss-e2-h-cc	rcp45	46	gfdl-esm2g	rcp60
53	giss-e2-r-cc	rcp45	49	gfdl-esm2m	rcp45
86	miroc5	rcp60	55	giss-e2-r	rcp45
95	mri-cgcm3	rcp45	68	inmcm4	rcp45
96	mri-cgcm3	rcp85	69	inmcm4	rcp85
99	noresm1-m	rcp60	74	ipsl-cm5b-lr	rcp45
Q5 – Central Tendency					
<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>			
5	bcc-csm1-1	rcp26			
6	bcc-csm1-1	rcp45			
22	cesm1-cam5	rcp45			
23	cesm1-cam5	rcp60			
40	gfdl-cm3	rcp26			
64	hadgem2-es	rcp26			
66	hadgem2-es	rcp60			
80	miroc-esm	rcp26			
81	miroc-esm	rcp45			
98	noresm1-m	rcp45			




Figure B-4. CMIP5-BCSD: Changes in Median Annual Temperature Percent Difference of the 24 hour-50 year Precipitation for Period 4

Table B-4. CMIP5-BCSD Future Period 4: Projection Membership

CMIP5-BCSD Future Period 4: Projection Membership					
Q2 – Diminished precipitation, hotter temperature			Q1 – Enhanced precipitation, hotter temperature		
<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>	<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>
11	bnu-esm	rcp85	6	bcc-csm1-1	rcp45
13	canesm2	rcp45	8	bcc-csm1-1	rcp85
24	cesm1-cam5	rcp85	14	canesm2	rcp85
32	csiro-mk3-6-0	rcp85	26	cmcc-cm	rcp85
43	gfdl-cm3	rcp85	30	csiro-mk3-6-0	rcp45
61	hadgem2-ao	rcp85	59	hadgem2-ao	rcp45
77	miroc-esm-chem	rcp45	63	hadgem2-cc	rcp85
79	miroc-esm-chem	rcp85	65	hadgem2-es	rcp45
83	miroc-esm	rcp85	71	ipsl-cm5a-mr	rcp45
87	miroc5	rcp85	93	mpi-esm-mr	rcp85
Q3 - Diminished precipitation, warmer temperature			Q4 - Enhanced precipitation, warmer temperature		
<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>	<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>
16	ccsm4	rcp45	21	cesm1-cam5	rcp26
33	fgoals-g2	rcp26	27	cnrm-cm5	rcp45
46	gfdl-esm2g	rcp60	37	fio-esm	rcp45
49	gfdl-esm2m	rcp45	38	fio-esm	rcp60
50	gfdl-esm2m	rcp60	39	fio-esm	rcp85
52	giss-e2-h-cc	rcp45	48	gfdl-esm2m	rcp26
84	miroc5	rcp26	54	giss-e2-r	rcp26
88	mpi-esm-lr	rcp26	55	giss-e2-r	rcp45
91	mpi-esm-mr	rcp26	68	inmcm4	rcp45
97	noresm1-m	rcp26	69	inmcm4	rcp85
Q5 – Central Tendency					
<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>			
25	cmcc-cm	rcp45			
31	csiro-mk3-6-0	rcp60			
42	gfdl-cm3	rcp60			
58	hadgem2-ao	rcp26			
62	hadgem2-cc	rcp45			
64	hadgem2-es	rcp26			
66	hadgem2-es	rcp60			
75	ipsl-cm5b-lr	rcp85			
76	miroc-esm-chem	rcp26			
81	miroc-esm	rcp45			




Figure B-5. CMIP5-BCSD: Changes in Median Annual Temperature Percent Difference of the 24 hour-50 year Precipitation for Period 5

Table B-5. CMIP5-BCSD Future Period 5: Projection Membership

CMIP5-BCSD Future Period 5: Projection Membership					
Q2 – Diminished precipitation, hotter temperature			Q1 – Enhanced precipitation, hotter temperature		
<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>	<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>
30	csiro-mk3-6-0	rcp45	2	access1-0	rcp85
32	csiro-mk3-6-0	rcp85	24	cesm1-cam5	rcp85
35	fgoals-g2	rcp85	28	cnrm-cm5	rcp85
59	hadgem2-ao	rcp45	31	csiro-mk3-6-0	rcp60
61	hadgem2-ao	rcp85	60	hadgem2-ao	rcp60
66	hadgem2-es	rcp60	71	ipsl-cm5a-mr	rcp45
79	miroc-esm-chem	rcp85	72	ipsl-cm5a-mr	rcp60
83	miroc-esm	rcp85	73	ipsl-cm5a-mr	rcp85
87	miroc5	rcp85	75	ipsl-cm5b-lr	rcp85
93	mpi-esm-mr	rcp85	81	miroc-esm	rcp45
Q3 - Diminished precipitation, warmer temperature			Q4 - Enhanced precipitation, warmer temperature		
<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>	<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>
5	bcc-csm1-1	rcp26	9	bnu-esm	rcp26
15	ccsm4	rcp26	17	ccsm4	rcp60
34	fgoals-g2	rcp45	37	fio-esm	rcp45
53	giss-e2-r-cc	rcp45	38	fio-esm	rcp60
76	miroc-esm-chem	rcp26	48	gfdl-esm2m	rcp26
80	miroc-esm	rcp26	52	giss-e2-h-cc	rcp45
91	mpi-esm-mr	rcp26	56	giss-e2-r	rcp60
92	mpi-esm-mr	rcp45	68	inmcm4	rcp45
95	mri-cgcm3	rcp45	70	ipsl-cm5a-mr	rcp26
97	noresm1-m	rcp26	94	mri-cgcm3	rcp26
Q5 – Central Tendency					
<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>			
6	bcc-csm1-1	rcp45			
10	bnu-esm	rcp45			
12	canesm2	rcp26			
16	ccsm4	rcp45			
29	csiro-mk3-6-0	rcp26			
46	gfdl-esm2g	rcp60			
50	gfdl-esm2m	rcp60			
58	hadgem2-ao	rcp26			
62	hadgem2-cc	rcp45			
96	mri-cgcm3	rcp85			

CMIP5-BCSD




Figure B-6. CMIP5-BCSD: Changes in Median Annual Temperature Percent Difference of the 24 hour-50 year Precipitation for Period 6

Table B-6. CMIP5-BCSD Future Period 6: Projection Membership

CMIP5-BCSD Future Period 6: Projection Membership					
Q2 – Diminished precipitation, hotter temperature			Q1 – Enhanced precipitation, hotter temperature		
<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>	<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>
8	bcc-csm1-1	rcp85	2	access1-0	rcp85
11	bnu-esm	rcp85	14	canesm2	rcp85
32	csiro-mk3-6-0	rcp85	23	cesm1-cam5	rcp60
35	fgoals-g2	rcp85	24	cesm1-cam5	rcp85
43	gfdl-cm3	rcp85	26	cmcc-cm	rcp85
63	hadgem2-cc	rcp85	60	hadgem2-ao	rcp60
67	hadgem2-es	rcp85	61	hadgem2-ao	rcp85
83	miroc-esm	rcp85	66	hadgem2-es	rcp60
87	miroc5	rcp85	73	ipsl-cm5a-mr	rcp85
93	mpi-esm-mr	rcp85	79	miroc-esm-chem	rcp85
Q3 - Diminished precipitation, warmer temperature			Q4 - Enhanced precipitation, warmer temperature		
<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>	<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>
16	ccsm4	rcp45	9	bnu-esm	rcp26
33	fgoals-g2	rcp26	17	ccsm4	rcp60
49	gfdl-esm2m	rcp45	29	csiro-mk3-6-0	rcp26
50	gfdl-esm2m	rcp60	38	fio-esm	rcp60
53	giss-e2-r-cc	rcp45	48	gfdl-esm2m	rcp26
64	hadgem2-es	rcp26	52	giss-e2-h-cc	rcp45
88	mpi-esm-lr	rcp26	68	inmcm4	rcp45
91	mpi-esm-mr	rcp26	70	ipsl-cm5a-mr	rcp26
95	mri-cgcm3	rcp45	74	ipsl-cm5b-lr	rcp45
97	noresm1-m	rcp26	98	noresm1-m	rcp45
Q5 – Central Tendency					
<i>Model No.</i>	<i>Model Name</i>	<i>Emissions</i>			
1	access1-0	rcp45			
7	bcc-csm1-1	rcp60			
10	bnu-esm	rcp45			
13	canesm2	rcp45			
22	cesm1-cam5	rcp45			
25	cmcc-cm	rcp45			
40	gfdl-cm3	rcp26			
56	giss-e2-r	rcp60			
62	hadgem2-cc	rcp45			
96	mri-cgcm3	rcp85			

Appendix C:

Storm Event Frequency Results

Table C-1. Storm Event Frequency: Rain Gage No 04221.	C-1
Table C-2. Storm Event Frequency: Rain Gage No 45114.	C-2
Table C-3. Storm Event Frequency: Rain Gage No 47776.	C-3
Table C-4. Storm Event Frequency: Rain Gage No 6.	C-4
Table C-5. Storm Event Frequency: Rain Gage No 11.	C-5
Table C-6. Storm Event Frequency: Rain Gage No 13.	C-6
Table C-7. Storm Event Frequency: Rain Gage No 17.	C-7
Table C-8. Storm Event Frequency: Rain Gage No 20.	C-8
Table C-9. Storm Event Frequency: Rain Gage No 21.	C-9
Table C-10. Storm Event Frequency: Rain Gage No 23.	C-10
Table C-11. Storm Event Frequency: Rain Gage No 25.	C-11
Table C-12. Storm Event Frequency: Rain Gage No 32.	C-12
Table C-13. Storm Event Frequency: Rain Gage No 33.	C-13
Table C-14. Storm Event Frequency: Rain Gage No 42.	C-14
Table C-15. Storm Event Frequency: Rain Gage No 43.	C-15
Table C-16. Storm Event Frequency: Rain Gage No 46.	C-16
Table C-17. Storm Event Frequency: Rain Gage No 47.	C-17
Table C-18. Storm Event Frequency: Rain Gage No 53.	C-18
Table C-19. Storm Event Frequency: Rain Gage No 57.	C-19
Table C-20. Storm Event Frequency: Rain Gage No 63.	C-20
Table C-21. Storm Event Frequency: Rain Gage No 67.	C-21
Table C-22. Storm Event Frequency: Rain Gage No 68.	C-22
Table C-23. Storm Event Frequency: Rain Gage No 89.	C-23
Table C-24. Storm Event Frequency: Rain Gage No 93.	C-24
Table C-25. Storm Event Frequency: Rain Gage No 96.	C-25
Table C-26. Storm Event Frequency: Rain Gage No 106.	C-26
Table C-27. Storm Event Frequency: Rain Gage No 108.	C-27
Table C-28. Storm Event Frequency: Rain Gage No 109.	C-28
Table C-29. Storm Event Frequency: Rain Gage No 134.	C-29
Table C-30. Storm Event Frequency: Rain Gage No 144.	C-30
Table C-31. Storm Event Frequency: Rain Gage No 156.	C-31
Table C-32. Storm Event Frequency: Rain Gage No 158.	C-32
Table C-33. Storm Event Frequency: Rain Gage No 167.	C-33
Table C-34. Storm Event Frequency: Rain Gage No 170.	C-34
Table C-35. Storm Event Frequency: Rain Gage No 172.	C-35
Table C-36. Storm Event Frequency: Rain Gage No 174.	C-36
Table C-37. Storm Event Frequency: Rain Gage No 175.	C-37
Table C-38. Storm Event Frequency: Rain Gage No 176.	C-38

Table C-39. Storm Event Frequency: Rain Gage No 196.	C-39
Table C-40. Storm Event Frequency: Rain Gage No 216.	C-40
Table C-41. Storm Event Frequency: Rain Gage No 223.	C-41
Table C-42. Storm Event Frequency: Rain Gage No 225.	C-42
Table C-43. Storm Event Frequency: Rain Gage No 227.	C-43
Table C-44. Storm Event Frequency: Rain Gage No 228.	C-44
Table C-45. Storm Event Frequency: Rain Gage No 235.	C-45
Table C-46. Storm Event Frequency: Rain Gage No 237.	C-46
Table C-47. Storm Event Frequency: Rain Gage No 238.	C-47
Table C-48. Storm Event Frequency: Rain Gage No 251.	C-48
Table C-49. Storm Event Frequency: Rain Gage No 255.	C-49
Table C-50. Storm Event Frequency: Rain Gage No 269.	C-50
Table C-51. Storm Event Frequency: Rain Gage No 280.	C-51
Table C-52. Storm Event Frequency: Rain Gage No 283.	C-52
Table C-53. Storm Event Frequency: Rain Gage No 287.	C-53
Table C-54. Storm Event Frequency: Rain Gage No 291.	C-54
Table C-55. Storm Event Frequency: Rain Gage No 293.	C-55
Table C-56. Storm Event Frequency: Rain Gage No 306.	C-56
Table C-57. Storm Event Frequency: Rain Gage No 334.	C-57
Table C-58. Storm Event Frequency: Rain Gage No 336.	C-58
Table C-59. Storm Event Frequency: Rain Gage No 338.	C-59
Table C-60. Storm Event Frequency: Rain Gage No 352.	C-60
Table C-61. Storm Event Frequency: Rain Gage No 373.	C-61
Table C-62. Storm Event Frequency: Rain Gage No 377.	C-62
Table C-63. Storm Event Frequency: Rain Gage No 379.	C-63
Table C-64. Storm Event Frequency: Rain Gage No 387.	C-64
Table C-65. Storm Event Frequency: Rain Gage No 388.	C-65
Table C-66. Storm Event Frequency: Rain Gage No 390.	C-66
Table C-67. Storm Event Frequency: Rain Gage No 394.	C-67
Table C-68. Storm Event Frequency: Rain Gage No 395.	C-68
Table C-69. Storm Event Frequency: Rain Gage No 405.	C-69
Table C-70. Storm Event Frequency: Rain Gage No 406.	C-70
Table C-71. Storm Event Frequency: Rain Gage No 415.	C-71
Table C-72. Storm Event Frequency: Rain Gage No 425.	C-72
Table C-73. Storm Event Frequency: Rain Gage No 435.	C-73
Table C-74. Storm Event Frequency: Rain Gage No 436.	C-74
Table C-75. Storm Event Frequency: Rain Gage No 447.	C-75
Table C-76. Storm Event Frequency: Rain Gage No 449.	C-76
Table C-77. Storm Event Frequency: Rain Gage No 462.	C-77
Table C-78. Storm Event Frequency: Rain Gage No 465.	C-78
Table C-79. Storm Event Frequency: Rain Gage No 482.	C-79
Table C-80. Storm Event Frequency: Rain Gage No 488.	C-80
Table C-81. Storm Event Frequency: Rain Gage No 491.	C-81
Table C-82. Storm Event Frequency: Rain Gage No 497.	C-82
Table C-83. Storm Event Frequency: Rain Gage No 591.	C-83
Table C-84. Storm Event Frequency: Rain Gage No 610.	C-84

Table C-85. Storm Event Frequency: Rain Gage No 612.	C-85
Table C-86. Storm Event Frequency: Rain Gage No 613.	C-86
Table C-87. Storm Event Frequency: Rain Gage No 634.	C-87
Table C-88. Storm Event Frequency: Rain Gage No 680.	C-88
Table C-89. Storm Event Frequency: Rain Gage No 683.	C-89
Table C-90. Storm Event Frequency: Rain Gage No 695.	C-90
Table C-91. Storm Event Frequency: Rain Gage No 716.	C-91
Table C-92. Storm Event Frequency: Rain Gage No 749.	C-92
Table C-93. Storm Event Frequency: Rain Gage No 795.	C-93
Table C-94. Storm Event Frequency: Rain Gage No 797.	C-94
Table C-95. Storm Event Frequency: Rain Gage No 801.	C-95
Table C-96. Storm Event Frequency: Rain Gage No 802.	C-96
Table C-97. Storm Event Frequency: Rain Gage No 807.	C-97
Table C-98. Storm Event Frequency: Rain Gage No 1006.	C-98
Table C-99. Storm Event Frequency: Rain Gage No 1025.	C-99
Table C-100. Storm Event Frequency: Rain Gage No 1029.	C-100
Table C-101. Storm Event Frequency: Rain Gage No 1037.	C-101
Table C-102. Storm Event Frequency: Rain Gage No 1041.	C-102
Table C-103. Storm Event Frequency: Rain Gage No 1050.	C-103
Table C-104. Storm Event Frequency: Rain Gage No 1051.	C-104
Table C-105. Storm Event Frequency: Rain Gage No 1070.	C-105
Table C-106. Storm Event Frequency: Rain Gage No 1071.	C-106
Table C-107. Storm Event Frequency: Rain Gage No 1076.	C-107
Table C-108. Storm Event Frequency: Rain Gage No 1081.	C-108
Table C-109. Storm Event Frequency: Rain Gage No 1087.	C-109
Table C-110. Storm Event Frequency: Rain Gage No 1088.	C-110
Table C-111. Storm Event Frequency: Rain Gage No 1095.	C-111
Table C-112. Storm Event Frequency: Rain Gage No 1113.	C-112
Table C-113. Storm Event Frequency: Rain Gage No 1114.	C-113
Table C-114. Storm Event Frequency: Rain Gage No 1115.	C-114
Table C-115. Storm Event Frequency: Rain Gage No 1126.	C-115
Table C-116. Storm Event Frequency: Rain Gage No 1129.	C-116
Table C-117. Storm Event Frequency: Rain Gage No 1158.	C-117
Table C-118. Storm Event Frequency: Rain Gage No 1191.	C-118
Table C-119. Storm Event Frequency: Rain Gage No 1192.	C-119
Table C-120. Storm Event Frequency: Rain Gage No 1193.	C-120
Table C-121. Storm Event Frequency: Rain Gage No 1194.	C-121
Table C-122. Storm Event Frequency: Rain Gage No 1216.	C-122
Table C-123. Storm Event Frequency: Rain Gage No 1222.	C-123
Table C-124. Storm Event Frequency: Rain Gage No 1223.	C-124
Table C-125. Storm Event Frequency: Rain Gage No 1252.	C-125
Table C-126. Storm Event Frequency: Rain Gage No 1253.	C-126
Table C-127. Storm Event Frequency: Rain Gage No 1254.	C-127
Table C-128. Storm Event Frequency: Rain Gage No 1255.	C-128
Table C-129. Storm Event Frequency: Rain Gage No 1256.	C-129
Table C-130. Storm Event Frequency: Rain Gage No 1257.	C-130

Table C-131. Storm Event Frequency: Rain Gage No 1259.	C-131
Table C-132. Storm Event Frequency: Rain Gage No 1261.	C-132
Table C-133. Storm Event Frequency: Rain Gage No 1264.	C-133
Table C-134. Storm Event Frequency: Rain Gage No 1271.	C-134

Appendix C: Storm Event Frequency Results

Table C-1. Storm Event Frequency: Rain Gage No 04221.

Rain Gage No. 042214								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		3.40	4.15	5.13	5.90	6.69	7.51
BCSD	CMIP3	Hot dry	3.00	3.51	4.06	4.42	4.75	5.03
		Hot wet	3.50	4.41	5.63	6.59	7.59	8.63
		Central	3.04	3.65	4.40	4.93	5.44	5.93
		Warm dry	2.86	3.57	4.50	5.22	5.96	6.72
		Warm wet	3.66	4.65	6.00	7.08	8.23	9.45
	CMIP5	Hot dry	3.20	3.70	4.22	4.53	4.80	5.03
		Hot wet	4.25	5.16	6.25	7.02	7.75	8.45
		Central	3.25	3.92	4.73	5.30	5.84	6.36
		Warm dry	2.72	3.16	3.65	3.97	4.24	4.49
		Warm wet	3.76	4.70	5.93	6.88	7.84	8.82
	Minimum		2.72	3.16	3.65	3.97	4.24	4.49
	Maximum		4.25	5.16	6.25	7.08	8.23	9.45
BCCA	RCP2.6	0.01	2.56	3.05	3.63	3.94	4.09	4.17
		0.25	3.00	3.45	3.85	4.06	4.43	4.67
		0.5	3.09	3.55	4.09	4.46	4.73	4.96
		0.75	3.22	3.69	4.24	4.58	4.94	5.21
		0.99	3.54	3.94	4.41	4.92	5.46	6.01
	RCP8.5	0.01	2.55	2.99	3.51	3.86	4.20	4.39
		0.25	2.95	3.48	4.03	4.22	4.45	4.54
		0.5	3.25	3.73	4.21	4.46	4.66	4.92
		0.75	3.49	3.88	4.34	4.64	5.00	5.24
		0.99	3.86	4.10	4.47	4.85	5.40	5.95
	Minimum		2.55	2.99	3.51	3.86	4.09	4.17
	Maximum		3.86	4.10	4.47	4.92	5.46	6.01

Table C-2. Storm Event Frequency: Rain Gage No 45114.

Rain Gage No. 45114								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		3.18	3.90	4.83	5.54	6.26	7.00
BCSD	CMIP3	Hot dry	2.44	2.89	3.45	3.85	4.24	4.61
		Hot wet	2.97	3.84	5.18	6.38	7.77	9.40
		Central	2.55	3.10	3.85	4.45	5.09	5.76
		Warm dry	2.30	2.88	3.72	4.43	5.21	6.09
		Warm wet	3.03	3.85	5.08	6.16	7.39	8.79
	CMIP5	Hot dry	2.56	3.01	3.56	3.96	4.36	4.74
		Hot wet	3.47	4.45	5.93	7.23	8.72	10.43
		Central	2.74	3.37	4.22	4.89	5.60	6.34
		Warm dry	2.33	2.82	3.48	4.01	4.57	5.16
		Warm wet	3.20	4.18	5.68	7.04	8.63	10.50
	Minimum		2.30	2.82	3.45	3.85	4.24	4.61
	Maximum		3.47	4.45	5.93	7.23	8.72	10.50
BCCA	RCP2.6	0.01	2.17	2.61	3.21	3.68	4.02	4.14
		0.25	2.66	3.11	3.61	3.93	4.23	4.53
		0.5	2.78	3.21	3.73	4.06	4.36	4.70
		0.75	2.89	3.35	3.85	4.14	4.46	4.80
		0.99	3.19	3.52	3.95	4.39	4.80	5.20
	RCP8.5	0.01	2.29	2.75	3.29	3.39	3.40	3.40
		0.25	2.78	3.21	3.65	3.88	4.02	4.13
		0.5	2.98	3.30	3.71	3.97	4.19	4.49
		0.75	3.08	3.42	3.82	4.12	4.42	4.71
		0.99	3.36	3.57	3.91	4.34	4.77	5.23
	Minimum		2.17	2.61	3.21	3.39	3.40	3.40
	Maximum		3.36	3.57	3.95	4.39	4.80	5.23

Table C-3. Storm Event Frequency: Rain Gage No 47776.

Rain Gage No. 47776								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.71	5.70	7.21	8.54	10.08	11.85
BCSD	CMIP3	Hot dry	4.33	4.99	5.68	6.13	6.51	6.84
		Hot wet	5.35	6.51	7.94	8.97	9.98	10.96
		Central	5.20	6.18	7.32	8.10	8.83	9.50
		Warm dry	4.24	4.90	5.61	6.07	6.46	6.81
		Warm wet	5.73	7.09	8.89	10.28	11.70	13.17
	CMIP5	Hot dry	5.02	5.88	6.84	7.47	8.03	8.54
		Hot wet	6.18	7.53	9.23	10.49	11.74	12.99
		Central	5.28	6.43	7.89	8.97	10.04	11.11
		Warm dry	4.81	5.85	7.17	8.14	9.11	10.07
		Warm wet	6.46	7.85	9.55	10.76	11.92	13.03
	Minimum		4.24	4.90	5.61	6.07	6.46	6.81
	Maximum		6.46	7.85	9.55	10.76	11.92	13.17
BCCA	RCP2.6	0.01	4.11	4.59	5.05	5.31	5.52	5.69
		0.25	4.43	4.92	5.38	5.55	5.67	5.77
		0.5	4.59	5.08	5.51	5.80	6.04	6.21
		0.75	4.67	5.12	5.73	6.03	6.31	6.53
		0.99	4.88	5.41	5.96	6.37	6.80	7.18
	RCP8.5	0.01	4.00	4.34	4.64	4.80	4.91	4.98
		0.25	4.51	5.00	5.49	5.77	5.98	6.17
		0.5	4.69	5.25	5.82	6.23	6.46	6.60
		0.75	4.93	5.50	6.01	6.45	6.74	7.07
		0.99	5.69	6.06	6.37	6.61	6.92	7.21
	Minimum		4.00	4.34	4.64	4.80	4.91	4.98
	Maximum		5.69	6.06	6.37	6.61	6.92	7.21

Table C-4. Storm Event Frequency: Rain Gage No 6.

Rain Gage No. 6								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		6.34	7.79	9.61	10.96	12.31	13.64
BCSD	CMIP3	Hot dry	4.66	5.76	7.19	8.28	9.40	10.54
		Hot wet	5.39	7.27	10.31	13.18	16.69	20.97
		Central	4.77	6.25	8.57	10.67	13.15	16.08
		Warm dry	4.34	5.43	6.94	8.15	9.45	10.84
		Warm wet	5.69	7.52	10.34	12.86	15.80	19.23
	CMIP5	Hot dry	4.88	5.94	7.31	8.35	9.41	10.48
		Hot wet	6.55	8.75	12.22	15.41	19.20	23.73
		Central	5.02	6.69	9.37	11.87	14.89	18.55
		Warm dry	4.34	5.50	7.22	8.70	10.36	12.25
		Warm wet	5.72	7.89	11.68	15.50	20.43	26.81
	Minimum		4.34	5.43	6.94	8.15	9.40	10.48
	Maximum		6.55	8.75	12.22	15.50	20.43	26.81
BCCA	RCP2.6	0.01	4.21	4.97	5.64	6.07	6.45	6.79
		0.25	4.77	5.85	7.25	8.21	9.15	10.13
		0.5	4.94	6.05	7.65	8.82	10.10	11.55
		0.75	5.89	7.44	9.52	11.15	12.81	14.43
		0.99	6.72	8.34	10.41	12.01	14.05	16.51
	RCP8.5	0.01	4.29	5.12	6.11	6.82	7.50	7.99
		0.25	4.92	5.98	7.35	8.38	9.53	10.71
		0.5	5.19	6.36	7.95	9.29	10.72	12.15
		0.75	5.83	7.35	9.47	11.05	12.57	14.14
		0.99	6.85	8.34	10.29	11.94	13.66	15.48
	Minimum		4.21	4.97	5.64	6.07	6.45	6.79
	Maximum		6.85	8.34	10.41	12.01	14.05	16.51

Table C-5. Storm Event Frequency: Rain Gage No 11.

Rain Gage No. 11								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.63	5.72	7.13	8.21	9.31	10.43
BCSD	CMIP3	Hot dry	3.05	3.60	4.25	4.70	5.11	5.50
		Hot wet	3.64	4.53	5.73	6.68	7.69	8.75
		Central	3.17	3.66	4.21	4.57	4.88	5.16
		Warm dry	3.00	3.66	4.51	5.16	5.81	6.47
		Warm wet	3.72	4.70	6.08	7.24	8.50	9.89
	CMIP5	Hot dry	3.14	3.64	4.22	4.62	4.99	5.33
		Hot wet	4.13	5.05	6.24	7.15	8.09	9.04
		Central	3.38	3.97	4.65	5.12	5.55	5.94
		Warm dry	3.00	3.47	4.01	4.38	4.70	5.00
		Warm wet	3.90	4.99	6.59	7.96	9.49	11.21
Minimum		3.00	3.47	4.01	4.38	4.70	5.00	
Maximum		4.13	5.05	6.59	7.96	9.49	11.21	
BCCA	RCP2.6	0.01	2.55	2.93	3.40	3.63	3.79	3.90
		0.25	2.99	3.35	3.83	4.10	4.25	4.47
		0.5	3.17	3.60	3.97	4.23	4.57	4.91
		0.75	3.24	3.71	4.32	4.73	5.15	5.58
		0.99	3.61	4.20	4.96	5.52	6.20	6.92
	RCP8.5	0.01	2.60	2.91	3.24	3.43	3.60	3.74
		0.25	3.06	3.52	3.91	4.15	4.36	4.54
		0.5	3.18	3.59	4.10	4.50	4.81	5.10
		0.75	3.45	4.07	4.74	5.22	5.67	6.08
		0.99	3.96	4.50	5.17	5.64	6.20	6.80
Minimum		2.55	2.91	3.24	3.43	3.60	3.74	
Maximum		3.96	4.50	5.17	5.64	6.20	6.92	

Table C-6. Storm Event Frequency: Rain Gage No 13.

Rain Gage No. 13								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.98	6.34	8.04	9.30	10.53	11.76
BCSD	CMIP3	Hot dry	3.71	4.59	5.76	6.66	7.59	8.55
		Hot wet	4.58	6.49	9.77	13.05	17.26	22.67
		Central	4.23	5.63	7.78	9.72	11.98	14.63
		Warm dry	3.63	4.58	5.87	6.90	7.99	9.14
		Warm wet	4.74	6.62	9.82	12.99	17.02	22.14
	CMIP5	Hot dry	4.07	5.08	6.45	7.53	8.67	9.87
		Hot wet	5.27	7.16	10.20	13.04	16.50	20.69
		Central	4.31	5.72	7.91	9.90	12.24	15.01
		Warm dry	3.76	4.66	5.86	6.78	7.72	8.70
		Warm wet	4.93	6.98	10.53	14.12	18.76	24.76
	Minimum		3.63	4.58	5.76	6.66	7.59	8.55
	Maximum		5.27	7.16	10.53	14.12	18.76	24.76
BCCA	RCP2.6	0.01	3.48	4.34	5.21	5.79	6.31	6.80
		0.25	4.18	5.13	6.48	7.26	8.48	9.64
		0.5	4.51	5.50	6.95	8.18	9.61	11.18
		0.75	4.81	5.97	7.59	8.94	10.71	12.73
		0.99	5.35	6.86	9.01	10.80	12.75	14.89
	RCP8.5	0.01	3.58	4.41	5.54	6.41	7.26	7.95
		0.25	4.22	5.22	6.50	7.16	8.08	8.78
		0.5	4.71	5.54	7.11	8.52	10.02	11.44
		0.75	5.13	6.55	8.27	9.84	11.54	13.00
		0.99	6.21	7.55	9.46	10.95	12.57	14.34
	Minimum		3.48	4.34	5.21	5.79	6.31	6.80
	Maximum		6.21	7.55	9.46	10.95	12.75	14.89

Table C-7. Storm Event Frequency: Rain Gage No 17.

Rain Gage No. 17								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD		5.72	6.91	8.41	9.53	10.63	11.74
	NOAA Atlas 14		5.14	6.42	8.16	9.53	10.97	12.49
BCSD	CMIP3	Hot dry	4.84	5.93	7.28	8.28	9.26	10.22
		Hot wet	6.11	8.10	11.06	13.63	16.54	19.85
		Central	5.25	6.60	8.40	9.80	11.27	12.80
		Warm dry	4.45	5.47	6.75	7.71	8.65	9.59
		Warm wet	6.05	7.79	10.20	12.16	14.28	16.55
	CMIP5	Hot dry	5.20	6.28	7.58	8.50	9.37	10.20
		Hot wet	6.86	8.84	11.60	13.87	16.32	18.97
		Central	5.37	6.84	8.87	10.52	12.30	14.20
		Warm dry	4.62	5.56	6.70	7.52	8.29	9.04
		Warm wet	6.21	8.21	11.18	13.77	16.72	20.09
	Minimum		4.45	5.47	6.70	7.52	8.29	9.04
	Maximum		6.86	8.84	11.60	13.87	16.72	20.09
BCCA	RCP2.6	0.01	4.36	5.05	5.82	6.16	6.39	6.57
		0.25	4.92	5.68	6.64	7.18	7.71	8.19
		0.5	5.09	5.95	7.10	7.92	8.58	9.25
		0.75	5.61	6.54	7.66	8.50	9.31	10.18
		0.99	5.91	7.07	8.46	9.44	10.37	11.28
	RCP8.5	0.01	4.25	4.90	5.61	6.01	6.34	6.63
		0.25	4.99	5.67	6.43	7.01	7.57	8.13
		0.5	5.25	6.17	7.18	7.93	8.49	8.88
		0.75	5.96	6.72	7.65	8.72	9.72	10.50
		0.99	6.38	7.42	8.70	9.59	10.40	11.20
	Minimum		4.25	4.90	5.61	6.01	6.34	6.57
	Maximum		6.38	7.42	8.70	9.59	10.40	11.28

Table C-8. Storm Event Frequency: Rain Gage No 20.

Rain Gage No. 20								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.71	5.78	7.14	8.18	9.22	10.28
BCSD	CMIP3	Hot dry	4.24	5.18	6.31	7.12	7.89	8.64
		Hot wet	4.85	6.17	7.96	9.38	10.88	12.46
		Central	4.24	5.12	6.17	6.91	7.60	8.26
		Warm dry	3.78	4.87	6.40	7.67	9.06	10.57
		Warm wet	4.72	6.03	7.86	9.35	10.96	12.69
	CMIP5	Hot dry	4.27	5.17	6.25	7.01	7.73	8.42
		Hot wet	5.27	6.65	8.55	10.08	11.71	13.45
		Central	4.26	5.33	6.71	7.76	8.83	9.92
		Warm dry	3.96	4.69	5.51	6.05	6.54	6.97
		Warm wet	4.70	5.99	7.78	9.22	10.77	12.44
	Minimum		3.78	4.69	5.51	6.05	6.54	6.97
	Maximum		5.27	6.65	8.55	10.08	11.71	13.45
BCCA	RCP2.6	0.01	4.12	4.72	5.21	5.38	5.50	5.57
		0.25	4.45	5.00	5.52	5.76	6.02	6.26
		0.5	4.61	5.16	5.71	6.09	6.39	6.61
		0.75	4.68	5.26	5.88	6.23	6.58	6.93
		0.99	4.99	5.65	6.66	7.33	7.95	8.51
	RCP8.5	0.01	3.99	4.63	5.15	5.33	5.46	5.55
		0.25	4.51	5.08	5.58	5.77	6.11	6.44
		0.5	4.81	5.32	5.99	6.40	6.67	6.93
		0.75	4.92	5.56	6.31	6.77	7.10	7.42
		0.99	5.70	6.28	6.87	7.39	8.12	8.96
	Minimum		3.99	4.63	5.15	5.33	5.46	5.55
	Maximum		5.70	6.28	6.87	7.39	8.12	8.96

Table C-9. Storm Event Frequency: Rain Gage No 21.

Rain Gage No. 21								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.30	5.24	6.44	7.33	8.23	9.13
BCSD	CMIP3	Hot dry	3.00	3.68	4.58	5.26	5.95	6.66
		Hot wet	3.40	4.32	5.61	6.68	7.84	9.10
		Central	2.97	3.46	3.99	4.34	4.65	4.92
		Warm dry	2.80	3.55	4.64	5.56	6.58	7.72
		Warm wet	3.48	4.46	5.89	7.12	8.49	10.04
	CMIP5	Hot dry	3.08	3.72	4.54	5.14	5.74	6.34
		Hot wet	4.12	5.09	6.37	7.35	8.36	9.40
		Central	3.02	3.70	4.60	5.31	6.05	6.82
		Warm dry	2.74	3.21	3.73	4.08	4.39	4.67
		Warm wet	3.78	4.76	6.08	7.12	8.21	9.36
	Minimum		2.74	3.21	3.73	4.08	4.39	4.67
	Maximum		4.12	5.09	6.37	7.35	8.49	10.04
BCCA	RCP2.6	0.01	2.81	3.24	3.58	3.77	3.91	4.02
		0.25	2.96	3.46	4.03	4.33	4.64	5.00
		0.5	3.16	3.62	4.25	4.72	5.23	5.66
		0.75	3.21	3.73	4.41	4.88	5.34	5.84
		0.99	3.36	4.06	5.05	5.84	6.67	7.54
	RCP8.5	0.01	2.70	3.13	3.47	3.64	3.78	3.89
		0.25	2.99	3.46	3.74	4.06	4.39	4.51
		0.5	3.24	3.70	4.37	4.85	5.35	5.85
		0.75	3.43	3.98	4.80	5.43	6.02	6.53
		0.99	4.25	4.88	5.58	6.03	6.71	7.43
	Minimum		2.70	3.13	3.47	3.64	3.78	3.89
	Maximum		4.25	4.88	5.58	6.03	6.71	7.54

Table C-10. Storm Event Frequency: Rain Gage No 23.

Rain Gage No. 23								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.04	4.90	6.00	6.81	7.63	8.44
BCSD	CMIP3	Hot dry	3.51	4.22	5.04	5.61	6.13	6.61
		Hot wet	4.30	5.16	6.14	6.78	7.37	7.91
		Central	3.70	4.31	4.95	5.35	5.69	5.99
		Warm dry	3.43	4.17	5.04	5.66	6.25	6.80
		Warm wet	4.50	5.53	6.78	7.69	8.56	9.41
	CMIP5	Hot dry	3.68	4.30	4.98	5.41	5.79	6.12
		Hot wet	4.81	5.67	6.63	7.25	7.81	8.31
		Central	3.86	4.65	5.58	6.23	6.84	7.41
		Warm dry	3.59	4.32	5.16	5.73	6.25	6.74
		Warm wet	4.52	5.49	6.63	7.43	8.18	8.89
	Minimum		3.43	4.17	4.95	5.35	5.69	5.99
	Maximum		4.81	5.67	6.78	7.69	8.56	9.41
BCCA	RCP2.6	0.01	3.35	3.74	4.13	4.36	4.55	4.70
		0.25	3.61	4.11	4.70	5.07	5.37	5.62
		0.5	3.77	4.29	4.79	5.13	5.46	5.75
		0.75	3.89	4.43	5.05	5.35	5.61	5.86
		0.99	4.13	4.74	5.48	5.96	6.38	6.76
	RCP8.5	0.01	3.22	3.71	4.20	4.46	4.63	4.75
		0.25	3.60	4.11	4.53	4.81	5.04	5.28
		0.5	3.82	4.36	5.01	5.39	5.72	5.89
		0.75	4.26	4.83	5.35	5.62	5.82	6.02
		0.99	4.71	5.12	5.58	5.93	6.33	6.76
	Minimum		3.22	3.71	4.13	4.36	4.55	4.70
	Maximum		4.71	5.12	5.58	5.96	6.38	6.76

Table C-11. Storm Event Frequency: Rain Gage No 25.

Rain Gage No. 25								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		3.94	4.74	5.74	6.48	7.21	7.93
BCSD	CMIP3	Hot dry	3.07	3.62	4.23	4.63	4.99	5.32
		Hot wet	3.70	4.57	5.69	6.51	7.34	8.16
		Central	3.21	3.84	4.60	5.13	5.64	6.13
		Warm dry	2.94	3.65	4.60	5.34	6.11	6.90
		Warm wet	3.70	4.64	5.88	6.85	7.85	8.88
	CMIP5	Hot dry	3.28	3.85	4.50	4.92	5.31	5.66
		Hot wet	4.02	4.99	6.29	7.32	8.38	9.50
		Central	3.35	4.12	5.11	5.85	6.60	7.36
		Warm dry	3.06	3.61	4.22	4.62	4.98	5.30
		Warm wet	3.64	4.67	6.16	7.41	8.79	10.32
	Minimum		2.94	3.61	4.22	4.62	4.98	5.30
	Maximum		4.02	4.99	6.29	7.41	8.79	10.32
BCCA	RCP2.6	0.01	2.94	3.40	3.87	4.15	4.38	4.51
		0.25	3.13	3.54	3.99	4.25	4.46	4.61
		0.5	3.30	3.68	4.08	4.35	4.51	4.69
		0.75	3.36	3.80	4.17	4.39	4.64	4.84
		0.99	3.57	3.90	4.38	4.74	5.05	5.32
	RCP8.5	0.01	2.77	3.20	3.65	3.94	4.16	4.23
		0.25	3.19	3.58	4.00	4.19	4.26	4.44
		0.5	3.41	3.76	4.18	4.35	4.58	4.70
		0.75	3.49	3.91	4.26	4.49	4.67	4.84
		0.99	3.88	4.05	4.36	4.65	5.03	5.40
	Minimum		2.77	3.20	3.65	3.94	4.16	4.23
	Maximum		3.88	4.05	4.38	4.74	5.05	5.40

Table C-12. Storm Event Frequency: Rain Gage No 32.

Rain Gage No. 32								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.48	5.56	6.93	7.94	8.94	9.94
			4.52	5.51	6.80	7.78	8.77	9.78
BCSD	CMIP3	Hot dry	3.31	4.13	5.25	6.13	7.06	8.04
		Hot wet	4.25	5.40	6.97	8.21	9.53	10.92
		Central	3.60	4.40	5.41	6.14	6.87	7.58
		Warm dry	3.34	4.27	5.58	6.67	7.85	9.13
		Warm wet	4.55	5.79	7.50	8.87	10.31	11.85
	CMIP5	Hot dry	3.75	4.56	5.57	6.31	7.04	7.76
		Hot wet	4.96	6.19	7.80	9.02	10.28	11.56
		Central	3.66	4.55	5.73	6.64	7.59	8.57
		Warm dry	3.25	3.98	4.91	5.60	6.29	6.97
		Warm wet	4.23	5.39	7.01	8.34	9.78	11.34
	Minimum		3.25	3.98	4.91	5.60	6.29	6.97
	Maximum		4.96	6.19	7.80	9.02	10.31	11.85
BCCA	RCP2.6	0.01	3.19	3.78	4.51	5.03	5.42	5.66
		0.25	3.59	4.23	4.85	5.33	5.75	6.13
		0.5	3.76	4.36	5.08	5.54	5.93	6.33
		0.75	4.02	4.65	5.32	5.81	6.23	6.64
		0.99	4.29	4.84	5.51	6.01	6.47	7.00
	RCP8.5	0.01	3.12	3.62	4.20	4.60	4.94	5.25
		0.25	3.64	4.28	4.96	5.43	5.70	5.89
		0.5	3.87	4.52	5.30	5.64	6.05	6.46
		0.75	4.27	4.89	5.56	6.01	6.59	6.94
		0.99	4.82	5.21	5.89	6.54	7.22	7.92
	Minimum		3.12	3.62	4.20	4.60	4.94	5.25
	Maximum		4.82	5.21	5.89	6.54	7.22	7.92

Table C-13. Storm Event Frequency: Rain Gage No 33.

Rain Gage No. 33								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.37	5.27	6.41	7.26	8.11	8.94
			4.50	5.42	6.60	7.50	8.41	9.33
BCSD	CMIP3	Hot dry	3.29	3.88	4.56	5.01	5.43	5.81
		Hot wet	4.13	5.17	6.53	7.58	8.66	9.76
		Central	3.60	4.33	5.22	5.87	6.49	7.10
		Warm dry	3.25	3.95	4.83	5.47	6.11	6.74
		Warm wet	4.29	5.38	6.86	8.03	9.26	10.55
	CMIP5	Hot dry	3.60	4.38	5.36	6.09	6.81	7.53
		Hot wet	4.65	5.72	7.09	8.11	9.13	10.16
		Central	3.79	4.72	5.93	6.88	7.85	8.85
		Warm dry	3.28	3.92	4.68	5.22	5.72	6.19
		Warm wet	4.20	5.35	6.98	8.33	9.80	11.41
	Minimum		3.25	3.88	4.56	5.01	5.43	5.81
	Maximum		4.65	5.72	7.09	8.33	9.80	11.41
BCCA	RCP2.6	0.01	3.11	3.60	4.16	4.33	4.42	4.48
		0.25	3.46	3.90	4.24	4.45	4.56	4.63
		0.5	3.58	3.95	4.34	4.50	4.73	4.87
		0.75	3.78	4.08	4.39	4.63	4.89	5.08
		0.99	3.94	4.18	4.46	4.77	5.04	5.33
	RCP8.5	0.01	3.14	3.65	4.00	4.17	4.22	4.23
		0.25	3.52	3.90	4.30	4.40	4.54	4.58
		0.5	3.72	4.07	4.36	4.56	4.69	4.78
		0.75	3.87	4.19	4.43	4.63	4.78	4.91
		0.99	4.11	4.22	4.52	4.83	5.24	5.64
	Minimum		3.11	3.60	4.00	4.17	4.22	4.23
	Maximum		4.11	4.22	4.52	4.83	5.24	5.64

Table C-14. Storm Event Frequency: Rain Gage No 42.

Rain Gage No. 42								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		2.94	3.59	4.43	5.06	5.71	6.36
BCSD	CMIP3	Hot dry	2.43	2.86	3.38	3.73	4.06	4.36
		Hot wet	2.81	3.59	4.76	5.79	6.97	8.33
		Central	2.57	3.10	3.76	4.26	4.75	5.24
		Warm dry	2.29	2.74	3.30	3.72	4.13	4.54
		Warm wet	3.00	3.81	5.00	6.03	7.19	8.51
	CMIP5	Hot dry	2.69	3.29	4.08	4.71	5.35	6.03
		Hot wet	3.23	4.10	5.37	6.46	7.69	9.07
		Central	2.67	3.40	4.49	5.45	6.53	7.78
		Warm dry	2.51	2.98	3.54	3.94	4.32	4.69
		Warm wet	3.19	4.14	5.61	6.94	8.48	10.30
Minimum		2.29	2.74	3.30	3.72	4.06	4.36	
Maximum		3.23	4.14	5.61	6.94	8.48	10.30	
BCCA	RCP2.6	0.01	2.13	2.47	2.90	3.22	3.52	3.82
		0.25	2.61	3.09	3.69	4.12	4.51	4.84
		0.5	2.77	3.30	4.01	4.32	4.68	5.07
		0.75	2.91	3.49	4.11	4.59	5.09	5.63
		0.99	3.26	3.67	4.26	4.79	5.35	5.92
	RCP8.5	0.01	2.26	2.67	3.15	3.47	3.78	4.08
		0.25	2.62	3.05	3.65	4.16	4.50	4.69
		0.5	2.86	3.34	3.93	4.33	4.70	5.10
		0.75	3.17	3.74	4.20	4.63	4.93	5.60
		0.99	3.64	4.00	4.42	4.89	5.34	5.86
	Minimum		2.13	2.47	2.90	3.22	3.52	3.82
	Maximum		3.64	4.00	4.42	4.89	5.35	5.92

Table C-15. Storm Event Frequency: Rain Gage No 43.

Rain Gage No. 43								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		3.01	3.66	4.49	5.13	5.79	6.45
BCSD	CMIP3	Hot dry	2.55	3.08	3.72	4.18	4.63	5.05
		Hot wet	2.92	3.85	5.33	6.69	8.32	10.26
		Central	2.58	3.15	3.89	4.46	5.03	5.61
		Warm dry	2.43	2.88	3.41	3.77	4.10	4.41
		Warm wet	3.11	4.01	5.32	6.46	7.73	9.17
	CMIP5	Hot dry	2.69	3.31	4.12	4.74	5.37	6.02
		Hot wet	3.25	4.11	5.34	6.36	7.49	8.72
		Central	2.72	3.33	4.12	4.72	5.33	5.95
		Warm dry	2.47	2.93	3.48	3.87	4.23	4.57
		Warm wet	3.38	4.28	5.53	6.54	7.62	8.78
	Minimum		2.43	2.88	3.41	3.77	4.10	4.41
	Maximum		3.38	4.28	5.53	6.69	8.32	10.26
BCCA	RCP2.6	0.01	2.32	2.74	3.16	3.43	3.68	3.89
		0.25	2.74	3.20	3.82	4.30	4.83	5.47
		0.5	2.97	3.61	4.46	5.09	5.73	6.29
		0.75	3.25	3.89	4.74	5.34	5.90	6.45
		0.99	3.59	4.24	5.01	5.54	6.09	6.81
	RCP8.5	0.01	2.44	2.87	3.29	3.52	3.73	3.92
		0.25	2.69	3.18	3.80	4.26	4.73	4.98
		0.5	2.91	3.48	4.12	4.80	5.49	6.11
		0.75	3.33	3.98	4.91	5.44	5.92	6.39
		0.99	3.66	4.30	5.05	5.71	6.45	7.21
	Minimum		2.32	2.74	3.16	3.43	3.68	3.89
	Maximum		3.66	4.30	5.05	5.71	6.45	7.21

Table C-16. Storm Event Frequency: Rain Gage No 46.

Rain Gage No. 46								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		6.78	8.35	10.33	11.80	13.27	14.72
			7.32	9.37	12.26	14.63	17.20	20.00
BCSD	CMIP3	Hot dry	4.45	5.23	6.13	6.74	7.30	7.82
		Hot wet	5.67	7.00	8.68	9.93	11.17	12.41
		Central	5.12	6.15	7.42	8.32	9.19	10.02
		Warm dry	4.41	5.58	7.27	8.70	10.29	12.06
		Warm wet	6.24	7.99	10.43	12.41	14.53	16.81
	CMIP5	Hot dry	5.07	6.07	7.31	8.21	9.07	9.92
		Hot wet	6.69	8.43	10.78	12.64	14.58	16.62
		Central	5.40	6.65	8.25	9.46	10.67	11.89
		Warm dry	4.67	5.53	6.54	7.23	7.88	8.48
		Warm wet	6.15	7.77	9.96	11.69	13.49	15.39
	Minimum		4.41	5.23	6.13	6.74	7.30	7.82
	Maximum		6.69	8.43	10.78	12.64	14.58	16.81
BCCA	RCP2.6	0.01	4.20	5.13	6.48	6.98	7.40	7.76
		0.25	4.82	5.70	6.70	7.54	8.31	9.08
		0.5	4.99	5.86	7.29	8.27	9.07	9.83
		0.75	5.41	6.37	7.51	8.41	9.39	10.43
		0.99	5.93	6.91	8.06	8.87	9.86	11.26
	RCP8.5	0.01	4.19	4.80	5.50	5.96	6.39	6.79
		0.25	5.15	6.17	7.25	7.94	8.55	9.06
		0.5	5.46	6.32	7.43	8.16	8.98	9.63
		0.75	5.77	6.81	7.95	8.58	9.29	10.26
		0.99	6.96	7.52	8.39	9.25	10.13	11.06
	Minimum		4.19	4.80	5.50	5.96	6.39	6.79
	Maximum		6.96	7.52	8.39	9.25	10.13	11.26

Table C-17. Storm Event Frequency: Rain Gage No 47.

Rain Gage No. 47								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		7.80	9.61	11.91	13.62	15.31	17.00
			7.16	9.20	12.20	14.79	17.71	21.01
BCSD	CMIP3	Hot dry	5.86	7.24	9.05	10.46	11.90	13.39
		Hot wet	7.67	10.11	13.75	16.93	20.53	24.64
		Central	6.70	8.42	10.78	12.66	14.65	16.76
		Warm dry	5.93	7.37	9.24	10.67	12.13	13.63
		Warm wet	7.97	10.33	13.71	16.54	19.65	23.10
	CMIP5	Hot dry	6.64	8.12	9.98	11.37	12.75	14.12
		Hot wet	9.12	12.02	16.32	20.04	24.24	29.00
		Central	6.91	8.88	11.68	13.99	16.52	19.28
		Warm dry	6.19	7.53	9.23	10.50	11.76	13.03
		Warm wet	8.06	10.57	14.29	17.49	21.10	25.19
	Minimum		5.86	7.24	9.05	10.46	11.76	13.03
	Maximum		9.12	12.02	16.32	20.04	24.24	29.00
BCCA	RCP2.6	0.01	5.90	7.08	8.52	9.18	9.57	9.74
		0.25	7.04	8.10	9.18	9.70	10.14	10.49
		0.5	7.51	8.39	9.41	10.03	10.81	11.51
		0.75	7.65	8.84	10.15	11.13	11.98	12.75
		0.99	8.17	9.37	10.94	11.99	13.33	14.91
	RCP8.5	0.01	6.14	7.27	8.56	9.33	9.57	9.66
		0.25	7.56	8.50	9.31	9.71	10.17	10.59
		0.5	7.78	8.81	9.77	10.42	10.99	11.26
		0.75	8.10	9.31	10.64	11.29	12.07	12.62
		0.99	9.55	10.13	11.25	12.46	13.59	14.64
	Minimum		5.90	7.08	8.52	9.18	9.57	9.66
	Maximum		9.55	10.13	11.25	12.46	13.59	14.91

Table C-18. Storm Event Frequency: Rain Gage No 53.

Rain Gage No. 53								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		7.92	9.92	12.45	14.32	16.18	18.04
			7.26	9.38	12.50	15.19	18.21	21.63
BCSD	CMIP3	Hot dry	4.26	4.99	5.79	6.32	6.78	7.20
		Hot wet	5.25	6.40	7.81	8.83	9.83	10.80
		Central	4.85	5.76	6.82	7.53	8.18	8.79
		Warm dry	4.47	5.34	6.36	7.06	7.70	8.30
		Warm wet	5.52	6.69	8.10	9.10	10.06	10.97
	CMIP5	Hot dry	4.79	5.69	6.75	7.48	8.16	8.79
		Hot wet	6.54	7.97	9.72	10.98	12.20	13.39
		Central	5.07	6.02	7.09	7.81	8.45	9.03
		Warm dry	4.30	4.98	5.70	6.15	6.53	6.87
		Warm wet	5.97	7.38	9.15	10.44	11.71	12.96
	Minimum		4.26	4.98	5.70	6.15	6.53	6.87
	Maximum		6.54	7.97	9.72	10.98	12.20	13.39
BCCA	RCP2.6	0.01	4.04	4.64	5.24	5.39	5.50	5.57
		0.25	4.60	5.06	5.43	5.61	5.71	5.80
		0.5	4.79	5.16	5.48	5.73	5.89	6.03
		0.75	4.87	5.28	5.69	5.90	6.14	6.30
		0.99	4.98	5.51	6.05	6.43	6.75	7.04
	RCP8.5	0.01	4.09	4.53	4.88	5.07	5.21	5.32
		0.25	4.76	5.19	5.58	5.82	5.95	6.07
		0.5	4.85	5.33	5.71	5.94	6.10	6.22
		0.75	5.05	5.49	5.92	6.13	6.35	6.50
		0.99	5.67	5.90	6.14	6.42	6.67	6.90
	Minimum		4.04	4.53	4.88	5.07	5.21	5.32
	Maximum		5.67	5.90	6.14	6.43	6.75	7.04

Table C-19. Storm Event Frequency: Rain Gage No 57.

Rain Gage No. 57								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		9.28	11.41	14.10	16.10	18.08	20.05
			8.78	11.06	14.30	16.98	19.89	23.07
BCSD	CMIP3	Hot dry	6.78	8.32	10.26	11.71	13.14	14.57
		Hot wet	9.30	11.80	15.07	17.58	20.15	22.79
		Central	7.72	9.75	12.46	14.58	16.77	19.05
		Warm dry	7.01	8.85	11.29	13.19	15.14	17.17
		Warm wet	9.64	12.24	15.61	18.19	20.80	23.47
	CMIP5	Hot dry	7.82	9.68	12.04	13.79	15.53	17.27
		Hot wet	10.90	14.00	18.14	21.36	24.70	28.17
		Central	7.92	10.03	12.82	14.99	17.23	19.55
		Warm dry	7.06	8.56	10.37	11.66	12.89	14.06
		Warm wet	9.72	12.59	16.55	19.75	23.17	26.84
	Minimum		6.78	8.32	10.26	11.66	12.89	14.06
	Maximum		10.90	14.00	18.14	21.36	24.70	28.17
BCCA	RCP2.6	0.01	5.97	7.39	8.88	9.24	9.48	9.66
		0.25	7.22	8.46	10.15	11.34	12.13	12.77
		0.5	7.91	9.25	10.68	11.82	12.94	14.09
		0.75	8.05	9.44	11.14	12.33	13.47	15.30
		0.99	8.61	10.45	13.11	15.51	18.13	20.98
	RCP8.5	0.01	6.24	7.47	8.84	9.75	10.60	11.41
		0.25	7.70	9.03	10.62	11.74	12.81	13.82
		0.5	8.19	9.64	11.39	12.69	14.23	15.28
		0.75	8.77	10.27	12.62	14.46	16.16	17.90
		0.99	11.57	13.06	14.53	16.05	17.98	20.04
	Minimum		5.97	7.39	8.84	9.24	9.48	9.66
	Maximum		11.57	13.06	14.53	16.05	18.13	20.98

Table C-20. Storm Event Frequency: Rain Gage No 63.

Rain Gage No. 63								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		5.44	6.61	8.08	9.17	10.25	11.33
			5.91	7.38	9.42	11.08	12.85	14.75
BCSD	CMIP3	Hot dry	4.43	5.34	6.50	7.35	8.21	9.06
		Hot wet	5.78	7.60	10.35	12.78	15.56	18.77
		Central	4.92	6.16	7.89	9.29	10.80	12.42
		Warm dry	4.31	5.25	6.48	7.41	8.35	9.31
		Warm wet	5.89	7.82	10.81	13.51	16.69	20.44
	CMIP5	Hot dry	5.09	6.16	7.50	8.48	9.45	10.41
		Hot wet	6.32	8.34	11.46	14.27	17.54	21.39
		Central	5.44	6.98	9.21	11.09	13.18	15.50
		Warm dry	4.59	5.43	6.43	7.13	7.80	8.43
		Warm wet	6.10	8.23	11.73	15.06	19.15	24.18
	Minimum		4.31	5.25	6.43	7.13	7.80	8.43
	Maximum		6.32	8.34	11.73	15.06	19.15	24.18
BCCA	RCP2.6	0.01	4.23	5.03	6.08	6.64	7.08	7.48
		0.25	4.99	5.85	6.83	7.52	8.18	8.88
		0.5	5.18	6.12	7.21	8.08	9.01	9.91
		0.75	5.54	6.48	7.79	8.74	9.62	10.65
		0.99	6.47	7.67	9.07	10.03	10.96	12.15
	RCP8.5	0.01	4.41	5.20	6.12	6.59	6.90	7.13
		0.25	5.07	5.89	6.91	7.66	8.39	9.10
		0.5	5.37	6.32	7.37	8.13	8.88	9.63
		0.75	5.85	6.98	8.39	9.43	10.12	10.81
		0.99	6.73	7.79	9.27	10.38	11.45	12.48
	Minimum		4.23	5.03	6.08	6.59	6.90	7.13
	Maximum		6.73	7.79	9.27	10.38	11.45	12.48

Table C-21. Storm Event Frequency: Rain Gage No 67.

Rain Gage No. 67								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.64	5.74	7.29	8.54	9.90	11.37
BCSD	CMIP3	Hot dry	3.48	4.04	4.69	5.13	5.54	5.92
		Hot wet	4.37	5.62	7.48	9.09	10.93	13.02
		Central	4.03	4.90	6.03	6.89	7.76	8.65
		Warm dry	3.42	4.05	4.81	5.33	5.83	6.30
		Warm wet	4.49	5.80	7.79	9.56	11.60	13.97
	CMIP5	Hot dry	3.90	4.52	5.22	5.67	6.08	6.44
		Hot wet	5.08	6.59	8.90	10.95	13.32	16.08
		Central	4.24	5.26	6.65	7.75	8.90	10.11
		Warm dry	3.60	4.22	4.94	5.43	5.88	6.31
		Warm wet	4.77	6.24	8.53	10.62	13.08	15.99
	Minimum		3.42	4.04	4.69	5.13	5.54	5.92
	Maximum		5.08	6.59	8.90	10.95	13.32	16.08
BCCA	RCP2.6	0.01	3.12	3.71	4.47	4.86	5.19	5.48
		0.25	3.63	4.31	5.15	5.71	6.30	6.89
		0.5	3.84	4.52	5.40	6.08	6.81	7.58
		0.75	4.11	4.87	5.90	6.73	7.48	8.23
		0.99	4.71	5.63	6.75	7.54	8.33	9.29
	RCP8.5	0.01	3.23	3.84	4.55	4.84	5.08	5.29
		0.25	3.73	4.40	5.27	5.86	6.48	6.97
		0.5	3.96	4.69	5.56	6.10	6.83	7.60
		0.75	4.33	5.21	6.35	7.21	7.93	8.53
		0.99	4.92	5.76	6.91	7.74	8.54	9.30
	Minimum		3.12	3.71	4.47	4.84	5.08	5.29
	Maximum		4.92	5.76	6.91	7.74	8.54	9.30

Table C-22. Storm Event Frequency: Rain Gage No 68.

Rain Gage No. 68								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD		5.91	7.20	8.83	10.05	11.25	12.45
	NOAA Atlas 14		5.86	7.30	9.33	11.00	12.81	14.78
BCSD	CMIP3	Hot dry	4.11	4.91	5.88	6.58	7.26	7.91
		Hot wet	5.56	7.26	9.77	11.95	14.41	17.21
		Central	5.00	6.16	7.67	8.81	9.96	11.14
		Warm dry	4.05	4.94	6.10	6.98	7.87	8.78
		Warm wet	5.55	7.37	10.22	12.82	15.92	19.60
	CMIP5	Hot dry	4.84	5.77	6.88	7.66	8.40	9.10
		Hot wet	6.25	8.29	11.47	14.36	17.77	21.80
		Central	5.28	6.70	8.64	10.20	11.86	13.61
		Warm dry	4.58	5.53	6.70	7.56	8.40	9.22
		Warm wet	6.19	8.20	11.28	14.01	17.17	20.85
	Minimum		4.05	4.91	5.88	6.58	7.26	7.91
	Maximum		6.25	8.29	11.47	14.36	17.77	21.80
BCCA	RCP2.6	0.01	4.01	4.74	5.66	6.28	6.73	7.12
		0.25	4.75	5.52	6.36	6.93	7.43	7.88
		0.5	4.97	5.76	6.68	7.29	7.92	8.47
		0.75	5.27	6.07	7.04	7.76	8.45	9.19
		0.99	5.93	6.88	7.90	8.56	9.14	9.77
	RCP8.5	0.01	4.20	4.92	5.75	6.27	6.60	6.82
		0.25	4.89	5.57	6.45	6.92	7.51	7.98
		0.5	5.10	5.87	6.76	7.40	7.97	8.45
		0.75	5.53	6.40	7.48	7.88	8.36	8.80
		0.99	6.20	6.95	8.07	8.84	9.54	10.17
	Minimum		4.01	4.74	5.66	6.27	6.60	6.82
	Maximum		6.20	6.95	8.07	8.84	9.54	10.17

Table C-23. Storm Event Frequency: Rain Gage No 89.

Rain Gage No. 89								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		5.14	6.26	7.68	8.73	9.77	10.81
			4.85	5.92	7.45	8.71	10.10	11.62
BCSD	CMIP3	Hot dry	3.65	4.27	4.98	5.46	5.90	6.31
		Hot wet	4.92	6.12	7.72	8.99	10.30	11.68
		Central	4.29	5.03	5.88	6.45	6.97	7.45
		Warm dry	3.79	4.42	5.13	5.60	6.02	6.40
		Warm wet	5.07	6.24	7.78	8.98	10.20	11.47
	CMIP5	Hot dry	4.35	5.09	5.94	6.51	7.04	7.52
		Hot wet	5.64	6.92	8.63	9.95	11.31	12.71
		Central	4.73	5.80	7.14	8.15	9.15	10.15
		Warm dry	4.03	4.98	6.29	7.35	8.48	9.68
		Warm wet	5.95	7.49	9.58	11.24	12.98	14.82
	Minimum		3.65	4.27	4.98	5.46	5.90	6.31
	Maximum		5.95	7.49	9.58	11.24	12.98	14.82
BCCA	RCP2.6	0.01	3.54	4.07	4.60	4.86	5.06	5.23
		0.25	4.10	4.48	4.85	5.07	5.25	5.40
		0.5	4.16	4.58	5.02	5.26	5.49	5.66
		0.75	4.37	4.83	5.29	5.49	5.67	5.87
		0.99	4.71	5.16	5.55	5.75	5.95	6.18
	RCP8.5	0.01	3.71	4.12	4.44	4.61	4.74	4.84
		0.25	4.11	4.49	4.89	5.10	5.25	5.37
		0.5	4.21	4.64	5.05	5.30	5.56	5.74
		0.75	4.39	4.87	5.34	5.58	5.78	5.91
		0.99	4.74	5.14	5.53	5.77	5.97	6.13
	Minimum		3.54	4.07	4.44	4.61	4.74	4.84
Maximum		4.74	5.16	5.55	5.77	5.97	6.18	

Table C-24. Storm Event Frequency: Rain Gage No 93.

Rain Gage No. 93								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		3.96	4.84	6.02	6.94	7.90	8.91
BCSD	CMIP3	Hot dry	2.99	3.45	3.93	4.24	4.51	4.75
		Hot wet	3.64	4.49	5.62	6.51	7.43	8.40
		Central	3.14	3.53	3.93	4.16	4.35	4.50
		Warm dry	2.83	3.20	3.56	3.77	3.95	4.09
		Warm wet	3.58	4.16	4.83	5.29	5.72	6.11
	CMIP5	Hot dry	3.10	3.45	3.78	3.97	4.12	4.23
		Hot wet	4.25	5.04	5.99	6.68	7.34	7.99
		Central	3.26	3.70	4.14	4.41	4.63	4.82
		Warm dry	2.74	2.98	3.19	3.29	3.37	3.43
		Warm wet	3.99	4.69	5.49	6.04	6.54	7.01
	Minimum		2.74	2.98	3.19	3.29	3.37	3.43
	Maximum		4.25	5.04	5.99	6.68	7.43	8.40
BCCA	RCP2.6	0.01	2.71	2.93	3.12	3.22	3.28	3.33
		0.25	2.90	3.16	3.51	3.67	3.78	3.86
		0.5	3.02	3.35	3.71	3.96	4.12	4.22
		0.75	3.22	3.54	3.84	4.09	4.28	4.51
		0.99	3.50	3.84	4.15	4.34	4.51	4.66
	RCP8.5	0.01	2.65	2.97	3.27	3.43	3.50	3.54
		0.25	2.91	3.18	3.45	3.63	3.74	3.82
		0.5	3.13	3.42	3.77	3.99	4.22	4.37
		0.75	3.30	3.59	4.01	4.17	4.31	4.47
		0.99	3.56	3.87	4.17	4.41	4.62	4.80
	Minimum		2.65	2.93	3.12	3.22	3.28	3.33
	Maximum		3.56	3.87	4.17	4.41	4.62	4.80

Table C-25. Storm Event Frequency: Rain Gage No 96.

Rain Gage No. 96								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		3.52	4.15	4.94	5.53	6.11	6.69
			4.07	5.00	6.30	7.35	8.48	9.69
BCSD	CMIP3	Hot dry	3.51	4.01	4.51	4.80	5.04	5.24
		Hot wet	4.74	6.01	7.73	9.09	10.52	12.04
		Central	3.80	4.46	5.19	5.68	6.11	6.49
		Warm dry	3.36	4.03	4.82	5.37	5.90	6.40
		Warm wet	4.57	5.53	6.70	7.53	8.34	9.11
	CMIP5	Hot dry	3.95	4.54	5.15	5.52	5.84	6.10
		Hot wet	5.39	6.84	8.79	10.34	11.96	13.68
		Central	4.17	4.92	5.74	6.28	6.76	7.19
		Warm dry	3.60	4.11	4.63	4.94	5.20	5.41
		Warm wet	5.11	6.46	8.25	9.67	11.14	12.68
	Minimum		3.36	4.01	4.51	4.80	5.04	5.24
Maximum		5.39	6.84	8.79	10.34	11.96	13.68	
BCCA	RCP2.6	0.01	3.12	3.77	4.47	4.91	5.29	5.66
		0.25	3.55	4.08	4.70	5.24	5.63	6.12
		0.5	3.84	4.47	5.18	5.66	6.16	6.51
		0.75	4.21	4.80	5.46	5.87	6.24	6.66
		0.99	4.50	5.08	5.66	6.01	6.38	6.92
	RCP8.5	0.01	3.24	3.79	4.40	4.81	5.18	5.47
		0.25	3.68	4.28	4.90	5.37	5.73	6.01
		0.5	3.94	4.49	5.13	5.67	5.95	6.30
		0.75	4.18	4.88	5.46	5.89	6.24	6.75
		0.99	4.69	5.13	5.66	6.16	6.64	7.10
	Minimum		3.12	3.77	4.40	4.81	5.18	5.47
Maximum		4.69	5.13	5.66	6.16	6.64	7.10	

Table C-26. Storm Event Frequency: Rain Gage No 106.

Rain Gage No. 106								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		3.50	4.22	5.16	5.87	6.59	7.32
BCSD	CMIP3	Hot dry	2.64	3.12	3.64	3.98	4.28	4.54
		Hot wet	3.13	4.07	5.45	6.62	7.92	9.38
		Central	2.83	3.44	4.17	4.69	5.18	5.65
		Warm dry	2.51	3.07	3.76	4.27	4.76	5.24
		Warm wet	3.09	3.75	4.54	5.09	5.62	6.12
	CMIP5	Hot dry	2.68	3.22	3.87	4.31	4.73	5.13
		Hot wet	3.69	4.60	5.76	6.65	7.54	8.45
		Central	2.84	3.46	4.21	4.75	5.27	5.78
		Warm dry	2.35	2.81	3.33	3.69	4.02	4.33
		Warm wet	3.42	4.43	5.85	7.02	8.30	9.70
	Minimum		2.35	2.81	3.33	3.69	4.02	4.33
	Maximum		3.69	4.60	5.85	7.02	8.30	9.70
BCCA	RCP2.6	0.01	2.24	2.69	3.28	3.71	3.92	4.03
		0.25	2.80	3.22	3.62	3.87	4.08	4.26
		0.5	2.84	3.27	3.72	3.94	4.16	4.39
		0.75	2.95	3.36	3.75	4.01	4.26	4.50
		0.99	3.12	3.43	3.80	4.08	4.37	4.67
	RCP8.5	0.01	2.24	2.68	3.24	3.59	3.77	3.79
		0.25	2.82	3.22	3.70	3.92	4.09	4.25
		0.5	3.00	3.37	3.75	4.01	4.16	4.40
		0.75	3.13	3.49	3.82	4.07	4.36	4.63
		0.99	3.41	3.58	3.93	4.23	4.63	5.01
	Minimum		2.24	2.68	3.24	3.59	3.77	3.79
	Maximum		3.41	3.58	3.93	4.23	4.63	5.01

Table C-27. Storm Event Frequency: Rain Gage No 108.

Rain Gage No. 108								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.12	5.13	6.46	7.48	8.54	9.63
BCSD	CMIP3	Hot dry	2.96	3.55	4.28	4.80	5.30	5.78
		Hot wet	3.97	5.18	6.93	8.42	10.08	11.94
		Central	3.43	4.22	5.25	6.04	6.83	7.64
		Warm dry	2.92	3.61	4.50	5.19	5.89	6.61
		Warm wet	3.91	4.99	6.50	7.73	9.06	10.49
	CMIP5	Hot dry	3.29	3.91	4.64	5.15	5.62	6.07
		Hot wet	4.47	5.68	7.37	8.76	10.25	11.87
		Central	3.62	4.44	5.46	6.22	6.97	7.72
		Warm dry	3.03	3.53	4.08	4.44	4.75	5.03
		Warm wet	4.17	5.36	7.05	8.45	9.99	11.68
	Minimum		2.92	3.53	4.08	4.44	4.75	5.03
	Maximum		4.47	5.68	7.37	8.76	10.25	11.94
BCCA	RCP2.6	0.01	2.63	3.21	3.99	4.44	4.87	5.12
		0.25	3.27	3.79	4.40	4.83	5.17	5.45
		0.5	3.58	4.11	4.68	5.09	5.40	5.65
		0.75	3.78	4.30	4.84	5.18	5.60	5.99
		0.99	3.97	4.45	5.02	5.55	6.07	6.64
	RCP8.5	0.01	2.72	3.29	4.07	4.60	4.97	5.04
		0.25	3.47	4.06	4.70	5.09	5.22	5.40
		0.5	3.61	4.25	4.79	5.16	5.47	5.72
		0.75	4.03	4.41	4.92	5.26	5.66	6.09
		0.99	4.29	4.64	5.12	5.65	6.25	6.92
	Minimum		2.63	3.21	3.99	4.44	4.87	5.04
	Maximum		4.29	4.64	5.12	5.65	6.25	6.92

Table C-28. Storm Event Frequency: Rain Gage No 109.

Rain Gage No. 109								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.41	5.46	6.91	8.08	9.33	10.68
BCSD	CMIP3	Hot dry	3.24	3.81	4.44	4.86	5.24	5.58
		Hot wet	4.47	5.54	6.85	7.81	8.74	9.66
		Central	3.77	4.40	5.07	5.49	5.85	6.15
		Warm dry	3.30	3.86	4.46	4.83	5.16	5.44
		Warm wet	4.51	5.45	6.54	7.28	7.96	8.60
	CMIP5	Hot dry	3.49	4.05	4.64	5.01	5.32	5.59
		Hot wet	4.98	6.01	7.22	8.05	8.83	9.56
		Central	3.81	4.55	5.40	5.97	6.49	6.97
		Warm dry	3.23	3.63	4.01	4.22	4.38	4.50
		Warm wet	4.77	5.88	7.24	8.22	9.17	10.10
	Minimum		3.23	3.63	4.01	4.22	4.38	4.50
	Maximum		4.98	6.01	7.24	8.22	9.17	10.10
BCCA	RCP2.6	0.01	2.90	3.42	4.09	4.26	4.32	4.35
		0.25	3.51	3.93	4.26	4.47	4.57	4.67
		0.5	3.61	4.03	4.33	4.58	4.74	4.82
		0.75	3.76	4.12	4.49	4.66	4.87	4.99
		0.99	4.04	4.39	4.69	5.02	5.34	5.77
	RCP8.5	0.01	3.04	3.54	4.07	4.25	4.34	4.38
		0.25	3.54	3.97	4.27	4.47	4.55	4.57
		0.5	3.72	4.05	4.42	4.59	4.82	4.94
		0.75	3.86	4.26	4.47	4.69	4.92	5.12
		0.99	4.10	4.34	4.78	5.04	5.25	5.42
	Minimum		2.90	3.42	4.07	4.25	4.32	4.35
	Maximum		4.10	4.39	4.78	5.04	5.34	5.77

Table C-29. Storm Event Frequency: Rain Gage No 134.

Rain Gage No. 134								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.57	5.61	7.06	8.25	9.53	10.92
BCSD	CMIP3	Hot dry	3.40	3.97	4.59	5.01	5.38	5.71
		Hot wet	4.58	5.76	7.37	8.66	10.03	11.49
		Central	3.90	4.59	5.39	5.93	6.42	6.88
		Warm dry	3.41	4.00	4.67	5.11	5.51	5.88
		Warm wet	4.51	5.55	6.91	7.95	9.01	10.10
	CMIP5	Hot dry	3.84	4.36	4.89	5.21	5.48	5.70
		Hot wet	5.28	6.63	8.49	10.01	11.63	13.36
		Central	4.18	5.04	6.09	6.84	7.56	8.26
		Warm dry	3.59	4.30	5.18	5.82	6.45	7.07
		Warm wet	5.38	6.70	8.42	9.74	11.08	12.45
	Minimum		3.40	3.97	4.59	5.01	5.38	5.70
	Maximum		5.38	6.70	8.49	10.01	11.63	13.36
BCCA	RCP2.6	0.01	3.11	3.68	4.31	4.69	5.01	5.29
		0.25	3.56	4.08	4.62	5.03	5.44	5.78
		0.5	3.79	4.32	4.91	5.29	5.67	6.10
		0.75	4.04	4.61	5.32	5.72	6.08	6.34
		0.99	4.44	5.00	5.56	5.89	6.30	6.75
	RCP8.5	0.01	3.19	3.67	4.12	4.40	4.63	4.81
		0.25	3.71	4.17	4.68	5.08	5.38	5.65
		0.5	3.83	4.36	4.93	5.29	5.66	6.02
		0.75	4.12	4.69	5.30	5.67	5.98	6.25
		0.99	4.50	5.02	5.53	5.86	6.16	6.49
	Minimum		3.11	3.67	4.12	4.40	4.63	4.81
	Maximum		4.50	5.02	5.56	5.89	6.30	6.75

Table C-30. Storm Event Frequency: Rain Gage No 144.

Rain Gage No. 144								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		5.87	7.28	9.23	10.81	12.51	14.33
BCSD	CMIP3	Hot dry	4.12	4.97	6.02	6.78	7.53	8.26
		Hot wet	5.53	7.33	10.03	12.40	15.11	18.23
		Central	4.79	6.03	7.73	9.10	10.57	12.14
		Warm dry	3.90	4.85	6.17	7.23	8.35	9.56
		Warm wet	5.63	7.44	10.19	12.62	15.41	18.63
	CMIP5	Hot dry	4.78	5.88	7.33	8.45	9.60	10.79
		Hot wet	6.17	8.14	11.15	13.81	16.88	20.44
		Central	5.10	6.56	8.63	10.36	12.25	14.33
		Warm dry	4.18	4.98	5.94	6.61	7.25	7.86
		Warm wet	5.70	7.72	11.05	14.22	18.13	22.96
	Minimum		3.90	4.85	5.94	6.61	7.25	7.86
	Maximum		6.17	8.14	11.15	14.22	18.13	22.96
BCCA	RCP2.6	0.01	3.85	4.71	5.95	6.75	7.33	7.87
		0.25	4.86	5.75	6.78	7.43	8.10	8.65
		0.5	5.07	5.99	7.09	7.90	8.66	9.40
		0.75	5.40	6.34	7.52	8.36	9.38	10.41
		0.99	6.18	7.30	8.54	9.36	10.35	11.42
	RCP8.5	0.01	4.09	4.92	6.00	6.73	7.31	7.67
		0.25	4.97	5.82	6.81	7.50	8.20	8.77
		0.5	5.27	6.19	7.12	7.80	8.61	9.31
		0.75	5.71	6.75	7.99	8.47	9.13	9.82
		0.99	6.54	7.38	8.71	9.66	10.55	11.39
	Minimum		3.85	4.71	5.95	6.73	7.31	7.67
	Maximum		6.54	7.38	8.71	9.66	10.55	11.42

Table C-31. Storm Event Frequency: Rain Gage No 156.

Rain Gage No. 156								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		3.08	3.75	4.59	5.22	5.84	6.46
			3.18	3.82	4.65	5.28	5.91	6.56
BCSD	CMIP3	Hot dry	3.49	4.29	5.26	5.96	6.62	7.26
		Hot wet	4.05	5.24	6.86	8.16	9.54	11.00
		Central	3.61	4.40	5.33	5.97	6.57	7.14
		Warm dry	3.23	3.93	4.77	5.35	5.90	6.42
		Warm wet	4.01	4.80	5.68	6.26	6.78	7.24
	CMIP5	Hot dry	3.50	4.24	5.10	5.70	6.26	6.79
		Hot wet	4.64	5.77	7.18	8.21	9.22	10.22
		Central	3.77	4.65	5.74	6.52	7.28	8.02
		Warm dry	3.18	3.82	4.55	5.04	5.50	5.92
		Warm wet	4.24	5.42	7.04	8.35	9.74	11.22
	Minimum		3.18	3.82	4.55	5.04	5.50	5.92
	Maximum		4.64	5.77	7.18	8.35	9.74	11.22
BCCA	RCP2.6	0.01	2.97	3.65	4.27	4.55	4.79	4.96
		0.25	3.69	4.22	4.71	4.93	5.07	5.16
		0.5	3.78	4.36	4.85	5.13	5.39	5.57
		0.75	3.95	4.41	4.90	5.32	5.68	5.97
		0.99	4.19	4.53	5.10	5.59	6.11	6.86
	RCP8.5	0.01	2.81	3.48	4.30	4.79	4.93	5.04
		0.25	3.70	4.29	4.88	5.05	5.26	5.39
		0.5	3.97	4.46	4.93	5.22	5.48	5.69
		0.75	4.14	4.60	5.04	5.40	5.82	6.13
		0.99	4.63	4.85	5.25	5.66	6.18	6.76
	Minimum		2.81	3.48	4.27	4.55	4.79	4.96
	Maximum		4.63	4.85	5.25	5.66	6.18	6.86

Table C-32. Storm Event Frequency: Rain Gage No 158.

Rain Gage No. 158								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		6.72	8.22	10.11	11.51	12.90	14.28
			6.63	8.23	10.50	12.38	14.43	16.67
BCSD	CMIP3	Hot dry	4.21	4.80	5.40	5.75	6.04	6.28
		Hot wet	5.77	6.91	8.20	9.06	9.84	10.55
		Central	5.05	5.90	6.79	7.34	7.82	8.23
		Warm dry	4.20	4.86	5.56	5.99	6.35	6.66
		Warm wet	5.63	6.58	7.60	8.24	8.80	9.28
	CMIP5	Hot dry	4.97	5.74	6.54	7.02	7.43	7.78
		Hot wet	6.53	7.71	9.01	9.86	10.62	11.30
		Central	5.18	6.05	6.98	7.56	8.06	8.48
		Warm dry	4.68	5.29	5.87	6.19	6.45	6.65
		Warm wet	6.22	7.29	8.45	9.18	9.81	10.36
	Minimum		4.20	4.80	5.40	5.75	6.04	6.28
	Maximum		6.53	7.71	9.01	9.86	10.62	11.30
BCCA	RCP2.6	0.01	3.82	4.23	4.63	4.86	5.03	5.17
		0.25	4.34	4.71	5.04	5.23	5.38	5.51
		0.5	4.53	5.02	5.43	5.66	5.86	6.05
		0.75	4.67	5.13	5.81	6.13	6.38	6.60
		0.99	4.88	5.45	6.08	6.48	6.87	7.26
	RCP8.5	0.01	3.91	4.23	4.50	4.64	4.75	4.83
		0.25	4.38	4.85	5.30	5.60	5.85	5.96
		0.5	4.69	5.11	5.62	5.89	6.19	6.48
		0.75	4.85	5.43	6.05	6.44	6.73	6.85
		0.99	5.46	5.93	6.43	6.79	7.17	7.54
	Minimum		3.82	4.23	4.50	4.64	4.75	4.83
	Maximum		5.46	5.93	6.43	6.79	7.17	7.54

Table C-33. Storm Event Frequency: Rain Gage No 167.

Rain Gage No. 167								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.96	6.16	7.84	9.22	10.72	12.35
BCSD	CMIP3	Hot dry	2.94	3.40	3.89	4.21	4.47	4.71
		Hot wet	3.87	4.78	5.94	6.82	7.71	8.60
		Central	3.36	3.93	4.56	4.97	5.33	5.66
		Warm dry	2.93	3.45	4.03	4.42	4.77	5.09
		Warm wet	4.02	4.80	5.69	6.30	6.86	7.37
	CMIP5	Hot dry	3.26	3.76	4.29	4.63	4.92	5.18
		Hot wet	4.48	5.40	6.48	7.23	7.93	8.59
		Central	3.47	4.11	4.83	5.30	5.72	6.11
		Warm dry	2.91	3.22	3.49	3.64	3.75	3.84
		Warm wet	3.95	4.80	5.88	6.67	7.44	8.21
	Minimum		2.91	3.22	3.49	3.64	3.75	3.84
	Maximum		4.48	5.40	6.48	7.23	7.93	8.60
BCCA	RCP2.6	0.01	2.79	3.22	3.55	3.57	3.58	3.59
		0.25	3.24	3.49	3.63	3.66	3.69	3.70
		0.5	3.33	3.51	3.69	3.77	3.83	3.85
		0.75	3.40	3.58	3.73	3.82	3.92	3.98
		0.99	3.47	3.63	3.78	4.05	4.35	4.64
	RCP8.5	0.01	2.96	3.31	3.61	3.63	3.63	3.63
		0.25	3.30	3.50	3.64	3.71	3.74	3.75
		0.5	3.39	3.56	3.70	3.76	3.80	3.82
		0.75	3.47	3.61	3.73	3.82	3.89	3.93
		0.99	3.57	3.65	3.82	4.01	4.17	4.31
	Minimum		2.79	3.22	3.55	3.57	3.58	3.59
	Maximum		3.57	3.65	3.82	4.05	4.35	4.64

Table C-34. Storm Event Frequency: Rain Gage No 170.

Rain Gage No. 170								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		3.73	4.51	5.55	6.35	7.18	8.03
BCSD	CMIP3	Hot dry	2.65	3.22	3.90	4.38	4.84	5.29
		Hot wet	3.50	4.56	6.05	7.29	8.63	10.10
		Central	2.84	3.43	4.14	4.63	5.10	5.54
		Warm dry	2.75	3.42	4.28	4.91	5.54	6.16
		Warm wet	3.53	4.43	5.57	6.41	7.24	8.07
	CMIP5	Hot dry	2.92	3.55	4.31	4.85	5.37	5.86
		Hot wet	4.03	5.11	6.54	7.63	8.75	9.90
		Central	3.10	3.84	4.76	5.44	6.10	6.75
		Warm dry	2.58	3.10	3.70	4.11	4.50	4.86
		Warm wet	3.64	4.60	5.85	6.82	7.81	8.83
	Minimum		2.58	3.10	3.70	4.11	4.50	4.86
	Maximum		4.03	5.11	6.54	7.63	8.75	10.10
BCCA	RCP2.6	0.01	2.37	2.94	3.76	4.29	4.64	4.88
		0.25	2.98	3.50	4.12	4.55	5.02	5.35
		0.5	3.16	3.69	4.33	4.78	5.20	5.57
		0.75	3.33	3.90	4.56	5.00	5.33	5.73
		0.99	3.60	4.14	4.72	5.11	5.62	6.22
	RCP8.5	0.01	2.45	2.98	3.62	4.08	4.43	4.54
		0.25	3.01	3.54	4.19	4.62	5.03	5.22
		0.5	3.18	3.70	4.28	4.83	5.08	5.46
		0.75	3.55	4.07	4.64	4.98	5.43	5.77
		0.99	3.81	4.20	4.77	5.27	5.85	6.56
	Minimum		2.37	2.94	3.62	4.08	4.43	4.54
	Maximum		3.81	4.20	4.77	5.27	5.85	6.56

Table C-35. Storm Event Frequency: Rain Gage No 172

Rain Gage No. 172								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.53	5.58	7.04	8.22	9.50	10.87
BCSD	CMIP3	Hot dry	2.68	3.33	4.24	4.97	5.76	6.60
		Hot wet	3.51	4.55	6.09	7.42	8.93	10.65
		Central	3.10	3.93	5.11	6.10	7.18	8.38
		Warm dry	2.61	3.30	4.29	5.13	6.06	7.09
		Warm wet	3.55	4.62	6.22	7.62	9.22	11.04
	CMIP5	Hot dry	3.04	3.78	4.81	5.65	6.56	7.54
		Hot wet	4.03	5.23	6.98	8.50	10.20	12.12
		Central	3.22	4.09	5.31	6.31	7.40	8.58
		Warm dry	2.82	3.45	4.28	4.92	5.58	6.25
		Warm wet	3.91	5.05	6.68	8.05	9.56	11.23
	Minimum		2.61	3.30	4.24	4.92	5.58	6.25
	Maximum		4.03	5.23	6.98	8.50	10.20	12.12
BCCA	RCP2.6	0.01	2.66	3.16	3.79	4.16	4.37	4.52
		0.25	3.06	3.62	4.18	4.54	4.88	5.26
		0.5	3.28	3.70	4.38	4.79	5.25	5.59
		0.75	3.40	3.95	4.62	5.15	5.51	5.92
		0.99	3.58	4.13	4.93	5.73	6.62	7.59
	RCP8.5	0.01	2.71	3.14	3.63	3.97	4.28	4.56
		0.25	3.06	3.63	4.35	4.79	5.22	5.52
		0.5	3.37	4.00	4.63	5.04	5.42	5.76
		0.75	3.59	4.13	4.80	5.47	5.84	6.22
		0.99	4.47	5.00	5.52	5.83	6.37	7.22
	Minimum		2.66	3.14	3.63	3.97	4.28	4.52
	Maximum		4.47	5.00	5.52	5.83	6.62	7.59

Table C-36. Storm Event Frequency: Rain Gage No 174.

Rain Gage No. 174								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.50	5.54	6.99	8.17	9.45	10.83
BCSD	CMIP3	Hot dry	2.64	3.16	3.82	4.32	4.81	5.31
		Hot wet	3.69	4.76	6.36	7.75	9.34	11.15
		Central	3.12	3.76	4.57	5.17	5.77	6.36
		Warm dry	2.79	3.38	4.11	4.65	5.17	5.69
		Warm wet	3.63	4.57	5.88	6.96	8.12	9.39
	CMIP5	Hot dry	3.17	3.70	4.31	4.72	5.09	5.43
		Hot wet	4.13	5.29	6.98	8.43	10.06	11.89
		Central	3.39	4.21	5.31	6.16	7.04	7.95
		Warm dry	2.84	3.52	4.45	5.22	6.04	6.92
		Warm wet	4.06	5.22	6.90	8.32	9.90	11.66
	Minimum		2.64	3.16	3.82	4.32	4.81	5.31
	Maximum		4.13	5.29	6.98	8.43	10.06	11.89
BCCA	RCP2.6	0.01	2.64	3.14	3.74	4.17	4.61	5.05
		0.25	3.08	3.60	4.27	4.79	5.28	5.74
		0.5	3.27	3.86	4.61	5.19	5.99	6.57
		0.75	3.67	4.30	5.14	5.75	6.36	6.91
		0.99	4.08	4.75	5.50	5.98	6.56	7.32
	RCP8.5	0.01	2.69	3.22	3.91	4.40	4.85	5.25
		0.25	3.17	3.67	4.24	4.93	5.30	5.84
		0.5	3.35	3.90	4.62	5.12	5.78	6.38
		0.75	3.70	4.36	5.15	5.70	6.23	6.92
		0.99	4.09	4.74	5.47	5.97	6.54	7.12
	Minimum		2.64	3.14	3.74	4.17	4.61	5.05
	Maximum		4.09	4.75	5.50	5.98	6.56	7.32

Table C-37. Storm Event Frequency: Rain Gage No 175.

Rain Gage No. 175								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		5.79	7.26	9.32	11.00	12.81	14.76
BCSD	CMIP3	Hot dry	3.75	4.53	5.45	6.11	6.74	7.33
		Hot wet	4.95	6.75	9.67	12.41	15.76	19.84
		Central	4.33	5.66	7.62	9.32	11.23	13.39
		Warm dry	3.77	4.77	6.13	7.22	8.37	9.59
		Warm wet	5.14	6.96	9.79	12.37	15.42	19.02
	CMIP5	Hot dry	4.47	5.57	6.99	8.06	9.13	10.22
		Hot wet	5.52	7.40	10.27	12.84	15.84	19.35
		Central	4.63	6.09	8.29	10.22	12.43	14.96
		Warm dry	3.95	4.83	5.97	6.84	7.73	8.63
		Warm wet	5.08	7.06	10.42	13.76	17.98	23.36
	Minimum		3.75	4.53	5.45	6.11	6.74	7.33
	Maximum		5.52	7.40	10.42	13.76	17.98	23.36
BCCA	RCP2.6	0.01	3.39	4.27	5.69	6.94	7.99	9.04
		0.25	4.39	5.37	6.58	7.55	8.78	10.01
		0.5	4.56	5.79	7.20	8.25	9.50	10.96
		0.75	5.06	6.05	7.73	9.22	11.04	12.92
		0.99	6.07	7.47	9.23	10.52	12.04	13.90
	RCP8.5	0.01	3.42	4.26	5.58	6.78	7.74	8.23
		0.25	4.46	5.39	6.59	7.71	9.00	9.92
		0.5	4.88	5.88	7.33	8.53	9.68	10.88
		0.75	5.29	6.58	8.34	9.23	10.62	11.66
		0.99	6.58	7.59	9.34	10.84	12.44	14.11
	Minimum		3.39	4.26	5.58	6.78	7.74	8.23
	Maximum		6.58	7.59	9.34	10.84	12.44	14.11

Table C-38. Storm Event Frequency: Rain Gage No 176.

Rain Gage No. 176								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		5.65	7.12	9.07	10.61	12.21	13.89
BCSD	CMIP3	Hot dry	3.39	3.93	4.54	4.94	5.31	5.64
		Hot wet	4.46	5.84	7.97	9.87	12.07	14.65
		Central	3.77	4.76	6.16	7.33	8.60	10.01
		Warm dry	3.31	4.04	4.99	5.73	6.48	7.26
		Warm wet	4.51	5.83	7.78	9.46	11.36	13.50
	CMIP5	Hot dry	3.79	4.61	5.67	6.48	7.31	8.16
		Hot wet	5.16	6.57	8.54	10.15	11.88	13.76
		Central	3.85	4.91	6.45	7.77	9.24	10.89
		Warm dry	3.35	4.01	4.84	5.45	6.05	6.65
		Warm wet	4.66	6.21	8.68	10.97	13.71	17.02
	Minimum		3.31	3.93	4.54	4.94	5.31	5.64
	Maximum		5.16	6.57	8.68	10.97	13.71	17.02
BCCA	RCP2.6	0.01	3.25	3.91	4.78	5.33	5.61	5.78
		0.25	4.03	4.60	5.13	5.51	5.81	6.06
		0.5	4.16	4.73	5.30	5.69	6.09	6.46
		0.75	4.32	4.88	5.52	6.05	6.54	6.99
		0.99	4.81	5.46	6.10	6.49	6.87	7.26
	RCP8.5	0.01	3.32	3.95	4.69	5.16	5.36	5.46
		0.25	4.05	4.63	5.14	5.59	5.82	6.01
		0.5	4.30	4.82	5.36	5.76	6.13	6.34
		0.75	4.60	5.17	5.72	6.05	6.33	6.64
		0.99	5.10	5.46	6.17	6.61	6.97	7.28
	Minimum		3.25	3.91	4.69	5.16	5.36	5.46
	Maximum		5.10	5.46	6.17	6.61	6.97	7.28

Table C-39. Storm Event Frequency: Rain Gage No 196.

Rain Gage No. 196								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.07	5.01	6.34	7.42	8.58	9.84
BCSD	CMIP3	Hot dry	3.27	3.90	4.64	5.16	5.65	6.11
		Hot wet	4.39	5.61	7.29	8.65	10.11	11.68
		Central	3.63	4.22	4.84	5.23	5.57	5.87
		Warm dry	3.17	3.74	4.39	4.82	5.21	5.57
		Warm wet	4.19	5.07	6.16	6.94	7.70	8.44
	CMIP5	Hot dry	3.71	4.26	4.81	5.14	5.41	5.64
		Hot wet	4.94	6.23	7.94	9.28	10.66	12.11
		Central	3.86	4.57	5.35	5.87	6.33	6.74
		Warm dry	3.32	3.88	4.49	4.89	5.24	5.55
		Warm wet	4.87	6.08	7.66	8.86	10.07	11.31
	Minimum		3.17	3.74	4.39	4.82	5.21	5.55
	Maximum		4.94	6.23	7.94	9.28	10.66	12.11
BCCA	RCP2.6	0.01	3.03	3.52	4.05	4.41	4.75	5.06
		0.25	3.36	3.87	4.69	5.19	5.62	6.03
		0.5	3.63	4.24	4.97	5.59	6.33	7.01
		0.75	4.03	4.77	5.64	6.32	6.92	7.53
		0.99	4.52	5.25	6.05	6.68	7.51	8.37
	RCP8.5	0.01	2.97	3.52	4.15	4.60	5.02	5.42
		0.25	3.58	4.20	4.87	5.50	6.03	6.55
		0.5	3.72	4.33	5.17	5.74	6.45	7.10
		0.75	3.97	4.73	5.82	6.47	7.00	7.52
		0.99	4.64	5.31	6.04	6.69	7.58	8.50
	Minimum		2.97	3.52	4.05	4.41	4.75	5.06
	Maximum		4.64	5.31	6.05	6.69	7.58	8.50

Table C-40. Storm Event Frequency: Rain Gage No 216.

Rain Gage No. 216								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.49	5.63	7.21	8.49	9.86	11.32
BCSD	CMIP3	Hot dry	3.06	3.69	4.47	5.04	5.59	6.13
		Hot wet	3.88	5.25	7.39	9.36	11.70	14.49
		Central	3.35	4.11	5.09	5.83	6.58	7.34
		Warm dry	2.96	3.63	4.48	5.13	5.77	6.42
		Warm wet	3.91	5.05	6.71	8.13	9.72	11.51
	CMIP5	Hot dry	3.26	3.85	4.53	4.98	5.40	5.78
		Hot wet	4.35	5.50	7.11	8.41	9.80	11.30
		Central	3.46	4.25	5.25	6.01	6.77	7.54
		Warm dry	2.96	3.48	4.09	4.50	4.88	5.23
		Warm wet	4.03	5.22	6.97	8.47	10.16	12.05
	Minimum		2.96	3.48	4.09	4.50	4.88	5.23
	Maximum		4.35	5.50	7.39	9.36	11.70	14.49
BCCA	RCP2.6	0.01	2.94	3.50	4.06	4.42	4.74	5.02
		0.25	3.27	3.81	4.35	4.83	5.27	5.64
		0.5	3.37	3.91	4.64	5.17	5.60	6.01
		0.75	3.82	4.50	5.08	5.44	5.92	6.44
		0.99	4.03	4.66	5.58	6.25	6.89	7.52
	RCP8.5	0.01	3.02	3.50	4.05	4.42	4.76	5.07
		0.25	3.32	3.84	4.41	4.71	4.99	5.33
		0.5	3.62	4.14	4.82	5.11	5.50	5.86
		0.75	3.94	4.60	5.26	5.76	6.30	6.69
		0.99	4.23	4.78	5.59	6.17	6.73	7.27
	Minimum		2.94	3.50	4.05	4.42	4.74	5.02
	Maximum		4.23	4.78	5.59	6.25	6.89	7.52

Table C-41. Storm Event Frequency: Rain Gage No 223.

Rain Gage No. 223								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		5.09	6.14	7.48	8.46	9.45	10.42
			5.66	6.95	8.71	10.11	11.59	13.15
BCSD	CMIP3	Hot dry	4.32	5.12	6.11	6.82	7.52	8.21
		Hot wet	5.91	7.50	9.84	11.83	14.07	16.59
		Central	5.25	6.19	7.29	8.06	8.78	9.45
		Warm dry	4.28	5.03	5.94	6.59	7.20	7.80
		Warm wet	5.74	7.21	9.35	11.19	13.24	15.55
	CMIP5	Hot dry	5.10	5.97	6.98	7.68	8.33	8.93
		Hot wet	6.46	8.21	10.87	13.23	15.96	19.13
		Central	5.50	6.75	8.41	9.70	11.03	12.41
		Warm dry	4.90	5.89	7.17	8.13	9.09	10.06
		Warm wet	6.73	8.65	11.49	13.93	16.68	19.79
	Minimum		4.28	5.03	5.94	6.59	7.20	7.80
	Maximum		6.73	8.65	11.49	13.93	16.68	19.79
BCCA	RCP2.6	0.01	4.03	4.71	5.56	6.20	6.74	7.21
		0.25	4.75	5.48	6.28	6.74	7.19	7.63
		0.5	4.93	5.63	6.43	6.99	7.51	7.90
		0.75	5.26	6.03	6.91	7.45	7.97	8.37
		0.99	5.88	6.62	7.35	7.81	8.50	9.18
	RCP8.5	0.01	4.20	4.88	5.50	5.88	6.21	6.50
		0.25	4.82	5.48	6.28	6.76	7.19	7.55
		0.5	5.04	5.75	6.48	7.02	7.50	7.93
		0.75	5.48	6.20	6.99	7.43	7.88	8.36
		0.99	5.97	6.59	7.31	7.84	8.29	8.71
	Minimum		4.03	4.71	5.50	5.88	6.21	6.50
	Maximum		5.97	6.62	7.35	7.84	8.50	9.18

Table C-42. Storm Event Frequency: Rain Gage No 225.

Rain Gage No. 225								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		3.15	3.87	4.80	5.51	6.22	6.95
BCSD	CMIP3	Hot dry	2.54	3.06	3.69	4.13	4.54	4.93
		Hot wet	3.06	4.24	6.21	8.13	10.51	13.49
		Central	2.73	3.43	4.37	5.11	5.88	6.68
		Warm dry	2.47	3.11	3.96	4.63	5.34	6.07
		Warm wet	3.13	4.10	5.51	6.72	8.06	9.57
	CMIP5	Hot dry	2.74	3.42	4.34	5.06	5.83	6.63
		Hot wet	3.52	4.64	6.35	7.86	9.60	11.61
		Central	2.77	3.58	4.77	5.79	6.93	8.21
		Warm dry	2.41	3.00	3.79	4.40	5.04	5.70
		Warm wet	3.28	4.35	6.03	7.54	9.32	11.42
	Minimum		2.41	3.00	3.69	4.13	4.54	4.93
	Maximum		3.52	4.64	6.35	8.13	10.51	13.49
BCCA	RCP2.6	0.01	2.20	2.53	2.92	3.16	3.38	3.58
		0.25	2.78	3.42	4.34	5.12	6.07	7.18
		0.5	2.88	3.61	4.71	5.64	6.64	7.80
		0.75	3.14	3.95	5.15	6.18	7.30	8.50
		0.99	3.50	4.38	5.57	6.53	7.56	8.91
	RCP8.5	0.01	2.20	2.67	3.29	3.77	4.17	4.57
		0.25	2.74	3.46	4.17	5.11	5.94	6.74
		0.5	3.13	3.77	4.73	5.59	6.65	7.78
		0.75	3.40	4.20	5.49	6.25	7.27	8.21
		0.99	3.76	4.59	5.66	6.59	7.78	9.09
	Minimum		2.20	2.53	2.92	3.16	3.38	3.58
	Maximum		3.76	4.59	5.66	6.59	7.78	9.09

Table C-43. Storm Event Frequency: Rain Gage No 227.

Rain Gage No. 227								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.41	5.51	7.08	8.37	9.77	11.30
BCSD	CMIP3	Hot dry	3.24	3.80	4.43	4.83	5.19	5.51
		Hot wet	4.51	5.75	7.41	8.70	10.05	11.44
		Central	3.60	4.31	5.13	5.68	6.18	6.64
		Warm dry	3.29	3.94	4.70	5.21	5.67	6.11
		Warm wet	4.43	5.43	6.63	7.47	8.26	9.02
	CMIP5	Hot dry	3.52	4.08	4.67	5.04	5.35	5.62
		Hot wet	4.84	6.07	7.63	8.82	10.00	11.20
		Central	3.84	4.59	5.42	5.97	6.47	6.92
		Warm dry	3.18	3.68	4.21	4.53	4.80	5.03
		Warm wet	4.59	5.69	7.05	8.03	8.99	9.93
	Minimum		3.18	3.68	4.21	4.53	4.80	5.03
	Maximum		4.84	6.07	7.63	8.82	10.05	11.44
BCCA	RCP2.6	0.01	2.85	3.46	4.09	4.42	4.70	4.86
		0.25	3.47	3.88	4.30	4.75	4.97	5.19
		0.5	3.73	4.29	4.87	5.18	5.52	5.71
		0.75	3.87	4.43	5.02	5.35	5.71	6.10
		0.99	4.16	4.72	5.28	5.62	5.91	6.41
	RCP8.5	0.01	2.93	3.47	4.11	4.54	4.92	5.23
		0.25	3.62	4.13	4.73	5.04	5.25	5.51
		0.5	3.78	4.36	4.88	5.17	5.55	5.74
		0.75	4.05	4.56	5.00	5.36	5.77	6.09
		0.99	4.37	4.77	5.38	5.91	6.39	6.84
	Minimum		2.85	3.46	4.09	4.42	4.70	4.86
	Maximum		4.37	4.77	5.38	5.91	6.39	6.84

Table C-44. Storm Event Frequency: Rain Gage No 228.

Rain Gage No. 228								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.00	4.90	6.10	7.04	8.02	9.05
BCSD	CMIP3	Hot dry	3.65	4.43	5.36	6.01	6.63	7.22
		Hot wet	4.34	5.71	7.73	9.45	11.39	13.57
		Central	3.80	4.76	6.02	6.99	8.00	9.03
		Warm dry	3.60	4.58	5.93	7.02	8.19	9.44
		Warm wet	4.52	5.87	7.78	9.38	11.13	13.05
	CMIP5	Hot dry	3.84	4.71	5.82	6.65	7.47	8.29
		Hot wet	5.10	6.67	8.97	10.94	13.14	15.62
		Central	3.98	5.08	6.62	7.88	9.24	10.72
		Warm dry	3.62	4.43	5.45	6.19	6.92	7.64
		Warm wet	4.75	6.47	9.19	11.68	14.65	18.19
	Minimum		3.60	4.43	5.36	6.01	6.63	7.22
	Maximum		5.10	6.67	9.19	11.68	14.65	18.19
BCCA	RCP2.6	0.01	3.19	3.78	4.52	4.98	5.37	5.48
		0.25	4.23	4.94	5.55	5.90	6.27	6.37
		0.5	4.38	5.04	5.80	6.17	6.52	6.95
		0.75	4.72	5.31	6.02	6.46	6.78	7.01
		0.99	5.21	5.68	6.22	6.67	7.24	7.76
	RCP8.5	0.01	3.43	4.15	5.02	5.47	5.56	5.59
		0.25	4.37	5.03	5.69	5.90	6.07	6.27
		0.5	4.74	5.25	5.77	6.17	6.44	6.73
		0.75	5.08	5.57	5.98	6.30	6.68	7.04
		0.99	5.39	5.71	6.28	6.88	7.75	8.69
	Minimum		3.19	3.78	4.52	4.98	5.37	5.48
	Maximum		5.39	5.71	6.28	6.88	7.75	8.69

Table C-45. Storm Event Frequency: Rain Gage No 235.

Rain Gage No. 235								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		6.07	7.54	9.52	11.08	12.71	14.42
BCSD	CMIP3	Hot dry	4.37	5.33	6.51	7.36	8.19	9.00
		Hot wet	5.67	6.99	8.61	9.78	10.90	11.99
		Central	4.91	5.84	6.88	7.57	8.19	8.75
		Warm dry	4.34	5.33	6.56	7.45	8.33	9.19
		Warm wet	5.82	7.09	8.59	9.63	10.61	11.53
	CMIP5	Hot dry	4.96	5.92	7.03	7.78	8.47	9.10
		Hot wet	6.38	7.77	9.41	10.55	11.63	12.64
		Central	5.00	6.03	7.21	8.01	8.74	9.43
		Warm dry	4.30	5.15	6.14	6.82	7.45	8.04
		Warm wet	5.97	7.31	8.93	10.08	11.17	12.22
	Minimum		4.30	5.15	6.14	6.82	7.45	8.04
	Maximum		6.38	7.77	9.41	10.55	11.63	12.64
BCCA	RCP2.6	0.01	4.27	4.83	5.26	5.32	5.36	5.38
		0.25	4.72	5.12	5.42	5.52	5.60	5.67
		0.5	4.85	5.25	5.50	5.63	5.71	5.77
		0.75	4.95	5.28	5.67	5.86	6.12	6.26
		0.99	5.00	5.37	5.80	6.05	6.29	6.51
	RCP8.5	0.01	4.35	4.80	5.12	5.28	5.39	5.46
		0.25	4.71	5.09	5.48	5.67	5.80	5.85
		0.5	4.95	5.30	5.62	5.75	5.84	5.93
		0.75	5.15	5.45	5.70	5.82	5.93	6.03
		0.99	5.50	5.67	5.89	6.22	6.56	6.86
	Minimum		4.27	4.80	5.12	5.28	5.36	5.38
	Maximum		5.50	5.67	5.89	6.22	6.56	6.86

Table C-46. Storm Event Frequency: Rain Gage No 237.

Rain Gage No. 237								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.87	5.95	7.37	8.47	9.60	10.77
BCSD	CMIP3	Hot dry	4.22	5.04	6.00	6.65	7.26	7.82
		Hot wet	5.28	6.97	9.53	11.77	14.33	17.27
		Central	4.60	5.91	7.77	9.31	10.99	12.83
		Warm dry	4.26	5.25	6.48	7.40	8.30	9.20
		Warm wet	5.25	7.01	9.72	12.14	14.98	18.30
	CMIP5	Hot dry	4.67	5.63	6.79	7.63	8.43	9.20
		Hot wet	5.82	7.64	10.32	12.64	15.26	18.23
		Central	4.94	6.36	8.40	10.12	12.01	14.11
		Warm dry	4.33	5.23	6.33	7.12	7.88	8.62
		Warm wet	5.31	7.28	10.51	13.60	17.39	22.08
	Minimum		4.22	5.04	6.00	6.65	7.26	7.82
	Maximum		5.82	7.64	10.51	13.60	17.39	22.08
BCCA	RCP2.6	0.01	3.62	4.30	5.15	5.77	6.37	6.96
		0.25	4.63	5.64	6.74	7.57	8.36	9.02
		0.5	4.80	5.79	7.11	8.09	9.11	10.16
		0.75	5.29	6.23	7.76	8.94	9.97	10.88
		0.99	5.72	6.87	8.30	9.33	10.35	11.48
	RCP8.5	0.01	3.74	4.46	5.31	5.88	6.43	6.96
		0.25	4.60	5.55	6.80	7.49	8.43	9.01
		0.5	4.80	5.80	7.17	7.91	8.74	9.71
		0.75	5.68	6.82	8.04	8.71	9.86	10.90
		0.99	6.39	7.27	8.40	9.51	10.63	11.88
	Minimum		3.62	4.30	5.15	5.77	6.37	6.96
	Maximum		6.39	7.27	8.40	9.51	10.63	11.88

Table C-47. Storm Event Frequency: Rain Gage No 238.

Rain Gage No. 238								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.23	5.23	6.59	7.66	8.78	9.96
BCSD	CMIP3	Hot dry	2.83	3.32	3.85	4.20	4.51	4.78
		Hot wet	3.60	4.83	6.74	8.46	10.48	12.85
		Central	3.11	3.77	4.60	5.20	5.79	6.36
		Warm dry	2.84	3.48	4.30	4.90	5.49	6.09
		Warm wet	3.76	4.95	6.72	8.26	10.00	11.98
	CMIP5	Hot dry	3.11	3.65	4.26	4.66	5.03	5.36
		Hot wet	4.04	5.28	7.13	8.73	10.54	12.60
		Central	3.38	4.26	5.48	6.46	7.50	8.61
		Warm dry	2.86	3.32	3.79	4.10	4.35	4.58
		Warm wet	3.77	5.06	7.09	8.97	11.21	13.90
	Minimum		2.83	3.32	3.79	4.10	4.35	4.58
	Maximum		4.04	5.28	7.13	8.97	11.21	13.90
BCCA	RCP2.6	0.01	2.60	3.03	3.54	3.91	4.26	4.61
		0.25	3.08	3.55	4.12	4.49	4.85	5.25
		0.5	3.23	3.81	4.47	4.85	5.20	5.58
		0.75	3.58	4.13	4.73	5.21	5.68	6.11
		0.99	3.79	4.35	5.02	5.52	6.00	6.52
	RCP8.5	0.01	2.70	3.20	3.82	4.29	4.71	5.02
		0.25	3.21	3.73	4.37	4.79	5.19	5.48
		0.5	3.41	3.96	4.59	4.92	5.36	5.74
		0.75	3.74	4.28	4.74	5.20	5.72	6.06
		0.99	4.03	4.53	5.10	5.60	6.11	6.63
	Minimum		2.60	3.03	3.54	3.91	4.26	4.61
	Maximum		4.03	4.53	5.10	5.60	6.11	6.63

Table C-48. Storm Event Frequency: Rain Gage No 251.

Rain Gage No. 251								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		5.73	7.11	8.99	10.47	12.03	13.67
BCSD	CMIP3	Hot dry	3.70	4.43	5.27	5.86	6.40	6.90
		Hot wet	5.06	6.53	8.55	10.16	11.86	13.67
		Central	4.23	5.19	6.36	7.20	8.01	8.80
		Warm dry	3.67	4.60	5.83	6.79	7.78	8.80
		Warm wet	5.16	6.50	8.22	9.51	10.80	12.10
	CMIP5	Hot dry	4.19	4.94	5.75	6.27	6.73	7.13
		Hot wet	5.68	7.06	8.81	10.11	11.40	12.68
		Central	4.42	5.41	6.61	7.48	8.31	9.11
		Warm dry	3.75	4.45	5.23	5.75	6.23	6.65
		Warm wet	5.39	6.86	8.82	10.37	11.97	13.65
	Minimum		3.67	4.43	5.23	5.75	6.23	6.65
	Maximum		5.68	7.06	8.82	10.37	11.97	13.67
BCCA	RCP2.6	0.01	3.69	4.30	4.96	5.17	5.33	5.46
		0.25	4.29	4.76	5.11	5.34	5.48	5.58
		0.5	4.44	4.89	5.32	5.55	5.72	5.83
		0.75	4.62	5.08	5.51	5.81	6.10	6.22
		0.99	5.03	5.46	5.81	6.05	6.31	6.61
	RCP8.5	0.01	3.82	4.39	4.97	5.15	5.22	5.26
		0.25	4.35	4.82	5.24	5.47	5.60	5.68
		0.5	4.62	5.01	5.32	5.58	5.76	5.93
		0.75	4.82	5.24	5.56	5.74	5.93	6.10
		0.99	5.09	5.44	5.94	6.22	6.44	6.62
	Minimum		3.69	4.30	4.96	5.15	5.22	5.26
	Maximum		5.09	5.46	5.94	6.22	6.44	6.62

Table C-49. Storm Event Frequency: Rain Gage No 255.

Rain Gage No. 255								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		3.84	4.65	5.73	6.59	7.48	8.41
BCSD	CMIP3	Hot dry	2.81	3.27	3.80	4.14	4.45	4.73
		Hot wet	3.60	4.49	5.66	6.56	7.50	8.46
		Central	3.01	3.51	4.05	4.40	4.71	4.99
		Warm dry	2.57	3.03	3.55	3.90	4.22	4.52
		Warm wet	3.37	4.04	4.87	5.46	6.04	6.61
	CMIP5	Hot dry	3.09	3.59	4.13	4.48	4.78	5.06
		Hot wet	4.05	4.96	6.13	7.00	7.88	8.76
		Central	3.17	3.65	4.17	4.50	4.78	5.03
		Warm dry	2.74	3.11	3.49	3.72	3.90	4.06
		Warm wet	3.80	4.58	5.53	6.22	6.89	7.54
	Minimum		2.57	3.03	3.49	3.72	3.90	4.06
	Maximum		4.05	4.96	6.13	7.00	7.88	8.76
BCCA	RCP2.6	0.01	2.53	2.98	3.52	3.92	4.31	4.63
		0.25	2.98	3.42	3.92	4.25	4.55	4.80
		0.5	3.07	3.53	4.06	4.36	4.74	5.02
		0.75	3.29	3.74	4.24	4.56	4.84	5.13
		0.99	3.41	3.92	4.49	4.86	5.19	5.50
	RCP8.5	0.01	2.66	3.18	3.85	3.93	3.98	4.01
		0.25	3.01	3.51	3.95	4.27	4.51	4.68
		0.5	3.22	3.63	4.07	4.41	4.69	4.97
		0.75	3.34	3.77	4.30	4.53	4.91	5.29
		0.99	3.58	3.98	4.45	4.89	5.34	5.77
	Minimum		2.53	2.98	3.52	3.92	3.98	4.01
	Maximum		3.58	3.98	4.49	4.89	5.34	5.77

Table C-50. Storm Event Frequency: Rain Gage No 269.

Rain Gage No. 269								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		3.79	4.59	5.65	6.47	7.32	8.21
BCSD	CMIP3	Hot dry	3.50	4.09	4.74	5.16	5.53	5.85
		Hot wet	4.40	5.48	6.89	7.96	9.04	10.15
		Central	3.75	4.40	5.11	5.57	5.99	6.35
		Warm dry	3.47	4.08	4.75	5.17	5.53	5.86
		Warm wet	4.53	5.33	6.22	6.79	7.29	7.73
	CMIP5	Hot dry	3.64	4.19	4.77	5.11	5.41	5.65
		Hot wet	5.08	6.15	7.43	8.35	9.21	10.05
		Central	3.84	4.46	5.12	5.52	5.86	6.16
		Warm dry	3.22	3.68	4.13	4.39	4.61	4.78
		Warm wet	4.67	5.77	7.15	8.17	9.18	10.18
	Minimum		3.22	3.68	4.13	4.39	4.61	4.78
	Maximum		5.08	6.15	7.43	8.35	9.21	10.18
BCCA	RCP2.6	0.01	3.13	3.65	4.10	4.35	4.55	4.70
		0.25	3.55	4.06	4.68	5.06	5.36	5.51
		0.5	3.84	4.44	5.02	5.48	5.83	6.13
		0.75	4.19	4.77	5.42	5.80	6.20	6.60
		0.99	4.41	4.93	5.52	5.99	6.65	7.52
	RCP8.5	0.01	2.98	3.62	4.29	4.57	4.70	4.73
		0.25	3.71	4.28	4.90	5.14	5.31	5.59
		0.5	4.02	4.54	5.02	5.30	5.70	5.95
		0.75	4.25	4.70	5.33	5.73	6.04	6.36
		0.99	4.51	4.99	5.47	6.01	6.60	7.20
	Minimum		2.98	3.62	4.10	4.35	4.55	4.70
	Maximum		4.51	4.99	5.52	6.01	6.65	7.52

Table C-51. Storm Event Frequency: Rain Gage No 280.

Rain Gage No. 280								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD		5.49	6.77	8.38	9.58	10.77	11.95
	NOAA Atlas 14		5.25	6.51	8.23	9.59	11.02	12.52
BCSD	CMIP3	Hot dry	4.09	5.09	6.42	7.47	8.56	9.70
		Hot wet	5.05	6.93	10.12	13.26	17.22	22.23
		Central	4.53	5.94	8.09	10.00	12.22	14.80
		Warm dry	4.08	5.19	6.75	8.04	9.44	10.98
		Warm wet	5.07	6.75	9.38	11.79	14.65	18.05
	CMIP5	Hot dry	4.45	5.54	7.01	8.17	9.40	10.69
		Hot wet	5.80	7.76	10.89	13.82	17.34	21.61
		Central	4.45	5.91	8.26	10.45	13.08	16.27
		Warm dry	3.86	4.88	6.35	7.58	8.96	10.49
		Warm wet	5.43	7.56	11.27	15.01	19.85	26.12
	Minimum		3.86	4.88	6.35	7.47	8.56	9.70
	Maximum		5.80	7.76	11.27	15.01	19.85	26.12
BCCA	RCP2.6	0.01	3.57	4.47	5.78	6.60	7.35	8.09
		0.25	4.66	5.63	6.99	7.92	8.64	9.43
		0.5	4.97	5.95	7.18	8.12	9.08	9.97
		0.75	5.48	6.49	7.67	8.51	9.28	10.27
		0.99	6.23	7.22	8.24	9.17	10.36	11.56
	RCP8.5	0.01	3.88	4.85	6.23	7.01	7.39	7.67
		0.25	4.83	5.83	7.10	8.01	8.67	9.09
		0.5	5.30	6.28	7.38	8.24	9.08	9.86
		0.75	5.99	6.95	7.90	8.57	9.46	10.37
		0.99	6.50	7.29	8.38	9.16	9.86	10.87
	Minimum		3.57	4.47	5.78	6.60	7.35	7.67
	Maximum		6.50	7.29	8.38	9.17	10.36	11.56

Table C-52. Storm Event Frequency: Rain Gage No 283.

Rain Gage No. 283								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		8.25	10.07	12.37	14.08	15.78	17.47
			7.86	9.75	12.36	14.48	16.75	19.18
BCSD	CMIP3	Hot dry	5.94	7.10	8.51	9.52	10.49	11.42
		Hot wet	8.09	10.04	12.53	14.41	16.31	18.22
		Central	6.87	8.50	10.67	12.36	14.11	15.93
		Warm dry	6.14	7.59	9.49	10.96	12.46	14.02
		Warm wet	8.32	10.33	12.96	14.98	17.06	19.19
	CMIP5	Hot dry	6.63	7.94	9.55	10.71	11.83	12.93
		Hot wet	9.96	12.38	15.49	17.83	20.19	22.57
		Central	7.29	9.11	11.53	13.40	15.33	17.32
		Warm dry	6.32	7.39	8.59	9.38	10.09	10.72
		Warm wet	9.06	11.34	14.25	16.45	18.66	20.88
	Minimum		5.94	7.10	8.51	9.38	10.09	10.72
	Maximum		9.96	12.38	15.49	17.83	20.19	22.57
BCCA	RCP2.6	0.01	5.70	6.65	7.74	8.48	9.18	9.79
		0.25	6.62	7.54	8.83	9.60	10.24	10.82
		0.5	6.88	8.03	9.22	10.20	11.03	11.70
		0.75	7.40	8.55	9.83	10.64	11.61	12.48
		0.99	7.69	8.98	10.68	11.93	13.13	14.59
	RCP8.5	0.01	5.86	6.79	7.52	7.82	8.07	8.19
		0.25	6.93	7.99	9.01	9.68	10.69	11.31
		0.5	7.24	8.22	9.76	10.77	11.69	12.24
		0.75	7.61	8.81	10.36	11.52	12.23	13.43
		0.99	9.37	10.27	11.10	12.26	13.87	15.53
	Minimum		5.70	6.65	7.52	7.82	8.07	8.19
	Maximum		9.37	10.27	11.10	12.26	13.87	15.53

Table C-53. Storm Event Frequency: Rain Gage No 287.

Rain Gage No. 287								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.66	5.74	7.27	8.54	9.93	11.44
BCSD	CMIP3	Hot dry	3.60	4.18	4.85	5.29	5.69	6.06
		Hot wet	4.86	6.09	7.80	9.17	10.65	12.22
		Central	4.24	5.01	5.90	6.52	7.09	7.62
		Warm dry	3.49	4.07	4.73	5.19	5.60	5.99
		Warm wet	4.83	5.95	7.45	8.63	9.85	11.13
	CMIP5	Hot dry	4.25	4.88	5.55	5.98	6.35	6.67
		Hot wet	5.57	6.92	8.77	10.24	11.78	13.42
		Central	4.52	5.46	6.62	7.46	8.28	9.09
		Warm dry	3.97	4.71	5.60	6.24	6.84	7.43
		Warm wet	5.58	7.08	9.19	10.95	12.86	14.96
	Minimum		3.49	4.07	4.73	5.19	5.60	5.99
	Maximum		5.58	7.08	9.19	10.95	12.86	14.96
BCCA	RCP2.6	0.01	3.35	3.91	4.62	5.14	5.55	5.87
		0.25	3.94	4.54	5.16	5.62	5.97	6.29
		0.5	4.13	4.66	5.39	5.89	6.28	6.78
		0.75	4.32	4.99	5.76	6.28	6.74	7.05
		0.99	4.99	5.62	6.24	6.70	7.22	7.73
	RCP8.5	0.01	3.48	4.06	4.60	4.90	5.15	5.36
		0.25	4.08	4.63	5.28	5.65	6.06	6.34
		0.5	4.20	4.82	5.46	5.98	6.39	6.76
		0.75	4.61	5.23	5.89	6.30	6.65	7.03
		0.99	5.02	5.55	6.21	6.70	7.14	7.54
	Minimum		3.35	3.91	4.60	4.90	5.15	5.36
	Maximum		5.02	5.62	6.24	6.70	7.22	7.73

Table C-54. Storm Event Frequency: Rain Gage No 291.

Rain Gage No. 291								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		3.47	4.23	5.19	5.90	6.61	7.31
			3.45	4.19	5.13	5.85	6.58	7.32
BCSD	CMIP3	Hot dry	2.77	3.35	4.06	4.58	5.08	5.57
		Hot wet	3.24	4.17	5.54	6.71	8.01	9.48
		Central	2.94	3.59	4.42	5.04	5.66	6.29
		Warm dry	2.72	3.30	4.03	4.55	5.07	5.57
		Warm wet	3.39	4.24	5.40	6.32	7.30	8.34
	CMIP5	Hot dry	2.92	3.44	4.04	4.45	4.83	5.18
		Hot wet	3.87	4.86	6.20	7.28	8.43	9.65
		Central	3.07	3.83	4.85	5.66	6.52	7.42
		Warm dry	2.70	3.15	3.66	3.99	4.29	4.56
		Warm wet	3.62	4.61	6.03	7.22	8.53	9.97
	Minimum		2.70	3.15	3.66	3.99	4.29	4.56
	Maximum		3.87	4.86	6.20	7.28	8.53	9.97
BCCA	RCP2.6	0.01	2.55	3.04	3.64	4.07	4.49	4.79
		0.25	3.02	3.55	4.08	4.46	4.73	4.94
		0.5	3.23	3.70	4.21	4.59	4.88	5.17
		0.75	3.27	3.79	4.35	4.71	5.01	5.35
		0.99	3.67	4.09	4.56	4.95	5.32	5.65
	RCP8.5	0.01	2.50	2.98	3.59	3.97	4.21	4.27
		0.25	3.18	3.65	4.15	4.41	4.65	4.85
		0.5	3.36	3.82	4.30	4.55	4.82	5.02
		0.75	3.55	3.94	4.43	4.73	5.06	5.26
		0.99	3.77	4.09	4.61	4.97	5.36	5.73
	Minimum		2.50	2.98	3.59	3.97	4.21	4.27
	Maximum		3.77	4.09	4.61	4.97	5.36	5.73

Table C-55. Storm Event Frequency: Rain Gage No 293.

Rain Gage No. 293								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.05	4.92	6.04	6.91	7.80	8.71
BCSD	CMIP3	Hot dry	3.24	3.74	4.27	4.59	4.87	5.11
		Hot wet	4.21	5.32	6.78	7.91	9.08	10.29
		Central	3.65	4.39	5.26	5.86	6.42	6.94
		Warm dry	3.31	3.98	4.77	5.31	5.82	6.30
		Warm wet	4.39	5.48	6.87	7.92	8.97	10.02
	CMIP5	Hot dry	3.59	4.30	5.12	5.68	6.20	6.69
		Hot wet	4.77	5.91	7.34	8.40	9.46	10.51
		Central	3.81	4.75	5.98	6.91	7.85	8.82
		Warm dry	3.36	3.93	4.54	4.92	5.25	5.54
		Warm wet	4.37	5.65	7.47	8.98	10.63	12.44
	Minimum		3.24	3.74	4.27	4.59	4.87	5.11
	Maximum		4.77	5.91	7.47	8.98	10.63	12.44
BCCA	RCP2.6	0.01	2.95	3.49	4.17	4.50	4.70	4.85
		0.25	3.36	3.85	4.37	4.73	5.08	5.32
		0.5	3.49	4.00	4.51	4.91	5.25	5.54
		0.75	3.72	4.15	4.77	5.08	5.49	5.86
		0.99	4.07	4.49	4.92	5.37	5.85	6.33
	RCP8.5	0.01	3.04	3.54	4.07	4.40	4.61	4.66
		0.25	3.44	3.95	4.54	4.79	4.99	5.14
		0.5	3.68	4.16	4.65	4.94	5.22	5.44
		0.75	3.93	4.32	4.80	5.18	5.53	5.89
		0.99	4.34	4.61	5.06	5.45	6.06	6.66
	Minimum		2.95	3.49	4.07	4.40	4.61	4.66
	Maximum		4.34	4.61	5.06	5.45	6.06	6.66

Table C-56. Storm Event Frequency: Rain Gage No 306.

Rain Gage No. 306								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		3.34	4.08	5.08	5.87	6.69	7.56
BCSD	CMIP3	Hot dry	2.76	3.45	4.37	5.08	5.81	6.56
		Hot wet	3.11	4.13	5.72	7.15	8.81	10.77
		Central	2.80	3.50	4.42	5.15	5.90	6.69
		Warm dry	2.46	3.06	3.85	4.46	5.10	5.75
		Warm wet	3.38	4.32	5.61	6.66	7.78	8.98
	CMIP5	Hot dry	2.83	3.41	4.14	4.67	5.19	5.71
		Hot wet	3.69	4.83	6.52	7.98	9.63	11.49
		Central	2.87	3.59	4.54	5.28	6.04	6.84
		Warm dry	2.50	3.08	3.82	4.39	4.97	5.56
		Warm wet	3.50	4.64	6.38	7.90	9.65	11.66
	Minimum		2.46	3.06	3.82	4.39	4.97	5.56
	Maximum		3.69	4.83	6.52	7.98	9.65	11.66
BCCA	RCP2.6	0.01	2.59	3.03	3.50	3.81	4.09	4.35
		0.25	2.95	3.46	3.93	4.36	4.82	5.16
		0.5	3.23	3.82	4.52	4.88	5.12	5.45
		0.75	3.43	4.04	4.73	5.25	5.74	6.17
		0.99	3.88	4.34	4.94	5.38	5.87	6.48
	RCP8.5	0.01	2.60	3.07	3.57	3.79	3.86	3.92
		0.25	3.11	3.57	3.98	4.38	4.64	4.86
		0.5	3.29	3.83	4.47	4.90	5.28	5.55
		0.75	3.53	4.08	4.79	5.17	5.52	5.90
		0.99	3.85	4.36	4.91	5.42	6.03	6.63
	Minimum		2.59	3.03	3.50	3.79	3.86	3.92
	Maximum		3.88	4.36	4.94	5.42	6.03	6.63

Table C-57. Storm Event Frequency: Rain Gage No 334.

Rain Gage No. 334								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		9.03	11.03	13.56	15.44	17.30	19.16
			8.94	11.01	13.73	15.84	18.00	20.23
BCSD	CMIP3	Hot dry	5.98	7.24	8.77	9.86	10.91	11.92
		Hot wet	7.83	9.73	12.10	13.84	15.56	17.25
		Central	6.93	8.45	10.28	11.59	12.83	14.04
		Warm dry	5.56	6.86	8.55	9.83	11.13	12.44
		Warm wet	7.91	10.03	12.86	15.08	17.38	19.78
	CMIP5	Hot dry	6.67	8.10	9.82	11.03	12.19	13.31
		Hot wet	8.85	11.25	14.46	16.98	19.60	22.33
		Central	7.12	8.84	11.03	12.66	14.29	15.92
		Warm dry	6.28	7.34	8.45	9.13	9.72	10.22
		Warm wet	8.68	10.94	13.86	16.07	18.29	20.55
	Minimum		5.56	6.86	8.45	9.13	9.72	10.22
	Maximum		8.85	11.25	14.46	16.98	19.60	22.33
BCCA	RCP2.6	0.01	5.70	6.70	7.90	8.21	8.39	8.52
		0.25	6.47	7.30	8.12	8.75	9.09	9.28
		0.5	6.77	7.55	8.50	8.93	9.53	9.98
		0.75	6.94	7.87	8.65	9.27	9.83	10.48
		0.99	7.59	8.23	9.00	9.69	10.31	10.89
	RCP8.5	0.01	5.87	6.66	7.44	7.87	8.21	8.46
		0.25	6.56	7.50	8.17	8.67	9.11	9.19
		0.5	7.19	7.94	8.67	9.10	9.35	9.59
		0.75	7.41	8.13	8.84	9.26	9.64	9.94
		0.99	8.36	8.73	9.09	9.67	10.41	11.16
	Minimum		5.70	6.66	7.44	7.87	8.21	8.46
	Maximum		8.36	8.73	9.09	9.69	10.41	11.16

Table C-58. Storm Event Frequency: Rain Gage No 336.

Rain Gage No. 336								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		3.91	4.89	6.24	7.32	8.47	9.70
BCSD	CMIP3	Hot dry	2.44	2.75	3.04	3.20	3.33	3.44
		Hot wet	3.12	4.08	5.48	6.68	8.04	9.56
		Central	2.68	3.21	3.85	4.30	4.73	5.15
		Warm dry	2.49	2.99	3.58	3.99	4.38	4.75
		Warm wet	3.32	4.25	5.56	6.65	7.82	9.09
	CMIP5	Hot dry	2.80	3.22	3.68	3.96	4.20	4.40
		Hot wet	3.46	4.45	5.92	7.17	8.59	10.18
		Central	2.99	3.70	4.63	5.34	6.07	6.82
		Warm dry	2.52	2.92	3.33	3.59	3.82	4.01
		Warm wet	3.43	4.49	6.07	7.45	9.02	10.80
	Minimum		2.44	2.75	3.04	3.20	3.33	3.44
	Maximum		3.46	4.49	6.07	7.45	9.02	10.80
BCCA	RCP2.6	0.01	2.25	2.60	3.03	3.35	3.53	3.69
		0.25	2.68	3.02	3.42	3.71	3.98	4.19
		0.5	2.73	3.15	3.61	3.87	4.17	4.50
		0.75	3.00	3.37	3.84	4.23	4.67	5.10
		0.99	3.11	3.59	4.13	4.49	4.85	5.22
	RCP8.5	0.01	2.32	2.72	3.23	3.61	3.96	4.10
		0.25	2.77	3.12	3.54	3.83	4.02	4.24
		0.5	2.82	3.25	3.69	3.97	4.37	4.60
		0.75	3.07	3.45	3.83	4.23	4.56	4.92
		0.99	3.31	3.72	4.22	4.63	5.03	5.42
	Minimum		2.25	2.60	3.03	3.35	3.53	3.69
	Maximum		3.31	3.72	4.22	4.63	5.03	5.42

Table C-59. Storm Event Frequency: Rain Gage No 338.

Rain Gage No. 338								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		8.56	10.75	13.73	16.11	18.61	21.27
BCSD	CMIP3	Hot dry	6.05	6.97	7.96	8.60	9.16	9.66
		Hot wet	7.98	9.46	11.14	12.27	13.30	14.25
		Central	6.58	7.60	8.74	9.49	10.16	10.76
		Warm dry	5.88	7.01	8.43	9.46	10.48	11.47
		Warm wet	7.82	9.33	11.15	12.44	13.67	14.86
	CMIP5	Hot dry	6.77	7.98	9.42	10.42	11.37	12.27
		Hot wet	8.83	10.34	12.05	13.19	14.21	15.15
		Central	6.90	8.09	9.43	10.33	11.15	11.90
		Warm dry	5.85	6.84	8.01	8.82	9.58	10.29
		Warm wet	7.96	9.53	11.47	12.88	14.26	15.61
	Minimum		5.85	6.84	7.96	8.60	9.16	9.66
	Maximum		8.83	10.34	12.05	13.19	14.26	15.61
BCCA	RCP2.6	0.01	5.21	6.14	7.21	7.66	7.98	8.24
		0.25	6.14	7.04	7.89	8.43	8.87	9.25
		0.5	6.33	7.20	8.17	8.74	9.46	9.91
		0.75	6.50	7.37	8.36	9.09	9.92	10.76
		0.99	6.68	7.67	8.83	9.62	10.36	11.16
	RCP8.5	0.01	5.26	5.93	6.63	7.02	7.36	7.60
		0.25	6.17	7.06	8.10	8.69	9.26	9.79
		0.5	6.52	7.46	8.49	9.09	9.67	10.14
		0.75	6.85	7.78	8.72	9.37	10.02	10.54
		0.99	8.10	8.61	9.23	9.79	10.29	11.20
	Minimum		5.21	5.93	6.63	7.02	7.36	7.60
	Maximum		8.10	8.61	9.23	9.79	10.36	11.20

Table C-60. Storm Event Frequency: Rain Gage No 352.

Rain Gage No. 352								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD		5.38	6.57	8.07	9.18	10.29	11.39
	NOAA Atlas 14		5.09	6.20	7.67	8.79	9.95	11.14
BCSD	CMIP3	Hot dry	3.00	3.42	3.86	4.13	4.36	4.56
		Hot wet	3.80	4.62	5.66	6.41	7.15	7.89
		Central	3.15	3.58	4.03	4.30	4.53	4.72
		Warm dry	2.96	3.42	3.94	4.28	4.57	4.84
		Warm wet	3.80	4.44	5.13	5.57	5.96	6.30
	CMIP5	Hot dry	3.20	3.60	4.00	4.23	4.42	4.57
		Hot wet	4.38	5.25	6.29	7.02	7.72	8.38
		Central	3.30	3.90	4.61	5.09	5.54	5.96
		Warm dry	2.96	3.34	3.73	3.96	4.15	4.30
		Warm wet	4.08	4.98	6.11	6.95	7.77	8.59
	Minimum		2.96	3.34	3.73	3.96	4.15	4.30
	Maximum		4.38	5.25	6.29	7.02	7.77	8.59
BCCA	RCP2.6	0.01	2.83	3.14	3.24	3.28	3.30	3.32
		0.25	3.08	3.26	3.40	3.45	3.49	3.51
		0.5	3.17	3.36	3.52	3.61	3.66	3.70
		0.75	3.23	3.44	3.59	3.68	3.73	3.77
		0.99	3.38	3.50	3.63	3.71	3.86	4.00
	RCP8.5	0.01	2.86	3.17	3.28	3.31	3.33	3.33
		0.25	3.11	3.27	3.44	3.50	3.54	3.57
		0.5	3.20	3.39	3.51	3.59	3.63	3.66
		0.75	3.30	3.45	3.58	3.64	3.70	3.73
		0.99	3.35	3.52	3.66	3.74	3.79	3.90
	Minimum		2.83	3.14	3.24	3.28	3.30	3.32
	Maximum		3.38	3.52	3.66	3.74	3.86	4.00

Table C-61. Storm Event Frequency: Rain Gage No 373.

Rain Gage No. 373								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		6.28	7.91	10.22	12.11	14.18	16.42
BCSD	CMIP3	Hot dry	4.18	4.94	5.87	6.54	7.19	7.82
		Hot wet	5.87	7.44	9.60	11.34	13.18	15.15
		Central	4.84	5.84	7.08	7.98	8.85	9.71
		Warm dry	4.37	5.36	6.63	7.60	8.56	9.54
		Warm wet	5.97	7.32	9.00	10.24	11.45	12.64
	CMIP5	Hot dry	4.73	5.57	6.53	7.17	7.77	8.31
		Hot wet	6.59	8.01	9.73	10.94	12.11	13.22
		Central	5.03	6.12	7.49	8.49	9.48	10.46
		Warm dry	4.16	4.86	5.66	6.20	6.70	7.16
		Warm wet	6.23	7.66	9.50	10.87	12.25	13.63
	Minimum		4.16	4.86	5.66	6.20	6.70	7.16
	Maximum		6.59	8.01	9.73	11.34	13.18	15.15
BCCA	RCP2.6	0.01	3.66	4.46	5.67	6.48	6.87	7.18
		0.25	4.65	5.36	6.14	6.72	7.17	7.44
		0.5	4.85	5.61	6.49	7.00	7.49	7.81
		0.75	5.09	5.90	6.62	7.19	7.76	8.38
		0.99	5.65	6.28	6.92	7.60	8.35	9.70
	RCP8.5	0.01	3.80	4.60	5.69	6.43	6.57	6.61
		0.25	4.75	5.53	6.34	6.82	7.27	7.55
		0.5	5.18	5.90	6.50	6.95	7.36	7.76
		0.75	5.37	6.05	6.69	7.13	7.62	8.10
		0.99	5.94	6.28	7.00	7.54	8.18	9.20
	Minimum		3.66	4.46	5.67	6.43	6.57	6.61
	Maximum		5.94	6.28	7.00	7.60	8.35	9.70

Table C-62. Storm Event Frequency: Rain Gage No 377.

Rain Gage No. 377								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.74	5.79	7.20	8.29	9.44	10.63
BCSD	CMIP3	Hot dry	4.31	5.11	6.06	6.73	7.36	7.96
		Hot wet	4.92	6.18	7.91	9.31	10.79	12.36
		Central	4.52	5.46	6.60	7.41	8.19	8.95
		Warm dry	4.00	4.92	6.10	6.99	7.88	8.79
		Warm wet	5.29	6.68	8.59	10.13	11.76	13.49
	CMIP5	Hot dry	4.36	5.06	5.82	6.31	6.75	7.13
		Hot wet	5.54	6.79	8.42	9.64	10.89	12.15
		Central	4.46	5.33	6.37	7.10	7.80	8.47
		Warm dry	4.00	4.63	5.33	5.79	6.20	6.57
		Warm wet	5.49	6.74	8.35	9.55	10.76	11.98
	Minimum		4.00	4.63	5.33	5.79	6.20	6.57
	Maximum		5.54	6.79	8.59	10.13	11.76	13.49
BCCA	RCP2.6	0.01	3.78	4.34	4.93	5.31	5.64	5.93
		0.25	4.25	4.90	5.56	5.98	6.27	6.44
		0.5	4.75	5.23	5.80	6.18	6.53	6.90
		0.75	4.84	5.45	6.07	6.48	6.83	7.06
		0.99	5.10	5.88	6.69	7.18	7.63	8.04
	RCP8.5	0.01	3.83	4.29	4.73	4.98	5.18	5.33
		0.25	4.47	5.00	5.54	5.84	5.96	6.06
		0.5	4.69	5.28	5.96	6.34	6.47	6.68
		0.75	5.09	5.81	6.27	6.79	7.09	7.37
		0.99	5.60	6.00	6.67	7.23	7.73	8.21
	Minimum		3.78	4.29	4.73	4.98	5.18	5.33
	Maximum		5.60	6.00	6.69	7.23	7.73	8.21

Table C-63. Storm Event Frequency: Rain Gage No 379.

Rain Gage No. 379								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		5.75	6.97	8.50	9.63	10.76	11.89
			6.57	8.16	10.45	12.37	14.48	16.83
BCSD	CMIP3	Hot dry	4.61	5.86	7.52	8.81	10.15	11.55
		Hot wet	6.43	8.70	12.15	15.21	18.74	22.84
		Central	5.59	7.24	9.51	11.32	13.25	15.29
		Warm dry	4.75	5.90	7.31	8.32	9.30	10.25
		Warm wet	6.54	8.66	11.69	14.24	17.05	20.15
	CMIP5	Hot dry	5.60	7.22	9.43	11.19	13.05	15.01
		Hot wet	7.23	9.88	14.02	17.77	22.21	27.45
		Central	5.86	7.57	9.87	11.70	13.62	15.64
		Warm dry	5.19	6.50	8.19	9.46	10.75	12.05
		Warm wet	6.96	9.50	13.45	17.03	21.26	26.25
	Minimum		4.61	5.86	7.31	8.32	9.30	10.25
	Maximum		7.23	9.88	14.02	17.77	22.21	27.45
BCCA	RCP2.6	0.01	3.79	4.69	5.97	6.99	8.09	9.31
		0.25	5.45	6.68	8.29	9.74	11.18	11.91
		0.5	6.09	7.56	9.42	10.48	11.43	12.43
		0.75	6.76	8.05	9.62	10.71	11.81	13.32
		0.99	7.37	8.59	9.87	11.09	12.62	14.23
	RCP8.5	0.01	4.34	5.33	6.65	7.59	8.43	9.24
		0.25	5.99	7.17	8.59	9.68	10.72	11.20
		0.5	6.79	8.16	9.66	10.44	11.44	12.33
		0.75	7.22	8.51	9.82	10.80	11.85	12.76
		0.99	8.40	8.96	9.97	11.09	12.53	14.52
	Minimum		3.79	4.69	5.97	6.99	8.09	9.24
	Maximum		8.40	8.96	9.97	11.09	12.62	14.52

Table C-64. Storm Event Frequency: Rain Gage No 387.

Rain Gage No. 387								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		3.85	4.64	5.71	6.55	7.43	8.35
BCSD	CMIP3	Hot dry	2.78	3.17	3.56	3.80	4.00	4.17
		Hot wet	3.44	4.11	4.89	5.42	5.92	6.38
		Central	3.06	3.44	3.79	3.98	4.13	4.24
		Warm dry	2.73	3.10	3.47	3.68	3.86	4.00
		Warm wet	3.63	4.18	4.74	5.07	5.34	5.57
	CMIP5	Hot dry	2.98	3.28	3.53	3.66	3.75	3.81
		Hot wet	4.01	4.69	5.43	5.90	6.31	6.67
		Central	3.13	3.54	3.94	4.17	4.35	4.49
		Warm dry	2.63	2.84	3.01	3.09	3.14	3.18
		Warm wet	3.70	4.25	4.82	5.16	5.44	5.68
	Minimum		2.63	2.84	3.01	3.09	3.14	3.18
	Maximum		4.01	4.69	5.43	5.90	6.31	6.67
BCCA	RCP2.6	0.01	2.42	2.78	3.03	3.16	3.25	3.32
		0.25	2.77	3.01	3.24	3.33	3.40	3.45
		0.5	2.82	3.07	3.27	3.38	3.46	3.52
		0.75	2.92	3.15	3.36	3.47	3.55	3.61
		0.99	3.01	3.22	3.43	3.63	3.92	4.19
	RCP8.5	0.01	2.46	2.82	3.18	3.19	3.20	3.21
		0.25	2.81	3.06	3.24	3.32	3.38	3.41
		0.5	2.88	3.10	3.28	3.40	3.48	3.53
		0.75	2.97	3.15	3.34	3.47	3.56	3.63
		0.99	3.08	3.23	3.44	3.55	3.77	4.00
	Minimum		2.42	2.78	3.03	3.16	3.20	3.21
	Maximum		3.08	3.23	3.44	3.63	3.92	4.19

Table C-65. Storm Event Frequency: Rain Gage No 388.

Rain Gage No. 388								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		3.47	4.24	5.22	5.97	6.72	7.49
BCSD	CMIP3	Hot dry	3.28	4.00	4.89	5.53	6.17	6.79
		Hot wet	3.95	5.09	6.73	8.11	9.63	11.31
		Central	3.49	4.35	5.50	6.39	7.31	8.27
		Warm dry	3.17	3.98	5.09	5.98	6.91	7.90
		Warm wet	4.07	5.11	6.51	7.63	8.80	10.04
	CMIP5	Hot dry	3.32	4.01	4.89	5.53	6.17	6.81
		Hot wet	4.39	5.55	7.16	8.47	9.88	11.40
		Central	3.72	4.62	5.78	6.66	7.56	8.46
		Warm dry	3.14	3.75	4.46	4.97	5.44	5.89
		Warm wet	4.32	5.64	7.61	9.32	11.27	13.47
	Minimum		3.14	3.75	4.46	4.97	5.44	5.89
	Maximum		4.39	5.64	7.61	9.32	11.27	13.47
BCCA	RCP2.6	0.01	2.75	3.26	3.91	4.34	4.66	4.72
		0.25	3.62	4.08	4.52	4.69	4.78	4.94
		0.5	3.73	4.16	4.53	4.78	4.97	5.14
		0.75	3.92	4.25	4.58	4.86	5.07	5.27
		0.99	3.99	4.33	4.67	4.95	5.37	5.76
	RCP8.5	0.01	2.95	3.50	4.05	4.33	4.34	4.34
		0.25	3.66	4.17	4.52	4.62	4.74	4.79
		0.5	3.85	4.23	4.57	4.79	4.91	5.08
		0.75	4.00	4.30	4.68	4.90	5.08	5.29
		0.99	4.21	4.35	4.74	5.21	5.63	6.02
	Minimum		2.75	3.26	3.91	4.33	4.34	4.34
	Maximum		4.21	4.35	4.74	5.21	5.63	6.02

Table C-66. Storm Event Frequency: Rain Gage No 390.

Rain Gage No. 390								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		6.00	7.38	9.25	10.74	12.32	14.01
BCSD	CMIP3	Hot dry	4.26	5.08	6.03	6.69	7.31	7.90
		Hot wet	5.78	7.51	10.01	12.12	14.45	17.05
		Central	5.08	6.30	7.87	9.08	10.30	11.55
		Warm dry	4.24	5.12	6.20	6.99	7.76	8.50
		Warm wet	5.74	7.55	10.30	12.76	15.61	18.93
	CMIP5	Hot dry	4.95	5.88	6.96	7.69	8.36	8.98
		Hot wet	6.55	8.56	11.59	14.24	17.27	20.76
		Central	5.39	6.84	8.83	10.44	12.16	13.99
		Warm dry	4.77	5.76	6.96	7.81	8.63	9.42
		Warm wet	6.55	8.61	11.64	14.25	17.19	20.51
	Minimum		4.24	5.08	6.03	6.69	7.31	7.90
	Maximum		6.55	8.61	11.64	14.25	17.27	20.76
BCCA	RCP2.6	0.01	4.09	4.81	5.69	6.33	6.80	7.23
		0.25	4.75	5.52	6.45	7.10	7.74	8.31
		0.5	4.93	5.74	6.72	7.45	8.17	8.86
		0.75	5.24	6.10	7.16	7.97	8.77	9.50
		0.99	5.93	6.86	7.88	8.53	9.13	9.85
	RCP8.5	0.01	4.21	4.96	5.84	6.28	6.55	6.77
		0.25	4.87	5.63	6.62	7.16	7.62	8.21
		0.5	5.10	5.87	6.80	7.52	8.18	8.67
		0.75	5.57	6.44	7.54	7.98	8.50	9.13
		0.99	6.19	6.96	8.10	8.87	9.61	10.31
	Minimum		4.09	4.81	5.69	6.28	6.55	6.77
	Maximum		6.19	6.96	8.10	8.87	9.61	10.31

Table C-67. Storm Event Frequency: Rain Gage No 394.

Rain Gage No. 394								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.32	5.28	6.58	7.59	8.65	9.77
BCSD	CMIP3	Hot dry	3.35	4.01	4.77	5.29	5.77	6.22
		Hot wet	4.61	5.94	7.74	9.19	10.71	12.32
		Central	3.72	4.39	5.14	5.62	6.05	6.43
		Warm dry	3.38	4.12	5.03	5.69	6.31	6.92
		Warm wet	4.44	5.65	7.27	8.54	9.86	11.25
	CMIP5	Hot dry	3.55	4.22	4.99	5.52	6.00	6.45
		Hot wet	5.03	6.25	7.79	8.92	10.04	11.15
		Central	3.98	4.78	5.70	6.33	6.91	7.44
		Warm dry	3.32	3.87	4.45	4.82	5.14	5.41
		Warm wet	4.44	5.61	7.17	8.39	9.67	11.00
	Minimum		3.32	3.87	4.45	4.82	5.14	5.41
	Maximum		5.03	6.25	7.79	9.19	10.71	12.32
BCCA	RCP2.6	0.01	2.89	3.48	4.22	4.63	4.79	4.92
		0.25	3.65	4.11	4.66	5.06	5.46	5.78
		0.5	3.85	4.46	5.09	5.48	5.71	6.04
		0.75	4.07	4.67	5.28	5.57	5.93	6.27
		0.99	4.46	4.89	5.43	5.88	6.28	6.66
	RCP8.5	0.01	2.85	3.48	4.32	4.92	5.18	5.36
		0.25	3.67	4.25	4.94	5.28	5.54	5.70
		0.5	4.00	4.58	5.20	5.44	5.66	5.95
		0.75	4.32	4.83	5.28	5.80	6.08	6.48
		0.99	4.69	5.00	5.49	5.96	6.57	7.23
	Minimum		2.85	3.48	4.22	4.63	4.79	4.92
	Maximum		4.69	5.00	5.49	5.96	6.57	7.23

Table C-68. Storm Event Frequency: Rain Gage No 395.

Rain Gage No. 395								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		3.88	4.65	5.62	6.34	7.06	7.77
			4.47	5.39	6.59	7.50	8.43	9.37
BCSD	CMIP3	Hot dry	3.32	3.89	4.60	5.12	5.63	6.14
		Hot wet	4.38	5.70	7.76	9.64	11.87	14.52
		Central	3.78	4.63	5.79	6.72	7.71	8.76
		Warm dry	3.46	4.24	5.29	6.11	6.98	7.88
		Warm wet	4.39	5.66	7.59	9.29	11.24	13.49
	CMIP5	Hot dry	3.81	4.56	5.51	6.24	6.97	7.71
		Hot wet	5.14	6.43	8.21	9.65	11.18	12.83
		Central	4.16	5.20	6.68	7.90	9.23	10.67
		Warm dry	3.56	4.27	5.20	5.93	6.67	7.44
		Warm wet	4.70	6.11	8.28	10.24	12.53	15.22
	Minimum		3.32	3.89	4.60	5.12	5.63	6.14
	Maximum		5.14	6.43	8.28	10.24	12.53	15.22
BCCA	RCP2.6	0.01	3.19	3.76	4.24	4.53	4.77	4.98
		0.25	3.52	4.09	4.81	5.37	5.99	6.56
		0.5	3.68	4.36	5.25	5.92	6.59	7.27
		0.75	4.13	4.79	5.73	6.61	7.25	7.84
		0.99	4.70	5.44	6.24	6.92	7.79	8.76
	RCP8.5	0.01	3.27	3.78	4.40	4.83	5.24	5.55
		0.25	3.73	4.46	5.33	5.79	6.15	6.64
		0.5	4.04	4.71	5.52	6.10	6.66	7.19
		0.75	4.22	4.95	5.85	6.56	7.34	7.83
		0.99	5.01	5.66	6.46	7.07	7.67	8.86
	Minimum		3.19	3.76	4.24	4.53	4.77	4.98
	Maximum		5.01	5.66	6.46	7.07	7.79	8.86

Table C-69. Storm Event Frequency: Rain Gage No 405.

Rain Gage No. 405								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		3.85	4.80	6.09	7.12	8.20	9.34
BCSD	CMIP3	Hot dry	3.07	3.66	4.32	4.76	5.16	5.52
		Hot wet	3.73	4.58	5.63	6.39	7.14	7.87
		Central	3.24	3.77	4.34	4.69	5.00	5.26
		Warm dry	2.92	3.47	4.08	4.48	4.85	5.18
		Warm wet	3.84	4.60	5.49	6.09	6.65	7.18
	CMIP5	Hot dry	3.17	3.74	4.38	4.79	5.17	5.51
		Hot wet	4.41	5.39	6.61	7.51	8.40	9.27
		Central	3.26	3.92	4.70	5.24	5.76	6.24
		Warm dry	2.94	3.42	3.94	4.27	4.55	4.79
		Warm wet	4.02	4.85	5.81	6.46	7.07	7.63
	Minimum		2.92	3.42	3.94	4.27	4.55	4.79
	Maximum		4.41	5.39	6.61	7.51	8.40	9.27
BCCA	RCP2.6	0.01	2.82	3.17	3.48	3.64	3.76	3.85
		0.25	3.05	3.40	3.63	3.75	3.93	4.08
		0.5	3.19	3.51	3.89	4.12	4.32	4.48
		0.75	3.26	3.68	4.12	4.36	4.57	4.75
		0.99	3.40	3.83	4.36	4.70	4.99	5.25
	RCP8.5	0.01	2.84	3.13	3.39	3.53	3.63	3.69
		0.25	3.10	3.46	3.77	3.96	4.13	4.26
		0.5	3.25	3.64	4.08	4.36	4.53	4.66
		0.75	3.42	3.85	4.25	4.58	4.80	5.08
		0.99	4.05	4.30	4.50	4.75	5.05	5.33
	Minimum		2.82	3.13	3.39	3.53	3.63	3.69
	Maximum		4.05	4.30	4.50	4.75	5.05	5.33

Table C-70. Storm Event Frequency: Rain Gage No 406.

Rain Gage No. 406								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.10	4.98	6.17	7.11	8.10	9.14
BCSD	CMIP3	Hot dry	2.97	3.40	3.87	4.17	4.43	4.66
		Hot wet	3.75	4.61	5.76	6.66	7.58	8.54
		Central	3.41	3.95	4.56	4.95	5.29	5.60
		Warm dry	2.95	3.36	3.76	4.00	4.21	4.37
		Warm wet	3.76	4.35	5.00	5.41	5.78	6.11
	CMIP5	Hot dry	3.33	3.76	4.19	4.44	4.65	4.82
		Hot wet	4.42	5.20	6.10	6.71	7.27	7.79
		Central	3.43	3.95	4.53	4.89	5.21	5.49
		Warm dry	2.99	3.30	3.58	3.73	3.84	3.93
		Warm wet	4.02	4.67	5.40	5.88	6.30	6.69
	Minimum		2.95	3.30	3.58	3.73	3.84	3.93
	Maximum		4.42	5.20	6.10	6.71	7.58	8.54
BCCA	RCP2.6	0.01	2.68	3.08	3.34	3.46	3.52	3.54
		0.25	3.01	3.26	3.49	3.58	3.65	3.68
		0.5	3.16	3.37	3.53	3.62	3.67	3.72
		0.75	3.21	3.41	3.58	3.65	3.73	3.77
		0.99	3.28	3.45	3.62	3.90	4.19	4.46
	RCP8.5	0.01	2.72	3.10	3.38	3.38	3.39	3.39
		0.25	3.12	3.34	3.48	3.52	3.55	3.57
		0.5	3.17	3.36	3.49	3.58	3.62	3.64
		0.75	3.28	3.41	3.55	3.66	3.76	3.81
		0.99	3.32	3.45	3.66	3.83	4.07	4.29
	Minimum		2.68	3.08	3.34	3.38	3.39	3.39
	Maximum		3.32	3.45	3.66	3.90	4.19	4.46

Table C-71. Storm Event Frequency: Rain Gage No 415.

Rain Gage No. 415								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD		3.13	3.86	4.77	5.45	6.12	6.79
	NOAA Atlas 14		3.10	3.79	4.70	5.41	6.15	6.92
BCSD	CMIP3	Hot dry	2.83	3.43	4.21	4.80	5.39	5.99
		Hot wet	3.32	4.51	6.56	8.62	11.27	14.68
		Central	2.87	3.57	4.56	5.37	6.25	7.21
		Warm dry	2.56	3.22	4.18	4.99	5.90	6.91
		Warm wet	3.35	4.35	5.90	7.28	8.88	10.76
	CMIP5	Hot dry	2.85	3.55	4.55	5.40	6.33	7.37
		Hot wet	3.71	4.86	6.71	8.43	10.50	12.99
		Central	3.01	3.84	5.09	6.18	7.42	8.83
		Warm dry	2.61	3.21	4.04	4.73	5.46	6.25
		Warm wet	3.44	4.62	6.61	8.57	11.04	14.17
	Minimum		2.56	3.21	4.04	4.73	5.39	5.99
	Maximum		3.71	4.86	6.71	8.62	11.27	14.68
BCCA	RCP2.6	0.01	2.45	2.98	3.49	3.80	4.09	4.35
		0.25	3.02	3.79	4.96	6.01	7.31	8.66
		0.5	3.30	4.23	5.64	6.90	8.37	10.08
		0.75	3.50	4.49	6.13	7.54	9.12	10.74
		0.99	4.06	5.16	6.71	7.99	9.78	12.04
	RCP8.5	0.01	2.34	2.90	3.71	4.33	4.93	5.32
		0.25	3.02	3.79	4.97	5.96	7.06	8.29
		0.5	3.31	4.19	5.52	6.68	8.17	9.90
		0.75	3.68	4.84	6.55	7.74	9.18	10.82
		0.99	4.46	5.51	6.85	8.10	9.81	11.76
	Minimum		2.34	2.90	3.49	3.80	4.09	4.35
	Maximum		4.46	5.51	6.85	8.10	9.81	12.04

Table C-72. Storm Event Frequency: Rain Gage No 425.

Rain Gage No. 425								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		6.98	8.48	10.38	11.79	13.19	14.59
BCSD	CMIP3	Hot dry	4.60	5.48	6.51	7.23	7.90	8.53
		Hot wet	6.46	8.29	10.78	12.76	14.86	17.08
		Central	5.67	6.84	8.22	9.17	10.07	10.91
		Warm dry	4.63	5.58	6.73	7.55	8.34	9.10
		Warm wet	6.33	8.04	10.39	12.27	14.27	16.39
	CMIP5	Hot dry	5.38	6.48	7.80	8.72	9.60	10.44
		Hot wet	7.06	9.04	11.86	14.19	16.74	19.54
		Central	5.84	7.24	9.04	10.39	11.76	13.14
		Warm dry	5.25	6.17	7.21	7.88	8.49	9.03
		Warm wet	7.20	9.24	12.07	14.37	16.82	19.46
	Minimum		4.60	5.48	6.51	7.23	7.90	8.53
	Maximum		7.20	9.24	12.07	14.37	16.82	19.54
BCCA	RCP2.6	0.01	4.33	5.11	6.16	6.87	7.35	7.76
		0.25	5.18	5.99	6.87	7.37	7.86	8.24
		0.5	5.47	6.20	6.96	7.56	8.07	8.58
		0.75	5.73	6.56	7.46	7.97	8.29	8.93
		0.99	6.41	7.12	7.82	8.46	9.09	9.67
	RCP8.5	0.01	4.62	5.36	5.97	6.35	6.67	6.90
		0.25	5.42	6.12	6.85	7.36	7.77	7.97
		0.5	5.52	6.25	7.10	7.66	8.07	8.42
		0.75	6.05	6.69	7.44	7.89	8.41	8.78
		0.99	6.48	7.08	7.88	8.44	8.91	9.51
	Minimum		4.33	5.11	5.97	6.35	6.67	6.90
	Maximum		6.48	7.12	7.88	8.46	9.09	9.67

Table C-73. Storm Event Frequency: Rain Gage No 435.

Rain Gage No. 435								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		5.22	6.29	7.65	8.66	9.65	10.65
			5.60	6.84	8.49	9.78	11.11	12.49
BCSD	CMIP3	Hot dry	4.68	5.65	6.77	7.55	8.27	8.93
		Hot wet	5.28	7.03	9.63	11.89	14.47	17.41
		Central	4.79	6.19	8.17	9.82	11.62	13.60
		Warm dry	4.20	5.22	6.54	7.53	8.53	9.54
		Warm wet	5.42	7.16	9.75	11.99	14.53	17.41
	CMIP5	Hot dry	4.65	5.49	6.43	7.05	7.61	8.11
		Hot wet	6.18	8.29	11.52	14.41	17.77	21.68
		Central	5.00	6.50	8.69	10.54	12.61	14.91
		Warm dry	4.51	5.54	6.82	7.74	8.65	9.54
		Warm wet	5.65	7.67	10.90	13.92	17.56	21.96
	Minimum		4.20	5.22	6.43	7.05	7.61	8.11
	Maximum		6.18	8.29	11.52	14.41	17.77	21.96
BCCA	RCP2.6	0.01	4.22	4.85	5.44	5.80	6.12	6.39
		0.25	4.73	5.72	7.02	7.81	8.57	9.29
		0.5	4.99	5.95	7.15	8.19	9.28	10.41
		0.75	5.83	7.11	8.67	9.79	11.01	12.51
		0.99	6.36	7.90	9.92	11.48	13.07	14.71
	RCP8.5	0.01	4.21	4.94	5.81	6.30	6.71	7.09
		0.25	4.85	5.82	7.13	8.20	9.22	10.26
		0.5	5.14	6.22	7.62	8.60	9.72	11.06
		0.75	5.64	6.84	8.36	9.52	11.18	12.40
		0.99	6.54	7.88	9.70	11.41	13.22	15.15
	Minimum		4.21	4.85	5.44	5.80	6.12	6.39
	Maximum		6.54	7.90	9.92	11.48	13.22	15.15

Table C-74. Storm Event Frequency: Rain Gage No 436.

Rain Gage No. 436								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		3.91	4.76	5.88	6.74	7.61	8.51
BCSD	CMIP3	Hot dry	2.60	3.12	3.75	4.21	4.65	5.08
		Hot wet	3.41	4.42	5.88	7.13	8.53	10.09
		Central	2.94	3.62	4.51	5.21	5.92	6.66
		Warm dry	2.64	3.34	4.34	5.19	6.13	7.18
		Warm wet	3.36	4.31	5.71	6.92	8.28	9.81
	CMIP5	Hot dry	2.92	3.52	4.27	4.81	5.34	5.85
		Hot wet	3.99	4.86	5.94	6.74	7.53	8.31
		Central	3.07	3.85	4.90	5.73	6.61	7.53
		Warm dry	2.68	3.29	4.09	4.71	5.35	6.00
		Warm wet	3.62	4.55	5.82	6.82	7.87	8.99
	Minimum		2.60	3.12	3.75	4.21	4.65	5.08
	Maximum		3.99	4.86	5.94	7.13	8.53	10.09
BCCA	RCP2.6	0.01	2.71	3.17	3.68	3.99	4.26	4.46
		0.25	3.07	3.46	3.88	4.15	4.37	4.51
		0.5	3.17	3.58	4.01	4.26	4.53	4.72
		0.75	3.30	3.70	4.10	4.34	4.58	4.82
		0.99	3.54	3.94	4.35	4.66	4.95	5.22
	RCP8.5	0.01	2.70	3.05	3.45	3.71	3.95	4.16
		0.25	3.03	3.50	3.94	4.23	4.48	4.66
		0.5	3.26	3.66	4.11	4.41	4.64	4.75
		0.75	3.50	4.00	4.37	4.54	4.71	4.93
		0.99	3.89	4.19	4.64	4.94	5.20	5.44
	Minimum		2.70	3.05	3.45	3.71	3.95	4.16
	Maximum		3.89	4.19	4.64	4.94	5.20	5.44

Table C-75. Storm Event Frequency: Rain Gage No 447.

Rain Gage No. 447								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.17	5.15	6.49	7.56	8.70	9.90
BCSD	CMIP3	Hot dry	2.94	3.57	4.38	5.00	5.63	6.26
		Hot wet	3.47	4.55	6.22	7.74	9.52	11.62
		Central	3.18	4.04	5.30	6.36	7.55	8.89
		Warm dry	2.82	3.44	4.24	4.83	5.44	6.04
		Warm wet	3.74	4.86	6.54	8.00	9.67	11.58
	CMIP5	Hot dry	3.15	3.69	4.30	4.72	5.11	5.47
		Hot wet	4.10	5.41	7.45	9.29	11.44	13.97
		Central	3.28	4.21	5.59	6.77	8.10	9.60
		Warm dry	2.98	3.62	4.46	5.10	5.75	6.41
		Warm wet	3.72	5.05	7.26	9.39	12.03	15.31
	Minimum		2.82	3.44	4.24	4.72	5.11	5.47
	Maximum		4.10	5.41	7.45	9.39	12.03	15.31
BCCA	RCP2.6	0.01	2.55	3.07	3.70	4.02	4.32	4.55
		0.25	3.18	3.82	4.51	4.94	5.23	5.73
		0.5	3.42	4.00	4.64	5.10	5.57	6.02
		0.75	3.67	4.27	5.08	5.70	6.24	6.76
		0.99	4.10	4.89	5.82	6.45	7.05	7.67
	RCP8.5	0.01	2.68	3.25	3.94	4.35	4.55	4.72
		0.25	3.28	3.83	4.52	5.02	5.50	5.94
		0.5	3.56	4.16	4.82	5.37	5.84	6.35
		0.75	3.72	4.38	5.16	5.68	6.16	6.61
		0.99	4.29	4.92	5.80	6.49	7.15	7.78
	Minimum		2.55	3.07	3.70	4.02	4.32	4.55
	Maximum		4.29	4.92	5.82	6.49	7.15	7.78

Table C-76. Storm Event Frequency: Rain Gage No 449.

Rain Gage No. 449								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD		4.49	5.58	6.97	7.99	9.01	10.03
	NOAA Atlas 14		5.27	6.53	8.26	9.64	11.11	12.66
BCSD	CMIP3	Hot dry	3.27	3.85	4.54	5.01	5.46	5.87
		Hot wet	4.21	5.40	7.13	8.59	10.21	12.01
		Central	3.71	4.42	5.26	5.85	6.40	6.93
		Warm dry	3.23	3.79	4.42	4.83	5.21	5.56
		Warm wet	4.35	5.41	6.81	7.91	9.06	10.25
	CMIP5	Hot dry	3.56	4.16	4.86	5.32	5.75	6.14
		Hot wet	4.86	6.01	7.56	8.78	10.05	11.38
		Central	3.79	4.60	5.62	6.39	7.15	7.91
		Warm dry	3.27	3.69	4.10	4.34	4.53	4.68
		Warm wet	4.45	5.67	7.41	8.87	10.47	12.23
	Minimum		3.23	3.69	4.10	4.34	4.53	4.68
	Maximum		4.86	6.01	7.56	8.87	10.47	12.23
BCCA	RCP2.6	0.01	2.99	3.54	4.22	4.47	4.66	4.82
		0.25	3.60	4.05	4.50	4.84	5.08	5.27
		0.5	3.76	4.28	4.74	5.01	5.48	5.77
		0.75	3.90	4.49	5.17	5.60	5.96	6.33
		0.99	4.35	4.98	5.64	6.05	6.42	6.86
	RCP8.5	0.01	3.16	3.68	4.13	4.31	4.45	4.54
		0.25	3.59	4.01	4.59	5.00	5.28	5.57
		0.5	3.79	4.32	4.87	5.17	5.46	5.76
		0.75	4.21	4.82	5.37	5.64	5.99	6.33
		0.99	4.43	4.93	5.75	6.32	6.84	7.32
	Minimum		2.99	3.54	4.13	4.31	4.45	4.54
	Maximum		4.43	4.98	5.75	6.32	6.84	7.32

Table C-77. Storm Event Frequency: Rain Gage No 462.

Rain Gage No. 462								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		3.72	4.56	5.67	6.55	7.46	8.41
BCSD	CMIP3	Hot dry	3.31	3.79	4.30	4.62	4.90	5.14
		Hot wet	4.10	5.00	6.18	7.08	8.00	8.93
		Central	3.63	4.10	4.55	4.81	5.03	5.20
		Warm dry	3.26	3.78	4.38	4.78	5.14	5.47
		Warm wet	4.27	5.12	6.13	6.85	7.54	8.20
	CMIP5	Hot dry	3.76	4.30	4.89	5.27	5.60	5.88
		Hot wet	4.89	5.75	6.77	7.47	8.12	8.73
		Central	3.91	4.54	5.25	5.71	6.13	6.50
		Warm dry	3.49	4.02	4.60	4.98	5.31	5.60
		Warm wet	4.51	5.55	6.90	7.93	8.97	10.03
	Minimum		3.26	3.78	4.30	4.62	4.90	5.14
	Maximum		4.89	5.75	6.90	7.93	8.97	10.03
BCCA	RCP2.6	0.01	3.01	3.43	3.87	4.13	4.27	4.31
		0.25	3.53	3.86	4.17	4.28	4.39	4.47
		0.5	3.63	3.95	4.24	4.40	4.49	4.58
		0.75	3.68	4.02	4.29	4.49	4.62	4.75
		0.99	3.98	4.20	4.48	4.72	4.94	5.16
	RCP8.5	0.01	3.03	3.40	3.73	3.92	4.06	4.17
		0.25	3.56	3.90	4.17	4.26	4.34	4.41
		0.5	3.71	3.98	4.34	4.43	4.46	4.51
		0.75	3.81	4.14	4.38	4.55	4.72	4.86
		0.99	4.07	4.29	4.56	4.72	5.03	5.33
	Minimum		3.01	3.40	3.73	3.92	4.06	4.17
	Maximum		4.07	4.29	4.56	4.72	5.03	5.33

Table C-78. Storm Event Frequency: Rain Gage No 465.

Rain Gage No. 465								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.51	5.49	6.75	7.70	8.65	9.62
BCSD	CMIP3	Hot dry	3.75	4.55	5.50	6.16	6.79	7.38
		Hot wet	4.81	6.33	8.49	10.29	12.26	14.44
		Central	4.11	5.18	6.60	7.70	8.84	10.01
		Warm dry	3.39	4.16	5.10	5.78	6.45	7.10
		Warm wet	4.89	6.46	8.73	10.65	12.79	15.19
	CMIP5	Hot dry	3.99	4.74	5.58	6.14	6.64	7.09
		Hot wet	5.50	7.08	9.24	10.99	12.85	14.83
		Central	4.20	5.41	7.09	8.45	9.92	11.50
		Warm dry	3.79	4.58	5.50	6.13	6.72	7.28
		Warm wet	5.15	6.79	9.13	11.09	13.24	15.61
	Minimum		3.39	4.16	5.10	5.78	6.45	7.09
	Maximum		5.50	7.08	9.24	11.09	13.24	15.61
BCCA	RCP2.6	0.01	3.56	4.06	4.55	4.83	5.02	5.11
		0.25	4.03	4.65	5.29	5.60	6.04	6.46
		0.5	4.28	4.89	5.56	6.06	6.56	6.98
		0.75	4.42	5.13	5.98	6.57	7.14	7.67
		0.99	4.72	5.68	6.85	7.69	8.51	9.29
	RCP8.5	0.01	3.53	4.07	4.64	4.98	5.25	5.48
		0.25	4.10	4.62	5.27	5.52	5.80	5.98
		0.5	4.33	4.94	5.77	6.32	6.82	7.18
		0.75	4.75	5.43	6.25	6.80	7.29	7.84
		0.99	5.28	6.05	7.03	7.70	8.34	8.96
	Minimum		3.53	4.06	4.55	4.83	5.02	5.11
	Maximum		5.28	6.05	7.03	7.70	8.51	9.29

Table C-79. Storm Event Frequency: Rain Gage No 482.

Rain Gage No. 482								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		3.39	4.11	5.04	5.74	6.45	7.18
BCSD	CMIP3	Hot dry	2.66	3.28	4.08	4.69	5.31	5.95
		Hot wet	3.60	4.78	6.55	8.08	9.83	11.82
		Central	2.96	3.68	4.62	5.33	6.06	6.80
		Warm dry	2.82	3.64	4.81	5.78	6.85	8.03
		Warm wet	3.66	4.83	6.58	8.10	9.83	11.80
	CMIP5	Hot dry	3.09	3.77	4.61	5.23	5.84	6.43
		Hot wet	4.04	5.18	6.81	8.16	9.64	11.27
		Central	3.30	4.24	5.55	6.62	7.77	9.02
		Warm dry	3.06	3.80	4.74	5.45	6.16	6.88
		Warm wet	4.01	5.30	7.22	8.89	10.77	12.92
	Minimum		2.66	3.28	4.08	4.69	5.31	5.95
	Maximum		4.04	5.30	7.22	8.89	10.77	12.92
BCCA	RCP2.6	0.01	2.69	3.27	3.99	4.32	4.41	4.47
		0.25	3.29	3.77	4.21	4.52	4.66	4.77
		0.5	3.41	3.86	4.29	4.57	4.83	5.03
		0.75	3.62	4.01	4.37	4.64	4.96	5.17
		0.99	3.79	4.15	4.58	4.83	5.28	5.78
	RCP8.5	0.01	2.62	3.21	3.91	4.18	4.34	4.36
		0.25	3.31	3.75	4.21	4.44	4.51	4.55
		0.5	3.63	4.09	4.34	4.52	4.72	4.83
		0.75	3.80	4.12	4.51	4.74	4.98	5.17
		0.99	4.08	4.25	4.64	5.14	5.71	6.34
	Minimum		2.62	3.21	3.91	4.18	4.34	4.36
	Maximum		4.08	4.25	4.64	5.14	5.71	6.34

Table C-80. Storm Event Frequency: Rain Gage No 488.

Rain Gage No. 488								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		3.73	4.52	5.55	6.34	7.14	7.95
BCSD	CMIP3	Hot dry	3.13	3.75	4.53	5.12	5.71	6.30
		Hot wet	4.16	5.49	7.63	9.61	11.99	14.86
		Central	3.50	4.30	5.45	6.40	7.45	8.60
		Warm dry	3.01	3.67	4.61	5.37	6.20	7.08
		Warm wet	4.02	5.14	6.87	8.41	10.20	12.29
	CMIP5	Hot dry	3.36	3.99	4.79	5.39	6.00	6.60
		Hot wet	4.54	5.58	7.03	8.22	9.49	10.87
		Central	3.58	4.48	5.78	6.88	8.09	9.44
		Warm dry	3.16	3.82	4.70	5.39	6.10	6.84
		Warm wet	4.08	5.23	6.99	8.55	10.36	12.45
	Minimum		3.01	3.67	4.53	5.12	5.71	6.30
	Maximum		4.54	5.58	7.63	9.61	11.99	14.86
BCCA	RCP2.6	0.01	3.08	3.68	4.41	4.84	5.08	5.25
		0.25	3.58	4.09	4.64	5.03	5.28	5.44
		0.5	3.85	4.32	4.84	5.20	5.51	5.77
		0.75	4.06	4.60	5.09	5.38	5.68	5.98
		0.99	4.35	4.74	5.20	5.53	5.84	6.17
	RCP8.5	0.01	3.31	3.93	4.44	4.70	4.92	4.98
		0.25	3.63	4.15	4.72	5.08	5.28	5.34
		0.5	3.93	4.41	4.92	5.20	5.42	5.62
		0.75	4.16	4.59	5.05	5.28	5.62	6.01
		0.99	4.49	4.84	5.25	5.58	6.05	6.51
	Minimum		3.08	3.68	4.41	4.70	4.92	4.98
	Maximum		4.49	4.84	5.25	5.58	6.05	6.51

Table C-81. Storm Event Frequency: Rain Gage No 491.

Rain Gage No. 491								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.03	4.95	6.17	7.12	8.11	9.13
BCSD	CMIP3	Hot dry	2.80	3.43	4.26	4.91	5.57	6.26
		Hot wet	3.22	4.26	5.94	7.54	9.49	11.87
		Central	2.87	3.62	4.72	5.68	6.76	7.98
		Warm dry	2.68	3.30	4.15	4.83	5.55	6.31
		Warm wet	3.34	4.32	5.79	7.08	8.57	10.28
	CMIP5	Hot dry	2.83	3.41	4.21	4.84	5.50	6.20
		Hot wet	3.72	4.87	6.67	8.32	10.29	12.63
		Central	3.00	3.82	5.03	6.07	7.24	8.56
		Warm dry	2.73	3.27	3.94	4.45	4.95	5.45
		Warm wet	3.49	4.70	6.72	8.68	11.14	14.22
	Minimum		2.68	3.27	3.94	4.45	4.95	5.45
	Maximum		3.72	4.87	6.72	8.68	11.14	14.22
BCCA	RCP2.6	0.01	2.55	3.00	3.60	4.05	4.49	4.79
		0.25	2.94	3.44	4.12	4.63	4.99	5.38
		0.5	3.11	3.63	4.24	4.69	5.22	5.73
		0.75	3.39	4.01	4.68	5.12	5.58	6.03
		0.99	3.70	4.20	4.89	5.46	6.01	6.55
	RCP8.5	0.01	2.69	3.20	3.73	3.97	4.15	4.30
		0.25	2.95	3.48	4.14	4.55	5.05	5.44
		0.5	3.13	3.68	4.34	4.81	5.27	5.71
		0.75	3.51	4.05	4.61	5.05	5.52	5.94
		0.99	3.72	4.18	4.89	5.47	6.03	6.62
	Minimum		2.55	3.00	3.60	3.97	4.15	4.30
	Maximum		3.72	4.20	4.89	5.47	6.03	6.62

Table C-82. Storm Event Frequency: Rain Gage No 497.

Rain Gage No. 497								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.36	5.33	6.62	7.65	8.72	9.85
BCSD	CMIP3	Hot dry	2.96	3.46	4.08	4.53	4.98	5.42
		Hot wet	3.97	4.90	6.17	7.19	8.29	9.46
		Central	3.44	3.99	4.63	5.07	5.47	5.84
		Warm dry	3.09	3.51	3.96	4.24	4.49	4.69
		Warm wet	4.06	4.86	5.87	6.62	7.35	8.08
	CMIP5	Hot dry	3.44	3.97	4.56	4.95	5.30	5.62
		Hot wet	4.50	5.44	6.68	7.63	8.59	9.58
		Central	3.63	4.22	4.90	5.37	5.80	6.20
		Warm dry	3.17	3.61	4.08	4.39	4.66	4.90
		Warm wet	4.41	5.25	6.27	7.00	7.71	8.39
	Minimum		2.96	3.46	3.96	4.24	4.49	4.69
	Maximum		4.50	5.44	6.68	7.63	8.59	9.58
BCCA	RCP2.6	0.01	3.01	3.46	3.76	3.91	4.03	4.12
		0.25	3.42	3.79	4.23	4.41	4.53	4.61
		0.5	3.57	3.96	4.31	4.54	4.72	4.88
		0.75	3.74	4.13	4.47	4.74	4.93	5.08
		0.99	3.87	4.29	4.73	5.00	5.28	5.76
	RCP8.5	0.01	2.95	3.40	3.90	4.17	4.27	4.33
		0.25	3.46	3.81	4.11	4.27	4.41	4.46
		0.5	3.66	4.00	4.26	4.36	4.48	4.61
		0.75	3.79	4.15	4.44	4.74	4.97	5.10
		0.99	4.08	4.33	4.72	5.04	5.34	5.60
	Minimum		2.95	3.40	3.76	3.91	4.03	4.12
	Maximum		4.08	4.33	4.73	5.04	5.34	5.76

Table C-83 Storm Event Frequency: Rain Gage No 591.

Rain Gage No. 591								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		6.69	8.12	10.00	11.40	12.80	14.20
BCSD	CMIP3	Hot dry	3.67	4.16	4.65	4.93	5.15	5.34
		Hot wet	5.19	6.29	7.59	8.50	9.35	10.16
		Central	4.52	5.35	6.28	6.90	7.45	7.96
		Warm dry	3.78	4.28	4.76	5.04	5.26	5.44
		Warm wet	5.30	6.32	7.47	8.24	8.94	9.58
	CMIP5	Hot dry	4.36	5.03	5.73	6.17	6.54	6.85
		Hot wet	6.04	7.11	8.31	9.09	9.78	10.41
		Central	4.44	5.32	6.36	7.09	7.78	8.43
		Warm dry	3.87	4.42	4.97	5.29	5.55	5.77
		Warm wet	5.56	6.93	8.74	10.13	11.56	13.03
	Minimum		3.67	4.16	4.65	4.93	5.15	5.34
	Maximum		6.04	7.11	8.74	10.13	11.56	13.03
BCCA	RCP2.6	0.01	3.36	3.97	4.72	5.04	5.26	5.45
		0.25	4.03	4.53	5.08	5.39	5.74	5.97
		0.5	4.24	4.73	5.23	5.58	5.93	6.15
		0.75	4.47	4.98	5.51	5.81	6.09	6.34
		0.99	4.76	5.24	5.69	5.97	6.27	6.75
	RCP8.5	0.01	3.49	3.99	4.48	4.68	4.84	4.97
		0.25	4.19	4.62	5.08	5.43	5.66	5.85
		0.5	4.39	4.81	5.30	5.61	5.84	6.02
		0.75	4.62	5.15	5.57	5.86	6.10	6.31
		0.99	5.02	5.31	5.76	6.08	6.35	6.60
	Minimum		3.36	3.97	4.48	4.68	4.84	4.97
	Maximum		5.02	5.31	5.76	6.08	6.35	6.75

Table C-84. Storm Event Frequency: Rain Gage No 610.

Rain Gage No. 610								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.83	5.93	7.42	8.60	9.83	11.13
BCSD	CMIP3	Hot dry	3.28	3.85	4.47	4.88	5.24	5.57
		Hot wet	4.29	5.49	7.12	8.42	9.80	11.25
		Central	3.58	4.33	5.22	5.84	6.43	6.98
		Warm dry	3.30	3.96	4.71	5.23	5.70	6.14
		Warm wet	4.40	5.45	6.74	7.68	8.59	9.48
	CMIP5	Hot dry	3.50	4.06	4.64	5.01	5.32	5.58
		Hot wet	4.86	5.95	7.29	8.26	9.20	10.11
		Central	3.69	4.47	5.40	6.07	6.71	7.32
		Warm dry	3.08	3.56	4.06	4.37	4.63	4.85
		Warm wet	4.47	5.61	7.11	8.27	9.45	10.66
	Minimum		3.08	3.56	4.06	4.37	4.63	4.85
	Maximum		4.86	5.95	7.29	8.42	9.80	11.25
BCCA	RCP2.6	0.01	2.87	3.43	4.17	4.45	4.66	4.85
		0.25	3.49	3.93	4.40	4.77	5.07	5.27
		0.5	3.64	4.15	4.66	5.01	5.44	5.83
		0.75	3.71	4.33	5.07	5.53	5.89	6.18
		0.99	4.28	4.88	5.47	5.88	6.46	7.05
	RCP8.5	0.01	3.00	3.52	4.04	4.26	4.39	4.50
		0.25	3.54	4.01	4.45	4.87	5.17	5.39
		0.5	3.71	4.19	4.77	5.18	5.49	5.85
		0.75	4.11	4.70	5.24	5.49	5.90	6.14
		0.99	4.36	4.81	5.56	6.06	6.51	6.92
	Minimum		2.87	3.43	4.04	4.26	4.39	4.50
	Maximum		4.36	4.88	5.56	6.06	6.51	7.05

Table C-85. Storm Event Frequency: Rain Gage No 612.

Rain Gage No. 612								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		5.51	6.86	8.71	10.18	11.75	13.41
BCSD	CMIP3	Hot dry	4.16	5.35	7.10	8.59	10.25	12.13
		Hot wet	5.74	7.92	11.43	14.71	18.69	23.52
		Central	4.87	6.57	9.29	11.80	14.81	18.43
		Warm dry	4.19	5.62	7.88	9.97	12.47	15.48
		Warm wet	5.82	8.06	11.68	15.08	19.21	24.24
	CMIP5	Hot dry	4.84	6.42	8.87	11.08	13.67	16.72
		Hot wet	6.41	8.71	12.32	15.60	19.48	24.08
		Central	5.13	6.86	9.57	12.03	14.93	18.37
		Warm dry	4.35	5.62	7.50	9.11	10.94	13.01
		Warm wet	5.88	8.19	12.05	15.81	20.51	26.42
	Minimum		4.16	5.35	7.10	8.59	10.25	12.13
	Maximum		6.41	8.71	12.32	15.81	20.51	26.42
BCCA	RCP2.6	0.01	3.64	4.73	6.55	8.27	9.97	11.51
		0.25	4.57	5.97	7.82	9.79	11.73	14.08
		0.5	4.97	6.30	8.67	10.76	12.73	15.17
		0.75	5.44	7.06	9.26	11.24	13.52	16.81
		0.99	6.24	7.81	10.02	12.44	15.35	19.23
	RCP8.5	0.01	3.64	4.56	5.89	7.01	8.28	9.72
		0.25	4.84	5.98	8.09	10.07	12.48	15.07
		0.5	5.60	7.17	9.38	11.37	13.34	15.61
		0.75	6.03	7.47	9.81	12.16	14.13	16.41
		0.99	8.83	10.28	11.81	13.19	15.85	19.23
	Minimum		3.64	4.56	5.89	7.01	8.28	9.72
	Maximum		8.83	10.28	11.81	13.19	15.85	19.23

Table C-86. Storm Event Frequency: Rain Gage No 613.

Rain Gage No. 613								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.50	5.55	6.98	8.12	9.33	10.61
BCSD	CMIP3	Hot dry	3.24	3.72	4.22	4.53	4.79	5.01
		Hot wet	4.42	5.78	7.77	9.46	11.34	13.45
		Central	3.57	4.36	5.37	6.12	6.88	7.64
		Warm dry	3.28	3.89	4.60	5.08	5.52	5.93
		Warm wet	4.43	5.54	7.03	8.19	9.39	10.65
	CMIP5	Hot dry	3.60	4.30	5.13	5.71	6.26	6.78
		Hot wet	4.84	6.24	8.27	10.00	11.92	14.07
		Central	3.92	4.90	6.24	7.31	8.44	9.65
		Warm dry	3.39	3.97	4.63	5.07	5.46	5.82
		Warm wet	4.50	5.95	8.17	10.17	12.50	15.23
	Minimum		3.24	3.72	4.22	4.53	4.79	5.01
	Maximum		4.84	6.24	8.27	10.17	12.50	15.23
BCCA	RCP2.6	0.01	2.73	3.21	3.83	4.29	4.75	5.22
		0.25	3.37	4.03	4.88	5.40	6.00	6.47
		0.5	3.63	4.34	5.09	5.71	6.53	7.34
		0.75	3.81	4.50	5.53	6.30	7.09	8.02
		0.99	4.26	5.12	6.19	6.98	7.76	8.67
	RCP8.5	0.01	2.89	3.48	4.21	4.73	5.05	5.35
		0.25	3.50	4.16	5.05	5.65	6.19	6.83
		0.5	3.76	4.44	5.19	6.02	6.84	7.55
		0.75	4.11	4.84	5.74	6.39	7.06	7.80
		0.99	4.71	5.39	6.39	7.21	8.12	9.07
	Minimum		2.73	3.21	3.83	4.29	4.75	5.22
	Maximum		4.71	5.39	6.39	7.21	8.12	9.07

Table C-87. Storm Event Frequency: Rain Gage No 634.

Rain Gage No. 634								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		3.58	4.38	5.46	6.30	7.17	8.09
BCSD	CMIP3	Hot dry	3.17	4.09	5.42	6.55	7.79	9.17
		Hot wet	3.98	5.76	9.00	12.41	16.97	23.10
		Central	3.20	4.35	6.20	7.96	10.11	12.74
		Warm dry	2.85	3.76	5.15	6.40	7.84	9.53
		Warm wet	3.81	5.52	8.67	12.00	16.49	22.55
	CMIP5	Hot dry	3.09	4.16	5.88	7.51	9.48	11.88
		Hot wet	4.63	6.61	10.15	13.79	18.58	24.91
		Central	3.38	4.55	6.41	8.14	10.22	12.72
		Warm dry	2.83	3.76	5.27	6.68	8.39	10.45
		Warm wet	4.31	6.27	9.85	13.62	18.65	25.41
	Minimum		2.83	3.76	5.15	6.40	7.79	9.17
	Maximum		4.63	6.61	10.15	13.79	18.65	25.41
BCCA	RCP2.6	0.01	2.39	3.06	4.12	5.09	6.26	7.58
		0.25	3.49	4.65	6.44	7.98	9.77	11.77
		0.5	3.79	5.06	7.06	8.90	10.80	12.97
		0.75	4.64	6.13	8.06	9.56	11.70	14.20
		0.99	5.84	7.21	8.94	10.31	12.13	15.10
	RCP8.5	0.01	2.67	3.52	4.88	6.15	7.65	9.31
		0.25	3.61	4.85	6.85	8.73	10.36	11.01
		0.5	4.17	5.46	7.47	9.07	11.00	12.96
		0.75	5.06	6.45	8.41	9.79	11.57	13.98
		0.99	6.21	7.45	9.01	10.23	12.22	14.98
	Minimum		2.39	3.06	4.12	5.09	6.26	7.58
	Maximum		6.21	7.45	9.01	10.31	12.22	15.10

Table C-88. Storm Event Frequency: Rain Gage No 680.

Rain Gage No. 680								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.13	5.06	6.31	7.29	8.31	9.38
BCSD	CMIP3	Hot dry	3.65	4.39	5.25	5.85	6.41	6.93
		Hot wet	4.30	5.57	7.39	8.91	10.57	12.40
		Central	3.58	4.29	5.11	5.69	6.23	6.74
		Warm dry	3.53	4.45	5.66	6.61	7.58	8.60
		Warm wet	4.39	5.69	7.53	9.06	10.73	12.56
	CMIP5	Hot dry	3.67	4.31	5.03	5.50	5.93	6.31
		Hot wet	4.87	6.11	7.76	9.04	10.36	11.73
		Central	3.91	4.79	5.88	6.68	7.45	8.21
		Warm dry	3.40	3.98	4.60	5.00	5.35	5.65
		Warm wet	4.42	5.72	7.56	9.10	10.78	12.62
	Minimum		3.40	3.98	4.60	5.00	5.35	5.65
	Maximum		4.87	6.11	7.76	9.10	10.78	12.62
BCCA	RCP2.6	0.01	3.07	3.73	4.56	5.08	5.40	5.58
		0.25	3.80	4.40	5.03	5.39	5.76	6.00
		0.5	4.01	4.63	5.20	5.60	5.87	6.19
		0.75	4.22	4.77	5.38	5.74	6.18	6.58
		0.99	4.50	4.95	5.52	5.92	6.32	6.99
	RCP8.5	0.01	3.17	3.77	4.49	4.91	5.10	5.12
		0.25	3.82	4.45	5.09	5.38	5.61	5.80
		0.5	4.09	4.60	5.22	5.54	5.76	5.91
		0.75	4.41	4.88	5.32	5.69	6.10	6.41
		0.99	4.70	4.99	5.54	6.01	6.53	7.16
	Minimum		3.07	3.73	4.49	4.91	5.10	5.12
	Maximum		4.70	4.99	5.54	6.01	6.53	7.16

Table C-89. Storm Event Frequency: Rain Gage No 683.

Rain Gage No. 683								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		6.21	7.75	9.88	11.60	13.45	15.44
BCSD	CMIP3	Hot dry	3.33	3.80	4.30	4.62	4.90	5.14
		Hot wet	4.28	5.48	7.27	8.81	10.55	12.52
		Central	3.91	4.72	5.77	6.55	7.34	8.14
		Warm dry	3.32	3.92	4.65	5.17	5.66	6.14
		Warm wet	4.40	5.65	7.54	9.20	11.12	13.33
	CMIP5	Hot dry	3.73	4.47	5.42	6.14	6.86	7.59
		Hot wet	4.89	6.12	7.88	9.37	11.02	12.84
		Central	4.10	5.07	6.44	7.56	8.77	10.08
		Warm dry	3.48	4.03	4.66	5.08	5.46	5.81
		Warm wet	4.46	5.82	8.06	10.21	12.87	16.15
	Minimum		3.32	3.80	4.30	4.62	4.90	5.14
	Maximum		4.89	6.12	8.06	10.21	12.87	16.15
BCCA	RCP2.6	0.01	3.19	3.77	4.54	5.02	5.31	5.51
		0.25	3.72	4.30	4.94	5.40	5.77	6.07
		0.5	3.93	4.47	5.14	5.56	6.05	6.49
		0.75	4.22	4.76	5.46	5.93	6.31	6.66
		0.99	4.39	4.98	5.60	6.11	6.72	7.33
	RCP8.5	0.01	3.28	3.87	4.59	5.12	5.32	5.37
		0.25	3.89	4.45	5.06	5.44	5.82	6.12
		0.5	4.05	4.63	5.19	5.61	6.00	6.38
		0.75	4.24	4.78	5.40	5.82	6.18	6.60
		0.99	4.78	5.18	5.67	6.04	6.43	6.85
	Minimum		3.19	3.77	4.54	5.02	5.31	5.37
	Maximum		4.78	5.18	5.67	6.11	6.72	7.33

Table C-90. Storm Event Frequency: Rain Gage No 695.

Rain Gage No. 695								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		6.86	8.69	11.29	13.45	15.82	18.43
BCSD	CMIP3	Hot dry	5.17	6.39	7.99	9.23	10.51	11.82
		Hot wet	6.43	8.55	11.71	14.48	17.63	21.25
		Central	5.98	7.60	9.82	11.60	13.48	15.49
		Warm dry	5.07	6.75	9.40	11.84	14.75	18.23
		Warm wet	7.09	9.72	13.91	17.78	22.41	27.98
	CMIP5	Hot dry	5.92	7.35	9.24	10.70	12.19	13.73
		Hot wet	7.61	10.20	14.12	17.59	21.59	26.23
		Central	6.32	8.16	10.77	12.92	15.27	17.83
		Warm dry	5.54	6.87	8.57	9.85	11.14	12.45
		Warm wet	7.02	9.40	13.04	16.27	20.02	24.37
	Minimum		5.07	6.39	7.99	9.23	10.51	11.82
	Maximum		7.61	10.20	14.12	17.78	22.41	27.98
BCCA	RCP2.6	0.01	5.12	6.53	8.63	10.18	11.61	12.89
		0.25	5.86	7.19	9.12	10.49	12.31	13.96
		0.5	6.19	7.52	9.75	11.66	13.55	15.41
		0.75	6.58	8.10	10.23	12.00	13.93	15.75
		0.99	7.51	9.13	11.16	12.67	14.46	17.73
	RCP8.5	0.01	4.91	5.88	7.06	7.95	8.82	9.70
		0.25	6.22	7.83	9.78	11.25	12.77	14.34
		0.5	6.71	8.19	10.16	11.70	13.30	15.23
		0.75	7.15	8.79	10.89	12.22	13.89	15.73
		0.99	9.25	10.17	11.50	13.08	15.09	17.26
	Minimum		4.91	5.88	7.06	7.95	8.82	9.70
	Maximum		9.25	10.17	11.50	13.08	15.09	17.73

Table C-91. Storm Event Frequency: Rain Gage No 716.

Rain Gage No. 716								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		3.59	4.37	5.37	6.10	6.83	7.56
			3.59	4.38	5.43	6.24	7.09	7.96
BCSD	CMIP3	Hot dry	2.64	3.04	3.47	3.73	3.95	4.14
		Hot wet	3.66	4.80	6.45	7.85	9.40	11.14
		Central	2.83	3.49	4.34	4.99	5.65	6.32
		Warm dry	2.67	3.24	3.94	4.44	4.93	5.40
		Warm wet	3.60	4.55	5.82	6.80	7.81	8.86
	CMIP5	Hot dry	2.87	3.42	4.05	4.49	4.90	5.28
		Hot wet	4.07	5.26	6.91	8.26	9.71	11.27
		Central	3.17	3.98	5.06	5.91	6.80	7.72
		Warm dry	2.68	3.15	3.70	4.06	4.40	4.71
		Warm wet	3.58	4.72	6.44	7.95	9.68	11.68
	Minimum		2.64	3.04	3.47	3.73	3.95	4.14
	Maximum		4.07	5.26	6.91	8.26	9.71	11.68
BCCA	RCP2.6	0.01	2.47	2.90	3.41	3.79	4.07	4.21
		0.25	3.05	3.42	3.84	4.08	4.24	4.43
		0.5	3.15	3.60	3.99	4.35	4.62	4.89
		0.75	3.29	3.68	4.27	4.68	5.06	5.42
		0.99	3.52	4.05	4.71	5.16	5.59	5.99
	RCP8.5	0.01	2.54	3.02	3.58	3.87	3.95	4.01
		0.25	3.09	3.51	3.98	4.32	4.59	4.80
		0.5	3.23	3.61	4.12	4.47	4.69	4.98
		0.75	3.42	3.86	4.34	4.74	5.01	5.43
		0.99	3.73	4.22	4.78	5.25	5.68	6.13
	Minimum		2.47	2.90	3.41	3.79	3.95	4.01
	Maximum		3.73	4.22	4.78	5.25	5.68	6.13

Table C-92. Storm Event Frequency: Rain Gage No 749.

Rain Gage No. 749								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.21	5.24	6.64	7.76	8.95	10.21
BCSD	CMIP3	Hot dry	2.85	3.44	4.18	4.74	5.29	5.84
		Hot wet	3.66	4.96	7.05	9.00	11.37	14.24
		Central	3.21	4.06	5.25	6.24	7.31	8.49
		Warm dry	2.77	3.55	4.72	5.75	6.93	8.28
		Warm wet	3.76	5.03	7.11	9.10	11.54	14.54
	CMIP5	Hot dry	3.14	3.80	4.67	5.33	6.01	6.71
		Hot wet	3.98	5.21	7.10	8.79	10.77	13.09
		Central	3.29	4.19	5.49	6.58	7.79	9.13
		Warm dry	2.93	3.56	4.37	4.99	5.61	6.24
		Warm wet	4.00	5.29	7.25	9.00	11.03	13.39
	Minimum		2.77	3.44	4.18	4.74	5.29	5.84
	Maximum		4.00	5.29	7.25	9.10	11.54	14.54
BCCA	RCP2.6	0.01	2.68	3.27	4.08	4.70	5.09	5.34
		0.25	3.24	3.80	4.47	5.01	5.47	5.82
		0.5	3.49	4.07	4.86	5.31	5.78	6.28
		0.75	3.76	4.40	4.96	5.44	5.98	6.55
		0.99	4.01	4.49	5.26	5.82	6.33	6.81
	RCP8.5	0.01	2.75	3.21	3.75	4.11	4.39	4.63
		0.25	3.24	3.83	4.59	4.98	5.29	5.63
		0.5	3.81	4.40	4.87	5.15	5.53	5.89
		0.75	3.92	4.47	5.06	5.47	6.00	6.24
		0.99	4.46	4.75	5.32	5.73	6.32	6.96
	Minimum		2.68	3.21	3.75	4.11	4.39	4.63
	Maximum		4.46	4.75	5.32	5.82	6.33	6.96

Table C-93. Storm Event Frequency: Rain Gage No 795.

Rain Gage No. 795								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.84	5.99	7.58	8.87	10.24	11.70
BCSD	CMIP3	Hot dry	3.15	3.58	4.01	4.26	4.47	4.64
		Hot wet	4.34	5.35	6.61	7.52	8.42	9.30
		Central	3.57	4.23	5.01	5.54	6.05	6.51
		Warm dry	3.12	3.63	4.19	4.55	4.86	5.13
		Warm wet	4.41	5.48	6.85	7.88	8.91	9.95
	CMIP5	Hot dry	3.60	4.23	4.94	5.41	5.83	6.21
		Hot wet	4.88	5.97	7.32	8.31	9.27	10.22
		Central	3.80	4.62	5.67	6.43	7.19	7.95
		Warm dry	3.19	3.65	4.12	4.40	4.64	4.84
		Warm wet	4.57	5.81	7.52	8.91	10.40	12.01
	Minimum		3.12	3.58	4.01	4.26	4.47	4.64
	Maximum		4.88	5.97	7.52	8.91	10.40	12.01
BCCA	RCP2.6	0.01	3.02	3.51	4.00	4.26	4.47	4.66
		0.25	3.47	3.95	4.39	4.65	4.93	5.15
		0.5	3.61	4.04	4.62	4.97	5.28	5.62
		0.75	3.76	4.25	4.92	5.35	5.73	6.11
		0.99	4.24	4.90	5.60	6.08	6.51	7.03
	RCP8.5	0.01	3.02	3.50	4.04	4.29	4.42	4.53
		0.25	3.50	3.93	4.43	4.75	5.03	5.36
		0.5	3.67	4.13	4.67	5.03	5.36	5.68
		0.75	3.93	4.52	5.20	5.66	6.05	6.36
		0.99	4.35	4.92	5.67	6.17	6.62	7.03
	Minimum		3.02	3.50	4.00	4.26	4.42	4.53
	Maximum		4.35	4.92	5.67	6.17	6.62	7.03

Table C-94. Storm Event Frequency: Rain Gage No 797.

Rain Gage No. 797								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.29	5.19	6.38	7.29	8.24	9.21
BCSD	CMIP3	Hot dry	3.66	4.15	4.65	4.94	5.18	5.38
		Hot wet	4.44	5.34	6.40	7.13	7.81	8.45
		Central	3.87	4.57	5.37	5.90	6.38	6.82
		Warm dry	3.63	4.24	4.90	5.33	5.69	6.02
		Warm wet	4.85	6.02	7.54	8.69	9.85	11.03
	CMIP5	Hot dry	3.84	4.47	5.15	5.59	5.97	6.31
		Hot wet	5.11	6.11	7.28	8.07	8.80	9.49
		Central	4.08	4.80	5.60	6.12	6.58	7.00
		Warm dry	3.74	4.37	5.05	5.47	5.84	6.17
		Warm wet	4.81	5.84	7.06	7.92	8.73	9.51
	Minimum		3.63	4.15	4.65	4.94	5.18	5.38
	Maximum		5.11	6.11	7.54	8.69	9.85	11.03
BCCA	RCP2.6	0.01	3.35	3.88	4.49	4.69	4.73	4.74
		0.25	3.95	4.36	4.72	4.86	4.92	5.02
		0.5	4.07	4.47	4.79	4.95	5.09	5.17
		0.75	4.17	4.51	4.81	5.03	5.21	5.34
		0.99	4.36	4.61	4.89	5.19	5.46	5.76
	RCP8.5	0.01	3.45	3.91	4.38	4.64	4.66	4.66
		0.25	3.93	4.34	4.66	4.81	4.88	4.92
		0.5	4.18	4.50	4.76	4.89	4.97	5.03
		0.75	4.34	4.59	4.82	4.98	5.10	5.18
		0.99	4.50	4.65	4.99	5.35	5.69	5.97
	Minimum		3.35	3.88	4.38	4.64	4.66	4.66
	Maximum		4.50	4.65	4.99	5.35	5.69	5.97

Table C-95. Storm Event Frequency: Rain Gage No 801.

Rain Gage No. 801								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		5.29	6.60	8.41	9.87	11.42	13.07
BCSD	CMIP3	Hot dry	4.68	5.54	6.54	7.24	7.88	8.49
		Hot wet	6.14	7.60	9.49	10.92	12.36	13.82
		Central	5.22	6.12	7.12	7.78	8.37	8.90
		Warm dry	4.72	5.53	6.45	7.06	7.61	8.11
		Warm wet	6.23	7.44	8.87	9.85	10.77	11.63
	CMIP5	Hot dry	5.00	5.86	6.88	7.58	8.23	8.84
		Hot wet	7.12	8.85	11.13	12.91	14.74	16.64
		Central	5.20	6.33	7.79	8.88	9.99	11.10
		Warm dry	4.55	5.28	6.11	6.66	7.15	7.60
		Warm wet	6.22	7.56	9.25	10.51	11.76	13.01
	Minimum		4.55	5.28	6.11	6.66	7.15	7.60
	Maximum		7.12	8.85	11.13	12.91	14.74	16.64
BCCA	RCP2.6	0.01	4.25	4.99	5.77	6.22	6.45	6.58
		0.25	4.79	5.44	6.07	6.47	6.78	7.09
		0.5	5.13	5.76	6.35	6.81	7.18	7.45
		0.75	5.27	5.92	6.64	7.11	7.52	8.01
		0.99	5.56	6.17	6.91	7.40	7.95	8.46
	RCP8.5	0.01	4.51	5.18	5.86	6.26	6.57	6.74
		0.25	4.95	5.62	6.18	6.52	6.80	7.00
		0.5	5.20	5.84	6.63	6.87	7.16	7.43
		0.75	5.51	6.18	6.80	7.23	7.54	7.78
		0.99	6.34	6.63	7.01	7.52	8.13	8.80
	Minimum		4.25	4.99	5.77	6.22	6.45	6.58
	Maximum		6.34	6.63	7.01	7.52	8.13	8.80

Table C-96. Storm Event Frequency: Rain Gage No 802.

Rain Gage No. 802								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.77	5.89	7.40	8.61	9.87	11.21
BCSD	CMIP3	Hot dry	3.25	3.97	4.88	5.55	6.21	6.87
		Hot wet	3.88	5.21	7.33	9.29	11.63	14.45
		Central	3.46	4.42	5.80	6.95	8.22	9.61
		Warm dry	3.06	3.92	5.16	6.20	7.34	8.61
		Warm wet	3.99	5.25	7.13	8.80	10.70	12.89
	CMIP5	Hot dry	3.47	4.35	5.54	6.49	7.49	8.55
		Hot wet	4.36	5.83	8.17	10.33	12.93	16.05
		Central	3.49	4.45	5.84	7.00	8.29	9.72
		Warm dry	3.09	3.79	4.71	5.42	6.15	6.89
		Warm wet	3.98	5.31	7.45	9.46	11.88	14.83
	Minimum		3.06	3.79	4.71	5.42	6.15	6.87
	Maximum		4.36	5.83	8.17	10.33	12.93	16.05
BCCA	RCP2.6	0.01	3.33	3.99	4.80	5.18	5.35	5.47
		0.25	3.95	4.53	5.18	5.57	5.95	6.26
		0.5	4.09	4.63	5.36	5.86	6.25	6.71
		0.75	4.27	4.86	5.54	6.05	6.55	7.06
		0.99	4.56	5.13	5.73	6.29	6.86	7.40
	RCP8.5	0.01	3.31	3.88	4.50	4.88	5.09	5.17
		0.25	4.00	4.61	5.27	5.84	6.14	6.40
		0.5	4.27	4.87	5.56	6.01	6.37	6.62
		0.75	4.55	5.07	5.78	6.23	6.68	7.07
		0.99	5.38	5.82	6.23	6.49	7.15	7.80
	Minimum		3.31	3.88	4.50	4.88	5.09	5.17
	Maximum		5.38	5.82	6.23	6.49	7.15	7.80

Table C-97. Storm Event Frequency: Rain Gage No 807.

Rain Gage No. 807								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		3.92	4.80	5.98	6.90	7.87	8.88
BCSD	CMIP3	Hot dry	3.03	3.46	3.88	4.12	4.33	4.49
		Hot wet	3.72	4.51	5.45	6.12	6.76	7.36
		Central	3.10	3.53	3.97	4.23	4.44	4.61
		Warm dry	2.89	3.33	3.79	4.08	4.32	4.52
		Warm wet	3.78	4.48	5.26	5.78	6.24	6.66
	CMIP5	Hot dry	3.16	3.59	4.02	4.27	4.47	4.64
		Hot wet	4.14	4.95	5.88	6.51	7.08	7.62
		Central	3.33	3.87	4.44	4.81	5.13	5.40
		Warm dry	2.90	3.28	3.65	3.87	4.04	4.18
		Warm wet	3.75	4.49	5.37	6.00	6.59	7.16
	Minimum		2.89	3.28	3.65	3.87	4.04	4.18
	Maximum		4.14	4.95	5.88	6.51	7.08	7.62
BCCA	RCP2.6	0.01	2.63	2.93	3.24	3.26	3.27	3.27
		0.25	2.95	3.16	3.28	3.32	3.33	3.34
		0.5	3.06	3.21	3.31	3.39	3.42	3.45
		0.75	3.10	3.22	3.36	3.44	3.52	3.56
		0.99	3.14	3.28	3.46	3.57	3.68	3.78
	RCP8.5	0.01	2.56	2.90	3.18	3.19	3.19	3.19
		0.25	2.98	3.17	3.27	3.31	3.33	3.33
		0.5	3.05	3.21	3.31	3.39	3.41	3.43
		0.75	3.10	3.23	3.35	3.44	3.49	3.53
		0.99	3.14	3.27	3.46	3.60	3.75	3.95
	Minimum		2.56	2.90	3.18	3.19	3.19	3.19
	Maximum		3.14	3.28	3.46	3.60	3.75	3.95

Table C-98. Storm Event Frequency: Rain Gage No 1006.

Rain Gage No. 1006								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		3.15	3.91	4.92	5.71	6.52	7.37
BCSD	CMIP3	Hot dry	2.54	2.84	3.14	3.32	3.45	3.57
		Hot wet	3.10	3.68	4.37	4.86	5.32	5.76
		Central	2.74	3.10	3.46	3.68	3.87	4.02
		Warm dry	2.46	2.79	3.14	3.34	3.51	3.65
		Warm wet	3.11	3.60	4.14	4.49	4.81	5.09
	CMIP5	Hot dry	2.84	3.24	3.65	3.91	4.13	4.32
		Hot wet	3.64	4.23	4.87	5.29	5.66	5.98
		Central	2.85	3.21	3.57	3.79	3.97	4.11
		Warm dry	2.57	2.85	3.13	3.28	3.41	3.51
		Warm wet	3.56	4.26	5.10	5.68	6.24	6.76
	Minimum		2.46	2.79	3.13	3.28	3.41	3.51
	Maximum		3.64	4.26	5.10	5.68	6.24	6.76
BCCA	RCP2.6	0.01	2.35	2.62	2.88	2.98	3.01	3.03
		0.25	2.62	2.81	2.97	3.04	3.08	3.11
		0.5	2.69	2.90	3.02	3.07	3.12	3.16
		0.75	2.79	2.94	3.08	3.12	3.17	3.21
		0.99	2.90	3.01	3.17	3.30	3.39	3.46
	RCP8.5	0.01	2.42	2.64	2.81	2.90	2.96	2.99
		0.25	2.62	2.81	3.00	3.04	3.04	3.05
		0.5	2.78	2.94	3.03	3.09	3.10	3.14
		0.75	2.84	2.99	3.08	3.13	3.17	3.22
		0.99	2.99	3.02	3.15	3.23	3.29	3.33
	Minimum		2.35	2.62	2.81	2.90	2.96	2.99
	Maximum		2.99	3.02	3.17	3.30	3.39	3.46

Table C-99. Storm Event Frequency: Rain Gage No 1025.

Rain Gage No. 1025								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		3.32	4.08	5.10	5.89	6.71	7.56
BCSD	CMIP3	Hot dry	2.20	2.59	3.07	3.41	3.75	4.07
		Hot wet	2.53	3.13	3.98	4.69	5.45	6.28
		Central	2.32	2.76	3.30	3.70	4.08	4.47
		Warm dry	2.11	2.50	2.96	3.29	3.60	3.90
		Warm wet	2.70	3.26	3.99	4.54	5.09	5.66
	CMIP5	Hot dry	2.44	2.89	3.43	3.82	4.20	4.58
		Hot wet	2.92	3.58	4.48	5.20	5.97	6.79
		Central	2.43	2.96	3.65	4.19	4.74	5.30
		Warm dry	2.14	2.50	2.92	3.21	3.48	3.75
		Warm wet	2.86	3.66	4.85	5.89	7.07	8.42
	Minimum		2.11	2.50	2.92	3.21	3.48	3.75
	Maximum		2.92	3.66	4.85	5.89	7.07	8.42
BCCA	RCP2.6	0.01	2.00	2.28	2.58	2.76	2.91	3.04
		0.25	2.19	2.48	2.81	3.03	3.22	3.37
		0.5	2.34	2.63	2.98	3.20	3.35	3.51
		0.75	2.46	2.79	3.12	3.31	3.50	3.69
		0.99	2.58	2.89	3.25	3.49	3.69	3.88
	RCP8.5	0.01	1.97	2.29	2.65	2.90	2.97	3.01
		0.25	2.25	2.56	2.87	3.07	3.23	3.41
		0.5	2.37	2.67	2.96	3.19	3.37	3.52
		0.75	2.50	2.78	3.11	3.29	3.47	3.65
		0.99	2.62	2.85	3.19	3.47	3.72	3.96
	Minimum		1.97	2.28	2.58	2.76	2.91	3.01
	Maximum		2.62	2.89	3.25	3.49	3.72	3.96

Table C-100. Storm Event Frequency: Rain Gage No 1029.

Rain Gage No. 1029								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.62	5.80	7.61	9.23	11.11	13.29
BCSD	CMIP3	Hot dry	3.66	4.36	5.18	5.76	6.30	6.82
		Hot wet	4.80	6.06	7.80	9.20	10.70	12.29
		Central	3.97	4.64	5.42	5.95	6.44	6.89
		Warm dry	3.58	4.28	5.15	5.78	6.41	7.02
		Warm wet	4.94	6.07	7.54	8.67	9.82	11.00
	CMIP5	Hot dry	3.92	4.58	5.34	5.87	6.35	6.79
		Hot wet	5.44	6.70	8.37	9.65	10.97	12.32
		Central	4.07	4.84	5.76	6.41	7.03	7.61
		Warm dry	3.71	4.27	4.87	5.26	5.61	5.91
		Warm wet	4.98	6.36	8.33	9.97	11.77	13.75
	Minimum		3.58	4.27	4.87	5.26	5.61	5.91
	Maximum		5.44	6.70	8.37	9.97	11.77	13.75
BCCA	RCP2.6	0.01	3.39	3.90	4.34	4.38	4.41	4.41
		0.25	4.01	4.28	4.44	4.49	4.51	4.52
		0.5	4.06	4.29	4.47	4.54	4.59	4.62
		0.75	4.13	4.33	4.51	4.61	4.67	4.71
		0.99	4.22	4.37	4.62	4.92	5.30	5.65
	RCP8.5	0.01	3.61	4.05	4.30	4.31	4.31	4.31
		0.25	3.91	4.22	4.42	4.46	4.49	4.50
		0.5	4.14	4.31	4.48	4.53	4.56	4.57
		0.75	4.23	4.39	4.52	4.64	4.70	4.74
		0.99	4.33	4.45	4.71	5.04	5.31	5.54
	Minimum		3.39	3.90	4.30	4.31	4.31	4.31
	Maximum		4.33	4.45	4.71	5.04	5.31	5.65

Table C-101. Storm Event Frequency: Rain Gage No 1037.

Rain Gage No. 1037								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.79	5.94	7.58	8.96	10.46	12.12
BCSD	CMIP3	Hot dry	3.31	3.89	4.56	4.99	5.39	5.75
		Hot wet	4.44	5.40	6.53	7.32	8.07	8.78
		Central	3.90	4.56	5.28	5.73	6.13	6.47
		Warm dry	3.32	3.90	4.53	4.94	5.31	5.63
		Warm wet	4.42	5.24	6.14	6.73	7.26	7.73
	CMIP5	Hot dry	3.64	4.32	5.12	5.66	6.17	6.65
		Hot wet	5.16	6.07	7.07	7.72	8.28	8.79
		Central	3.96	4.71	5.57	6.15	6.67	7.15
		Warm dry	3.29	3.70	4.10	4.34	4.52	4.67
		Warm wet	4.75	5.63	6.62	7.27	7.86	8.39
	Minimum		3.29	3.70	4.10	4.34	4.52	4.67
	Maximum		5.16	6.07	7.07	7.72	8.28	8.79
BCCA	RCP2.6	0.01	2.89	3.43	4.12	4.26	4.31	4.33
		0.25	3.53	3.97	4.33	4.51	4.61	4.68
		0.5	3.66	4.05	4.40	4.67	4.93	5.10
		0.75	3.78	4.14	4.50	4.81	5.09	5.30
		0.99	3.90	4.22	4.67	4.94	5.32	5.93
	RCP8.5	0.01	2.97	3.44	3.95	4.26	4.49	4.56
		0.25	3.55	4.00	4.39	4.56	4.67	4.75
		0.5	3.73	4.14	4.45	4.66	4.71	4.84
		0.75	3.84	4.19	4.52	4.79	5.11	5.29
		0.99	4.27	4.46	4.70	4.97	5.32	5.72
	Minimum		2.89	3.43	3.95	4.26	4.31	4.33
	Maximum		4.27	4.46	4.70	4.97	5.32	5.93

Table C-102. Storm Event Frequency: Rain Gage No 1041.

Rain Gage No. 1041								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.14	5.08	6.36	7.38	8.45	9.59
BCSD	CMIP3	Hot dry	3.23	3.82	4.49	4.94	5.36	5.75
		Hot wet	4.10	5.06	6.27	7.17	8.06	8.95
		Central	3.65	4.30	5.01	5.48	5.89	6.26
		Warm dry	3.21	3.74	4.31	4.68	4.99	5.27
		Warm wet	4.22	5.05	6.01	6.66	7.25	7.80
	CMIP5	Hot dry	3.50	4.07	4.68	5.06	5.40	5.69
		Hot wet	4.73	5.73	6.93	7.79	8.60	9.38
		Central	3.75	4.42	5.16	5.65	6.08	6.47
		Warm dry	3.17	3.61	4.05	4.32	4.54	4.72
		Warm wet	4.41	5.27	6.25	6.92	7.52	8.07
	Minimum		3.17	3.61	4.05	4.32	4.54	4.72
	Maximum		4.73	5.73	6.93	7.79	8.60	9.38
BCCA	RCP2.6	0.01	2.82	3.33	3.82	3.85	3.86	3.87
		0.25	3.32	3.67	3.88	4.05	4.14	4.19
		0.5	3.43	3.73	3.97	4.09	4.19	4.25
		0.75	3.51	3.75	3.99	4.17	4.31	4.41
		0.99	3.61	3.80	4.06	4.41	4.84	5.26
	RCP8.5	0.01	2.88	3.37	3.77	3.79	3.80	3.80
		0.25	3.39	3.70	3.87	3.91	3.93	3.94
		0.5	3.51	3.76	3.96	4.09	4.17	4.22
		0.75	3.59	3.77	4.01	4.14	4.25	4.32
		0.99	3.72	3.82	4.07	4.42	4.77	5.09
	Minimum		2.82	3.33	3.77	3.79	3.80	3.80
	Maximum		3.72	3.82	4.07	4.42	4.84	5.26

Table C-103. Storm Event Frequency: Rain Gage No 1050.

Rain Gage No. 1050								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		6.32	7.76	9.63	11.04	12.47	13.93
BCSD	CMIP3	Hot dry	5.77	7.08	8.70	9.87	11.00	12.11
		Hot wet	6.40	8.50	11.64	14.37	17.49	21.05
		Central	5.79	7.35	9.47	11.17	12.96	14.85
		Warm dry	5.23	6.59	8.40	9.82	11.29	12.81
		Warm wet	6.80	8.96	12.08	14.72	17.65	20.93
	CMIP5	Hot dry	5.82	7.01	8.41	9.39	10.30	11.16
		Hot wet	7.37	9.69	13.06	15.91	19.09	22.64
		Central	5.97	7.52	9.57	11.17	12.81	14.52
		Warm dry	5.33	6.47	7.83	8.80	9.72	10.60
		Warm wet	6.46	8.69	12.15	15.29	18.99	23.36
	Minimum		5.23	6.47	7.83	8.80	9.72	10.60
	Maximum		7.37	9.69	13.06	15.91	19.09	23.36
BCCA	RCP2.6	0.01	4.77	5.75	7.02	7.99	8.45	8.70
		0.25	6.15	7.02	7.83	8.25	8.77	9.09
		0.5	6.41	7.28	8.15	8.75	9.26	9.78
		0.75	6.71	7.64	8.69	9.22	9.71	10.15
		0.99	7.24	8.14	8.99	9.53	10.23	10.87
	RCP8.5	0.01	4.98	6.02	7.29	7.89	8.01	8.05
		0.25	6.42	7.36	8.14	8.60	9.10	9.33
		0.5	6.61	7.48	8.34	8.87	9.26	9.65
		0.75	6.97	7.76	8.49	9.11	9.68	10.17
		0.99	7.43	8.02	8.97	9.69	10.33	10.89
	Minimum		4.77	5.75	7.02	7.89	8.01	8.05
	Maximum		7.43	8.14	8.99	9.69	10.33	10.89

Table C-104. Storm Event Frequency: Rain Gage No 1051.

Rain Gage No. 1051								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.24	5.12	6.23	7.06	7.88	8.69
BCSD	CMIP3	Hot dry	3.60	4.34	5.23	5.84	6.42	6.97
		Hot wet	4.06	4.93	5.98	6.71	7.41	8.07
		Central	3.64	4.30	5.04	5.52	5.94	6.33
		Warm dry	3.33	4.04	4.90	5.51	6.10	6.67
		Warm wet	4.10	5.01	6.11	6.91	7.67	8.40
	CMIP5	Hot dry	3.69	4.34	5.06	5.52	5.94	6.31
		Hot wet	4.65	5.50	6.46	7.10	7.67	8.20
		Central	3.69	4.34	5.05	5.52	5.94	6.31
		Warm dry	3.40	3.98	4.59	4.98	5.31	5.60
		Warm wet	4.19	5.08	6.15	6.90	7.62	8.29
	Minimum		3.33	3.98	4.59	4.98	5.31	5.60
	Maximum		4.65	5.50	6.46	7.10	7.67	8.40
BCCA	RCP2.6	0.01	3.45	3.72	3.86	3.92	3.95	3.97
		0.25	3.53	3.81	3.99	4.06	4.10	4.13
		0.5	3.64	3.87	4.13	4.25	4.32	4.36
		0.75	3.71	3.96	4.18	4.32	4.42	4.50
		0.99	3.80	4.14	4.50	4.69	4.84	4.95
	RCP8.5	0.01	3.26	3.59	3.69	3.73	3.75	3.76
		0.25	3.57	3.85	4.01	4.08	4.16	4.20
		0.5	3.72	3.94	4.17	4.27	4.32	4.39
		0.75	3.82	4.11	4.34	4.44	4.49	4.53
		0.99	4.09	4.31	4.48	4.63	4.85	5.03
	Minimum		3.26	3.59	3.69	3.73	3.75	3.76
	Maximum		4.09	4.31	4.50	4.69	4.85	5.03

Table C-105. Storm Event Frequency: Rain Gage No 1070.

Rain Gage No. 1070								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		2.91	3.56	4.42	5.09	5.78	6.50
BCSD	CMIP3	Hot dry	2.18	2.57	3.02	3.32	3.60	3.85
		Hot wet	2.72	3.44	4.43	5.23	6.07	6.97
		Central	2.27	2.76	3.36	3.81	4.25	4.68
		Warm dry	2.16	2.64	3.24	3.67	4.10	4.52
		Warm wet	2.80	3.56	4.62	5.47	6.38	7.36
	CMIP5	Hot dry	2.35	2.74	3.17	3.45	3.70	3.92
		Hot wet	2.96	3.77	4.90	5.83	6.83	7.91
		Central	2.53	3.11	3.82	4.35	4.87	5.38
		Warm dry	2.21	2.60	3.04	3.32	3.58	3.81
		Warm wet	2.79	3.57	4.63	5.49	6.40	7.37
	Minimum		2.16	2.57	3.02	3.32	3.58	3.81
	Maximum		2.96	3.77	4.90	5.83	6.83	7.91
BCCA	RCP2.6	0.01	2.01	2.32	2.68	2.93	3.06	3.16
		0.25	2.39	2.70	3.00	3.18	3.36	3.51
		0.5	2.44	2.75	3.11	3.33	3.51	3.69
		0.75	2.55	2.92	3.22	3.47	3.68	3.82
		0.99	2.78	3.10	3.48	3.76	4.01	4.22
	RCP8.5	0.01	2.05	2.38	2.75	3.01	3.20	3.22
		0.25	2.44	2.75	3.11	3.27	3.35	3.45
		0.5	2.56	2.91	3.16	3.36	3.48	3.63
		0.75	2.74	3.03	3.30	3.46	3.65	3.87
		0.99	3.00	3.20	3.50	3.75	4.06	4.35
	Minimum		2.01	2.32	2.68	2.93	3.06	3.16
	Maximum		3.00	3.20	3.50	3.76	4.06	4.35

Table C-106. Storm Event Frequency: Rain Gage No 1071.

Rain Gage No. 1071								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		5.19	6.52	8.39	9.92	11.59	13.39
BCSD	CMIP3	Hot dry	3.32	4.05	5.03	5.80	6.61	7.46
		Hot wet	4.51	5.95	8.15	10.10	12.35	14.95
		Central	3.73	4.65	5.94	6.98	8.09	9.29
		Warm dry	3.33	4.25	5.61	6.76	8.06	9.51
		Warm wet	4.62	6.00	8.00	9.70	11.58	13.67
	CMIP5	Hot dry	3.75	4.50	5.41	6.08	6.72	7.34
		Hot wet	4.99	6.40	8.41	10.08	11.91	13.92
		Central	3.97	5.01	6.45	7.62	8.87	10.21
		Warm dry	3.27	3.97	4.86	5.55	6.25	6.97
		Warm wet	4.61	5.99	8.05	9.84	11.86	14.15
	Minimum		3.27	3.97	4.86	5.55	6.25	6.97
	Maximum		4.99	6.40	8.41	10.10	12.35	14.95
BCCA	RCP2.6	0.01	3.17	3.87	4.86	5.39	5.82	6.15
		0.25	3.76	4.42	5.33	6.03	6.70	7.43
		0.5	4.07	4.78	5.67	6.32	6.90	7.63
		0.75	4.36	5.18	6.02	6.78	7.35	7.83
		0.99	4.93	5.70	6.49	7.14	7.99	8.88
	RCP8.5	0.01	3.25	3.95	4.90	5.65	6.36	6.52
		0.25	3.84	4.60	5.49	6.13	6.61	7.04
		0.5	4.39	5.09	5.77	6.27	6.82	7.42
		0.75	4.59	5.35	6.17	6.54	7.30	7.98
		0.99	5.22	5.71	6.56	7.26	7.92	8.61
	Minimum		3.17	3.87	4.86	5.39	5.82	6.15
	Maximum		5.22	5.71	6.56	7.26	7.99	8.88

Table C-107. Storm Event Frequency: Rain Gage No 1076.

Rain Gage No. 1076								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		6.57	8.43	11.15	13.48	16.08	19.01
BCSD	CMIP3	Hot dry	3.61	4.13	4.67	5.01	5.29	5.53
		Hot wet	4.98	6.02	7.22	8.04	8.79	9.49
		Central	4.37	5.02	5.67	6.06	6.38	6.65
		Warm dry	3.74	4.41	5.15	5.64	6.07	6.46
		Warm wet	5.12	6.19	7.43	8.29	9.10	9.86
	CMIP5	Hot dry	4.19	4.83	5.50	5.92	6.27	6.58
		Hot wet	5.91	6.94	8.05	8.75	9.35	9.88
		Central	4.35	5.04	5.78	6.24	6.63	6.97
		Warm dry	3.73	4.22	4.70	4.99	5.22	5.41
		Warm wet	5.66	6.64	7.69	8.34	8.91	9.39
	Minimum		3.61	4.13	4.67	4.99	5.22	5.41
	Maximum		5.91	6.94	8.05	8.75	9.35	9.88
BCCA	RCP2.6	0.01	3.37	4.04	4.59	4.74	4.82	4.87
		0.25	3.93	4.38	4.80	4.94	5.04	5.10
		0.5	4.11	4.50	4.92	5.13	5.24	5.32
		0.75	4.22	4.61	5.03	5.29	5.52	5.67
		0.99	4.47	4.77	5.09	5.64	6.35	7.09
	RCP8.5	0.01	3.36	3.89	4.41	4.73	4.90	4.96
		0.25	4.08	4.44	4.84	5.09	5.13	5.28
		0.5	4.23	4.66	5.08	5.14	5.31	5.46
		0.75	4.43	4.84	5.16	5.33	5.50	5.65
		0.99	4.82	5.06	5.40	5.79	6.33	6.86
	Minimum		3.36	3.89	4.41	4.73	4.82	4.87
	Maximum		4.82	5.06	5.40	5.79	6.35	7.09

Table C-108. Storm Event Frequency: Rain Gage No 1081.

Rain Gage No. 1081								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		5.02	6.27	7.99	9.38	10.86	12.45
BCSD	CMIP3	Hot dry	3.57	4.34	5.31	6.03	6.74	7.45
		Hot wet	4.85	6.38	8.62	10.54	12.68	15.09
		Central	4.10	5.12	6.44	7.46	8.49	9.54
		Warm dry	3.64	4.58	5.83	6.82	7.84	8.91
		Warm wet	4.85	6.23	8.09	9.58	11.15	12.81
	CMIP5	Hot dry	4.02	4.86	5.86	6.57	7.24	7.89
		Hot wet	5.45	6.91	8.84	10.35	11.92	13.54
		Central	4.17	5.27	6.75	7.92	9.14	10.41
		Warm dry	3.47	4.17	5.03	5.63	6.22	6.78
		Warm wet	4.94	6.39	8.46	10.17	12.04	14.09
	Minimum		3.47	4.17	5.03	5.63	6.22	6.78
	Maximum		5.45	6.91	8.84	10.54	12.68	15.09
BCCA	RCP2.6	0.01	3.17	3.93	5.05	5.84	6.29	6.55
		0.25	4.07	4.74	5.47	5.98	6.42	6.81
		0.5	4.25	4.96	5.71	6.19	6.71	7.13
		0.75	4.51	5.21	6.03	6.57	7.17	7.54
		0.99	5.07	5.76	6.45	6.91	7.54	8.53
	RCP8.5	0.01	3.34	4.07	5.04	5.66	5.87	5.98
		0.25	4.17	4.82	5.68	6.16	6.49	6.81
		0.5	4.47	5.07	5.77	6.31	6.76	7.30
		0.75	4.78	5.56	6.12	6.57	7.15	7.62
		0.99	5.31	5.71	6.55	7.14	7.66	8.22
	Minimum		3.17	3.93	5.04	5.66	5.87	5.98
	Maximum		5.31	5.76	6.55	7.14	7.66	8.53

Table C-109. Storm Event Frequency: Rain Gage No 1087.

Rain Gage No. 1087								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.13	5.07	6.34	7.34	8.38	9.47
BCSD	CMIP3	Hot dry	2.81	3.28	3.83	4.21	4.56	4.89
		Hot wet	3.76	4.78	6.20	7.35	8.58	9.90
		Central	3.27	4.07	5.17	6.06	7.00	8.00
		Warm dry	2.85	3.49	4.34	4.99	5.66	6.35
		Warm wet	3.85	4.97	6.60	7.99	9.54	11.27
	CMIP5	Hot dry	3.23	3.97	4.98	5.77	6.60	7.47
		Hot wet	4.07	4.93	6.02	6.83	7.62	8.41
		Central	3.50	4.44	5.79	6.90	8.11	9.44
		Warm dry	3.06	3.73	4.57	5.20	5.83	6.45
		Warm wet	3.75	4.79	6.27	7.51	8.86	10.34
	Minimum		2.81	3.28	3.83	4.21	4.56	4.89
	Maximum		4.07	4.97	6.60	7.99	9.54	11.27
BCCA	RCP2.6	0.01	2.80	3.24	3.75	3.99	4.07	4.13
		0.25	3.17	3.57	3.94	4.11	4.21	4.34
		0.5	3.32	3.65	3.98	4.16	4.34	4.47
		0.75	3.38	3.72	4.03	4.29	4.50	4.74
		0.99	3.49	3.80	4.18	4.46	4.71	4.94
	RCP8.5	0.01	2.84	3.24	3.65	3.87	3.97	4.02
		0.25	3.13	3.54	4.00	4.18	4.28	4.34
		0.5	3.28	3.71	4.11	4.29	4.44	4.61
		0.75	3.54	3.87	4.15	4.44	4.63	4.84
		0.99	3.84	3.99	4.29	4.50	4.88	5.22
	Minimum		2.80	3.24	3.65	3.87	3.97	4.02
	Maximum		3.84	3.99	4.29	4.50	4.88	5.22

Table C-110. Storm Event Frequency: Rain Gage No 1088.

Rain Gage No. 1088								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		3.37	4.1	5.01	5.68	6.36	7.03
			3.58	4.28	5.20	5.89	6.59	7.31
BCSD	CMIP3	Hot dry	3.27	3.73	4.18	4.43	4.64	4.81
		Hot wet	4.20	5.12	6.19	6.93	7.62	8.27
		Central	3.58	4.13	4.69	5.03	5.31	5.54
		Warm dry	3.28	3.76	4.22	4.49	4.70	4.87
		Warm wet	4.18	4.90	5.66	6.13	6.53	6.87
	CMIP5	Hot dry	3.47	4.04	4.64	5.02	5.34	5.62
		Hot wet	4.86	5.79	6.82	7.50	8.10	8.64
		Central	3.67	4.25	4.84	5.19	5.48	5.73
		Warm dry	3.24	3.69	4.13	4.38	4.58	4.74
		Warm wet	4.45	5.26	6.14	6.70	7.19	7.61
	Minimum		3.24	3.69	4.13	4.38	4.58	4.74
	Maximum		4.86	5.79	6.82	7.50	8.10	8.64
BCCA	RCP2.6	0.01	2.98	3.33	3.63	3.78	3.89	3.97
		0.25	3.35	3.65	3.94	4.08	4.17	4.22
		0.5	3.44	3.75	4.01	4.14	4.25	4.30
		0.75	3.58	3.86	4.07	4.20	4.30	4.38
		0.99	3.70	3.91	4.19	4.36	4.64	4.89
	RCP8.5	0.01	2.98	3.41	3.83	3.93	3.95	3.95
		0.25	3.37	3.72	3.95	4.05	4.12	4.16
		0.5	3.51	3.81	4.02	4.11	4.21	4.25
		0.75	3.68	3.90	4.09	4.21	4.35	4.45
		0.99	3.75	3.94	4.24	4.42	4.55	4.65
	Minimum		2.98	3.33	3.63	3.78	3.89	3.95
	Maximum		3.75	3.94	4.24	4.42	4.64	4.89

Table C-111. Storm Event Frequency: Rain Gage No 1095.

Rain Gage No. 1095								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		3.69	4.41	5.34	6.05	6.76	7.48
BCSD	CMIP3	Hot dry	2.99	3.47	3.98	4.31	4.60	4.85
		Hot wet	3.93	4.66	5.46	5.98	6.44	6.86
		Central	3.24	3.73	4.24	4.56	4.83	5.06
		Warm dry	3.21	3.67	4.12	4.38	4.59	4.76
		Warm wet	4.03	4.61	5.19	5.53	5.80	6.03
	CMIP5	Hot dry	3.27	3.68	4.07	4.28	4.45	4.58
		Hot wet	4.35	5.08	5.87	6.38	6.83	7.22
		Central	3.43	4.00	4.61	5.00	5.34	5.64
		Warm dry	3.03	3.45	3.87	4.12	4.32	4.49
		Warm wet	4.08	4.76	5.48	5.94	6.34	6.68
	Minimum		2.99	3.45	3.87	4.12	4.32	4.49
	Maximum		4.35	5.08	5.87	6.38	6.83	7.22
BCCA	RCP2.6	0.01	2.79	3.20	3.47	3.62	3.73	3.80
		0.25	3.08	3.42	3.72	3.86	3.92	3.97
		0.5	3.27	3.57	3.79	3.93	4.08	4.16
		0.75	3.33	3.59	3.88	4.06	4.20	4.31
		0.99	3.36	3.65	3.98	4.18	4.49	4.78
	RCP8.5	0.01	2.82	3.31	3.66	3.71	3.75	3.77
		0.25	3.13	3.51	3.79	3.88	3.97	4.01
		0.5	3.31	3.56	3.86	3.97	4.04	4.09
		0.75	3.44	3.67	3.89	4.11	4.27	4.39
		0.99	3.62	3.77	4.02	4.27	4.60	4.90
	Minimum		2.79	3.20	3.47	3.62	3.73	3.77
	Maximum		3.62	3.77	4.02	4.27	4.60	4.90

Table C-112. Storm Event Frequency: Rain Gage No 1113.

Rain Gage No. 1113								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		3.08	3.75	4.59	5.22	5.84	6.46
			3.44	4.24	5.30	6.15	7.03	7.96
BCSD	CMIP3	Hot dry	2.67	3.45	4.58	5.54	6.59	7.77
		Hot wet	3.24	4.65	7.18	9.80	13.27	17.87
		Central	2.69	3.60	5.03	6.35	7.93	9.81
		Warm dry	2.51	3.33	4.62	5.78	7.15	8.77
		Warm wet	3.34	4.58	6.57	8.42	10.64	13.32
	CMIP5	Hot dry	2.82	3.68	4.97	6.09	7.38	8.84
		Hot wet	3.80	5.24	7.59	9.82	12.54	15.87
		Central	3.01	4.06	5.69	7.17	8.91	10.97
		Warm dry	2.58	3.41	4.68	5.83	7.16	8.72
		Warm wet	3.62	5.13	7.73	10.34	13.69	18.00
	Minimum		2.51	3.33	4.58	5.54	6.59	7.77
	Maximum		3.80	5.24	7.73	10.34	13.69	18.00
BCCA	RCP2.6	0.01	2.34	3.10	3.83	4.39	4.97	5.57
		0.25	3.05	4.00	5.45	6.80	8.59	10.53
		0.5	3.30	4.40	6.07	7.51	9.47	11.63
		0.75	3.53	4.66	6.51	8.31	10.19	12.99
		0.99	4.43	5.67	7.36	8.84	11.12	14.09
	RCP8.5	0.01	2.24	2.90	3.92	4.71	5.36	5.88
		0.25	2.98	3.91	5.33	6.66	8.04	9.64
		0.5	3.41	4.40	6.11	7.72	9.40	11.63
		0.75	3.98	5.08	7.00	8.52	10.16	12.12
		0.99	4.81	5.96	7.43	9.05	11.37	14.31
	Minimum		2.24	2.90	3.83	4.39	4.97	5.57
	Maximum		4.81	5.96	7.43	9.05	11.37	14.31

Table C-113. Storm Event Frequency: Rain Gage No 1114.

Rain Gage No. 1114								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		3.64	4.38	5.36	6.12	6.89	7.69
BCSD	CMIP3	Hot dry	3.20	3.81	4.51	4.98	5.40	5.78
		Hot wet	4.31	5.32	6.56	7.45	8.31	9.15
		Central	3.47	4.14	4.91	5.42	5.89	6.31
		Warm dry	3.30	3.95	4.66	5.12	5.53	5.90
		Warm wet	4.18	4.92	5.70	6.17	6.57	6.91
	CMIP5	Hot dry	3.46	4.00	4.53	4.85	5.11	5.32
		Hot wet	4.76	5.88	7.23	8.19	9.11	10.00
		Central	3.70	4.40	5.17	5.66	6.10	6.50
		Warm dry	3.12	3.59	4.06	4.33	4.55	4.74
		Warm wet	4.35	5.31	6.44	7.22	7.96	8.65
	Minimum		3.12	3.59	4.06	4.33	4.55	4.74
	Maximum		4.76	5.88	7.23	8.19	9.11	10.00
BCCA	RCP2.6	0.01	2.65	3.30	4.21	4.42	4.53	4.61
		0.25	3.36	3.88	4.36	4.76	4.99	5.20
		0.5	3.50	3.99	4.51	4.92	5.26	5.43
		0.75	3.69	4.14	4.71	5.07	5.36	5.73
		0.99	3.95	4.43	4.88	5.13	5.84	6.74
	RCP8.5	0.01	2.76	3.40	4.17	4.26	4.32	4.36
		0.25	3.37	3.87	4.36	4.64	4.84	4.97
		0.5	3.51	3.99	4.41	4.77	4.94	5.12
		0.75	3.73	4.12	4.60	4.96	5.43	5.82
		0.99	4.02	4.45	4.95	5.34	5.74	6.45
	Minimum		2.65	3.30	4.17	4.26	4.32	4.36
	Maximum		4.02	4.45	4.95	5.34	5.84	6.74

Table C-114. Storm Event Frequency: Rain Gage No 1115.

Rain Gage No. 1115								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		5.47	6.66	8.22	9.41	10.61	11.85
BCSD	CMIP3	Hot dry	3.89	4.52	5.26	5.77	6.24	6.67
		Hot wet	5.21	6.45	8.15	9.49	10.91	12.40
		Central	4.43	5.20	6.10	6.73	7.31	7.86
		Warm dry	3.93	4.52	5.16	5.56	5.91	6.22
		Warm wet	5.25	6.32	7.64	8.61	9.55	10.48
	CMIP5	Hot dry	4.42	5.08	5.79	6.24	6.63	6.96
		Hot wet	5.94	7.16	8.71	9.85	10.99	12.11
		Central	4.74	5.53	6.40	6.96	7.46	7.91
		Warm dry	4.09	4.68	5.32	5.72	6.07	6.37
		Warm wet	5.76	6.80	8.02	8.84	9.61	10.32
	Minimum		3.89	4.52	5.16	5.56	5.91	6.22
	Maximum		5.94	7.16	8.71	9.85	10.99	12.40
BCCA	RCP2.6	0.01	3.82	4.19	4.53	4.71	4.84	4.95
		0.25	4.14	4.62	5.16	5.63	5.90	6.06
		0.5	4.38	4.89	5.43	5.77	6.03	6.28
		0.75	4.62	5.11	5.60	5.84	6.19	6.55
		0.99	4.81	5.26	5.77	6.09	6.36	6.62
	RCP8.5	0.01	3.79	4.25	4.71	5.00	5.25	5.45
		0.25	4.26	4.78	5.30	5.57	5.74	5.88
		0.5	4.44	4.91	5.40	5.71	5.93	6.09
		0.75	4.74	5.22	5.52	5.84	6.12	6.41
		0.99	5.03	5.33	5.79	6.11	6.39	6.70
	Minimum		3.79	4.19	4.53	4.71	4.84	4.95
	Maximum		5.03	5.33	5.79	6.11	6.39	6.70

Table C-115. Storm Event Frequency: Rain Gage No 1126.

Rain Gage No. 1126								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.13	5.09	6.32	7.26	8.21	9.17
BCSD	CMIP3	Hot dry	3.40	4.11	4.96	5.55	6.10	6.63
		Hot wet	4.44	5.72	7.48	8.89	10.40	12.01
		Central	3.82	4.76	5.98	6.90	7.83	8.78
		Warm dry	3.31	4.19	5.37	6.30	7.28	8.30
		Warm wet	4.47	5.73	7.49	8.92	10.45	12.11
	CMIP5	Hot dry	3.65	4.38	5.23	5.82	6.38	6.91
		Hot wet	4.92	6.17	7.81	9.05	10.32	11.62
		Central	3.98	5.06	6.53	7.70	8.94	10.24
		Warm dry	3.54	4.39	5.49	6.32	7.16	8.00
		Warm wet	4.39	5.62	7.35	8.75	10.27	11.90
	Minimum		3.31	4.11	4.96	5.55	6.10	6.63
	Maximum		4.92	6.17	7.81	9.05	10.45	12.11
BCCA	RCP2.6	0.01	3.30	3.74	4.11	4.31	4.44	4.55
		0.25	3.60	4.03	4.42	4.59	4.78	4.91
		0.5	3.86	4.24	4.57	4.77	4.91	4.99
		0.75	3.97	4.36	4.65	4.82	4.98	5.08
		0.99	4.14	4.43	4.80	5.01	5.18	5.31
	RCP8.5	0.01	3.28	3.64	3.98	4.17	4.31	4.41
		0.25	3.68	4.07	4.51	4.62	4.67	4.71
		0.5	3.94	4.33	4.62	4.75	4.81	4.92
		0.75	4.13	4.44	4.71	4.89	5.07	5.18
		0.99	4.42	4.55	4.86	5.13	5.46	5.77
	Minimum		3.28	3.64	3.98	4.17	4.31	4.41
	Maximum		4.42	4.55	4.86	5.13	5.46	5.77

Table C-116. Storm Event Frequency: Rain Gage No 1129.

Rain Gage No. 1129								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		3.66	4.48	5.56	6.39	7.25	8.14
BCSD	CMIP3	Hot dry	2.60	3.30	4.29	5.12	6.04	7.05
		Hot wet	2.95	3.45	4.00	4.36	4.68	4.96
		Central	2.62	3.19	3.96	4.55	5.15	5.77
		Warm dry	2.35	2.84	3.45	3.91	4.35	4.80
		Warm wet	2.96	3.51	4.15	4.58	4.98	5.35
	CMIP5	Hot dry	2.73	3.32	4.08	4.66	5.23	5.82
		Hot wet	3.24	3.83	4.50	4.95	5.36	5.73
		Central	2.65	3.18	3.82	4.27	4.71	5.13
		Warm dry	2.40	2.82	3.30	3.63	3.94	4.22
		Warm wet	3.31	3.93	4.62	5.07	5.48	5.85
	Minimum		2.35	2.82	3.30	3.63	3.94	4.22
	Maximum		3.31	3.93	4.62	5.12	6.04	7.05
BCCA	RCP2.6	0.01	2.18	2.46	2.69	2.83	2.95	3.05
		0.25	2.35	2.60	2.91	3.10	3.28	3.44
		0.5	2.46	2.76	3.15	3.37	3.57	3.77
		0.75	2.55	2.93	3.45	3.74	4.07	4.41
		0.99	2.81	3.25	3.77	4.13	4.46	4.78
	RCP8.5	0.01	2.34	2.59	2.87	3.04	3.17	3.29
		0.25	2.40	2.72	3.04	3.28	3.45	3.61
		0.5	2.44	2.77	3.16	3.44	3.72	4.00
		0.75	2.52	2.87	3.26	3.62	3.99	4.37
		0.99	3.06	3.49	3.94	4.23	4.55	4.93
	Minimum		2.18	2.46	2.69	2.83	2.95	3.05
	Maximum		3.06	3.49	3.94	4.23	4.55	4.93

Table C-117. Storm Event Frequency: Rain Gage No 1158.

Rain Gage No. 1158								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		3.25	3.96	4.90	5.63	6.38	7.17
BCSD	CMIP3	Hot dry	2.42	2.87	3.42	3.83	4.24	4.64
		Hot wet	2.90	3.83	5.38	6.88	8.76	11.10
		Central	2.63	3.24	4.12	4.85	5.65	6.52
		Warm dry	2.29	2.67	3.10	3.40	3.68	3.94
		Warm wet	2.95	3.73	4.88	5.88	7.01	8.29
	CMIP5	Hot dry	2.64	3.27	4.19	4.99	5.89	6.90
		Hot wet	3.40	4.32	5.69	6.88	8.23	9.77
		Central	2.66	3.27	4.12	4.82	5.58	6.40
		Warm dry	2.50	3.05	3.82	4.44	5.10	5.81
		Warm wet	3.28	4.28	5.84	7.28	8.99	11.02
	Minimum		2.29	2.67	3.10	3.40	3.68	3.94
	Maximum		3.40	4.32	5.84	7.28	8.99	11.10
BCCA	RCP2.6	0.01	2.14	2.48	2.74	2.89	3.01	3.11
		0.25	2.46	2.91	3.57	4.15	4.79	5.58
		0.5	2.77	3.52	4.68	5.68	6.81	7.86
		0.75	3.19	4.02	5.17	6.06	7.13	8.25
		0.99	3.70	4.51	5.56	6.44	7.69	9.22
	RCP8.5	0.01	2.20	2.58	3.04	3.38	3.70	4.01
		0.25	2.48	3.01	3.73	4.30	4.92	5.54
		0.5	2.84	3.56	4.73	5.75	6.73	7.56
		0.75	3.36	4.12	5.13	6.19	7.14	8.14
		0.99	3.73	4.52	5.58	6.42	7.73	9.49
	Minimum		2.14	2.48	2.74	2.89	3.01	3.11
	Maximum		3.73	4.52	5.58	6.44	7.73	9.49

Table C-118. Storm Event Frequency: Rain Gage No 1191.

Rain Gage No. 1191								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		5.00	6.11	7.55	8.66	9.81	10.98
BCSD	CMIP3	Hot dry	4.10	4.75	5.48	5.96	6.39	6.77
		Hot wet	5.38	6.69	8.42	9.76	11.13	12.55
		Central	4.46	5.34	6.42	7.22	7.99	8.75
		Warm dry	4.02	4.92	6.11	7.03	7.97	8.95
		Warm wet	5.67	7.03	8.82	10.21	11.63	13.09
	CMIP5	Hot dry	4.62	5.42	6.33	6.95	7.52	8.04
		Hot wet	6.09	7.60	9.62	11.20	12.84	14.54
		Central	4.88	6.02	7.51	8.66	9.85	11.07
		Warm dry	4.19	4.90	5.71	6.24	6.73	7.17
		Warm wet	5.48	7.13	9.60	11.75	14.20	16.99
	Minimum		4.02	4.75	5.48	5.96	6.39	6.77
	Maximum		6.09	7.60	9.62	11.75	14.20	16.99
BCCA	RCP2.6	0.01	3.87	4.49	5.24	5.39	5.44	5.47
		0.25	4.41	5.01	5.45	5.72	5.88	5.96
		0.5	4.53	5.08	5.61	5.85	6.08	6.29
		0.75	4.88	5.16	5.66	6.01	6.35	6.66
		0.99	5.20	5.46	5.81	6.25	6.63	7.00
	RCP8.5	0.01	3.91	4.59	5.25	5.40	5.41	5.42
		0.25	4.58	5.12	5.42	5.61	5.78	5.91
		0.5	4.83	5.22	5.62	5.91	6.05	6.15
		0.75	4.94	5.40	5.76	6.03	6.25	6.38
		0.99	5.28	5.51	5.86	6.34	6.91	7.47
	Minimum		3.87	4.49	5.24	5.39	5.41	5.42
	Maximum		5.28	5.51	5.86	6.34	6.91	7.47

Table C-119. Storm Event Frequency: Rain Gage No 1192.

Rain Gage No. 1192								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		3.31	4.06	5.05	5.83	6.63	7.47
BCSD	CMIP3	Hot dry	2.52	2.97	3.48	3.81	4.10	4.37
		Hot wet	2.90	3.64	4.62	5.36	6.12	6.90
		Central	2.68	3.31	4.11	4.69	5.27	5.84
		Warm dry	2.17	2.60	3.12	3.47	3.82	4.14
		Warm wet	2.91	3.59	4.44	5.06	5.67	6.28
	CMIP5	Hot dry	2.69	3.37	4.27	4.98	5.72	6.49
		Hot wet	3.11	3.80	4.65	5.26	5.85	6.43
		Central	2.63	3.18	3.83	4.29	4.73	5.15
		Warm dry	2.47	2.99	3.60	4.03	4.45	4.84
		Warm wet	3.13	3.98	5.12	6.02	6.97	7.96
	Minimum		2.17	2.60	3.12	3.47	3.82	4.14
	Maximum		3.13	3.98	5.12	6.02	6.97	7.96
BCCA	RCP2.6	0.01	2.21	2.50	2.76	2.91	3.01	3.07
		0.25	2.41	2.76	3.20	3.39	3.55	3.69
		0.5	2.58	2.89	3.34	3.60	3.87	4.03
		0.75	2.76	3.12	3.50	3.72	4.00	4.29
		0.99	2.91	3.26	3.70	4.01	4.29	4.56
	RCP8.5	0.01	2.35	2.64	2.85	2.96	3.03	3.09
		0.25	2.49	2.85	3.09	3.21	3.33	3.45
		0.5	2.66	2.96	3.32	3.55	3.68	3.78
		0.75	2.80	3.10	3.54	3.89	4.15	4.34
		0.99	2.99	3.39	3.80	4.07	4.42	4.85
	Minimum		2.21	2.50	2.76	2.91	3.01	3.07
	Maximum		2.99	3.39	3.80	4.07	4.42	4.85

Table C-120. Storm Event Frequency: Rain Gage No 1193.

Rain Gage No. 1193								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.71	5.79	7.22	8.33	9.48	10.67
BCSD	CMIP3	Hot dry	3.22	3.94	4.84	5.52	6.19	6.85
		Hot wet	3.79	4.89	6.49	7.85	9.35	11.03
		Central	3.39	4.09	4.97	5.61	6.24	6.86
		Warm dry	3.10	4.01	5.34	6.50	7.80	9.28
		Warm wet	4.16	5.43	7.32	8.96	10.83	12.96
	CMIP5	Hot dry	3.55	4.38	5.47	6.32	7.20	8.11
		Hot wet	4.54	5.83	7.69	9.25	10.97	12.87
		Central	3.49	4.37	5.56	6.51	7.51	8.57
		Warm dry	3.10	3.82	4.76	5.48	6.22	6.98
		Warm wet	4.42	5.69	7.48	8.95	10.55	12.28
	Minimum		3.10	3.82	4.76	5.48	6.19	6.85
	Maximum		4.54	5.83	7.69	9.25	10.97	12.96
BCCA	RCP2.6	0.01	3.23	3.94	4.86	5.35	5.49	5.57
		0.25	3.67	4.30	5.05	5.42	5.75	5.98
		0.5	4.01	4.64	5.14	5.51	5.85	6.26
		0.75	4.19	4.75	5.33	5.71	6.16	6.48
		0.99	4.59	4.98	5.58	6.19	6.78	7.35
	RCP8.5	0.01	3.32	3.97	4.74	5.19	5.31	5.35
		0.25	3.86	4.46	5.14	5.39	5.53	5.64
		0.5	4.20	4.80	5.24	5.57	5.85	6.25
		0.75	4.45	4.90	5.41	5.77	6.14	6.42
		0.99	4.79	5.09	5.59	6.19	6.87	7.56
	Minimum		3.23	3.94	4.74	5.19	5.31	5.35
	Maximum		4.79	5.09	5.59	6.19	6.87	7.56

Table C-121. Storm Event Frequency: Rain Gage No 1194.

Rain Gage No. 1194								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		5.89	7.26	9.03	10.37	11.73	13.12
BCSD	CMIP3	Hot dry	3.91	4.64	5.51	6.11	6.67	7.20
		Hot wet	4.54	5.42	6.46	7.19	7.87	8.51
		Central	3.94	4.54	5.17	5.57	5.91	6.20
		Warm dry	3.69	4.46	5.41	6.10	6.78	7.44
		Warm wet	4.98	6.05	7.33	8.25	9.14	9.99
	CMIP5	Hot dry	4.07	4.75	5.53	6.05	6.52	6.95
		Hot wet	5.21	6.20	7.33	8.10	8.81	9.47
		Central	4.22	4.95	5.77	6.31	6.80	7.24
		Warm dry	3.72	4.23	4.76	5.08	5.35	5.58
		Warm wet	4.74	5.91	7.49	8.75	10.07	11.47
	Minimum		3.69	4.23	4.76	5.08	5.35	5.58
	Maximum		5.21	6.20	7.49	8.75	10.07	11.47
BCCA	RCP2.6	0.01	3.50	3.90	4.28	4.46	4.54	4.59
		0.25	3.81	4.17	4.46	4.60	4.70	4.79
		0.5	3.97	4.30	4.58	4.71	4.77	4.81
		0.75	4.06	4.40	4.65	4.83	4.97	5.06
		0.99	4.23	4.46	4.72	4.93	5.10	5.23
	RCP8.5	0.01	3.50	3.89	4.28	4.43	4.49	4.52
		0.25	3.89	4.20	4.48	4.59	4.69	4.73
		0.5	4.09	4.35	4.60	4.73	4.78	4.84
		0.75	4.20	4.52	4.75	4.85	5.02	5.05
		0.99	4.45	4.67	5.00	5.25	5.45	5.63
	Minimum		3.50	3.89	4.28	4.43	4.49	4.52
	Maximum		4.45	4.67	5.00	5.25	5.45	5.63

Table C-122. Storm Event Frequency: Rain Gage No 1216.

Rain Gage No. 1216								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		3.04	3.68	4.51	5.14	5.78	6.43
BCSD	CMIP3	Hot dry	1.99	2.42	3.00	3.44	3.90	4.37
		Hot wet	2.50	3.13	3.99	4.67	5.39	6.14
		Central	2.13	2.51	2.94	3.24	3.51	3.77
		Warm dry	1.84	2.15	2.50	2.73	2.94	3.12
		Warm wet	2.53	3.04	3.64	4.06	4.46	4.83
	CMIP5	Hot dry	2.28	2.75	3.31	3.71	4.10	4.47
		Hot wet	2.85	3.43	4.16	4.69	5.20	5.70
		Central	2.29	2.70	3.16	3.47	3.75	4.00
		Warm dry	2.04	2.35	2.68	2.88	3.05	3.20
		Warm wet	2.93	3.66	4.60	5.32	6.05	6.78
Minimum		1.84	2.15	2.50	2.73	2.94	3.12	
Maximum		2.93	3.66	4.60	5.32	6.05	6.78	
BCCA	RCP2.6	0.01	1.83	2.17	2.51	2.70	2.79	2.81
		0.25	2.03	2.32	2.62	2.78	2.89	3.00
		0.5	2.16	2.44	2.72	2.84	2.95	3.07
		0.75	2.28	2.53	2.74	2.92	3.07	3.19
		0.99	2.45	2.62	2.82	3.00	3.34	3.70
	RCP8.5	0.01	1.94	2.28	2.50	2.57	2.63	2.67
		0.25	2.11	2.36	2.65	2.77	2.84	2.87
		0.5	2.21	2.48	2.70	2.83	2.90	2.96
		0.75	2.31	2.55	2.74	2.89	3.10	3.29
		0.99	2.48	2.64	2.86	3.06	3.29	3.54
	Minimum		1.83	2.17	2.50	2.57	2.63	2.67
	Maximum		2.48	2.64	2.86	3.06	3.34	3.70

Table C-123. Storm Event Frequency: Rain Gage No 1222.

Rain Gage No. 1222								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		3.96	4.78	5.83	6.62	7.41	8.19
BCSD	CMIP3	Hot dry	3.09	3.67	4.33	4.77	5.18	5.55
		Hot wet	3.78	4.85	6.34	7.56	8.87	10.29
		Central	3.15	3.71	4.34	4.76	5.13	5.48
		Warm dry	2.87	3.53	4.37	5.00	5.64	6.29
		Warm wet	3.86	4.81	6.06	7.02	7.99	8.99
	CMIP5	Hot dry	3.17	3.60	4.03	4.29	4.51	4.69
		Hot wet	4.34	5.39	6.74	7.77	8.80	9.84
		Central	3.34	4.02	4.83	5.41	5.96	6.49
		Warm dry	2.88	3.30	3.73	3.99	4.22	4.40
		Warm wet	3.92	4.85	6.02	6.88	7.74	8.59
	Minimum		2.87	3.30	3.73	3.99	4.22	4.40
	Maximum		4.34	5.39	6.74	7.77	8.87	10.29
BCCA	RCP2.6	0.01	2.78	3.27	3.86	4.13	4.34	4.47
		0.25	3.23	3.66	4.13	4.36	4.59	4.81
		0.5	3.35	3.81	4.27	4.61	4.84	5.06
		0.75	3.49	3.92	4.39	4.68	4.92	5.20
		0.99	3.86	4.22	4.54	4.89	5.27	5.64
	RCP8.5	0.01	2.84	3.22	3.60	3.81	3.98	4.12
		0.25	3.17	3.62	4.13	4.35	4.51	4.57
		0.5	3.53	3.88	4.29	4.56	4.62	4.86
		0.75	3.65	4.12	4.50	4.73	4.97	5.15
		0.99	4.12	4.34	4.63	4.93	5.20	5.66
	Minimum		2.78	3.22	3.60	3.81	3.98	4.12
	Maximum		4.12	4.34	4.63	4.93	5.27	5.66

Table C-124. Storm Event Frequency: Rain Gage No 1223.

Rain Gage No. 1223								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.65	5.70	7.06	8.08	9.12	10.17
BCSD	CMIP3	Hot dry	3.18	3.87	4.72	5.32	5.91	6.49
		Hot wet	3.73	4.93	6.73	8.31	10.13	12.23
		Central	3.37	4.07	4.91	5.51	6.07	6.62
		Warm dry	3.04	3.90	5.12	6.13	7.24	8.45
		Warm wet	4.19	5.53	7.51	9.22	11.17	13.37
	CMIP5	Hot dry	3.32	4.06	5.02	5.74	6.46	7.19
		Hot wet	4.46	5.68	7.36	8.72	10.16	11.72
		Central	3.27	4.03	5.02	5.77	6.54	7.33
		Warm dry	3.03	3.68	4.50	5.08	5.65	6.21
		Warm wet	4.05	5.13	6.60	7.77	9.00	10.30
	Minimum		3.03	3.68	4.50	5.08	5.65	6.21
	Maximum		4.46	5.68	7.51	9.22	11.17	13.37
BCCA	RCP2.6	0.01	3.00	3.60	4.30	4.67	4.99	5.22
		0.25	3.59	4.13	4.60	4.93	5.16	5.30
		0.5	3.74	4.30	4.98	5.43	5.78	6.22
		0.75	3.94	4.56	5.32	5.78	6.36	6.80
		0.99	4.13	4.75	5.50	6.16	6.82	7.46
	RCP8.5	0.01	3.06	3.61	4.18	4.48	4.64	4.76
		0.25	3.59	4.15	4.76	5.14	5.42	5.61
		0.5	3.97	4.47	5.22	5.69	5.89	6.27
		0.75	4.22	4.76	5.51	6.10	6.42	6.94
		0.99	4.84	5.36	5.92	6.45	7.06	7.92
	Minimum		3.00	3.60	4.18	4.48	4.64	4.76
	Maximum		4.84	5.36	5.92	6.45	7.06	7.92

Table C-125. Storm Event Frequency: Rain Gage No 1252.

Rain Gage No. 1252								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		3.27	3.97	4.88	5.57	6.27	6.99
BCSD	CMIP3	Hot dry	2.49	2.81	3.11	3.28	3.42	3.52
		Hot wet	3.01	3.80	4.89	5.77	6.71	7.72
		Central	2.65	3.21	3.89	4.40	4.89	5.37
		Warm dry	2.40	2.85	3.39	3.76	4.10	4.42
		Warm wet	3.00	3.62	4.37	4.91	5.42	5.92
	CMIP5	Hot dry	2.76	3.25	3.80	4.16	4.50	4.80
		Hot wet	3.39	4.12	5.06	5.76	6.46	7.17
		Central	2.76	3.25	3.81	4.18	4.52	4.83
		Warm dry	2.70	3.33	4.15	4.77	5.41	6.06
		Warm wet	3.33	4.19	5.36	6.29	7.26	8.29
	Minimum		2.40	2.81	3.11	3.28	3.42	3.52
	Maximum		3.39	4.19	5.36	6.29	7.26	8.29
BCCA	RCP2.6	0.01	2.34	2.68	3.04	3.21	3.23	3.24
		0.25	2.73	2.98	3.19	3.27	3.32	3.35
		0.5	2.79	3.06	3.22	3.29	3.42	3.47
		0.75	2.92	3.11	3.31	3.43	3.54	3.62
		0.99	3.03	3.15	3.35	3.49	3.61	3.75
	RCP8.5	0.01	2.51	2.85	3.09	3.10	3.11	3.11
		0.25	2.71	3.00	3.19	3.23	3.24	3.26
		0.5	2.86	3.05	3.25	3.38	3.44	3.52
		0.75	2.97	3.12	3.30	3.42	3.53	3.62
		0.99	3.06	3.18	3.37	3.56	3.74	3.88
	Minimum		2.34	2.68	3.04	3.10	3.11	3.11
	Maximum		3.06	3.18	3.37	3.56	3.74	3.88

Table C-126. Storm Event Frequency: Rain Gage No 1253.

Rain Gage No. 1253								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		3.24	3.97	4.93	5.67	6.42	7.20
BCSD	CMIP3	Hot dry	2.35	2.90	3.65	4.24	4.87	5.53
		Hot wet	2.96	4.01	5.76	7.44	9.53	12.13
		Central	2.67	3.45	4.60	5.59	6.70	7.95
		Warm dry	2.42	3.00	3.74	4.30	4.87	5.44
		Warm wet	3.13	4.05	5.37	6.48	7.69	9.04
	CMIP5	Hot dry	2.58	3.31	4.42	5.39	6.51	7.79
		Hot wet	3.48	4.54	6.07	7.39	8.85	10.50
		Central	2.71	3.47	4.58	5.51	6.54	7.69
		Warm dry	2.49	3.12	3.98	4.67	5.40	6.17
		Warm wet	3.18	4.39	6.42	8.42	10.93	14.11
	Minimum		2.35	2.90	3.65	4.24	4.87	5.44
	Maximum		3.48	4.54	6.42	8.42	10.93	14.11
BCCA	RCP2.6	0.01	2.19	2.58	2.96	3.22	3.45	3.67
		0.25	2.54	3.13	4.04	4.89	5.99	7.41
		0.5	2.99	3.97	5.52	6.91	8.53	10.18
		0.75	3.49	4.58	6.21	7.57	9.06	10.64
		0.99	4.25	5.32	6.72	7.94	9.79	12.10
	RCP8.5	0.01	2.28	2.81	3.52	4.09	4.66	5.21
		0.25	2.62	3.33	4.27	5.14	6.12	7.22
		0.5	3.06	3.86	5.47	7.04	8.61	9.99
		0.75	3.66	4.72	6.16	7.67	9.03	10.79
		0.99	4.26	5.32	6.73	8.03	9.84	12.49
	Minimum		2.19	2.58	2.96	3.22	3.45	3.67
	Maximum		4.26	5.32	6.73	8.03	9.84	12.49

Table C-127. Storm Event Frequency: Rain Gage No 1254.

Rain Gage No. 1254								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		2.80	3.43	4.28	4.95	5.64	6.36
BCSD	CMIP3	Hot dry	2.61	3.20	3.92	4.45	4.95	5.44
		Hot wet	2.97	4.21	6.36	8.53	11.31	14.89
		Central	2.53	3.28	4.37	5.30	6.34	7.50
		Warm dry	2.36	3.01	3.90	4.62	5.39	6.21
		Warm wet	3.04	4.04	5.56	6.89	8.42	10.19
	CMIP5	Hot dry	2.53	3.23	4.24	5.08	6.02	7.06
		Hot wet	3.30	4.47	6.32	8.03	10.09	12.55
		Central	2.76	3.62	4.89	5.99	7.24	8.65
		Warm dry	2.38	3.06	4.05	4.89	5.82	6.86
		Warm wet	3.14	4.33	6.32	8.25	10.66	13.69
	Minimum		2.36	3.01	3.90	4.45	4.95	5.44
	Maximum		3.30	4.47	6.36	8.53	11.31	14.89
BCCA	RCP2.6	0.01	2.12	2.36	2.60	2.75	2.87	2.98
		0.25	2.67	3.35	4.40	5.36	6.53	7.93
		0.5	2.87	3.72	5.01	6.29	7.85	9.76
		0.75	3.12	4.12	5.70	7.14	8.85	10.69
		0.99	3.69	4.78	6.35	7.69	9.40	11.70
	RCP8.5	0.01	2.23	2.72	3.37	3.88	4.36	4.85
		0.25	2.65	3.33	4.47	5.48	6.65	8.01
		0.5	2.92	3.71	4.95	6.09	7.56	9.09
		0.75	3.40	4.48	6.11	7.65	9.19	11.11
		0.99	3.96	5.03	6.53	7.79	9.61	11.99
	Minimum		2.12	2.36	2.60	2.75	2.87	2.98
	Maximum		3.96	5.03	6.53	7.79	9.61	11.99

Table C-128. Storm Event Frequency: Rain Gage No 1255.

Rain Gage No. 1255								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		3.33	4.06	5.01	5.74	6.48	7.23
BCSD	CMIP3	Hot dry	2.74	3.28	3.91	4.34	4.75	5.13
		Hot wet	3.36	4.40	5.90	7.17	8.59	10.18
		Central	2.73	3.36	4.17	4.78	5.40	6.02
		Warm dry	2.62	3.32	4.28	5.06	5.88	6.75
		Warm wet	3.23	4.10	5.31	6.30	7.36	8.50
	CMIP5	Hot dry	2.90	3.54	4.36	4.97	5.59	6.22
		Hot wet	3.49	4.55	6.13	7.50	9.05	10.81
		Central	2.91	3.67	4.72	5.57	6.47	7.44
		Warm dry	2.54	3.11	3.85	4.41	4.97	5.55
		Warm wet	3.35	4.35	5.82	7.07	8.47	10.05
	Minimum		2.54	3.11	3.85	4.34	4.75	5.13
	Maximum		3.49	4.55	6.13	7.50	9.05	10.81
BCCA	RCP2.6	0.01	2.44	3.00	3.71	4.10	4.33	4.38
		0.25	3.02	3.52	4.04	4.34	4.62	4.84
		0.5	3.11	3.59	4.13	4.49	4.83	5.09
		0.75	3.26	3.75	4.24	4.57	4.91	5.35
		0.99	3.65	3.94	4.37	4.74	5.21	5.91
	RCP8.5	0.01	2.43	2.93	3.53	3.94	4.01	4.02
		0.25	2.91	3.47	4.07	4.34	4.47	4.63
		0.5	3.24	3.73	4.19	4.48	4.86	5.04
		0.75	3.52	3.88	4.24	4.58	4.94	5.25
		0.99	3.73	3.91	4.35	4.73	5.23	5.74
	Minimum		2.43	2.93	3.53	3.94	4.01	4.02
	Maximum		3.73	3.94	4.37	4.74	5.23	5.91

Table C-129. Storm Event Frequency: Rain Gage No 1256.

Rain Gage No. 1256								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		3.59	4.37	5.34	6.06	6.78	7.48
BCSD	CMIP3	Hot dry	2.10	2.55	3.15	3.62	4.09	4.59
		Hot wet	2.46	3.24	4.54	5.79	7.34	9.25
		Central	2.17	2.64	3.29	3.81	4.37	4.96
		Warm dry	2.04	2.47	3.04	3.49	3.96	4.45
		Warm wet	2.50	3.12	4.01	4.76	5.60	6.54
	CMIP5	Hot dry	2.21	2.64	3.20	3.63	4.07	4.52
		Hot wet	2.76	3.54	4.83	6.06	7.56	9.41
		Central	2.34	2.89	3.67	4.32	5.02	5.80
		Warm dry	2.10	2.45	2.87	3.17	3.45	3.71
		Warm wet	2.65	3.43	4.68	5.85	7.29	9.03
	Minimum		2.04	2.45	2.87	3.17	3.45	3.71
	Maximum		2.76	3.54	4.83	6.06	7.56	9.41
BCCA	RCP2.6	0.01	2.09	2.46	2.92	3.08	3.21	3.32
		0.25	2.46	2.81	3.23	3.49	3.74	3.98
		0.5	2.66	3.04	3.45	3.73	4.00	4.21
		0.75	2.80	3.25	3.71	3.99	4.21	4.40
		0.99	2.95	3.35	3.88	4.29	4.68	5.05
	RCP8.5	0.01	2.14	2.57	3.09	3.45	3.73	3.94
		0.25	2.61	3.00	3.36	3.70	4.01	4.22
		0.5	2.70	3.15	3.62	3.88	4.09	4.32
		0.75	2.84	3.26	3.76	4.06	4.33	4.62
		0.99	3.11	3.52	3.96	4.29	4.74	5.18
	Minimum		2.09	2.46	2.92	3.08	3.21	3.32
	Maximum		3.11	3.52	3.96	4.29	4.74	5.18

Table C-130. Storm Event Frequency: Rain Gage No 1257.

Rain Gage No. 1257								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		3.75	4.59	5.69	6.55	7.44	8.36
BCSD	CMIP3	Hot dry	2.94	3.39	3.85	4.13	4.36	4.56
		Hot wet	3.63	4.64	6.01	7.10	8.24	9.45
		Central	3.16	3.75	4.42	4.86	5.25	5.61
		Warm dry	2.88	3.49	4.20	4.70	5.16	5.59
		Warm wet	3.72	4.62	5.75	6.58	7.39	8.20
	CMIP5	Hot dry	3.25	3.80	4.40	4.77	5.10	5.38
		Hot wet	4.15	5.12	6.32	7.18	8.01	8.83
		Central	3.32	3.98	4.72	5.23	5.68	6.10
		Warm dry	2.86	3.33	3.83	4.13	4.40	4.63
		Warm wet	3.85	4.76	5.89	6.72	7.52	8.31
	Minimum		2.86	3.33	3.83	4.13	4.36	4.56
	Maximum		4.15	5.12	6.32	7.18	8.24	9.45
BCCA	RCP2.6	0.01	2.54	3.03	3.63	3.96	4.06	4.11
		0.25	3.22	3.56	3.88	4.05	4.17	4.24
		0.5	3.33	3.70	3.97	4.12	4.28	4.39
		0.75	3.41	3.75	4.04	4.21	4.39	4.53
		0.99	3.60	3.90	4.17	4.35	4.54	4.92
	RCP8.5	0.01	2.59	3.04	3.53	3.80	3.84	3.84
		0.25	3.23	3.66	3.95	4.05	4.13	4.17
		0.5	3.37	3.74	3.99	4.15	4.28	4.39
		0.75	3.56	3.81	4.07	4.25	4.39	4.52
		0.99	3.71	3.89	4.25	4.53	4.81	5.09
	Minimum		2.54	3.03	3.53	3.80	3.84	3.84
	Maximum		3.71	3.90	4.25	4.53	4.81	5.09

Table C-131. Storm Event Frequency: Rain Gage No 1259.

Rain Gage No. 1259								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		3.96	4.88	6.13	7.11	8.14	9.21
BCSD	CMIP3	Hot dry	2.55	2.89	3.24	3.45	3.61	3.75
		Hot wet	3.18	3.95	4.95	5.70	6.47	7.24
		Central	2.84	3.28	3.74	4.02	4.25	4.45
		Warm dry	2.48	2.87	3.29	3.55	3.78	3.97
		Warm wet	3.13	3.75	4.49	5.00	5.48	5.92
	CMIP5	Hot dry	2.85	3.28	3.72	3.99	4.21	4.41
		Hot wet	3.63	4.41	5.36	6.03	6.69	7.32
		Central	2.95	3.48	4.08	4.47	4.83	5.15
		Warm dry	2.55	2.88	3.20	3.38	3.53	3.64
		Warm wet	3.28	4.04	5.04	5.79	6.54	7.31
	Minimum		2.48	2.87	3.20	3.38	3.53	3.64
	Maximum		3.63	4.41	5.36	6.03	6.69	7.32
BCCA	RCP2.6	0.01	2.39	2.72	3.07	3.17	3.20	3.21
		0.25	2.78	2.98	3.13	3.21	3.25	3.27
		0.5	2.88	3.06	3.17	3.26	3.31	3.37
		0.75	2.91	3.09	3.25	3.33	3.40	3.47
		0.99	3.00	3.19	3.34	3.41	3.51	3.67
	RCP8.5	0.01	2.36	2.68	3.00	3.10	3.11	3.12
		0.25	2.80	3.01	3.17	3.23	3.26	3.26
		0.5	2.85	3.04	3.22	3.28	3.36	3.40
		0.75	2.95	3.12	3.26	3.33	3.45	3.54
		0.99	3.05	3.16	3.40	3.53	3.65	3.73
	Minimum		2.36	2.68	3.00	3.10	3.11	3.12
	Maximum		3.05	3.19	3.40	3.53	3.65	3.73

Table C-132. Storm Event Frequency: Rain Gage No 1261.

Rain Gage No. 1261								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		5.72	7.17	9.16	10.75	12.44	14.24
BCSD	CMIP3	Hot dry	3.87	4.62	5.49	6.08	6.62	7.12
		Hot wet	4.77	6.28	8.47	10.34	12.43	14.78
		Central	4.24	5.16	6.27	7.05	7.80	8.51
		Warm dry	3.60	4.44	5.52	6.33	7.16	7.99
		Warm wet	4.89	6.25	8.12	9.62	11.22	12.93
	CMIP5	Hot dry	4.26	5.04	5.91	6.48	7.00	7.46
		Hot wet	5.33	6.79	8.78	10.38	12.07	13.87
		Central	4.35	5.43	6.83	7.89	8.98	10.08
		Warm dry	3.65	4.24	4.88	5.28	5.63	5.94
		Warm wet	4.75	6.15	8.21	9.98	11.96	14.18
	Minimum		3.60	4.24	4.88	5.28	5.63	5.94
	Maximum		5.33	6.79	8.78	10.38	12.43	14.78
BCCA	RCP2.6	0.01	3.58	4.30	5.24	5.67	6.02	6.32
		0.25	4.20	4.85	5.46	5.86	6.18	6.47
		0.5	4.44	5.00	5.63	6.05	6.49	6.82
		0.75	4.59	5.25	6.11	6.60	7.01	7.68
		0.99	5.13	5.85	6.59	7.05	7.66	8.26
	RCP8.5	0.01	3.59	4.23	5.01	5.51	5.96	6.20
		0.25	4.27	4.94	5.61	5.95	6.31	6.51
		0.5	4.53	5.14	5.78	6.18	6.47	6.92
		0.75	4.79	5.63	6.16	6.63	7.02	7.29
		0.99	5.38	5.83	6.71	7.40	8.05	8.65
	Minimum		3.58	4.23	5.01	5.51	5.96	6.20
	Maximum		5.38	5.85	6.71	7.40	8.05	8.65

Table C-133. Storm Event Frequency: Rain Gage No 1264.

Rain Gage No. 1264								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		4.94	6.06	7.53	8.66	9.82	11.01
BCSD	CMIP3	Hot dry	3.67	4.46	5.38	6.00	6.59	7.13
		Hot wet	4.76	6.13	7.97	9.40	10.88	12.43
		Central	4.11	4.89	5.72	6.24	6.70	7.10
		Warm dry	3.55	4.53	5.83	6.86	7.92	9.03
		Warm wet	5.04	6.48	8.39	9.87	11.40	12.98
	CMIP5	Hot dry	3.89	4.67	5.57	6.17	6.73	7.23
		Hot wet	5.17	6.40	7.92	9.01	10.08	11.12
		Central	4.02	4.87	5.84	6.50	7.11	7.68
		Warm dry	3.59	4.33	5.18	5.75	6.27	6.75
		Warm wet	4.76	5.82	7.07	7.93	8.73	9.48
	Minimum		3.55	4.33	5.18	5.75	6.27	6.75
	Maximum		5.17	6.48	8.39	9.87	11.40	12.98
BCCA	RCP2.6	0.01	3.33	3.86	4.36	4.67	4.94	5.17
		0.25	3.76	4.34	4.91	5.36	5.75	6.03
		0.5	3.97	4.60	5.34	5.84	6.31	6.77
		0.75	4.13	4.88	5.97	6.63	7.27	7.97
		0.99	4.52	5.35	6.34	7.06	7.77	8.69
	RCP8.5	0.01	3.40	3.82	4.22	4.45	4.64	4.80
		0.25	3.68	4.33	5.00	5.38	5.67	5.95
		0.5	4.02	4.68	5.73	6.27	6.91	7.54
		0.75	4.52	5.20	6.34	7.18	7.99	8.66
		0.99	5.31	6.13	7.02	7.69	8.49	9.27
	Minimum		3.33	3.82	4.22	4.45	4.64	4.80
	Maximum		5.31	6.13	7.02	7.69	8.49	9.27

Table C-134. Storm Event Frequency: Rain Gage No 1271.

Rain Gage No. 1271								
	Precipitation depth (inches):		24-hr, 5-yr	24-hr, 10-yr	24-hr, 25-yr	24-hr, 50-yr	24-hr, 100-yr	24-hr, 200-yr
	LACFCD NOAA Atlas 14		3.83	4.69	5.86	6.79	7.77	8.81
BCSD	CMIP3	Hot dry	3.10	3.76	4.59	5.21	5.82	6.44
		Hot wet	3.78	4.81	6.31	7.56	8.95	10.49
		Central	3.38	4.08	4.96	5.60	6.24	6.87
		Warm dry	3.07	3.86	4.96	5.85	6.81	7.84
		Warm wet	3.76	4.66	5.90	6.91	7.98	9.12
	CMIP5	Hot dry	3.36	4.06	4.97	5.66	6.35	7.04
		Hot wet	4.45	5.68	7.46	8.96	10.61	12.43
		Central	3.38	4.18	5.26	6.11	7.00	7.94
		Warm dry	2.92	3.51	4.27	4.85	5.43	6.02
		Warm wet	4.06	5.29	7.18	8.87	10.84	13.15
	Minimum		2.92	3.51	4.27	4.85	5.43	6.02
	Maximum		4.45	5.68	7.46	8.96	10.84	13.15
BCCA	RCP2.6	0.01	3.13	3.62	4.09	4.15	4.18	4.20
		0.25	3.68	3.97	4.28	4.44	4.52	4.58
		0.5	3.73	4.08	4.36	4.54	4.67	4.73
		0.75	3.89	4.23	4.52	4.65	4.81	4.98
		0.99	4.15	4.38	4.63	4.81	4.95	5.06
	RCP8.5	0.01	3.25	3.74	4.14	4.21	4.26	4.28
		0.25	3.68	4.03	4.33	4.44	4.48	4.50
		0.5	3.86	4.19	4.41	4.53	4.60	4.66
		0.75	4.05	4.27	4.48	4.64	4.81	4.93
		0.99	4.22	4.41	4.69	4.83	4.96	5.10
	Minimum		3.13	3.62	4.09	4.15	4.18	4.20
	Maximum		4.22	4.41	4.69	4.83	4.96	5.10