Temperature Below Goodwin Dam in Relation to Target Temperature at Knights Ferry (KF) and Orange Blossom Bridge (OBB)
Example: 1990



Figure - 12

% EXC	Jan		Feb		Mar		Apr		May		Jun		Jul		Aug		Sep		Oct		Nov		Dec	
2%	45.4	45.4	47.8	47.7	49.0	48.8	50.3	50.3	52.5	51.8	52.3	52.5	54.4	54.4	59.3	59.2	55.6	55.5	52.1	51.9	49.9	49.9	46.1	46.1
4%	46.1	46.1	48.2	48.0	49.2	49.1	50.8	50.7	53.0	52.4	53.7	53.7	56.6	56.8	59.4	59.4	56.3	56.2	52.7	52.3	50.6	50.5	46.4	46.8
6%	46.5	46.5	48.5	48.4	49.4	49.3	51.3	50.9	53.4	52.9	54.1	54.0	58.0	57.8	59.7	59.6	57.4	57.1	53.1	52.9	50.8	50.8	47.4	47.4
8%	46.7	46.7	48.7	48.6	49.7	49.5	51.5	51.2	53.7	53.2	54.6	54.4	58.7	58.3	59.9	59.9	57.7	57.6	53.2	53.1	51.1	51.0	47.9	47.7
10%	46.9	46.9	48.8	48.7	49.9	49.8	51.9	51.5	53.9	53.5	54.8	54.7	59.6	58.8	60.1	60.1	58.1	58.0	53.5	53.3	51.4	51.3	48.3	48.1
12%	47.1	47.1	49.0	48.8	50.2	50.0	52.1	51.8	54.1	53.7	55.3	55.1	60.1	59.6	60.5	60.4	58.3	58.4	53.7	53.5	51.6	51.6	48.6	48.5
14%	47.4	47.4	49.1	49.0	50.5	50.2	52.3	52.0	54.2	53.9	55.5	55.4	60.4	60.1	60.7	60.7	58.5	58.6	53.9	53.6	51.7	51.7	48.8	48.7
16%	47.6	47.5	49.2	49.1	50.8	50.5	52.5	52.2	54.3	54.1	55.7	55.6	60.8	60.3	60.9	60.9	58.8	58.9	54.0	53.7	51.8	51.8	49.0	48.9
18%	47.8	47.7	49.4	49.2	51.0	50.7	52.7	52.4	54.5	54.3	56.0	55.8	61.0	60.6	61.1	61.0	59.0	59.0	54.1	54.0	51.9	52.0	49.1	49.0
20%	47.9	47.8	49.4	49.3	51.2	51.0	52.9	52.6	54.6	54.4	56.3	56.2	61.4	61.1	61.2	61.2	59.3	59.3	54.3	54.3	52.1	52.2	49.2	49.1
22%	48.1	47.9	49.5	49.4	51.4	51.1	53.2	52.7	54.8	54.6	56.6	56.4	61.6	61.4	61.4	61.4	59.4	59.4	54.4	54.5	52.2	52.3	49.3	49.2
24%	48.2	48.1	49.7	49.5	51.6	51.3	53.3	52.9	54.9	54.7	56.8	56.6	61.9	61.9	61.5	61.5	59.6	59.7	54.6	54.7	52.3	52.4	49.5	49.3
26%	48.3	48.2	49.8	49.5	51.7	51.5	53.4	53.1	55.0	54.8	57.0	56.7	62.2	62.2	61.7	61.8	59.7	59.9	54.8	54.9	52.5	52.5	49.6	49.5
28%	48.4	48.3	49.9	49.6	51.9	51.6	53.6	53.3	55.2	54.9	57.2	57.0	62.5	62.4	61.9	62.1	59.8	60.1	55.0	55.0	52.6	52.7	49.7	49.6
30%	48.5	48.4	50.0	49.8	52.1	51.8	53.8	53.5	55.4	55.1	57.4	57.2	62.7	62.7	62.1	62.3	60.0	60.3	55.2	55.2	52.8	52.9	49.8	49.6
32%	48.6	48.4	50.1	49.9	52.2	52.0	54.0	53.7	55.5	55.2	57.6	57.4	63.0	63.0	62.3	62.5	60.1	60.5	55.3	55.3	52.9	53.0	49.9	49.7
34%	48.6	48.5	50.1	50.0	52.3	52.1	54.1	53.8	55.6	55.3	57.8	57.6	63.2	63.2	62.4	62.7	60.3	60.7	55.5	55.4	53.1	53.2	49.9	49.8
36%	48.7	48.6	50.2	50.1	52.4	52.3	54.3	54.0	55.7	55.4	58.0	57.8	63.4	63.5	62.6	62.9	60.5	60.9	55.6	55.5	53.1	53.3	50.0	49.9
38%	48.8	48.7	50.3	50.2	52.5	52.4	54.4	54.2	55.8	55.5	58.2	58.0	63.7	63.7	62.9	63.2	60.7	61.0	55.8	55.6	53.3	53.4	50.1	50.0
40%	48.9	48.8	50.4	50.3	52.6	52.6	54.5	54.3	55.9	55.7	58.4	58.1	63.9	64.0	63.1	63.4	60.9	61.2	55.9	55.6	53.4	53.5	50.2	50.1
42%	48.9	48.8	50.5	50.4	52.8	52.7	54.7	54.4	56.0	55.8	58.6	58.3	64.2	64.2	63.4	63.7	61.0	61.4	56.0	55.7	53.5	53.5	50.2	50.2
44%	49.0	48.9	50.6	50.6	52.9	52.8	54.8	54.6	56.0	55.9	58.9	58.6	64.6	64.4	63.6	63.8	61.2	61.5	56.1	55.8	53.6	53.6	50.3	50.3
46%	49.0	49.0	50.7	50.7	53.0	53.0	55.0	54.8	56.2	56.0	59.6	58.9	65.0	64.6	63.8	64.0	61.4	61.6	56.2	55.9	53.7	53.8	50.4	50.4
48%	49.1	49.0	50.8	50.7	53.1	53.1	55.2	55.1	56.4	56.1	60.5	59.4	65.3	64.7	64.1	64.2	61.5	61.8	56.4	55.9	53.8	53.9	50.5	50.5
50%	49.1	49.1	50.9	50.8	53.3	53.3	55.3	55.2	56.5	56.2	61.5	60.0	65.9	64.7	64.3	64.3	61.6	61.9	56.5	56.0	53.9	54.0	50.6	50.6
52%	49.2	49.2	51.0	51.0	53.4	53.4	55.5	55.4	56.7	56.3	62.9	60.5	66.3	64.8	64.5	64.4	61.8	62.0	56.7	56.0	54.0	54.1	50.7	50.7
54%	49.3	49.3	51.1	51.1	53.5	53.5	55.6	55.5	56.8	56.4	63.9	61.0	66.5	64.8	64.6	64.5	61.9	62.2	56.9	56.1	54.1	54.3	50.8	50.8
56%	49.3	49.3	51.2	51.2	53.7	53.7	55.7	55.7	56.9	56.5	64.3	61.5	66.8	64.9	64.9	64.6	62.1	62.4	57.0	56.2	54.2	54.4	50.9	50.9
58%	49.4	49.4	51.3	51.3	53.8	53.9	55.9	55.8	57.1	56.6	64.6	62.6	67.1	64.9	65.1	64.6	62.2	62.5	57.1	56.3	54.3	54.5	50.9	51.0
60%	49.5	49.5	51.4	51.4	54.0	54.0	56.0	56.0	57.2	56.7	64.9	63.4	67.2	65.0	65.3	64.7	62.4	62.7	57.2	56.4	54.4	54.6	51.0	51.0
62%	49.5	49.6	51.4	51.5	54.2	54.2	56.2	56.0	57.5	56.8	65.2	64.0	67.4	65.0	65.5	64.7	62.6	62.9	57.3	56.6	54.4	54.8	51.1	51.1
64%	49.7	49.7	51.5	51.5	54.5	54.4	56.4	56.1	57.7	56.9	65.5	64.3	67.5	65.0	65.7	64.8	62.8	63.1	57.7	56.7	54.5	54.9	51.2	51.2
66%	49.7	49.8	51.6	51.7	54.7	54.7	56.5	56.3	57.8	56.9	65.8	64.6	67.7	65.1	66.0	64.8	62.9	63.2	57.8	56.8	54.5	55.0	51.3	51.3
68%	49.8	49.9	51.7	51.8	55.0	55.0	56.7	56.4	58.1	57.0	66.0	64.7	67.9	65.1	66.1	64.9	63.1	63.4	58.0	56.9	54.6	55.1	51.3	51.4
70%	49.9	50.0	51.9	51.9	55.3	55.2	56.8	56.6	58.3	57.1	66.2	64.8	68.1	65.1	66.3	64.9	63.3	63.7	58.2	57.1	54.7	55.2	51.4	51.5
72%	50.0	50.1	52.1	52.1	55.5	55.5	57.0	56.7	58.6	57.1	66.4	64.9	68.3	65.2	66.5	65.0	63.5	63.9	58.5	57.2	54.8	55.3	51.5	51.6
74%	50.2	50.2	52.2	52.2	55.9	55.9	57.2	56.8	58.8	57.2	66.7	65.0	68.5	65.2	66.7	65.0	63.7	64.1	58.7	57.4	54.8	55.4	51.6	51.7
76%	50.2	50.3	52.3	52.4	56.3	56.2	57.4	56.9	59.2	57.3	67.0	65.0	68.8	65.2	66.9	65.0	64.0	64.3	59.0	57.7	55.0	55.5	51.7	51.8
78%	50.3	50.4	52.5	52.6	56.6	56.5	57.6	57.0	59.6	57.4	67.2	65.1	69.0	65.3	67.1	65.1	64.2	64.5	59.2	57.9	55.1	55.7	51.8	51.8
80%	50.5	50.5	52.7	52.9	56.9	56.7	57.8	57.1	60.3	57.5	67.4	65.2	69.2	65.3	67.3	65.1	64.4	64.7	59.5	58.3	55.2	55.9	51.9	51.9
82%	50.6	50.6	52.8	53.1	57.2	56.9	58.1	57.4	61.3	57.6	67.7	65.3	69.4	65.4	67.6	65.1	64.6	64.9	59.6	58.7	55.5	55.9	52.0	52.1
84%	50.7	50.8	53.0	53.4	57.4	57.2	58.5	57.5	62.0	57.7	68.0	65.4	69.6	65.4	67.9	65.2	64.8	65.0	59.8	59.2	55.6	56.1	52.0	52.3
86%	50.9	50.9	53.2	53.5	57.7	57.4	58.9	57.8	62.5	57.8	68.1	65.5	69.8	65.5	68.1	65.3	65.0	65.8	60.1	61.4	55.8	56.6	52.1	52.5
88%	51.1	51.1	53.4	53.8	57.9	57.7	59.2	58.0	63.0	57.9	68.4	65.6	70.1	65.6	68.2	65.3	65.2	66.7	60.3	62.7	56.2	56.9	52.3	52.6
90%	51.2	51.3	53.6	53.9	58.2	57.8	59.6	58.3	63.4	58.0	68.8	65.7	70.4	65.7	68.4	65.5	65.5	68.1	60.5	63.5	56.5	57.2	52.4	52.8
92%	51.4	51.6	54.0	54.2	58.4	58.0	59.8	58.5	64.0	58.1	69.2	66.0	70.7	65.9	68.7	65.8	65.9	68.9	60.8	64.5	56.7	57.6	52.5	53.1
94%	51.6	51.8	54.3	54.5	58.8	58.3	60.3	58.8	64.4	58.4	69.5	68.3	71.1	71.2	69.0	69.5	66.2	69.6	61.2	65.4	56.9	57.9	52.7	53.6
96%	52.0	52.2	54.6	54.8	59.3	58.6	60.8	59.0	65.4	59.5	69.8	70.0	71.5	73.2	69.4	70.5	66.5	69.9	62.1	66.5	57.3	58.6	52.9	54.4
98%	52.5	52.9	55.0	55.2	60.0	59.0	61.6	59.3	67.1	66.2	70.3	71.9	72.0	74.6	70.1	71.8	68.0	70.6	63.7	68.3	57.8	61.4	53.3	55.1
100%	54.0	54.0	56.6	56.7	60.8	59.7	63.3	60.0	69.9	71.1	71.0	74.9	74.0	75.9	73.0	73.6	70.2	72.5	65.6	70.5	59.3	63.9	54.5	55.7
Case	2E	2EA	2E	2EA	2E	2EA	2E	2EA	2E	2EA	2E	2EA	2E	2EA	2E	2EA	2E	2EA	2E	2EA	2E	2EA	2E	2EA
Target	55.0	55.0	55.0	55.0	55.0	55.0	55.0	55.0	55.0	55.0	65.0	65.0	65.0	65.0	65.0	65.0	65.0	65.0	56.0	56.0	56.0	56.0	56.0	56.0

Above target Below Target

Figure - 7

% EXC	Jan		Feb		Mar		Apr		May		Jun		Jul		Aug		Sep		Oct		Nov		Dec	
2%	45.8	45.8	47.8	46.1	49.1	47.7	50.3	48.0	51.4	49.2	53.0	52.4	54.5	55.5	55.5	57.5	53.8	55.4	52.3	55.0	49.7	52.0	46.6	47.6
4%	46.2	45.8	48.1	46.1	49.3	47.7	50.5	48.0	51.8	49.2	53.6	52.4	55.2	55.5	56.1	57.5	54.7	55.4	52.6	55.0	50.7	52.0	47.6	47.6
6%	46.4	45.9	48.4	46.4	49.6	48.3	50.7	48.0	52.3	50.0	54.2	52.5	58.0	58.1	58.9	59.0	55.1	57.3	53.4	56.6	51.0	53.4	48.1	48.7
8%	46.7	45.9	48.6	46.4	49.7	48.3	50.9	48.0	52.5	50.0	54.4	52.5	59.4	58.1	59.3	59.0	55.4	57.3	53.7	56.6	51.5	53.4	48.5	48.7
10%	47.0	45.9	48.8	47.2	50.0	48.5	51.1	48.6	52.6	50.0	54.6	53.4	59.9	58.7	59.6	59.9	56.2	57.9	53.9	57.6	51.8	53.5	48.7	48.8
12%	47.2	45.9	48.9	47.2	50.2	48.5	51.4	48.6	52.9	50.0	54.8	53.4	60.1	58.7	59.9	59.9	56.6	57.9	54.2	57.6	52.0	53.5	48.9	48.8
14%	47.3	46.3	49.0	47.3	50.5	49.5	51.7	48.8	53.1	50.7	54.9	54.5	60.3	60.6	60.1	61.2	57.6	58.7	54.3	57.8	52.2	53.5	49.0	49.0
16%	47.5	46.3	49.1	47.3	50.9	49.5	51.8	48.8	53.3	50.7	55.2	54.5	60.7	60.6	60.4	61.2	58.0	58.7	54.4	57.8	52.3	53.5	49.2	49.0
18%	47.6	46.3	49.2	48.6	51.2	49.7	52.0	49.3	53.5	50.9	55.5	54.6	61.1	61.8	60.7	61.2	58.7	60.2	54.6	57.8	52.5	53.5	49.3	49.0
20%	47.7	46.3	49.3	48.6	51.3	49.7	52.2	49.3	53.6	50.9	55.7	54.6	61.5	61.8	61.0	61.2	59.0	60.2	54.7	58.1	52.6	55.1	49.4	49.4
22%	47.8	46.4	49.4	48.7	51.4	49.7	52.5	49.5	53.7	51.9	55.8	55.8	61.9	62.0	61.3	62.0	59.3	60.9	54.8	58.1	52.7	55.1	49.6	49.4
24%	47.9	46.4	49.6	48.7	51.6	49.7	52.7	49.5	54.1	51.9	56.1	55.8	62.2	62.0	61.5	62.0	59.5	60.9	55.0	58.1	53.0	55.1	49.6	50.0
26%	48.0	46.4	49.6	48.8	51.7	49.7	52.9	49.5	54.3	52.0	56.5	55.9	62.5	62.0	61.8	62.1	59.8	61.1	55.1	58.1	53.2	55.1	49.7	50.0
28%	48.1	47.1	49.7	48.8	51.9	50.1	53.1	49.7	54.4	53.0	56.8	56.3	62.6	62.3	61.9	62.8	60.1	62.2	55.2	58.7	53.4	55.2	49.9	50.0
30%	48.2	47.1	49.8	48.8	52.0	50.1	53.3	49.7	54.6	53.0	57.1	56.3	62.7	62.3	62.1	62.8	60.3	62.2	55.3	58.7	53.5	55.2	50.0	50.0
32%	48.3	47.5	49.9	48.9	52.2	50.4	53.4	50.1	54.8	53.1	57.3	57.1	62.9	62.6	62.2	63.2	60.4	62.4	55.4	58.9	53.7	55.3	50.1	50.0
34%	48.4	47.5	49.9	48.9	52.3	50.4	53.6	50.1	54.9	53.1	57.5	57.1	63.0	62.6	62.4	63.2	60.6	62.4	55.6	58.9	53.8	55.3	50.2	50.0
36%	48.5	47.8	50.0	49.2	52.4	50.8	53.7	50.5	55.1	53.7	57.6	57.9	63.2	62.6	62.5	63.2	60.8	62.8	55.7	58.9	53.9	55.3	50.3	50.0
38%	48.6	47.8	50.1	49.2	52.5	50.8	53.8	50.5	55.3	53.7	57.9	57.9	63.5	62.6	62.6	63.2	60.9	62.8	55.8	59.2	54.1	55.4	50.4	50.1
40%	48.6	48.1	50.2	49.6	52.6	51.0	54.0	50.6	55.4	54.2	58.0	58.6	63.8	62.8	62.8	63.2	61.0	62.9	56.0	59.2	54.2	55.4	50.5	50.1
42%	48.7	48.1	50.3	49.6	52.7	51.0	54.1	50.6	55.6	54.2	58.2	58.6	63.9	62.8	62.9	63.2	61.1	62.9	56.2	59.2	54.3	55.5	50.6	50.1
44%	48.8	48.1	50.5	49.8	52.8	51.4	54.2	51.6	55.7	55.5	58.4	58.7	64.1	63.1	63.1	63.3	61.2	63.0	56.3	59.2	54.5	55.5	50.7	50.1
46%	48.9	48.1	50.5	49.8	52.9	51.4	54.3	51.6	55.9	55.5	58.8	58.7	64.3	63.1	63.3	63.3	61.3	63.0	56.4	59.2	54.5	55.8	50.7	50.5
48%	49.0	48.1	50.6	50.1	53.0	51.5	54.5	51.9	56.0	55.5	59.6	61.5	64.4	63.2	63.4	63.3	61.5	63.3	56.6	59.2	54.6	55.8	50.8	50.5
50%	49.0	48.1	50.7	50.1	53.2	51.5	54.6	51.9	56.2	55.5	60.2	61.5	64.6	63.2	63.6	63.3	61.7	63.3	56.7	59.4	54.7	56.0	50.9	50.5
52%	49.1	48.1	50.8	50.2	53.3	51.5	54.8	51.9	56.3	55.5	60.9	61.5	64.7	63.2	63.7	63.3	61.7	63.3	56.8	59.5	54.8	56.2	51.0	50.6
54%	49.2	48.2	51.0	50.2	53.4	51.7	54.9	53.2	56.5	55.9	61.6	61.7	64.9	63.4	63.9	63.8	61.9	63.7	57.0	59.5	54.9	56.2	51.1	50.6
56%	49.3	48.2	51.1	50.2	53.5	51.7	55.0	53.2	56.6	55.9	62.1	61.7	65.0	63.4	63.9	63.8	62.1	63.7	57.2	59.6	54.9	56.3	51.3	50.8
58%	49.3	48.2	51.3	50.5	53.6	52.3	55.1	53.2	56.8	56.2	62.4	61.8	65.1	63.7	64.1	63.9	62.3	63.9	57.3	59.6	55.1	56.3	51.3	50.8
60%	49.4	48.2	51.3	50.5	53.8	52.3	55.2	53.2	56.9	56.2	62.8	61.8	65.1	63.7	64.2	63.9	62.4	63.9	57.5	59.7	55.2	56.3	51.5	51.0
62%	49.5	48.6	51.4	50.6	54.0	52.4	55.3	53.2	57.1	56.6	63.1	62.0	65.3	64.7	64.3	64.0	62.5	64.2	57.8	59.7	55.3	56.3	51.6	51.0
64%	49.6	48.6	51.6	50.6	54.1	52.4	55.5	53.2	57.3	56.6	63.4	62.0	65.4	64.7	64.5	64.0	62.7	64.2	57.9	59.7	55.4	56.6	51.7	51.3
66%	49.7	48.8	51.7	50.8	54.2	52.8	55.6	53.5	57.4	56.8	63.7	62.9	65.5	64.7	64.6	64.2	62.8	64.4	58.1	59.7	55.6	56.6	51.8	51.3
68%	49.8	48.8	51.8	50.8	54.4	52.8	55.8	53.5	57.6	56.8	64.0	62.9	65.6	64.7	64.7	64.2	63.0	64.4	58.3	59.7	55.8	56.6	52.0	51.3
70%	49.9	49.2	51.9	51.5	54.6	53.3	55.9	53.8	57.8	57.3	64.2	63.1	65.7	65.1	64.8	64.3	63.2	64.4	58.6	60.3	55.9	56.8	52.1	51.4
72%	50.0	49.2	52.0	51.5	54.7	53.3	56.1	53.8	58.0	57.3	64.4	63.1	65.9	65.1	64.9	64.3	63.4	64.4	59.0	60.3	56.1	56.8	52.3	51.4
74%	50.1	49.2	52.2	51.6	54.8	53.6	56.3	54.4	58.2	57.4	64.5	63.9	66.0	65.3	65.1	64.5	63.7	64.7	60.0	60.7	56.3	56.9	52.4	51.6
76%	50.2	49.4	52.3	51.6	55.0	53.6	56.5	54.5	58.4	57.4	64.7	64.0	66.2	65.3	65.1	64.5	64.1	64.7	60.3	60.7	56.4	56.9	52.5	51.6
78%	50.3	49.4	52.4	51.6	55.1	53.6	56.6	54.5	58.6	57.4	64.9	64.0	66.4	65.3	65.3	64.5	64.3	64.7	60.6	61.1	56.7	57.2	52.6	52.0
80%	50.5	49.7	52.5	51.7	55.4	54.1	56.8	54.6	58.8	57.5	65.1	64.0	66.5	65.6	65.5	64.8	64.8	64.7	60.9	61.1	56.9	57.2	52.7	52.0
82%	50.7	49.7	52.7	51.7	55.6	54.1	57.1	54.6	59.0	57.5	65.3	64.0	66.7	65.6	65.7	64.8	65.1	64.7	61.3	61.8	57.1	57.4	52.8	52.0
84%	50.8	49.8	53.0	51.9	55.9	54.2	57.3	54.8	59.3	57.6	65.5	64.1	66.9	65.8	66.0	65.3	65.6	65.0	61.8	61.8	57.4	57.4	53.0	52.0
86%	51.0	49.8	53.1	51.9	56.1	54.2	57.6	54.8	59.5	57.6	65.8	64.1	67.2	65.8	66.4	65.3	66.2	65.0	62.0	61.8	57.6	57.4	53.1	52.0
88%	51.2	50.3	53.3	51.9	56.3	54.4	57.8	55.8	59.7	58.6	66.0	64.3	67.5	66.0	67.1	65.3	68.2	65.5	63.0	62.1	58.0	57.5	53.3	52.5
90%	51.5	50.3	53.6	51.9	56.6	54.4	58.0	55.8	60.1	58.6	66.3	64.3	67.8	66.0	67.8	65.3	68.6	65.5	64.0	62.1	58.3	57.5	53.5	52.5
92%	51.7	50.9	54.0	53.1	57.0	54.7	58.3	56.2	60.5	58.8	66.6	65.5	68.3	66.1	69.1	66.0	68.9	66.6	65.2	64.5	58.6	58.8	54.0	52.8
94%	52.0	50.9	54.3	53.1	57.4	54.7	58.5	56.2	61.1	58.8	67.0	65.5	69.4	66.1	69.8	66.0	69.2	66.6	66.2	64.5	59.1	58.8	54.2	52.8
96%	52.4	52.1	54.8	54.0	58.2	56.6	58.9	57.5	63.4	61.6	67.4	65.8	70.1	68.3	70.7	66.2	69.5	68.3	66.8	65.9	60.2	59.4	54.5	52.8
98%	53.2	52.1	55.1	54.0	59.0	56.6	60.0	57.5	65.4	61.6	68.0	65.8	70.9	68.3	71.6	66.2	69.9	68.3	67.4	65.9	61.9	59.4	54.7	52.8
100%	53.9	52.1	56.4	54.0	60.8	56.6	63.9	57.5	67.6	61.6	69.6	65.8	74.0	68.3	73.1	66.2	71.0	68.3	69.7	65.9	63.3	59.4	55.5	52.8
Case	5Q	NMFS	5Q	NMFS	5Q	NMFS	5Q	NMFS	5Q	NMFS	5Q	NMFS	5Q	NMFS	5Q	NMFS	5Q	NMFS	5Q	NMFS	5Q	NMFS	5Q	NMFS
Target	55.0	55.0	56.0	55.0	55.0	55.0	55.0	55.0	55.0	55.0	65.0	65.0	65.0	65.0	65.0	65.0	65.0	65.0	56.0	56.0	56.0	56.0	56.0	56.0

Above target Below Target

Target temperature at Orange Blossom Bridge can be met only about 50% of the time in the month of October even after flow augmentation (about 15% increase over Historical)




OCTOBER
70
65
60
55
50
45
40
Temperature (F)
1-Oct
15-Oct
29-Oct
Adult Migration RPA (Orange Blossom)


1600
1400
1200
1000
800
600
400
200
0
Flow (cfs)
Wet
Above Normal
Below Normal
Dry
Critically Dry
District
1-Oct
16-Oct
31-Oct

NOVEMBER / DECEMBER





JANUARY / FEBRUARY