

## Weekly Fish and Water Operations Outlook

12/12/2023 - 12/18/2023

## Water Project Operational Intent for Week

• Monthly Delta Outflow and Rio Vista flow for December greater than 4,500 cfs; E/I ratio not to exceed 0.65.

## **Forecasted Weather**

• Dry weather continues this week with mild days and cold nights; locally breezy on Tuesday and Wednesday; some precipitation in forecast for Sunday into Monday, but it looks light to moderate at this point.

## **Tables**

Table 1: Anticipated weekly operational ranges by tributary. Environmental and fish conditions updated by respective watershed groups at varying intervals that may not coincide with the weekly range of Water Operations

| Tributary/Division | Anticipated Weekly Ranges   | Related Environmental and Fish<br>Conditions  |
|--------------------|---|---|
| Clear Creek        | <ul> <li>Current Release: 200 cfs</li> <li>Anticipated Weekly Range of Releases: 200 cfs</li> </ul> | <ul> <li>Spring-run Chinook salmon fry are emerging and rearing.</li> <li>Fall-run Chinook salmon eggs are incubating.</li> <li>Late fall-run Chinook Salmon adults are migrating into the creek and will soon be spawning.</li> <li>Adult O. mykiss are migrating and spawning. Eggs are incubating, and juveniles are rearing.</li> </ul> |
|                    |   | (Updated 12/6/2023)   |

| Tributary/Division | Anticipated Weekly Ranges   | Related Environmental and Fish Conditions  |
|--------------------|---|--|
| Sacramento River   | <ul> <li>Shasta Storage: 3.048 MAF</li> <li>Current Release: 5,000 cfs</li> <li>Anticipated Weekly Range of Releases: 5,000 cfs.</li> </ul>   | Adult fall-run Chinook salmon<br>spawning is essentially completed.  |
|                    |   | (Updated 12/11/2023)   |
| Feather River      | <ul> <li>Oroville Storage: 2.326 MAF</li> <li>Current Release: 1,750 cfs</li> <li>Anticipated Weekly Range of Releases: 1,750 cfs.</li> </ul> | <ul> <li>Fall-run Chinook salmon adult spawning is nearing completion. Redds are being observed in both the HFC and LFC.</li> <li>O. mykiss juveniles are rearing. Adults are migrating upstream.</li> <li>Adult green sturgeon are still holding in the LFC.</li> <li>Spring-run Chinook salmon adults have completed spawning. Eggs are incubating in gravel.</li> <li>(Updated 12/11/2023)</li> </ul> |
| American River     | <ul> <li>Folsom Storage: 465 TAF</li> <li>Current Release: 2,000 cfs</li> <li>Anticipated Weekly Range of<br/>Releases: 2,000 cfs</li> </ul>  | <ul> <li>O. mykiss juveniles are rearing.</li> <li>Adult fall-run Chinook salmon are spawning. Eggs are incubating in gravel.</li> </ul>   |
|                    |   | (Undated 12/4/2022)  |
| Stanislaus River   | <ul> <li>New Melones Storage: 1.958 MAF</li> <li>Current Release: 200 cfs</li> <li>Anticipated Weekly Range of Releases: 200 cfs</li> </ul>   | spawning. Eggs are incubating in gravel.   |
|                    |   | (Updated 12/4/2023)  |

| Tributary/Division | Anticipated Weekly Ranges  | Related Environmental and Fish   |
|--------------------|--|--|
|                    |  | Conditions   |
| Delta              | <ul> <li>Freeport: 9,000 to 11,000 cfs</li> <li>Vernalis: 1,000 to 1,500 cfs</li> <li>Delta Outflow index: 4,000 to 5,500 cfs</li> <li>Combined Exports: 4,600 to 8,700 cfs</li> <li>JPP: Current 3,600 cfs, Range 3,600 cfs to 4,200 cfs</li> <li>CCF: Current 2,000 cfs, Range 1,000 cfs to 4,500 cfs</li> <li>Expected Daily OMR Index Values: -4,000 cfs to</li> <li>-8,000 cfs</li> <li>DCC Gates: Closed on 11/27</li> <li>X2 is greater than 81 km</li> <li>Tides: Transitioning from Spring to Neap tide; First Quarter moon on 12/19</li> </ul> | <ul> <li>Adult O. mykiss present</li> <li>Adult and juvenile Green Sturgeon present</li> <li>Delta Smelt sub-adults and adults (size-based) are present in the lower Sacramento River.</li> <li>Longfin Smelt sub-adults and adults have been detected in Suisun Marsh and Bay, Grizzly Bay, San Pablo Bay, and at Chipps Island. Sub-adult LFS have also been detected at the Confluence and Lower Sacramento River. Water temperatures (&lt;14C) are now conducive for LFS spawning. LFS has likely started their population scale migration into the Delta.</li> <li>(Updated 12/5/2023)</li> </ul> |

Table 2a-b: WY 2024 relevant Fish and Environmental Criteria and Status in 2019 Reclamation LTO Action Cumulative loss for the duration of 2019 Biological Opinion began upon signature of ROD, 2/19/2020.

Table 2a: WY 2024 Salmonid Current Loss and Delta Smelt Abiotic Conditions. Additional Real-Time OMR Restrictions and Performance Objectives (4.10.5.10.2, 4.10.5.10.3) and Onset of OMR Management (4.10.5.10.1). Genetic identification of salmon is not used in calculating loss, but results are included in the Assessment as they become available. \* TBD – no draft JPE produced, ITL and performance thresholds are TBD currently

| Species/run                          | Threshold  | Current Status              | Weekly Trend       | Updated   |
|--------------------------------------|--|-----------------------------|--------------------|-----------|
| Green sturgeon                       | WY 2024 salvage = 74                               | WY 2024 salvage = 0<br>(0%) | No change expected | 12/4/2023 |
| Natural winter-run<br>Chinook Salmon | WY 2024 loss =<br>TBD*<br>(50% of 1.17% of<br>JPE) | WY 2024 loss = 0 (0%)       | No change expected | 12/4/2023 |

| Species/run   | Threshold  | Current Status   | Weekly Trend       | Updated    |
|---|--|--|--------------------|------------|
| Natural Steelhead   | Dec 1 – Mar 31 =<br>707; (50% of 1,414)<br>Apr 1 – June 15 =<br>776 (50% of 1,552)                                   | WY 2024 loss = 0.68<br>Dec 1 – Mar 31 = 0.68<br>(0.096 % of the 50%<br>threshold)<br>Apr 1 – June 15 = 0(0%<br>of the 50% threshold) | No change expected | 12/4/2023  |
| Sacramento River<br>Hatchery winter-<br>run Chinook<br>salmon                   | WY 2024 loss =<br>TBD* (50% of<br>0.12% of JPE)  | WY 2024 loss = 0 (0%)  | No change expected | 12/4/2023  |
| Battle Creek<br>Hatchery winter-<br>run Chinook<br>salmon                       | y winter- TBD* (1% of JPE)   |  | 12/4/2023          |            |
| Proposed Action<br>Hatchery yearling<br>spring-run Chinook<br>salmon surrogates | > 0.5% of each<br>release group  | WY 2024 loss = 0 (0%)  | No change expected | 12/4/2023  |
| Delta Smelt   | After Dec. 1: Running 3-day avg. flows at Freeport >25,000 cfs AND Running 3-day avg. turbidity at Freeport =>50 FNU | Freeport 3-day avg.<br>Flow = 10263.49 cfs;<br>Turbidity = 6.08 FNU  | No change expected | 12/11/2023 |
| Delta Smelt   | Daily avg. Turbidity<br>at OBI=>12 FNU   | OBI Daily Average =<br>Not relevant  | Not relevant       | 11/27/2023 |
| Delta Smelt  Daily avg.  Temperature at  CCF > 25°C for three consecutive days  |  | CCF daily avg.<br>Temperature = Not<br>relevant  | Not relevant       | 11/27/2023 |

Table 2b. 10-Year Salmonid Cumulative Loss

| Species/run                           | Threshold    | Current Status                  | Updated   |
|---------------------------------------|--------------|---------------------------------|-----------|
| Natural winter-run<br>Chinook salmon  | Loss = 8,738 | Cumulative loss = 368.95 (4.2%) | 12/4/2023 |
| Hatchery winter-run<br>Chinook salmon | ·            | Cumulative loss = 6.71 (0.13%)  | 12/4/2023 |

| Species/run | Threshold | <b>Current Status</b> | Updated   |
|-------------|-----------|-----------------------|-----------|
|             | •         |                       | 12/4/2023 |

Table 3a: Relevant Water Year 2024 Fish Criteria and Status for Listed Fish under the SWP Long-Term Incidental Take Permit.

Table 3a: Chinook Salmon

| Action   | Timeframe  | Current<br>Action<br>Status | Threshold(s)  | Current<br>Relevant<br>Data   | Weekly<br>Trend  | Last<br>Updated | Comments  |
|--|--|-----------------------------|---|---|--|-----------------|---|
| OMR<br>Mgmt.<br>triggered<br>(8.3.2)                                       | Jan. 1 - Jun.<br>30<br>(when ≥ 5%<br>of spring-<br>run or<br>winter- run<br>in<br>Delta) | Not in<br>effect            | 5% of the<br>Winter-run or<br>Spring-run<br>population in<br>Delta  | N/A   | N/A  | 9/29/23         | Will be<br>updated<br>when in<br>effect.                                      |
| Winter-run<br>yearly loss<br>(8.6.1)                                       | Nov. 1 - Jun.<br>30  | In effect                   | TBD<br>(based on<br>LAD Winter-<br>run; WY 2024<br>JPE)   | N/A   | N/A  | 12/11/23        | N/A   |
| Winter-run<br>discrete<br>daily loss<br>(8.6.2)                            | Nov. 1 -<br>Dec. 31  | In effect                   | 12/1-12/31:<br>loss of 26 fish<br>/day of<br>unclipped<br>LAD older<br>juvenile<br>(Winter-run,<br>Yearling fall-<br>run, and Late<br>fall-run) | Max Older<br>Juvenile<br>discrete<br>daily loss<br>observed<br>last week =<br>0 | Possible<br>salvage of<br>LAD older<br>juveniles in<br>the<br>upcoming<br>week | 12/11/23        | No salvage<br>of LAD<br>older<br>juveniles<br>during the<br>previous<br>week. |
| Mid and<br>late season<br>Winter-run<br>daily loss<br>threshold<br>(8.6.3) | Jan 1 – May<br>31  | Not In<br>effect            | TBD<br>(Based on<br>LAD Older<br>Juvenile)  | N/A   | N/A  | 9/29/23         | Will be<br>updated<br>when in<br>effect.                                      |

| Action   | Timeframe           | Current<br>Action<br>Status | Threshold(s) | Current<br>Relevant<br>Data | Weekly<br>Trend | Last<br>Updated | Comments                                |
|--|---------------------|-----------------------------|--------------|-----------------------------|-----------------|-----------------|---|
| Spring-run<br>surrogate<br>protection<br>(8.6.4) | Feb. 1 - Jun.<br>30 | Not in<br>effect            | TBD          | N/A                         | N/A             |                 | Will be<br>updated<br>when in<br>effect |

Table 3b: Delta Smelt

| Action   | Timeframe           | Current<br>Action<br>Status | Threshold(s)   | Current<br>Relevant<br>Data                                   | Weekly<br>Trend    | Last<br>Updated | Comments |
|--|---------------------|-----------------------------|--|---|--------------------|-----------------|----------|
| Integrated<br>Early Winter<br>Pulse<br>Protection<br>('First<br>Flush')<br>(8.3.1) | Dec. 1 - Jan.<br>31 | In effect                   | - three-day Freeport daily flow running avg >= 25,000 AND  [three-day Freeport turbidity running avg >=50 FNU OR Smelt Monitoring Team recommendat ion]                    | Freeport 3-day avg. Flow = 10263.49 cfs; Turbidity = 6.08 FNU | No change expected | 12/11/23        | N/A      |
| Turbidity<br>Bridge<br>Avoidance<br>(8.5.1)  | Dec. 15 -<br>Apr. 1 | Not in<br>effect            | Occurs after<br>the<br>Integrated<br>Early Winter<br>Pulse<br>protection or<br>February 1<br>whichever<br>comes first<br>until April 1<br>-avg. OBI<br>turbidity>12<br>FNU | N/A   | N/A                | 11/27/23        | N/A      |

| Action   | Timeframe           | Current<br>Action<br>Status    | Threshold(s)   | Current<br>Relevant<br>Data   | Weekly<br>Trend | Last<br>Updated | Comments |
|--|---------------------|--------------------------------|--|---|-----------------|-----------------|----------|
| Larval<br>and/Juvenil<br>e Delta<br>smelt<br>Protection<br>(8.5.2) | Nov. 1 –<br>Jun. 30 | In effect,<br>not<br>triggered | - If 5-day<br>cum. salvage<br>of juv.DS>= 1<br>[average 3-<br>yrFMWT<br>index + 1],<br>then –5000<br>OMR<br>- If DS in<br>SLS/20mm or<br>3-d temp at<br>Jersey Point<br>>= 12C, and<br>SLS/20mm<br>Secchi for 12<br>south delta<br>stations <=<br>1m, then –<br>3500 OMR | day salvage<br>= 0<br>3-day SJJ<br>temp=<br>11.96 °C<br>Average<br>Secchi | N/A             | 12/11/23        | N/A      |

Table 3c: Longfin Smelt

| Action                               | Timeframe           | Current<br>Action<br>Status | Threshold(s)  | Current<br>Relevant<br>Data | Weekly<br>Trend | Last<br>Updated | Comments |
|--------------------------------------|---------------------|-----------------------------|---|-----------------------------|-----------------|-----------------|----------|
| Early Adult<br>Protection<br>(8.3.3) | Dec. 1 -<br>Feb. 28 | In effect                   | -Cum. salvage > [most recent FMWT/10] = 28 fish (Sept Nov. Index) OR -Smelt Monitoring Team determines high likelihood of LFS movement into high-risk areas | Cumulative<br>salvage = 0   | N/A             | 12/11/23        | N/A      |

| Action   | Timeframe  | Current<br>Action<br>Status    | Threshold(s)  | Current<br>Relevant<br>Data                                      | Weekly<br>Trend | Last<br>Updated | Comments |
|--|--|--------------------------------|---|--|-----------------|-----------------|----------|
| OMR Mgt.<br>for Adults<br>(8.4.1)  | Onset of<br>OMR mgmt<br>-Feb. 28                         | Not in<br>effect               | -Smelt<br>Monitoring<br>Team<br>recommendat<br>ion  | N/A  | N/A             | 12/11/23        | N/A      |
| Larval and<br>Juvenile<br>Longfin<br>Smelt<br>Entrainment<br>Protection<br>(8.4.2) | 30   | Not in effect                  | -LFS larvae or juveniles in >=4 SLS or 20 mm stations in central and south Delta, OR -LFS catch/tow >5 larvae or juveniles in >=2stations | N/A  | N/A             | 11/27/23        | N/A      |
| High Flow<br>OMR Off-<br>Ramp for<br>Longfin<br>Smelt<br>(8.4.3)                   | Based on<br>the status<br>of 8.3.3,<br>8.4.1, &<br>8.4.2 | In effect,<br>not<br>triggered | -Sac. R. at Rio<br>Vista>55,000,<br>OR<br>SJR at<br>Vernalis<br>>8,000  | Rio Vista =<br>7,000 –<br>8,500 cfs<br>SJ = 1,000 –<br>1,500 cfs | N/A             | 12/11/23        | N/A      |

Table 4: Fish monitoring gear efficiency and disruptions. Status Categories: [1] Active (ongoing sampling), [2] Partial Interruption (some sampling interruptions), [3] Interrupted (sampling fully suspended), [4] Not Active (sampling not scheduled)

| Monitoring survey                  | Region | Notes (as of 12/12/2023) | Status |
|------------------------------------|--------|--------------------------|--------|
| SWP regular counts,<br>CWT reading | Delta  | Active                   | 1      |
| SWP larval sampling                | Delta  | Not Active               | 4      |
| CVP regular counts,<br>CWT reading | Delta  | Active                   | 1      |
| CVP larval sampling                | Delta  | Not Active               | 4      |
| Smelt Larval Survey                | Delta  | Active                   | 1      |
| LEPS                               | Delta  | Not Active               | 4      |

| Monitoring survey                                     | Region                  | Notes (as of 12/12/2023) | Status |
|---|-------------------------|--------------------------|--------|
| 20mm Survey   | Delta                   | Not Active               | 4      |
| Fall Mid-water Trawl                                  | Delta                   | Active                   | 1      |
| Summer Townet<br>Survey                               | Delta                   | Not Active               | 4      |
| Bay Study   | Delta                   | Active                   | 1      |
| DJFMP- Chipps and<br>Sacramento Trawls                | Delta                   | Active                   | 1      |
| DJFMP- Seines   | Delta                   | Active                   | 1      |
| EDSM  | Delta                   | Active                   | 1      |
| EMP   | Delta                   | Active                   | 1      |
| Mossdale  | Delta                   | Active                   | 1      |
| USGS Flow monitoring                                  | Delta                   | Active                   | 1      |
| Red Bluff Diversion<br>Dam Rotary Screw<br>Trap (RST) | Sacramento<br>River     | Active                   | 1      |
| Knights Landing RST                                   | Sacramento<br>River     | Active                   | 1      |
| Tisdale RST   | Sacramento<br>River     | Active                   | 1      |
| GCID RST  | Sacramento<br>River     | Not Active               | 4      |
| Yuba River (Hallwood)<br>RST                          | Yuba River              | Active                   | 1      |
| Redd dewatering and stranding surveys                 | Sacramento<br>River     | Active                   | 1      |
| Sacramento Carcass and Redd Surveys                   | Sacramento<br>River     | Active                   | 1      |
| Lower Sacramento RST                                  | Sacramento<br>River     | Active                   | 1      |
| Feather River (upper<br>DWR) RST                      | Feather<br>River        | Active                   | 1      |
| Feather River (lower<br>CDFW) RST                     | Feather<br>River        | Active                   | 1      |
| SJRRP CDFW Field<br>Monitoring                        | San<br>Joaquin<br>River | Active                   | 1      |
| SJRRP USBR Field<br>Monitoring                        | San<br>Joaquin<br>River | Active                   | 1      |

| Monitoring survey                      | Region              | Notes (as of 12/12/2023) | Status |
|--|---------------------|--------------------------|--------|
| Stanislaus Fish Weir                   | Stanislaus<br>River | Active                   | 1      |
| American River<br>Carcass/Redd Surveys | American<br>River   | Active                   | 1      |
| Caswell RST                            | Stanislaus<br>River | Not Active               | 4      |
| Wallace Weir                           | Cache<br>Slough     | Active                   | 1      |
| Butte Creek<br>RST/Diversion Trap      | Butte Creek         | Active                   | 1      |