EXHIBIT C

REFERENCES CITED

Aceituno, M.E. 1993. The Relationship Between Instream Flow and Physical Habitat in the Lower Stanislaus River, US Fish and Wildlife Service, Sacramento, California. May 1993.

CALFED. 1999. CALFED's Comprehensive Monitoring, Assessment, and Research Program for Chinook Salmon and Steelhead in Central Valley Rivers. CALFED Bay-Delta Program, Sacramento, CA.

[CDFG] California Department of Fish and Game. 2007a. Excel spreadsheets submitted to the Central Valley Regional Water Quality Control Board in conjunction with proposal to list the San Joaquin, Stanislaus, Tuolumne, and Merced Rivers as temperature impaired.

CDFG California Department of Fish and Game. 2007b. Excel spreadsheets of live and redd counts by date and location in the Tuolumne, Merced, and Stanislaus Rivers provided to Andrea Fuller via e-mails from Dennis Blakeman and Jason Guignard.

CDFG. 1997 to 2005. Annual Reports from Merced River Hatchery, 1996-2005. California Department of Fish and Game, San Joaquin Valley and Southern Sierra Region.

CDFG. 1991 to 2004. Annual Performance Reports**,** Fiscal Years 1987-2004 San Joaquin Drainage Chinook Salmon and Steelhead Habitat Restoration Program Sport Fish Restoration Act Project F-51-R-6 Project Number 26, Jobs 1 through 7. California Department of Fish and Game, Region 4, Fresno, CA.

CDFG. 1992. Interim Actions to Reasonably Protect San Joaquin Fall Run Chinook Salmon. Prepared for the Water Rights Phase of the State Water Resources Control Board Bay-Delta Hearing Proceedings. Prepared by California Department of Fish and Game, Region 4, Fresno, CA. June 1992.

CDFG. 1987. The Status of San Joaquin Drainage Chinook Salmon Stocks, Habitat Conditions, and Natural Production Factors. California Department of Fish and Game, Region 4, Fresno, CA. July 1987.

CDFG. 1978. 1977 King Salmon Spawning Stock Survey, Region 4. Memorandum to Chief of Operations dated November 20, 1978.

CDFG and the U.S. Bureau of Reclamation. 1987. Agreement between the California

Department of Fish and Game and the United States Bureau of Reclamation Regarding Interim Instream Flows and Fisheries Studies in the Stanislaus River Below New Melones Reservoir. http://www.delta.dfg.ca.gov/srfg/docs.asp

[CDWR] California Department of Water Resources. 2007. Weekly Water Quality Report Volume 4, Issue 42; Tuesday October 16th, 2007. Department of Water Resources, Office of Water Quality. ftp://ftp.water.ca.gov/DES/RTDF/Archive%20Reports/

CDWR. 1994. California Central Valley Unimpaired Flow Data.

California Fish and Game Commission. 2007. 2007-2008 California Freshwater Sportfishing Regulations. http://www.fgc.ca.gov/html/fishregs.html

Carl Mesick Consultants 1998. The effects of San Joaquin River Flows and the combined export rates of the Central Valley Project and the State Water Project during October on the number of adult San Joaquin Chinook Salmon that stry into Eastside rivers and the Sacramento Basin. Report prepared for the Stockton East Water District and Herum, Crabtree, Dyer, Zolezzi, and Terpstra, LLP.

Cech, J.J., Jr. and Myrick, C.A. 1999. Steelhead and Chinook salmon bioenergetics: temperature, ration, and genetic effects. Technical Completion Report. UCAL-WRC-W-885, University of California Water Resources Center, Davis, CA, 72 pp.

Cherry, D.S., K.L. Dickson, and J. Cairns Jr. 1977. Preferred, avoided and lethal temperatures of fish during rising temperature conditions. Journal of the Fisheries Research Board of Canada 34:239-246.

Cherry, D.S., K.L. Dickson, and J. Cairns Jr. 1975. Temperatures selected and avoided by fish at various acclimation temperatures. Journal of the Fisheries Research Board of Canada 32:485-491.

Clark, G.H. 1929. Sacramento-San Joaquin Salmon (*Oncorhynchus tschawytscha*) Fishery of California. Division of Fish and Game of California, Fish Bulletin No. 17:1-73.

Cloyd, L.H. 1962. Daily Salmon Counts in the Tuolumne River. Memo to J.C. Fraser , California Department of Fish and Game, Region 4 – Fresno, dated February 1, 1962.

EA Engineering, Science, and Technology. 1992. Juvenile salmon pilot temperature observation experiments. Appendix 20 of the Don Pedro Project fisheries study report (FERC Article 39, Project No. 2299). Report prepared for Turlock Irrigation District and Modesto Irrigation District.

Dettinger, M.D. 2005. From climate-change spaghetti to climate-change distributions for 21st Century California. San Francisco Estuary and Watershed Science 3:Issue 1, Article 4. http.//repositories.edlib.org/jmie/sfews/vol3/iss1/art4

Guignard, J. 2006. Stanislaus River Fall Chinook Salmon Escapement Survey 2005. California Department of Fish and Game. Prepared for United States Bureau of Reclamation Contract #R0540004. April 2006

Guignard, J. 2005. Stanislaus River Fall Chinook Salmon Escapement Survey 2004. California Department of Fish and Game. Prepared for United States Bureau of Reclamation Contract #R0440003. March 2005.

Hallock, R.J., Elwell, R.F., Fry, D.H. Jr. 1970. Migrations of adult king salmon (*Oncorhynchus tshawytscha*) in the San Joaquin Delta as demonstrated by the use of sonic tags. Fish Bulletin 151. California Department of Fish and Game.

Hatton, S.R. and G.H. Clark. 1942. A Second Progress Report on the Central Valley Fisheries Investigations. California Fish and Game. Volume 28, No. 2, 116-123.

Marine, K.R. 1997. Effects of elevated water temperature on some aspects of the physiological and ecological performance of juvenile Chinook salmon (*Oncorhynchus tshawytscha*): implications for management of California's Central Valley salmon stocks [ms thesis]. University of California Davis.

Marine, K.R. and Cech, J.J., Jr. 2004. Effects of high water temperature on growth, smoltification, and predator avoidance in juvenile Sacramento River chinook salmon. N. Am. J. Fish. Manage. 24, 198–210.

Marston, D. 2007. Final California Department of Fish and Game Comments Regarding CALFED-ERP Funded Stanislaus-Lower San Joaquin River Water Temperature Computer Simulation Model and Salmonid Temperature Criteria. Letter to Avry Dotan dated April 9, 2007.

McCullough, DA. 1999. A review and synthesis of effects of alteration to the water temperature regime on freshwater life stages of salmonids, with special reference to Chinook salmon. Environmental Protection Agency EPA 910-R-99-010. http://www/critfc.org/tech/EPAreport.pdf

McMahon, T.E. 2006. CIE Review of NOAA Fisheries Biological Opinion on Effects of Proposed Central Calley Project Changes on Listed Fish Species. Peer review provided by Dr. Thomas E. Professor of Fisheries, Montana State University. swr.nmfs.noaa.gov/news/McMahon_CALFED_Salmon_review_report-January_18_2006.pdf

Moyle, P.B. 2005. Rebuttal Expert Report of Professor Peter B. Moyle, PhD. Case No. Civ-S-88-1658. September 2005.

Moyle, P. 1976. Inland fishes of California. Univ. Cal. Berkeley Press, Berkeley, California. 405pp.

Myrick, C. A. 1998. Temperature, genetic, and ration effects on juvenile rainbow trout (*Oncorhynchus mykiss*) bioenergetics. Ph.D. Dissertation. University of California, Davis.

Myrick and Cech 2004. Temperature effects on juvenile anadromous salmonids in California's Central Valley: what don't we know? Reviews in Fish Biology and Fisheries 14:113-123.

Myrick, C.A. and J.J. Cech, Jr. 2001. Temperature Effects on Chinook Salmon and Steelhead: A Review Focusing on California's Central Valley Populations. Bay-Delta Modeling Forum Technical Publication 01-1. October 2001. http://www.sfei.org/modeling forum/

Myrick, C. A. and J. J. Cech, Jr. 2000. Growth and thermal biology of Feather River Steelhead under constant and cyclical temperatures. Davis, CA: Department of Wildlife, Fish, and Conservation Biology, University of California, Davis, 2000.

[NMFS] National Marine Fisheries Service. 2004. Central Valley Project and State Water Project Operations, April 1, 2004 through March 31, 2006. Prepared by NMFS, Southwest Region, for U.S. Bureau of Reclamation, Mid-Pacific Region. 49 pp.

Richter, Ann and Steven A. Kolmes. 2005. Maximum temperature limits for Chinook, coho, and chum salmon, and steelhead trout in the Pacific Northwest. Reviews in Fisheries Science, Vol. 13: 23-49.

Spina, Anthony P. 2007. Thermal ecology of juvenile steelhead in a warm-water environment. Environmental Biology of Fishes. Vol 80, No. 1.

Titus, Rob. 2007. Biological justification of a water temperature target for juvenile steelhead in the lower American River. Presented at Factors Affecting the Health of the River Conference hosted by California State University, Sacramento. April 12-13, 2007. http://www.csus.edu/CREST/American_River_Watershed_Conference_2007_gifs/American_River_Watershed_Conference_Program_Guide.pdf

Ward, P.D., McReynolds, T.R., Garman, C.E. 2003. Butte Creek spring-run Chinook salmon, Oncorhynchus tshawytscha pre-spawn mortality evaluation, 2003. Chico, California: California Department of Fish and Game. Inland Fisheries Administrative Report No. 2004-5.

Williams, J.G., J.J. Anderson, S. Greene, C. Hanson, S.T. Lindley, A. Low, B.P. May, D. McEwan, M.S. Mohr, R.B. MacFarlane, and C. Swanson. 2007. Monitoring and research needed to manage the recovery of threatened and endangered Chinook

and steelhead in the Sacramento-San Joaquin basin. NOAA Tech. Memo. NMFS-SWFSC-399 (2007)

Williams, John G. 2006. Central Valley Salmon: A Perspective on Chinook and Steelhead in the Central Valley of California. San Francisco Estuary and Watershed Science. Vol. 4, Issue 3 (December 2006), Article 2. (page 53).

Wurtsbaugh, W. A. and G. E. Davis. 1977. Effects of temperature and ration level on the growth and food conversion efficiency of *Salmo gairdneri*, Richardson. Journal of Fish Biology 11: 87 - 98.

[USFWS] U.S. Fish and Wildlife Service. 1995. The Relationship Between Instream Flow and Physical Habitat Availability for Chinook Salmon in the Lower Tuolumne River, California. February 1995.