

Weekly Fish and Water Operations Outlook

10/4/2022 - 10/10/2022

FORECASTED WEATHER: Warm and dry conditions this week.

Table 1: Anticipated weekly operational ranges by tributary. Environmental and fish conditions updated by respective watershed groups at varying intervals that may not coincide with the weekly range of Water Operations

Tributary/Division	Anticipated Weekly Ranges	Related Environmental and Fish Conditions
Clear Creek	 Current Release: 200 cfs Anticipated Weekly Range of Releases: 200 cfs 	 Spring-run Chinook salmon spawning is winding down. Fall-run Chinook Salmon are entering the Creek and spawning is ramping up. (Updated 10/3/22)
Sacramento River	 Shasta Storage: 1.509 MAF Current Release: 4,100 cfs Anticipated Weekly Range of Releases: 4,100 cfs to 4,000 cfs 	 Winter-run Chinook salmon are the dominant run passing at RBDD currently in relatively low and variable numbers. All other species either absent or caught in sporadic and low numbers. Spring-run Chinook salmon adults present and spawning is underway. Spawning surveys began in early September for adult spring-run Chinook salmon. Winter-run Chinook juvenile salmon are present in upper river and are both emerging from redds and migrating downstream. Fall-run Chinook salmon are beginning to spawn. Carcass surveys for fall-run are underway. (Updated 10/3/22)
Feather River	 Oroville Storage: 1.28 MAF Current Release: 2,500 cfs Anticipated Weekly Range of Releases: 2,500 cfs Daily temperature maximum: 51 F at Fish Hatchery 	 Adult Fall-run Chinook Salmon are just beginning to spawn, some still migrating upstream and some holding Adult Spring-run Chinook Salmon are spawning, eggs in gravel. Approximately 15-20 green sturgeon present form Sunset Pumps to Boyd's Pump. Adult and juvenile steelhead present.

Tributary/Division	Anticipated Weekly Ranges	Related Environmental and Fish Conditions
American River	 Folsom Storage: 343 TAF Current Release: 1,500 cfs Anticipated Weekly Range of Releases: 1500 to 1,300 	 Adult fall-run Chinook Salmon are present and holding. Juvenile and adult O. mykiss are present. (Updated 10/4/22)
Stanislaus River	 New Melones Storage: 620 TAF Current Release: 150 cfs Anticipated Range of Weekly Releases: 150-200 cfs. 	Juvenile and adult O. mykiss are present. Adult fall-run Chinook salmon are present and holding. (Updated 10/4/22)
Delta	 Freeport: 6,000 to 7,500 cfs Vernalis: 200 to 500 cfs Delta Outflow index: 2,000 to 5,000 cfs Combined Exports: 1,400 to 2,300 cfs JPP: 900 cfs to 1,800 cfs CCF: 500 cfs Expected Daily OMR Index Values: -2,500 to -4,000 cfs DCC Gates: Closed as of 10/3. Expected operations: Closed during the week and open on weekends but may need flexibility to change if necessary. 	 Adult spring-run Chinook Salmon entering Delta and migrating upstream towards spawning grounds Adult O. mykiss present Adult and juvenile Green Sturgeon present Delta Smelt sub-adults are present in the north delta arc and downstream of the confluence. Longfin Smelt sub-adults and adults are downstream of the confluence. (Updated 10/4/22)

Table 2a-b: WY 2023 relevant Fish and Environmental Criteria and Status in 2019 Reclamation LTO Action Cumulative loss for the duration of 2019 Biological Opinion began upon signature of ROD, 2/19/2020.

Table 2a: WY 2023 Salmonid Current Loss and Delta Smelt Abiotic Conditions. Additional Real-Time OMR Restrictions and Performance Objectives (4.10.5.10.2) and Onset of OMR Management (4.10.5.10.1). * TBD – no draft JPE produced, ITL and performance thresholds are TBD currently

Species/run	Threshold	Current Status	Weekly Trend	Updated
Green sturgeon	WY 2023 salvage = 74	WY 2023 salvage = 0 (0%)	No change expected	10/3/2022
Natural winter-run Chinook Salmon	WY 2023 loss = TBD * (50% of 1.17% of JPE)	WY 2023 loss = 0	No change expected	10/3/2022
Natural Steelhead	Dec 1 – Mar 31 = 707 (50% of 1,414) Apr 1 – June 15 = 776 (50% of 1,552)	WY 2023 loss = 0 Dec 1 – Mar 31 = 0 (0%) Apr 1 – June 15 = 0 (0%)	No change expected	10/3/2022
Sacramento River Hatchery winter-run Chinook salmon	WY 2023 loss = TBD* (50% of 0.12% of JPE)	WY 2023 loss = 0 (0%)	No change expected	10/3/2022

Species/run	Threshold	Current Status	Weekly Trend	Updated
Battle Creek Hatchery winter-run Chinook salmon	WY 2023 loss = TBD * (50% of 0.12% of JPE)	WY 2023 loss = 0 (0%)	No change expected	10/3/2022
Proposed Action Hatchery yearling spring-run Chinook salmon surrogates	> 0.5% of each release group	WY 2023 loss = 0 (0%)	No change expected	10/3/2022
Delta Smelt	Daily avg. Turbidity at OBI=>12 FNU	OBI daily Avg Turbidity = Not relevant	Not relevant	10/3/2022
Delta Smelt	Daily avg. Temperature at CCF > 25°C for three consecutive days	CCF daily avg. Temperature = Not relevant	Not relevant	10/3/2022

Table 2b. 10-Year Salmonid Cumulative Loss

Species/run	Threshold	Current Status	Updated
Natural winter-run Chinook salmon	Loss = 8,738	Cumulative loss = 264.2 (3.0%)	10/3/2022
Hatchery winter-run Chinook salmon	Loss = 5,356	Cumulative loss = 6.71 (0.13%)	10/3/2022
Natural steelhead	Loss = 6,038 (Dec 1 – Mar 31) Loss = 5,826 (Apr 1 – June 15)	Cumulative loss = 530.2 (8.8%, Dec 1 – Mar 31) 474.5 (8.1%, Apr 1 – June 15)	10/3/2022

Table 3a-d: Relevant Water Year 2023 Fish Criteria and Status for Listed Fish under the SWP Long-Term Incidental Take Permit.

Table 3a: Chinook Salmon

Action	Timeframe	Current Action Status	Threshold(s)	Current Relevant Data	Weekly Trend	Last Updated	Comments
OMR Mgmt. triggered (8.3.2)	Jan. 1 - Jun. 30 (when ≥ 5% of spring-run or winter- run in Delta)	Not in effect	-5% of the Winter-run or Spring-run population in Delta	N/A	N/A	10/3/22	N/A
Winter-run yearly loss (8.6.1)	Nov. 1 - Jun. 30	Not in effect (based on JPE)	TBD (based on JPE)	N/A	N/A	10/3/22	N/A
Winter-run discrete daily loss (8.6.2)	Nov. 1 - Dec. 31	Not in effect	11/1-11/30: loss of 6/day unclipped older juv. Winter-run 12/1-12/31: loss of 26/day unclipped older juv. Winter-run	N/A	N/A	10/3/22	N/A
Mid and late season Winter-run daily loss threshold (8.6.3)	Jan 1 – May 31	Not in effect	May 1-May 31 (0.0077% of JPE) = 9.63	N/A	N/A	10/3/22	N/A
Spring-run surrogate protection (8.6.4)	Feb. 1 - Jun. 30	Not in effect	TBD (based on the number of fish released)	N/A	N/A	10/3/22	N/A

Table 3b: Delta Smelt

Action	Timeframe	Current Action Status	Threshold(s)	Current Relevant Data	Weekly Trend	Last Updated	Comments
Integrated Early Winter Pulse Protection ('First Flush') (8.3.1)	Dec. 1 - Jan. 31	Dec 17, last	- three-day Freeport daily flow running avg>= 25,000 AND [three-day Freeport turbidity running avg >=50 NTU OR Smelt Monitoring Team recommendation]	N/A	N/A	10/3/22	N/A
Turbidity Bridge Avoidance (8.5.1)	Dec. 15 - Apr. 1	Offramped	Occurs after the Integrated Early Winter Pulse protection or February 1 (whichever until April 1) comes first -avg. OBI turbidity>12 NTU	N/A	N/A	10/3/22	N/A
Larval and/Juvenile Delta smelt Protection (8.5.2)	ongoing	In effect, not triggered	- 5-day cum. salvage of juv.DS >= 1[average 3- yrFMWT index + 1] OR, - 3-day cum. Salvage of juv. DS >11	N/A	N/A	10/3/22	N/A

Table 3c: Longfin Smelt

Action	Timeframe	Current Action Status	Threshold(s)	Current Relevant Data	Weekly Trend	Last Updated	Comments
Early Adult Protection (8.3.3)	Dec. 1 - Feb. 28	Offramped	-Cum. salvage > [most recent FMWT/10] = 1 fish (SeptOct. Index) OR -Smelt Monitoring Team determines high likelihood of LFS movement into high-risk areas	N/A	N/A	10/3/22	N/A
OMR Mgt. for Adults (8.4.1)	Dec. 1 -Feb. 28	Offramped	-Smelt Monitoring Team recommendation	N/A	N/A	10/3/22	N/A
Larval and Juvenile Longfin Smelt Entrainment Protection (8.4.2)	Jan 1 – Jun 30	In effect, not triggered	-LFS larvae or juveniles in >=4 SLS or 20 mm stations in central and south Delta, OR -LFS catch/tow >5 larvae or juveniles in >=2stations	N/A	N/A	10/3/22	N/A
High Flow OMR Off- Ramp for Longfin Smelt (8.4.3)	Based on the status of 8.3.3, 8.4.1, & 8.4.2	In effect, not triggered	-Sac. R. at Rio Vista>55,000, OR SJR at Vernalis >8,000	Rio Vista = 1,500 to 5,500 cfs SJ = 200 to 500 cfs	N/A	10/3/22	N/A

Table 3d: OMR

Action	Timeframe	Current Action Status	Threshold(s)	Current Relevant Data	Weekly Trend	Last Updated	Comments
OMR Mgmt. Offramp (8.8)	Jun. 1 – Jun. 30	Not in effect	->95% of the Winter-run and Spring run populations have migrated past Chipps Island AND -Current daily average water temperature at Mossdale and Prisoners Point. • Days exceeded:	N/A	N/A	10/3/22	N/A

Table 4: Fish monitoring gear efficiency and disruptions. Status Categories: [1] Active (ongoing sampling), [2] Partial Interruption (some sampling interruptions), [3] Interrupted (sampling fully suspended), [4] Not Active (sampling not scheduled)

Monitoring survey	Region	Notes (as of 10/4/2022)	Status
SWP regular counts, CWT reading	Delta	Active	1
SWP larval sampling	Delta	Not Active	4
CVP regular counts, CWT reading	Delta	Active	1
CVP larval sampling	Delta	Not Active	4
Smelt Larval Survey	Delta	Not Active	4
LEPS	Delta	Not Active	4
20mm Survey	Delta	Not Active	4
Spring Kodiak Trawl	Delta	Not Active	4
Fall Mid-water Trawl	Delta	Active	1
Summer Townet Survey	Delta	Not Active	4
Bay Study	Delta	Active	1
DJFMP- Chipps and Sacramento Trawls	Delta	Active (sampling four days a week starting in February)	1
DJFMP- Seines	Delta	Active	1
EDSM	Delta	Active	1
EMP	Delta	Active	1
Mossdale	Delta	Active	1
USGS Flow monitoring	Delta	Active	1
Red Bluff Diversion Dam screw trap	Sacramento River	Active	1

Monitoring survey	Region	Notes (as of 10/4/2022)	Status
Knights Landing screw trap	Sacramento River	Not Active	4
Tisdale screw trap	Sacramento River	Active	1
GCID screw trap	Sacramento River	Not Active	4
Yuba River (Hallwood) screw trap	Yuba River	Not Active	4
Redd dewatering and stranding surveys	Sacramento River	Not Active	4
Sacramento Carcass and Redd Surveys	Sacramento River	Active	1
Lower Sacramento Rotary Screw Trap	Sacramento River	Not Active	4
Feather River (upper DWR)	Sacramento River	Not Active	4
Feather River (lower CDFW)	Sacramento River	Not Active	4
SJRRP CDFW Field Monitoring	San Joaquin River	Active	1
SJRRP USFWS and USBR Field Monitoring	San Joaquin River	Not Active	4
Stanislaus Fish Weir	San Joaquin River	Active	1