Weekly Fish and Water Operations Outlook 10/20/2020 – 10/26/2020

Dry weather with breezy north winds continuing fire weather conditions. Cooler temperatures by the weekend; a slight chance of showers in the mountains. Minimum monthly average Delta Outflow requirement for October is 4,000 cfs and E/I may not exceed 0.65.

Tributary/ Division	Anticipated Weekly Ranges	Related Environmental and Fish Conditions
Clear Creek	 Current Release: 225 cfs Anticipated weekly range: 225-200 cfs Temperature compliance target: 56°F at Igo (September 16 to October 31) Northern CVP Water Temperature Reports 	 Spring-run and fall-run Chinook salmon spawning underway. Late fall-run Chinook salmon and steelhead juveniles rearing.
Sacramento River	 Shasta Storage: 2.13 MAF Current Release: 5,000 cfs Anticipated Weekly Range of Releases to Sacramento: 5,000 cfs Temperature compliance targets: 56°F at Clear Creek Northern CVP Water Temperature Reports 	 Winter-run Chinook salmon eggs in gravel. Juvenile winter-run Chinook salmon passage at Red Bluff Diversion Dam (BY20 total through 10/6/2020: 923,402; average historic passage (2005 – 2019) as of 10/18: 69.1%) Late fall-run Chinook salmon and steelhead juveniles rearing Green sturgeon adults and juveniles present. Adults are being acoustically tagged. Adult fall-run Chinook salmon starting spawning.
Feather River	 Oroville Storage: 1.58 MAF Current Release: 2,450 cfs Anticipated Weekly Range of Releases to Feather: 2, 450 cfs Daily average temperature compliance targets: 60 ± 4°F at Fish Hatchery gage Feather River Temperature 	 Spring-run Chinook salmon adults are spawning. Green sturgeon adults holding. Adult sturgeon are being acoustically tagged in the Yuba River. Juvenile steelhead rearing. Adult fall-run Chinook salmon immigrating and holding.
American River	 Folsom Storage: 0.39 MAF Current Release: 1,500 cfs Anticipated Weekly Range of Releases to American: 1,500 cfs Temperature compliance target at Watt Avenue: 68°F after 7/1/20 Modifying temperature target to ARG recommendation during this week Water Forum Latest Conditions 	 Juvenile steelhead rearing. Adult fall-run Chinook salmon immigrating and holding. Adult Chinook salmon carcass surveys began on 10/13/2020.

Tributary/ Division	Anticipated Weekly Ranges	Related Environmental and Fish Conditions
Stanislaus River	 New Melones Storage: 1.51 MAF Current Release to Stanislaus: Fluctuating within week Anticipated Range of Weekly Releases to Stanislaus: 400 cfs to 1450 cfs 	 Juvenile steelhead rearing through summer/fall. Adult fall-run Chinook salmon immigrating and holding. Adult weir monitoring began 9/10/2020 and is planned to operate through the first week in November. Beginning 9/10/2020, as of 10/19/2020, 214 Chinook salmon have been observed moving upstream past the adult video weir. Adult Chinook salmon carcass surveys began 10/6/2020. No carcasses have been observed since the start of the surveys.
Delta	 Freeport: 6,500 to 8,000 cfs Vernalis: 800 to 2,500 cfs Delta Outflow index: 3,000 to 4,500 cfs Combined Exports: 2,700 to 4,200 cfs JPP: 2,400 to 3,400 cfs CCF: 300 to 800 cfs Expected OMR Index Values: -2,000 to -4,000 cfs DCC: Open, w/ closure for Moke pulses 10/20 through 10/24 	 Green sturgeon adult and juveniles present. Adult fall-run Chinook salmon immigrating through Delta Adult CCV steelhead migrating through Delta 99-100% winter-run Chinook salmon juveniles yet to enter the Delta and 0-1% in Delta. 100% spring-run Chinook salmon juveniles yet to enter the Delta and 0% in Delta. 99-100% steelhead juveniles yet to enter the Delta and 0-1% in Delta.

Table 2. WY 2021 relevant Fish and Environmental Criteria and Status in 2019 Reclamation LTO Action and NMFS and USFWS Biological Opinions. Cumulative loss for the duration of 2019 Biological Opinion began upon signature of ROD, 2/19/2020.

Species/run	Threshold	Current Status	Trend	Updated through
Green sturgeon	WY 2021 salvage = 74	WY 2021 salvage = 0	No change expected	10/18/2020
Natural winter-run Chinook salmon	WY 2021 loss = TBD 10-year cumulative loss = 8,738	WY 2021 loss = 0 Cumulative loss = 183 (2.1 %)	No change expected	10/18/2020
Hatchery winter-run Chinook salmon	WY 2021 loss = NA 10-year cumulative loss = 5,356	WY 2021 loss = NA Cumulative loss = 0 (0 %)	No change expected	10/18/2020
Natural steelhead	WY 2021 loss = 0 10-year cumulative loss = 11,864	WY 2021 loss = 0 Cumulative loss = 727 (6.1 %)	No change expected	10/18/2020

Relevant Water Year 2021 Fish Criteria and Status for Listed Fish under the SWP Long-Term Incidental Take Permit.

Table 3a: Chinook Salmon

Action OMR Mgmt. triggere d (8.3.2)	Jan. 1 - Jun. 30 (when >= 5% of spring-run or winter- run in Delta)	Current Action Status Not In effect	Threshold(s) When >= 5% of the Winter-run or Spring-run population in Delta	Current Relevant Data N/A	Weekly Trend	Last Updated N/A	Comments N/A
Winter- run yearly loss (8.6.1)	Nov. 1 - Jun. 30	Not in effect	- cum. loss of 10,002 unclipped (natural) Winter-run [1.17% of JPE] - cum. loss of 110 clipped (hatchery) Winter-run [0.12% of JPE]	N/A	N/A	N/A	N/A
Winter- run discrete daily loss (8.6.2)	Nov. 1 - Dec. 31	Not in effect	11/1-11/30: loss of 6/day unclipped older juv. Winter- run 12/1-12/31: loss of 26/day clipped older juv. Winter-run	N/A	N/A	N/A	N/A
Winter- run relative daily loss (8.6.3)	Jan. 1 - May 31	Not in effect	1/1 - 1/31: 0.00635% loss of Winter-run JPE = TBD 2/1 - 2/28: 0.00991% = TBD 3/1 - 3/31: 0.0146% = TBD 4/1 - 4/30: 0.00507% = TBD 5/1 - 5/31: 0.0077% = TBD	N/A	N/A	N/A	N/A
Spring- run surroga te protecti on (8.6.4)	Feb. 1 - Jun. 30	Not in effect	 Feather CWT Spring-run surrogates cum. loss >0.25% for any release group OR Coleman or Nimbus Fall-run cum. loss >0.25% for any release group 	N/A	N/A	N/A	N/A

Table 3b: Delta Smelt

Action	Timeframe	Current Action Status	Threshold(s)	Current Relevant Data	Weekly Trend	Last Updated	Comments
Integrated Early Winter Pulse Protection ('First Flush') (8.3.1)	Dec. 1 - Jan. 31	Not in effect	 three-day Freeport daily flow running avg >= 25,000 AND [three-day Freeport turbidity running avg >=50 NTU OR Smelt Monitoring Team recommendation] 	N/A	N/A	N/A	N/A
Turbidity Bridge Avoidance (8.5.1)	Dec. 15 - Apr. 1	Not in effect	Occurs after the Integrated Early Winter Pulse protection or February 1 (whichever comes first ,(until April 1 - avg. OBI turbidity > 12 NTU	N/A	N/A	N/A	N/A
Larval and/Juvenil e Delta smelt Protection (8.5.2)	ongoing	In effect	- 5-day cum. salvage of juv. DS >= 1.67 [average 3-yr FMWT index + 1] OR, - 3-day cum. salvage of juv. DS >11	current 5-day salvage = 0	N/A	N/A	N/A

Table 3c: Longfin Smelt

Action	Timeframe	Current Action Status	Threshold(s)	Current Relevant Data	Weekly Trend	Last Updated	Comments
Early Adult Protection (8.3.3)	Dec. 1 - Feb. 28	Not in effect	Cum. salvage > [most recent FMWT/10] = 1.2 fish <u>OR</u> Smelt Monitoring Team determines high likelihood of LFS movement into high-risk areas	N/A	N/A	N/A	N/A
OMR Mgt. for Adults (8.4.1)	Dec. 1 - Feb. 28	Not in effect	- Smelt Monitoring Team recommendation	N/A	N/A	N/A	N/A
Larval and Juvenile longfin smelt Entrainme nt Protection (8.4.2)	Jan. 1 - Jun. 30	Not in effect	 LFS larvae or juveniles in >=4 SLS or 20 mm stations in central and south Delta, OR LFS catch/tow >5 larvae or juveniles in >=2 stations 	N/A	N/A	N/A	N/A
High Flow OMR Off- Ramp for longfin smelt (8.4.3)	ongoing	In effect	Sac. R. at Rio Vista >55,000, <u>OR</u> SJR at Vernalis >8,000	Rio Vista = 2,000 – 6,000 cfs SJ = 800 to 2,500 cfs	N/A	N/A	N/A

Table 3d: OMR

Action	Timeframe	Current Action Status	Threshold(s)	Current Relevant Data	Weekly Trend	Last Updated	Comments
OMR Mgmt. Offramp (8.3.2)	Jun. 1 – Jun. `30	Not in effect	- >95% of the Winter-run and Spring-run populations have migrated past Chipps Island AND - Current daily average water temperature at Mossdale exceeds22.2°C for 7 non-consecutive days in June AND - Current daily average water temperature at Prisoners Point exceeds 22.2°C for 7 non consecutive days in June. Current daily mean water temperature at CCF is greater than 25°C for three consecutive days	N/A	N/A	N/A	N/A