

# Weekly Fish and Water Operations Outlook 1/11/2022 – 1/17/2022

Dry weather this week. Patchy fog possible. Mild days and cool nights. Precipitation chances to the north of the forecast area.

Tributary/ Division	Anticipated Weekly Ranges	Related Environmental and Fish Conditions*
Clear Creek	<ul style="list-style-type: none"> <li>• Current Release: 200 cfs</li> <li>• Anticipated Weekly Range of Releases: 200 cfs</li> </ul>	<ul style="list-style-type: none"> <li>• Spring-run Chinook Salmon fry are rearing in Clear Creek.</li> <li>• Fall-run Chinook salmon eggs are incubating in the gravel, some eggs hatching, and fry are rearing in Clear Creek.</li> <li>• O. mykiss/steelhead adults are present, and their migrations upstream will continue through the next few months. Their spawning has commenced and will continue through March.</li> <li>• Late-fall run Chinook Salmon are spawning. Their peak spawning will occur December through February.</li> </ul> <p><i>(updated 1/3/2021)</i></p>
Sacramento River	<ul style="list-style-type: none"> <li>• Shasta Storage: 1.484 MAF</li> <li>• Current Release: 3,250 cfs</li> <li>• Anticipated Weekly Range of Releases: 3,250 cfs</li> </ul>	<p>Winter-run Chinook Salmon juveniles present in low numbers above RBDD and distributed throughout the Sacramento River and to the Delta.</p> <ul style="list-style-type: none"> <li>• Spring-run Chinook Salmon, few remaining alevins in gravel, many fry present and migrating downstream.</li> <li>• Fall-run Chinook Salmon adults are done spawning, eggs and alevin in gravel, fry emergence and passage at RBDD is increasing daily.</li> <li>• Late fall-run Chinook Salmon spawning occurring, eggs in the gravel.</li> <li>• Green Sturgeon adults and juvenile present in lower river with Delta entry likely.</li> <li>• Adult steelhead present; juveniles absent from upper river catch. Hatchery steelhead released into Battle Creek 12/12/2021 and are present in the river.</li> </ul> <p><i>(updated 1/3/21)</i></p>

Tributary/ Division	Anticipated Weekly Ranges	Related Environmental and Fish Conditions*
Feather River	<ul style="list-style-type: none"> <li>• Oroville Storage: 1.483 MAF</li> <li>• Current Release: 950 cfs</li> <li>• Anticipated Weekly Range of Releases: 950 cfs</li> <li>• Daily temperature targets: 55°F at Fish Hatchery</li> </ul>	<ul style="list-style-type: none"> <li>• Fall-run Chinook Salmon spawning is complete. Eggs and alevin in gravel and some fry are present and emerging.</li> <li>• Juvenile and Adult steelhead present</li> <li>• Spring-run Chinook Salmon eggs and alevins in gravel; fry are present and emerging</li> </ul> <p><i>(updated 12/28/21)</i></p>
American River	<ul style="list-style-type: none"> <li>• Folsom Storage: 568 TAF</li> <li>• Current Release: 5,000 cfs</li> <li>• Anticipated Weekly Range of Releases: 2,000 cfs to 5,000 cfs, releases are for relief of flood space encroachment.</li> </ul>	<ul style="list-style-type: none"> <li>• Fall-run Chinook Salmon are spawning. Eggs are in gravel.</li> <li>• Juvenile and adult <i>O. mykiss</i> are present and holding. Spawning has not yet been observed but historical data suggests it should begin in early January.</li> </ul> <p><i>(updated 12/16/21)</i></p>
Stanislaus River	<ul style="list-style-type: none"> <li>• New Melones Storage: 958 TAF</li> <li>• Current Release: 200 cfs</li> <li>• Anticipated Range of Weekly Releases: 200 cfs</li> </ul>	<ul style="list-style-type: none"> <li>• Juvenile and adult <i>O. mykiss</i> are present. <i>O. mykiss</i> spawning season begins in December.</li> <li>• Adult fall-run Chinook Salmon present. Spawning observed.</li> </ul> <p><i>(updated 12/15/21)</i></p>

Tributary/ Division	Anticipated Weekly Ranges	Related Environmental and Fish Conditions*
Delta	<ul style="list-style-type: none"> <li>• Freeport: 17,000 to 24,000 cfs</li> <li>• Vernalis: 800 to 1,200 cfs</li> <li>• Delta Outflow index: 12,000 to 20,000 cfs</li> <li>• Combined Exports: 5,000 to 6,000 cfs</li> <li>• JPP: 3,500 cfs to 4,200 cfs</li> <li>• CCF: 800 cfs to 2,500 cfs</li> <li>• Expected OMR Index Values: -4,500 to -5,000 cfs</li> <li>• DCC Gates: Closed as of 11/30/2021</li> </ul>	<ul style="list-style-type: none"> <li>• Juvenile winter-run Chinook Salmon 25-40% yet to enter Delta, 55-74% in Delta, 1-5% exited Delta past Chipps Island</li> <li>• YOY spring-run Chinook Salmon: 55-70% yet to enter Delta, 30-45% in Delta, 0% exited past Chipps Island</li> <li>• Juvenile Steelhead: 75-80% yet to enter Delta, 20-24% in Delta, 0-1% exited Delta past Chipps Island</li> <li>• Adult fall-run Chinook Salmon entering Delta and migrating upstream towards spawning grounds</li> <li>• Adult steelhead present</li> <li>• Adult and juvenile Green Sturgeon present</li> <li>• Adult Delta Smelt expected to be present in the Sacramento Deep Water Ship Channel (DWSC), lower Sacramento River, Suisun Bay, and lower San Joaquin River. Delta Smelt with a migratory life history are expected to be moving upstream in response to first flush conditions.</li> <li>• Longfin Smelt &gt;60mm have been detected at Chipps, lower Sacramento River, Suisun Bay/Marsh, San Pablo, and Central Bay. Longfin Smelt larvae have been detected in the confluence, lower Sacramento River, station 716, and lower San Joaquin River.</li> </ul> <p><i>(updated 1/11/2021)</i></p>

\* Environmental and fish conditions updated by respective watershed groups at varying intervals that may not coincide with the weekly range of Water Operations

Table 2a-b: WY 2022 relevant Fish and Environmental Criteria and Status in 2019 Reclamation LTO Action Cumulative loss for the duration of 2019 Biological Opinion began upon signature of ROD, 2/19/2020.

Table 2a: WY 2022 Salmonid Current Loss and Delta Smelt Abiotic Conditions. Additional Real-Time OMR Restrictions and Performance Objectives (4.10.5.10.2) and Onset of OMR Management (4.10.5.10.1).

Species/run	Threshold	Current Status	Weekly Trend	Updated
Green sturgeon	WY 2022 salvage = 74	WY 2022 salvage = 0 (0%)	No change expected	1/9/2022
Natural winter-run Chinook Salmon	WY 2022 loss = 729.8 (50% of 1.17% of JPE)*	WY 2022 loss = 17.11 (2.34%)	Possible additional salvage	1/9/2022
Natural Steelhead **	Dec 1 – Mar 31 = 707 (50% of 1,414) Apr 1 – June 15 = 776 (50% of 1,552)	Dec 1 – Mar 31 = 17.0 (2.40%) Apr 1 – June 15 = 0 (0%)	Possible additional salvage	1/9/2022
Hatchery yearling spring-run Chinook salmon surrogates	> 0.5% of each release group: 1) 12/15/2021: 84,343 = 421.7 2) 12/22/2021: 82,626 = 413.1 3) 1/6/2022: 77,325 = 386.6	1) 39.45 (9.4%) 2) 12.41 (3.0%) 3) 0 (0%)	Likely additional salvage	1/9/2022
Delta Smelt	Daily avg. Turbidity at OBI=>12 FNU	OBI daily Avg Turbidity = 5.25	Increasing	1/11/2022

\* Draft WR JPE for BY 2021 is 124,760 fish. Anticipate issuing a Final JPE recommendation by January 14, 2022.

\*\* Steelhead observed on 10/30/2021 and 11/19/2021 are included in the December 1 through March 31 period

Table 2b. 10-Year Salmonid Cumulative Loss

Species/run	Threshold	Current Status	Updated
Natural winter-run Chinook salmon	Loss = 8,738	Cumulative loss = 222.0 (2.54%)	1/9/2022
Hatchery winter-run Chinook salmon	Loss = 5,356	Cumulative loss = 0 (0%)	1/9/2022

Species/run	Threshold	Current Status	Updated
Natural steelhead	Loss = 6,038 (Dec 1 – Mar 31) Loss = 5,826 (Apr 1 – June 15)	Cumulative loss = 460.2 (7.62%, Dec 1 – Mar 31) 374.8 (6.4%, Apr 1 – June 15)	1/9/2022

Table 3a-d: Relevant Water Year 2022 Fish Criteria and Status for Listed Fish under the SWP Long-Term Incidental Take Permit.

Table 3a: Chinook Salmon

Action	Timeframe	Current Action Status	Threshold(s)	Current Relevant Data	Weekly Trend	Last Updated	Comments
OMR Mgmt. triggered (8.3.2)	Jan. 1 - Jun. 30 <i>(when ≥ 5% of spring-run or winter-run in Delta)</i>	In effect	- 5% of the Winter-run or Spring-run population in Delta	Winter-run = 55-59% estimated in the Delta; Spring-run = 25-35% estimated in the Delta	Potential increase in presence of winter and spring-run	1/10/22	Based on 1/4/22 SaMT discussion
Winter-run yearly loss (8.6.1)	Nov. 1 - Jun. 30	In effect WY 2022 loss = 1459.6*	729.8 (50% of 1.17% of JPE)*	Current yearly WR loss (natural) = 17.11*; Current yearly WR loss (hatchery) = 0	Possible additional salvage of natural Winter-run	1/10/22	Based on salvage data from 1/9/22

Action	Timeframe	Current Action Status	Threshold(s)	Current Relevant Data	Weekly Trend	Last Updated	Comments
Winter-run discrete daily loss (8.6.2)	Nov. 1 - Dec. 31	Not in effect	12/1-12/31: loss 26/day unclipped older juv. Winter-run	max single daily loss from previous week = 3.52 fish	N/A	1/3/22	N/A
Mid and late season Winter-run daily loss threshold (8.6.3)	Jan 1 – May 30	In effect	Jan 1-Jan 31 (0.0000635% of JPE) = 7.92*	max single daily loss from previous week = 5.20 fish	N/A	1/10/22	Based on salvage data from 1/9/22
Spring-run surrogate protection (8.6.4)	Feb. 1 - Jun. 30	Not in effect:	TBD (based on the number of fish released)	N/A	N/A	11/1/21	N/A

\*Draft WR JPE for BY 2021 is 124,760 fish. Anticipate issuing a Final JPE recommendation by January 14, 2022

Table 3b: Delta Smelt

Action	Timeframe	Current Action Status	Threshold(s)	Current Relevant Data	Weekly Trend	Last Updated	Comments
Integrated Early Winter Pulse Protection ('First Flush') (8.3.1)	Dec. 1 - Jan. 31	Not in effect, triggered on Dec 17, last day of action was 1/2/22	<p>- three-day Freeport daily flow running avg <math>\geq 25,000</math> <u>AND</u></p> <p>[three-day Freeport turbidity running avg <math>\geq 50</math> NTU <u>OR</u> Smelt Monitoring Team recommendation]</p>	N/A	N/A	N/A	N/A
Turbidity Bridge Avoidance (8.5.1)	Dec. 15 - Apr. 1	In effect, not triggered	<p>Occurs after the Integrated Early Winter Pulse protection or February 1 (whichever until April 1) comes first</p> <p>- avg. OBI turbidity <math>&gt; 12</math> NTU</p>	OBI 5.42 FNU	No change expected	1/10/22	Data from 1/9/22
Larval and/Juvenile Delta smelt Protection (8.5.2)	ongoing	In effect, not triggered	<p>- 5-day cum. salvage of juv. DS <math>\geq 1</math> [average 3-yr FMWT index + 1] <u>OR</u>,</p> <p>3-day cum. salvage of juv. DS <math>&gt; 11</math></p>	current 5-day salvage = 0	no change expected	1/10/22	Based on salvage data from 1/9/22

Table 3c: Longfin Smelt

Action	Timeframe	Current Action Status	Threshold(s)	Current Relevant Data	Weekly Trend	Last Updated	Comments
Early Adult Protection (8.3.3)	Dec. 1 - Feb. 28	Offramped	- Cum. salvage > [most recent FMWT/10] = 1 fish (Sept.-Oct. Index) <u>OR</u> - Smelt Monitoring Team determines high likelihood of LFS movement into high-risk areas	N/A	N/A	N/A	N/A
OMR Mgt. for Adults (8.4.1)	Dec. 1 -Feb. 28	Offramped	- Smelt Monitoring Team recommendation	N/A	N/A	N/A	N/A
Larval and Juvenile Longfin Smelt Entrainment Protection (8.4.2)	Jan 1 – Jun 30	In effect, not triggered	- LFS larvae or juveniles in >=4 SLS or 20 mm stations in central and south Delta, OR  - LFS catch/tow >5 larvae or juveniles in >=2 stations	SLS 13 detected larvae at 809 and 914	Hatching started and will increase	1/10/22	SLS 12 sampled week of 12/13, SLS 13 sampled week of 12/27
High Flow OMR Off-Ramp for Longfin Smelt (8.4.3)	Based on the status of 8.3.3, 8.4.1, & 8.4.2	In effect, not triggered	- Sac. R. at Rio Vista >55,000, <u>OR</u>  SJR at Vernalis >8,000	Rio Vista = 12,000 to 18,000 cfs  SJ = 800 to 1,200 cfs	N/A	1/10/22	N/A



Table 3d: OMR

Action	Timeframe	Current Action Status	Threshold(s)	Current Relevant Data	Weekly Trend	Last Updated	Comments
OMR Mgmt. Offramp (8.3.2)	Jun. 1 – Jun. 30	Not in effect	<ul style="list-style-type: none"> <li>- &gt;95% of the Winter-run and Springrun populations have migrated past Chipps Island <u>AND</u></li> <li>- Current daily average water temperature at Mossdale exceeds 22.2°C for 7 nonconsecutive days in June <u>AND</u></li> <li>- Current daily average water temperature at Prisoners Point exceeds 22.2°C for 7 non-consecutive days in June.</li> <li>- Current daily mean water temperature at CCF is greater than 25°C for three consecutive days</li> </ul>	N/A	N/A	10/4/21	N/A

Table 4. Fish monitoring gear efficiency and disruptions.

Monitoring Survey	Notes (as of 1/11/2022)	Status *
Delta	N/A	N/A
SWP regular counts, CWT reading, and larval sampling	Active (No disruptions)	1
CVP regular counts, CWT reading, and larval sampling	Active (No disruptions)	1
Smelt Larval Survey	Interrupted	3
LEPS	Interrupted	3
20mm Survey	Not Active	4
Spring Kodiak Trawl	Not Active	4
Fall Mid-water Trawl	Not Active	4
Summer Townet Survey	Not Active	4
Bay Study	Active (No disruptions)	1
DJFMP- Chipps and Sacramento Trawls	Active (Sampling on 1/6 was cut short. No Sac trawl on 1/9, will be made up on 1/12)	2
DJFMP- Seines	Active: sampling San Joaquin Seines (Only two sites. South Delta sampling canceled 1/5)	2
EDSM	Active (No sampling at Rio Vista on 1/6. Sampling at Pittsburgh and Rio Vista canceled on 1/7)	2
EMP	Active (No disruptions)	1
Mosssdale	Active (started Jan 1 w/ mixed CDFW/USFWS crews)	1
USGS Flow monitoring	Active (No disruptions)	1
Sacramento River	N/A	N/A

Monitoring Survey	Notes (as of 1/11/2022)	Status *
Red Bluff Diversion Dam screw trap	Active (No disruptions)	1
Knights Landing screw trap	Active	1
Tisdale screw trap	Active	1
GCID screw trap	Active (partial disruptions1/9)	2
Redd dewatering and stranding surveys	Not Active	4
Sacramento Carcass and Redd Surveys	Active (No disruptions)	1
Feather River	N/A	N/A
Feather River screw trap	Active (weekdays only)	1
San Joaquin River	N/A	N/A
SJRRP CDFW Field Monitoring	Active (No disruptions)	1
SJRRP USFWS and USBR Field Monitoring	Active (No disruptions)	1
Stanislaus Fish Weir	Active (No disruptions)	1

\* Status: Weekly categories include:

- [1] Active (ongoing sampling)
- [2] Partial Interruption (some sampling interruptions)
- [3] Interrupted (sampling fully suspended)
- [4] Not Active (sampling not scheduled)