

Stanislaus Watershed Team

10:00 AM – 12:00 PM Conference Line: 1 (321) 209-6143; Meeting ID: 901 988 581# Webinar: Join Microsoft Teams Meeting

Wednesday, July 20, 2022

Agenda

- 1. Introductions
- 2. Ground Rules¹
- 3. Announcements
- 4. Operations Update and Forecasts/Hydrology
- 5. Temperature Updates
- 6. Flow Planning
- 7. Stanislaus River Forum (SRF) Call Review
- 8. Fish Monitoring and Studies
- 9. Restoration Project Updates
- 10. Progress Update on Proposed Action Elements
 - a. Spawning and rearing habitat restoration

- 7. One speaker at a time
- 8. Take space/make space

¹ The Stanislaus Watershed Team's Ground Rules are as follows:

^{1.} Seek to understand and respect opposing views and suggestions for change (w/in the parameters of the Guidance Document).

^{2.} Seek to leverage collective expertise (including from agencies' & stakeholders' consultants).

^{3.} Hold questions/discussion at the discretion of the presenter.

Honor time limits - keep comments and discussion succinct and focused on meeting objectives as needed.

^{5.} Make constructive proposals and suggestions to seek mutually agreeable solutions for all parties.


^{6.} Keep a record of discussion and dialogue.

- b. Temperature management study
- c. Yellow-bellied cuckoo survey
- 11. Other Discussion Items
 - a. Curtailments
 - b. Annual reporting check-in
 - c. Items to elevate to WOMT
- 12. Review Action Items
- 13. Next Meeting: Wednesday, August 17, 2022 (10am-12pm)

Sacramento District

Water Control Data System

Melones Dam & Lake - Stanislaus River Basin 2022-07-18T15:17:30-0700



UNITED STATES DEPARTMENT OF THE INTERIOR U.S. BUREAU OF RECLAMATION-CENTRAL VALLEY PROJECT-CALIFORNIA DAILY CVP WATER SUPPLY REPORT

July 17, 2022 RUN DATE: July 18, 2022

Table 4. Reservoir Releases in Cubic Feet/Second

| RESERVOIR | DAM | WY 2021 | WY 2022 | 15 YR MEDIAN |
|-------------|----------------|---------|---------|--------------|
| TRINITY | LEWISTON | 451 | 472 | 461 |
| SACRAMENTO | KESWICK | 9,271 | 4,515 | 12,323 |
| FEATHER | OROVILLE (SWP) | 3,000 | 4,000 | 12,323 |
| AMERICAN | NIMBUS | 1,026 | 4,496 | 3,937 |
| STANISLAUS | GOODWIN | 1,502 | 304 | 355 |
| SAN JOAQUIN | FRIANT | 269 | 231 | 350 |

Table 5. Storage in Major Reservoirs in Thousands of Acre-Feet

| RESERVOIR | CAPACITY | 15 YR AVG | WY 2021 | WY 2022 | % O 15 YR AVG |
|-----------------|----------|-----------|---------|---------|---------------|
| TRINITY | 2,448 | 1,544 | 1,076 | 688 | 45 |
| SHASTA | 4,552 | 2,962 | 1,582 | 1,724 | 58 |
| FOLSOM | 977 | 646 | 261 | 691 | 107 |
| NEW MELONES | 2,420 | 1,369 | 1,120 | 745 | 54 |
| FED. SAN LUIS | 966 | 312 | 94 | 198 | 64 |
| TOTAL NORTH CVP | 11,363 | 6,833 | 4,133 | 4,046 | 59 |
| MILLERTON | 520 | 377 | 226 | 314 | 83 |
| OROVILLE (SWP) | 3,538 | 2,130 | 990 | 1,563 | 73 |

Table 5. Accumulated Inflow for Water Year to Date in Thousands of Acre-Feet

| RESERVOIR | CURRENT WY 2021 | WY 1977 | WY 1983 | 15 YRAVG | % O 15 YR AVG |
|-------------|--------------------|---------|---------|----------|------------------|
| TRINITY | 474 | 194 | 2,709 | 985 | 48 |
| SHASTA | 2,562 | 2,113 | 10,067 | 4,220 | 61 |
| FOLSOM | 1,571 | 298 | 6,086 | 2,203 | 71 |
| NEW MELONES | 523 | N/A | 2,545 | 853 | 61 |
| MILLERTON | 769 | 236 | 4,010 | 1,241 | 62 |

Table 6. Accumulated Precipitation for Water Year to Date in Inches

| RESERVOIR | CURRENT WY 2022 | WY 1977 | WY1983 | AVG (N YRS) | % OF AVG | LAST 24 HRS |
|---------------------------------|--------------------|---------|--------|----------------|-------------|----------------|
| TRINITY AT FISH HATCHERY | 18.88 | 12.06 | 54.73 | 30.78 (60) | 61 | 0.00 |
| SACRAMENTO AT SHASTA DAM | 41.35 | 17.42 | 112.56 | 60.09 (65) | 69 | 0.0 |
| AMERICAN AT BLUE CANYON | 64.06 | 15.64 | 103.88 | 65.01 (47) | 99 | 0.00 |
| STANISLAUS AT NEW MELONES | 19.39 | N/A | 45.33 | 26.82 (44) | 72 | 0.00 |
| SAN JOAQUIN AT HUNTINGTON LK | 24.26 | 17.20 | 81.40 | 40.31 (47) | 60 | 0.00 |

OAKDALE IRRIGATION DISTRICT

SOUTH SAN JOAQUIN IRRIGATION DISTRICT

TRI DAMS PROJECT-CALIFORNIA

| JULY 202 | 2 | GOOI | OWIN RESE | ERVOIR DAI | LY OPERAT | IONS | RUN DATE: J | uly 18, 2022 |
|-----------|--------|---|---|--------------------|--------------------------------------|------------------------------|-----------------------|-----------------------|
| DAY | ELEV | STORAGE (1000 ACRE FEET) IN LAKE | STORAGE (1000 ACRE- FEET) CHANGE | TULLOCH RELEASE | RELEASE C.F.S. RIVER OUTLET | RELEASE - C.F.S. SPILL | CANALS- JOINT MAIN | CANALS- SOUTH MAIN |
| N/A | N/A | 536 | N/A | N/A | N/A | N/A | N/A | N/A |
| 1 | 359.86 | 527 | -9 | 1,839 | 0 | 376 | 950 | 471 |
| 2 | 359.86 | 527 | +0 | 1,786 | 0 | 303 | 939 | 463 |
| 3 | 359.86 | 527 | +0 | 1,580 | 0 | 305 | 835 | 361 |
| 4 | 359.86 | 527 | +0 | 1,599 | 0 | 303 | 824 | 375 |
| 5 | 359.86 | 527 | +0 | 1,560 | 0 | 306 | 815 | 340 |
| 6 | 359.88 | 529 | +2 | 1,691 | 0 | 303 | 829 | 435 |
| 7 | 359.86 | 527 | -2 | 1,714 | 0 | 306 | 906 | 451 |
| 8 | 359.86 | 527 | +0 | 1,630 | 0 | 302 | 917 | 451 |
| 9 | 359.86 | 527 | +0 | 1,568 | 0 | 302 | 906 | 401 |
| 10 | 359.86 | 527 | +0 | 1,566 | 0 | 301 | 891 | 410 |
| 11 | 359.86 | 527 | +0 | 1,540 | 0 | 306 | 888 | 387 |
| 12 | 359.86 | 527 | +0 | 1,550 | 0 | 306 | 847 | 438 |
| 13 | 359.86 | 527 | +0 | 1,533 | 0 | 304 | 866 | 401 |
| 14 | 359.86 | 527 | +0 | 1,626 | 0 | 1,781 | 918 | 443 |
| 15 | 359.86 | 527 | +0 | 1,665 | 0 | 302 | 943 | 460 |
| 16 | 359.86 | 527 | +0 | 1,630 | 0 | 302 | 923 | 446 |
| 17 | 359.86 | 527 | +0 | 1,507 | 0 | 304 | 863 | 382 |
| TOTALS | N/A | N/A | -9 | 27,584 | 0 | 6,712 | 15,060 | 7,115 |
| ACRE-FEET | N/A | N/A | -9 | 54,713 | 0 | 13,313 | 29,872 | 14,113 |

JOINT MAIN OPERATED BY SSJID AND OID.

| JOINT MAIN CANAL | 29,872 |
|------------------------|--------|
| SOUTH MAIN CANAL | 14,113 |
| OUTLET | 0 |
| SPILL | 13,313 |
| TOTAL | 57,298 |

OAKDALE IRRIGATION DISTRICT

SOUTH SAN JOAQUIN IRRIGATION DISTRICT

TRI-DAMS PROJECT-CALIFORNIA

| JUNE 202 | 2 | GOOD | WIN RESE | RVOIR DA | | ATIONS | RUN DATE: J | RUN DATE: July 1, 2022 | | |
|-----------------|--------|--|---|--------------------|--|------------------------------|-----------------------|------------------------|--|--|
| DAY | ELEV | STORAGE (1000 ACRE- FEET) IN LAKE | STORAGE (1000 ACRE- FEET) CHANGE | TULLOCH RELEASE | RELEASE C.F.S. RIVER OUTLET | RELEASE - C.F.S. SPILL | CANALS- JOINT MAIN | CANALS- SOUTH MAIN | | |
| N/A | N/A | 547 | N/A | N/A | N/A | N/A | N/A | N/A | | |
| 1 | 360.14 | 547 | +0 | 1,929 | 0 | 803 | 689 | 355 | | |
| 2 | 360.14 | 547 | +0 | 2,143 | 0 | 803 | 789 | 461 | | |
| 3 | 360.15 | 548 | +1 | 2,192 | 0 | 804 | 843 | 461 | | |
| 4 | 360.14 | 547 | -1 | 2,175 | 0 | 803 | 839 | 455 | | |
| 5 | 360.14 | 547 | +0 | 1,950 | 0 | 805 | 767 | 306 | | |
| 6 | 360.14 | 547 | +0 | 2,032 | 0 | 805 | 807 | 348 | | |
| 7 | 360.14 | 547 | +0 | 2,079 | 0 | 804 | 790 | 412 | | |
| 8 | 360.17 | 549 | +2 | 2,166 | 0 | 808 | 806 | 499 | | |
| 9 | 360.14 | 547 | -2 | 2,099 | 0 | 805 | 866 | 471 | | |
| 10 | 360.15 | 548 | +1 | 2,054 | 0 | 804 | 869 | 427 | | |
| 11 | 360.15 | 548 | +0 | 2,042 | 0 | 804 | 844 | 443 | | |
| 12 | 360.15 | 548 | +0 | 1,788 | 0 | 802 | 730 | 311 | | |
| 13 | 360.15 | 548 | +0 | 1,796 | 0 | 803 | 730 | 318 | | |
| 14 | 360.15 | 548 | +0 | 1,950 | 0 | 807 | 781 | 414 | | |
| 15 | 360.15 | 548 | +0 | 1,980 | 0 | 804 | 783 | 441 | | |
| 16 | 360.17 | 549 | +1 | 2,007 | 0 | 805 | 798 | 452 | | |
| 17 | 360.15 | 548 | -1 | 2,058 | 0 | 804 | 842 | 461 | | |
| 18 | 360.17 | 549 | +1 | 2,002 | 0 | 805 | 835 | 413 | | |
| 19 | 360.17 | 549 | +0 | 1,917 | 0 | 803 | 778 | 391 | | |
| 20 | 360.15 | 548 | -1 | 1,899 | 0 | 803 | 782 | 372 | | |
| 21 | 360.23 | 553 | +5 | 2,002 | 0 | 873 | 783 | 411 | | |
| 22 | 360.23 | 553 | +0 | 2,040 | 0 | 904 | 777 | 432 | | |
| 23 | 360.23 | 553 | +0 | 1,857 | 0 | 905 | 738 | 297 | | |
| 24 | 360.21 | 552 | -1 | 1,916 | 0 | 905 | 760 | 341 | | |
| 25 | 360.21 | 552 | +0 | 1,984 | 0 | 900 | 799 | 373 | | |
| 26 | 360.23 | 553 | +1 | 1,996 | 0 | 901 | 800 | 382 | | |
| 27 | 360.21 | 552 | -1 | 1,988 | 0 | 902 | 771 | 402 | | |
| 28 | 360.23 | 553 | +1 | 2,064 | 0 | 901 | 802 | 447 | | |
| 29 | 360.11 | 545 | -8 | 1,959 | 0 | 764 | 838 | 441 | | |
| 30 | 359.98 | 536 | -9 | 1,852 | 0 | 565 | 918 | 420 | | |
| TOTALS | N/A | N/A | -11 | 59,916 | 0 | 24,604 | 23,954 | 12,157 | | |
| ACRE-FEET | N/A | N/A | -11 | 118,843 | 0 | 48,802 | 47,513 | 24,113 | | |

JOINT MAIN OPERATED BY SSJID AND OID.

| JOINT MAIN CANAL | 47,513 |
|------------------------|---------|
| SOUTH MAIN CANAL | 24,113 |
| OUTLET | 0 |
| SPILL | 48,802 |
| TOTAL | 120,428 |

UNITED STATES DEPARTMENT OF THE INTERIOR

| | U.S. BUREAU OF RECLAMATION-CENTRAL VALLEY PROJECT-CALIFORNIA | | | | | | | | | | | |
|-----------|---|--|---|------------------------------|----------------------------|----------------------------|--------|-----------------|-----------------|------------------|--|--|
| JULY 2022 | JULY 2022 NEW MELONES LAKE DAILY OPERATIONS RUN DATE: July 18, 2022 | | | | | | | | | | | |
| DAY | ELEV | STORAGE 1000- ACRE- FEET IN LAKE | STORAGE 1000-ACRE- FEET CHANGE | COMPUTED INFLOW C.F.S. | RELEASE C.F.S. POWER | RELEASE C.F.S. SPILL | C.F.S. | EVAP. C.F.S. | EVAP. INCHES | PRECIP INCHES | | |
| N/A | N/A | 783.6 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | |
| 1 | 909.69 | 781.3 | -2.3 | 515 | 1,579 | 0 | 0 | 86 | 0.43 | .00 | | |
| 2 | 909.33 | 779.1 | -2.2 | 493 | 1,527 | 0 | 0 | 84 | 0.42 | .00 | | |
| 3 | 909.05 | 777.4 | -1.7 | 611 | 1,401 | 0 | 0 | 80 | 0.4 | .00 | | |
| 4 | 908.75 | 775.5 | -1.8 | 614 | 1,480 | 0 | 0 | 62 | 0.31 | .00 | | |
| 5 | 908.43 | 773.6 | -2.0 | 608 | 1,540 | 0 | 0 | 57 | 0.29 | .00 | | |
| 6 | 907.48 | 767.8 | -5.8 | -1,427 | 1,431 | 0 | 0 | 69 | 0.35 | .00 | | |
| 7 | 907.22 | 766.2 | -1.6 | 431 | 1,165 | 0 | 0 | 65 | 0.33 | .00 | | |
| 8 | 906.88 | 764.1 | -2.1 | 445 | 1,418 | 0 | 0 | 71 | 0.36 | .00 | | |
| 9 | 906.56 | 762.2 | -1.9 | 457 | 1,354 | 0 | 0 | 82 | 0.42 | .00 | | |
| 10 | 906.24 | 760.2 | -1.9 | 501 | 1,411 | 0 | 0 | 69 | 0.35 | .00 | | |
| 11 | 905.83 | 757.8 | -2.5 | 356 | 1,527 | 0 | 0 | 80 | 0.41 | .00 | | |
| 12 | 905.62 | 756.5 | -1.3 | 679 | 1,228 | 0 | 0 | 90 | 0.46 | .00 | | |
| 13 | 905.42 | 755.3 | -1.2 | 423 | 948 | 0 | 0 | 84 | 0.43 | .00 | | |
| 14 | 904.9 | 752.1 | -3.1 | 298 | 1,794 | 0 | 0 | 86 | 0.44 | .00 | | |
| 15 | 904.46 | 749.5 | -2.6 | 282 | 1,532 | 0 | 0 | 82 | 0.42 | .00 | | |
| 16 | 904.18 | 747.8 | -1.7 | 294 | 1,060 | 0 | 0 | 82 | 0.42 | .00 | | |
| 17 | 903.75 | 745.2 | -2.6 | 202 | 1,409 | 0 | 0 | 91 | 0.47 | .00 | | |
| | | | | | | | | | | | | |

5,782

11,469

23,804

47,215

0

0

1,320

2,618

0

0

6.71

N/A

.00

N/A

COMMENTS:

ACRE-FEET

TOTALS

* COMPUTED INFLOW IS THE SUM OF CHANGE IN STORAGE, RELEASES AND EVAPORATION.

-38.3

-38,300

N/A

N/A

SUMMARY PRECIPITATION

N/A

N/A

| TIME | PRECIPITATION |
|-------------------------|---------------|
| THIS MONTH | .00 |
| JULY 1, 2021 TO DATE | .00 |
| OCT 1, 2021 TO DATE | 19.39 |

| RELEASE (ACRE-FEET) | N/A |
|------------------------|--------|
| POWER | 47,215 |
| SPILL | 0 |
| OUTLET | 0 |
| TOTAL | 47,215 |

UNITED STATES DEPARTMENT OF THE INTERIOR

U.S. BUREAU OF RECLAMATION-CENTRAL VALLEY PROJECT-CALIFORNIA

| JUNE 202 | | NEW | MELONES | | | | | RUN DA | TE: July 5 | , 2022 |
|-----------|--------|--|---|------------------------------|----------------------------|----------------------------|-----------------------------|-----------------|-----------------|------------------|
| DAY | ELEV | STORAGE 1000-ACRE- FEET IN LAKE | STORAGE 1000-ACRE- FEET CHANGE | COMPUTED INFLOW C.F.S. | RELEASE C.F.S. POWER | RELEASE C.F.S. SPILL | RELEASE C.F.S. OUTLET | EVAP. C.F.S. | EVAP. INCHES | PRECIP INCHES |
| N/A | N/A | 862.5 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| 1 | 921.96 | 859.3 | -3.2 | 515 | 2,062 | 0 | 0 | 74 | 0.35 | .00 |
| 2 | 921.65 | 857.3 | -2.0 | 413 | 1,354 | 0 | 0 | 80 | 0.38 | .00 |
| 3 | 921.13 | 853.9 | -3.4 | 504 | 2,147 | 0 | 0 | 70 | 0.33 | .00 |
| 4 | 920.58 | 850.3 | -3.6 | 370 | 2,111 | 0 | 0 | 63 | 0.3 | .00 |
| 5 | 920.23 | 848 | -2.3 | 1,679 | 2,767 | 0 | 0 | 59 | 0.28 | .00 |
| 6 | 919.69 | 844.5 | -3.5 | 481 | 2,219 | 0 | 0 | 27 | 0.13 | .00 |
| 7 | 919.34 | 842.3 | -2.3 | 593 | 1,656 | 0 | 0 | 79 | 0.38 | .00 |
| 8 | 918.8 | 838.8 | -3.5 | 589 | 2,276 | 0 | 0 | 71 | 0.34 | .00 |
| 9 | 918.3 | 835.5 | -3.2 | 632 | 2,184 | 0 | 0 | 71 | 0.34 | .00 |
| 10 | 917.9 | 833 | -2.6 | 739 | 1,961 | 0 | 0 | 75 | 0.36 | .00 |
| 11 | 917.47 | 830.2 | -2.8 | 896 | 2,200 | 0 | 0 | 85 | 0.41 | .00 |
| 12 | 917.2 | 828.5 | -1.7 | 857 | 1,630 | 0 | 0 | 99 | 0.48 | .00 |
| 13 | 916.9 | 826.6 | -1.9 | 659 | 1,591 | 0 | 0 | 35 | 0.17 | .00 |
| 14 | 916.31 | 822.8 | -3.8 | 881 | 2,691 | 0 | 0 | 87 | 0.42 | .00 |
| 15 | 916.17 | 821.9 | -0.9 | 904 | 1,274 | 0 | 0 | 80 | 0.39 | .00 |
| 16 | 915.74 | 819.2 | -2.7 | 691 | 1,985 | 0 | 0 | 84 | 0.41 | .00 |
| 17 | 915.35 | 816.7 | -2.5 | 818 | 1,987 | 0 | 0 | 78 | 0.38 | .00 |
| 18 | 915 | 814.5 | -2.2 | 804 | 1,871 | 0 | 0 | 53 | 0.26 | .00 |
| 19 | 914.46 | 811.1 | -3.4 | 791 | 2,445 | 0 | 0 | 65 | 0.32 | .00 |
| 20 | 914.04 | 808.4 | -2.7 | 906 | 2,172 | 0 | 0 | 71 | 0.35 | .00 |
| 21 | 913.67 | 806.1 | -2.3 | 856 | 1,954 | 0 | 0 | 75 | 0.37 | .00 |
| 22 | 913.52 | 805.2 | -0.9 | 897 | 1,281 | 0 | 0 | 91 | 0.45 | .00 |
| 23 | 912.97 | 801.7 | -3.5 | 821 | 2,500 | 0 | 0 | 63 | 0.31 | .00 |
| 24 | 912.5 | 798.8 | -2.9 | 838 | 2,236 | 0 | 0 | 83 | 0.41 | .00 |
| 25 | 912.11 | 796.3 | -2.4 | 911 | 2,045 | 0 | 0 | 95 | 0.47 | .00 |
| 26 | 911.73 | 794 | -2.4 | 757 | 1,858 | 0 | 0 | 93 | 0.46 | .00 |
| 27 | 911.29 | 791.2 | -2.7 | 812 | 2,095 | 0 | 0 | 97 | 0.48 | .00 |
| 28 | 911.02 | 789.5 | -1.7 | 734 | 1,495 | 0 | 0 | 86 | 0.43 | .00 |
| 29 | 910.58 | 786.8 | -2.7 | 784 | 2,069 | 0 | 0 | 88 | 0.44 | .00 |
| 30 | 910.06 | 783.6 | -3.2 | 903 | 2,436 | 0 | 0 | 90 | 0.45 | .00 |
| TOTALS | N/A | N/A | -78.9 | 23,035 | 60,552 | 0 | 0 | 2,267 | 11.05 | .08 |
| ACRE-FEET | N/A | N/A | -78,900 | 45,690 | 120,105 | 0 | 0 | 4,497 | N/A | N/A |

COMMENTS:

* COMPUTED INFLOW IS THE SUM OF THE CHANGE IN STORAGE, RELEASES AND EVAPORATION.

SUMMARY PRECIPITATION

| TIME | PRECIPITATION |
|-------------------------|---------------|
| THIS MONTH | 0.08 |
| JULY 1, 2021 TO DATE | 19.43 |
| OCT 1, 2021 TO DATE | 19.39 |

| RELEASE (ACRE- FEET) | N/A |
|----------------------------|---------|
| POWER | 120,105 |
| SPILL | 0 |
| OUTLET | 0 |
| TOTAL | 120,105 |

UNITED STATES DEPARTMENT OF THE INTERIOR U.S. BUREAU OF RECLAMATION- CENTRAL VALLEY PROJECT- CALIFORNIA

| JULY 2022 TULLOCH RESERVOIR DAILY OPERATIONS RUN DATE: 7/18/2022 | | | | | | | | | |
|--|--------|---------------------------------|--------------------------------------|------------------------------|---------------------------|----------------------------|----------------------------|-----------------------------|------------------|
| DAY | ELEV | STORAGE (ACRE- FEET) RES. | STORAGE (ACRE- FEET) CHANGE | COMPUTED INFLOW C.F.S. | NEW MELONES RELEASE | RELEASE C.F.S. POWER | RELEASE C.F.S. SPILL | RELEASE C.F.S. OUTLET | EVAP. CFS (1) |
| N/A | N/A | 65,622 | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| 1 | 508.79 | 65,461 | -161 | 1,775 | 1,579 | 1,839 | 0 | 0 | 17 |
| 2 | 508.77 | 65,437 | -24 | 1,791 | 1,527 | 1,786 | 0 | 0 | 17 |
| 3 | 508.73 | 65,388 | -49 | 1,571 | 1,401 | 1,580 | 0 | 0 | 16 |
| 4 | 508.61 | 65,240 | -148 | 1,536 | 1,480 | 1,599 | 0 | 0 | 12 |
| 5 | 509.15 | 65,907 | +667 | 1,908 | 1,540 | 1,560 | 0 | 0 | 12 |
| 6 | 509.09 | 65,832 | -75 | 1,667 | 1,431 | 1,691 | 0 | 0 | 14 |
| 7 | 508.64 | 65,277 | -555 | 1,447 | 1,165 | 1,714 | 0 | 0 | 13 |
| 8 | 508.63 | 65,265 | -12 | 1,638 | 1,418 | 1,630 | 0 | 0 | 14 |
| 9 | 508.64 | 65,277 | +12 | 1,591 | 1,354 | 1,568 | 0 | 0 | 17 |
| 10 | 508.89 | 65,585 | +308 | 1,735 | 1,411 | 1,566 | 0 | 0 | 14 |
| 11 | 509.34 | 66,144 | +559 | 1,839 | 1,527 | 1,540 | 0 | 0 | 17 |
| 12 | 508.89 | 65,585 | -559 | 1,286 | 1,228 | 1,550 | 0 | 0 | 18 |
| 13 | 508.18 | 64,711 | -874 | 1,109 | 948 | 1,533 | 0 | 0 | 17 |
| 14 | 508.82 | 65,498 | +787 | 2,041 | 1,794 | 1,626 | 0 | 0 | 18 |
| 15 | 508.87 | 65,560 | +62 | 1,713 | 1,532 | 1,665 | 0 | 0 | 17 |
| 16 | 508.33 | 64,895 | -665 | 1,312 | 1,060 | 1,630 | 0 | 0 | 17 |
| 17 | 508.62 | 65,252 | +357 | 1,706 | 1,409 | 1,507 | 0 | 0 | 19 |
| TOTALS | N/A | N/A | -370 | 27,665 | 23,804 | 27,584 | 0 | 0 | 269 |
| ACRE-FEET | N/A | N/A | -370 | 54,874 | 47,215 | 54,713 | 0 | 0 | 534 |

*COMPUTED INFLOW IS SUM OF CHANGE IN STORAGE, RELEASES, AND EVAPORATION.

(1) EVAPORATION RECORDS TAKEN FROM NEW MELONES PAN.

| RELEASE (ACRE-FEET) | N/A |
|------------------------|--------|
| POWER | 54,713 |
| SPILL | 0 |
| OUTLET | 0 |
| TOTAL | 54,713 |

UNITED STATES DEPARTMENT OF THE INTERIOR

U.S. BUREAU OF RECLAMATION-CENTRAL VALLEY PROJECT-CALIFORNIA

| JUNE 2022 TULLOCH RESERVOIR DAILY OPERATIONS RUN DATE: 7/1/202 | | | | | | | 7/1/2022 | | |
|--|--------|---------------------------------|--------------------------------------|------------------------------|---------------------------|----------------------------|----------------------------|-----------------------------|------------------|
| DAY | ELEV | STORAGE (ACRE- FEET) RES. | STORAGE (ACRE- FEET) CHANGE | COMPUTED INFLOW C.F.S. | NEW MELONES RELEASE | RELEASE C.F.S. POWER | RELEASE C.F.S. SPILL | RELEASE C.F.S. OUTLET | EVAP. CFS (1) |
| N/A | N/A | 65,597 | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| 1 | 509.13 | 65,882 | +285 | 2,087 | 2,062 | 1,929 | 0 | 0 | 14 |
| 2 | 507.8 | 64,247 | -1,635 | 1,334 | 1,354 | 2,143 | 0 | 0 | 15 |
| 3 | 507.63 | 64,041 | -206 | 2,101 | 2,147 | 2,192 | 0 | 0 | 13 |
| 4 | 507.56 | 63,956 | -85 | 2,144 | 2,111 | 2,175 | 0 | 0 | 12 |
| 5 | 508.88 | 65,572 | +1,616 | 2,776 | 2,767 | 1,950 | 0 | 0 | 11 |
| 6 | 509.21 | 65,982 | +410 | 2,244 | 2,219 | 2,032 | 0 | 0 | 5 |
| 7 | 508.46 | 65,055 | -927 | 1,627 | 1,656 | 2,079 | 0 | 0 | 15 |
| 8 | 508.62 | 65,252 | +197 | 2,279 | 2,276 | 2,166 | 0 | 0 | 14 |
| 9 | 508.81 | 65,486 | +234 | 2,231 | 2,184 | 2,099 | 0 | 0 | 14 |
| 10 | 508.59 | 65,215 | -271 | 1,931 | 1,961 | 2,054 | 0 | 0 | 14 |
| 11 | 508.78 | 65,449 | +234 | 2,176 | 2,200 | 2,042 | 0 | 0 | 16 |
| 12 | 508.54 | 65,154 | -295 | 1,655 | 1,630 | 1,788 | 0 | 0 | 16 |
| 13 | 508.16 | 64,686 | -468 | 1,567 | 1,591 | 1,796 | 0 | 0 | 7 |
| 14 | 509.2 | 65,970 | +1,284 | 2,614 | 2,691 | 1,932 | 0 | 0 | 17 |
| 15 | 508.23 | 64,772 | -1,198 | 1,391 | 1,274 | 1,980 | 0 | 0 | 15 |
| 16 | 508.15 | 64,674 | -98 | 1,974 | 1,985 | 2,007 | 0 | 0 | 16 |
| 17 | 507.98 | 64,465 | -209 | 1,968 | 1,987 | 2,058 | 0 | 0 | 15 |
| 18 | 507.72 | 64,150 | -315 | 1,853 | 1,871 | 2,002 | 0 | 0 | 10 |
| 19 | 508.6 | 65,228 | +1,078 | 2,473 | 2,445 | 1,917 | 0 | 0 | 13 |
| 20 | 508.97 | 65,683 | +455 | 2,142 | 2,172 | 1,899 | 0 | 0 | 14 |
| 21 | 508.89 | 65,585 | -98 | 1,967 | 1,954 | 2,002 | 0 | 0 | 14 |
| 22 | 507.64 | 64,053 | -1,532 | 1,286 | 1,281 | 2,040 | 0 | 0 | 18 |
| 23 | 508.64 | 65,277 | +1,224 | 2,492 | 2,500 | 1,857 | 0 | 0 | 18 |
| 24 | 509.17 | 65,932 | +655 | 2,262 | 2,236 | 1,916 | 0 | 0 | 16 |
| 25 | 509.12 | 65,870 | -62 | 1,972 | 2,045 | 1,984 | 0 | 0 | 19 |
| 26 | 508.8 | 65,474 | -396 | 1,814 | 1,858 | 1,996 | 0 | 0 | 18 |
| 27 | 508.92 | 65,622 | +148 | 2,082 | 2,095 | 1,988 | 0 | 0 | 19 |
| 28 | 507.95 | 64,428 | -1,194 | 1,479 | 1,495 | 2,064 | 0 | 0 | 17 |
| TOTALS | 508.07 | 64,575 | +147 | 2,050 | 2,069 | 1,959 | 0 | 0 | 17 |
| ACRE-FEE | 508.92 | 65,622 | +1,047 | 2,398 | 2,436 | 1,852 | 0 | 0 | 18 |

COMMENTS:

* COMPUTED INFLOW IS THE SUM OF CHANGE IN STORAGE, RELEASES AND EVAPORATION.

(1) EVAPORATION RECORDS TAKEN FROM NEW MELONES PAN.

| POWER | 118,808 |
|--------|---------|
| SPILL | 0 |
| OUTLET | 36 |
| TOTAL | 118,844 |

July 2022 Water Temperature and Fish Monitoring Update

Year-to-Date Flows

Goodwin releases since October 1, 2021 are shown in Figure 1 (note that recent releases have remained at 300 cfs; the spike in Figure 1 on July 14 is a data error on CDEC). The releases greater than 200 cfs that occurred in December and early January were for storage management at Tulloch Reservoir due to side flows from storm events. After the late January winter instability flow, Goodwin releases increased again for the Vernalis flow requirement through early April. After the spring pulse flow, Goodwin releases higher than 150 cfs (the Critical SRP minimum between the spring pulse flow and fall pulse flow) may be needed for flow or salinity requirements at Vernalis, or dissolved oxygen requirements at Ripon.




Figure 1. Goodwin (daily) releases to the Stanislaus River since October 1, 2021. Data from GDW station on CDEC.

Water Temperature

The temperature thresholds included in Figures 2-9, below, are the thresholds used in the 2019 NMFS LTO BiOp¹ (see Incidental Take Statement on p. 807) to define the extent of take anticipated from water temperature effects in the Stanislaus River. *It is important to note that many of the temperature figures provide subdaily information or information at locations other than Orange Blossom Bridge and thus don't reflect the specific metrics for take in the 2019 NMFS LTO BiOp.* Temperature thresholds have been added to these figures at the request of Stanislaus Watershed Team members to provide a general reference of water temperature suitability.

¹ The 2019 NMFS LTO BiOp is available online at: https://www.fisheries.noaa.gov/resource/document/biological-opinion-reinitiation-consultation-long-term-operation-central-valley

Water temperatures in the Stanislaus River since March 1, 2022 are shown below at Goodwin Canyon (Figure 2), Orange Blossom Bridge (Figure 3), and at Ripon (Figure 4). Water temperatures in the San Joaquin River since March 1, 2022 are shown below at Vernalis (Figure 5). Current-year water temperatures are plotted along with historical temperatures for Orange Blossom Bridge (Figure 6), Ripon (Figure 7), and Vernalis (Figure 8). A compilation of Stanislaus River water temperatures and Goodwin releases for calendar year 2022 is provided in Figure 9.




Figure 2. Daily water temperatures on the Stanislaus River upstream of Knights Ferry since June 1, 2022. Data from USGS gage 11302000 on NWIS; temperature threshold reference line added by SWT.

Chart: Vertical axis shows hourly water temperature (in Fahrenheit degrees) at Orange Blossom Bridge on the Stanislaus River. Horizontal axis shows date from 6-1-2022 through 7-17-22. Hourly water temperatures since 7-1-22 have ranged between approximately 59 and 67 degrees Fahrenheit. For more information, please call (916) 414-2400.




Figure 3. Stanislaus (hourly) water temperatures at Orange Blossom Bridge since June 1, 2022. Data from OBB station on CDEC; temperature threshold reference line added by SWT.




Figure 4. Stanislaus (15-minute) water temperatures at Ripon since June 1, 2022. Data from RIP station on CDEC.




Figure 5. San Joaquin River (15-minute) water temperatures at Vernalis since June 1, 2022. Data from VNS station on CDEC. Note that, unlike in the previous figures, temperature is reported in degrees Celsius. 8°C=46.4°F; 10°C=50°F; 12°C=53.6°F; 14°C=57.2°F; 16°C=60.8°F; 18°C=64.4°F; 20°C=68.0°F; 22°C=71.6°F; 24°C=75.2°F; 26°C=78.8°F; 28°C=82.4°F.

WY 2001-2022 OBB Stanislaus R at Orange Blossom Bridge







Figure 6. Stanislaus River water temperatures at Orange Blossom Bridge for June through


September from WY 2001 to present. Data from SacPAS; temperature threshold reference lines added by SWT. http://www.cbr.washington.edu/sacramento/data/query_river_allyears.html





http://www.cbr.washington.edu/sacramento/data/query_river_allyears.html










Figure 9. Stanislaus River flow and water temperatures from January 1, 2022 to present. Data (including temperature threshold reference lines) from SacPAS: http://www.cbr.washington.edu/sacramento/data/tc_stanislaus.html

Update on Fish Monitoring (Adults)

Weir

Fishbio installed the weir near Riverbank and began monitoring for upstream passage of adult salmonids on September 8, 2021; sampling concluded on May 23, 2022. The last >16" *Oncorhynchus mykiss* was observed in February. A total of 50 O. mykiss passages (27 > 16") were observed over the entire sampling season.

Update on Fish Monitoring (Juveniles)

Mossdale Trawl

CDFW operated the Mossdale trawl from April through June of 2022. Over the course of the season a total of 62 non-marked Chinook salmon were captured. All salmon were caught between early April and mid-May (April 8- May 14). In addition, 3 O. mykiss smolts were captured. O. mykiss captures occurred on April 19, May 16, and May 26th. USFWS and CDFW began cooperative trawl operations on July 6th. Since then, 0 salmonids have been captured.

CDFW operated the Mossdale trawl from April through June of 2022. Over the course of the season a total of 62 non-marked Chinook salmon were captured. All salmon were caught between early April and mid-May (April 8- May 14). In addition, 3 *O. mykiss* smolts were captured. *O. mykiss* captures occurred on April 19, May 16, and May 26th. USFWS and CDFW began cooperative trawl operations on July 6th. Since then, 0 salmonids have been captured.

Progress Update on Proposed Action Elements

Spawning and Rearing Habitat Restoration

In August and September 2021, Reclamation placed 4,700 tons of gravel in the Float Tube Pool and 2,500 tons in the Cable Crossing Area below Goodwin Dam on the Stanislaus River. Reclamation has exceeded the annual average goal of 4,500 since implementation of the 2020 ROD (Section 4.10.6.2 of Proposed Action). Currently, Reclamation is two years ahead of schedule in implementing gravel placement projects on the Stanislaus River.

Table 1. Stanislaus spawning habitat restoration progress towards meeting annual average of 4,500 tons through 2030. Project implementation will only occur over the summer when in-water work will not impact salmonids.

| Water Year | Gravel Added (Tons) | Cumulative Gravel Added (Tons) | Cumulative Target (Tons) | Percent of Cumulative Target Achieved |
|------------|------------------------|-----------------------------------|-----------------------------|---|
| 2020 | 15,000 | 15,000 | 4,500 | 333 |
| 2021 | 7,200 | 22,200 | 9,000 | 247 |
| 2022 | | 22,200 | 13,500 | 164 |
| 2023 | | 22,200 | 18,000 | 123 |
| 2024 | | 22,200 | 22,500 | 99 |
| 2025 | | 22,200 | 27,000 | 82 |
| 2026 | | 22,200 | 31,500 | 70 |
| 2027 | | 22,200 | 36,000 | 62 |
| 2028 | | 22,200 | 40,500 | 55 |
| 2029 | | 22,200 | 45,000 | 49 |
| 2030 | | 22,200 | 49,500 | 45 |




Table 2. Stanislaus rearing habitat restoration progress towards meeting the goal of constructing an additional 50 acres of rearing habitat adjacent to the Stanislaus River by 2030. The total target acres schedule was developed by the technical team tasked with implementing the Stanislaus River Habitat Restoration non-flow charter. Project implementation will only occur over the summer when inwater work will not impact salmonids.

| | Annual Restoration | Cumulative Restoration | Cumulative I | Percent of Cumulative Target |
|------------|--------------------------|---------------------------|----------------|---------------------------------|
| Water Year | Completed (Acres) | Completed (Acres) | Target (Acres) | Achieved |
| 2020 | 0.25 | 0.25 | 0.25 | 100.0 |
| 2021 | | 0.25 | 0.25 | 100.0 |
| 2022 | | 0.25 | 3 | 8.3 |
| 2023 | | 0.25 | 6 | 4.2 |
| 2024 | | 0.25 | 9 | 2.8 |
| 2025 | | 0.25 | 14 | 1.8 |
| 2026 | | 0.25 | 19 | 1.3 |
| 2027 | | 0.25 | 24 | 1.0 |
| 2028 | | 0.25 | 32 | 0.8 |
| 2029 | | 0.25 | 40 | 0.6 |
| 2030 | | 0.25 | 50 | 0.5 |