

CENTRAL VALLEY OPERATIONS OFFICE
DELTA SMELT AND SPLITTAIL

December-06

Note: Bold numbers are not verified by DFG

DATE	Delta Smelt				Splittail				Pumping						Delta Smelt Daily Density	
	Daily Total		Combined		Daily Total		Combined		Daily Total In CFS			Daily Total In Acre Feet			SWP	CVP
	SWP	CVP	Daily Total	14-Day Average	SWP	CVP	Daily Total	14-Day Average	Banks	Tracy	Combined	Banks	Tracy	Combined		
1-Dec-06	0	0	0	0	0	0	0	0	6,592	3,540	10,132	13,075	7,022	20,097	0.0	0.0
2-Dec-06	0	0	0	0	0	0	0	0	6,609	3,564	10,172	13,108	7,069	20,177	0.0	0.0
3-Dec-06	0	0	0	0	0	0	0	0	6,754	3,522	10,276	13,397	6,985	20,382	0.0	0.0
4-Dec-06	0	0	0	0	0	0	0	0	5,261	3,566	8,827	10,435	7,073	17,508	0.0	0.0
5-Dec-06	0	0	0	0	0	0	0	0	4,493	3,589	8,082	8,912	7,119	16,031	0.0	0.0
6-Dec-06	0	0	0	0	0	0	0	0	4,536	3,555	8,091	8,998	7,051	16,049	0.0	0.0
7-Dec-06	0	0	0	0	0	0	0	0	4,937	4,177	9,114	9,792	8,286	18,078	0.0	0.0
8-Dec-06	0	0	0	0	0	0	0	0	4,146	4,386	8,532	8,224	8,699	16,923	0.0	0.0
9-Dec-06	0	0	0	0	0	0	0	0	4,990	4,226	9,216	9,898	8,382	18,280	0.0	0.0
10-Dec-06	0	0	0	0	0	0	0	0	5,192	4,247	9,438	10,298	8,423	18,721	0.0	0.0
11-Dec-06	0	0	0	0	0	0	0	0	6,639	4,247	10,886	13,169	8,424	21,593	0.0	0.0
12-Dec-06	0	0	0	0	0	0	0	0	5,633	4,235	9,868	11,173	8,401	19,574	0.0	0.0
13-Dec-06	0	0	0	0	0	0	0	0	6,214	4,256	10,469	12,325	8,441	20,766	0.0	0.0
14-Dec-06	0	0	0	0	0	0	0	0	7,100	4,293	11,392	14,082	8,515	22,597	0.0	0.0
15-Dec-06	0	0	0	0	0	0	0	0	7,309	4,286	11,596	14,498	8,502	23,000	0.0	0.0
16-Dec-06	0	0	0	0	9	0	9	1	7,164	4,298	11,462	14,209	8,526	22,735	0.0	0.0
17-Dec-06	0	0	0	0	0	0	0	1	7,498	4,266	11,764	14,872	8,461	23,333	0.0	0.0
18-Dec-06	0	0	0	0	0	0	0	1	7,456	4,309	11,765	14,788	8,547	23,335	0.0	0.0
19-Dec-06	0	0	0	0	0	0	0	1	7,409	4,303	11,712	14,695	8,535	23,230	0.0	0.0
20-Dec-06	0	0	0	0	0	0	0	1	7,202	4,306	11,507	14,285	8,540	22,825	0.0	0.0
21-Dec-06	0	0	0	0	2	0	2	1	6,647	4,308	10,955	13,184	8,545	21,729	0.0	0.0
22-Dec-06	0	0	0	0	6	0	6	1	7,185	4,322	11,507	14,252	8,573	22,825	0.0	0.0
23-Dec-06	0	0	0	0	0	0	0	1	7,177	4,272	11,449	14,236	8,473	22,709	0.0	0.0
24-Dec-06	0	0	0	0	0	0	0	1	7,655	4,251	11,905	15,183	8,431	23,614	0.0	0.0
25-Dec-06	0	0	0	0	0	0	0	1	7,370	4,256	11,626	14,619	8,441	23,060	0.0	0.0
26-Dec-06	0	0	0	0	0	0	0	1	7,649	4,317	11,966	15,172	8,562	23,734	0.0	0.0
27-Dec-06	0	0	0	0	0	0	0	1	7,695	4,214	11,909	15,264	8,358	23,622	0.0	0.0
28-Dec-06	0	0	0	0	0	0	0	1	7,233	4,195	11,428	14,347	8,320	22,667	0.0	0.0
29-Dec-06	0	0	0	0	6	0	6	2	6,928	4,311	11,239	13,742	8,550	22,292	0.0	0.0
30-Dec-06	0	0	0	0	0	0	0	1	6,635	4,229	10,865	13,161	8,389	21,550	0.0	0.0
31-Dec-06	0	0	0	0	0	0	0	1	7,413	4,278	11,691	14,704	8,486	23,190	0.0	0.0
Total	0	0	0	XXXX	23	0	23	XXXX	202,721	128,122	330,842	402,097	254,129	656,226	XXXX	XXXX

Delta Smelt Incidental Take Levels

Below Normal Water Year Type

Delta smelt risk assessment matrix (DSRM) Adult level of concern = 892

Re-consultation level for December = 400