



Electrical Conductivity, UMHOS

Day	High	Low	Mean	14 DAY ACCUM MEAN	14 DAY AVG MEAN
1	9,816	1,463	5,577	68,156	4,868
2	9,241	2,114	5,658	68,671	4,905
3	8,776	1,444	5,048	68,126	4,866
4	7,847	1,004	4,519	67,518	4,823
5	8,040	808	4,207	66,454	4,747
6	7,335	1,082	4,192	66,016	4,715
7	7,290	1,366	4,170	65,630	4,688
8	7,225	1,630	4,505	65,536	4,681
9	7,835	2,291	4,868	65,706	4,693
10	7,499	2,122	4,811	65,608	4,686
11	8,172	1,567	4,854	65,558	4,683
12	8,383	1,511	4,766	65,854	4,704
13	8,326	1,518	4,635	66,364	4,740
14	8,019	1,006	4,614	66,424	4,745
15	8,783	1,365	5,244	66,091	4,721
16	7,289	1,486	4,929	65,362	4,669
17	7,067	596	4,073	64,387	4,599
18	7,510	648	4,134	64,002	4,572
19	6,893	607	4,570	64,365	4,598
20	7,827	1,274	5,194	65,367	4,669
21	8,142	1,671	5,450	66,647	4,761
22	8,695	2,807	5,871	68,013	4,858
23	7,551	2,030	4,678	67,823	4,845
24	7,267	1,965	4,460	67,472	4,819
25	7,709	1,071	4,430	67,048	4,789
26	7,471	1,576	4,360	66,642	4,760
27	8,130	1,210	4,306	66,313	4,737
28	8,044	1,119	4,556	66,255	4,733
29	8,111	1,143	4,591	65,602	4,686
30	8,030	1,300	4,620	65,293	4,664
31	7,846	1,348	4,540	65,760	4,697

COMMENT(S):

0 reading indicates that the station was out of service.