

UNITED STATES DEPARTMENT OF THE INTERIOR  
U.S. BUREAU OF RECLAMATION-CENTRAL VALLEY PROJECT-CALIFORNIA

**PITTSBURG TOP ON THE SACRAMENTO RIVER**  
**WATER QUALITY REPORT**

**APRIL 2003**

RUN DATE: May 8, 2003

**ELECTRICAL CONDUCTIVITY, UMHOS**

| <b>DAY</b> | <b>HIGH</b> | <b>LOW</b> | <b>MEAN</b> |
|------------|-------------|------------|-------------|
| 1          | 1,402       | 296        | 640         |
| 2          | 1,604       | 360        | 664         |
| 3          | 1,610       | 366        | 629         |
| 4          | 1,892       | 357        | 687         |
| 5          | 1,306       | 363        | 569         |
| 6          | 1,555       | 332        | 627         |
| 7          | 1,125       | 342        | 580         |
| 8          | 1,095       | 304        | 551         |
| 9          | 1,256       | 298        | 595         |
| 10         | 1,878       | 319        | 886         |
| 11         | 2,907       | 313        | 1,280       |
| 12         | 5,896       | 581        | 2,365       |
| 13         | 5,528       | 776        | 2,713       |
| 14         | 4,720       | 711        | 1,920       |
| 15         | 4,364       | 686        | 1,591       |
| 16         | 2,285       | 482        | 1,017       |
| 17         | 2,703       | 395        | 852         |
| 18         | 1,728       | 373        | 654         |
| 19         | 1,342       | 330        | 539         |
| 20         | 1,232       | 300        | 504         |
| 21         | 1,546       | 307        | 535         |
| 22         | 593         | 361        | 423         |
| 23         | 394         | 246        | 298         |
| 24         | 470         | 261        | 345         |
| 25         | 398         | 245        | 303         |
| 26         | 356         | 227        | 268         |
| 27         | 290         | 216        | 241         |
| 28         | 307         | 210        | 230         |
| 29         | 232         | 196        | 210         |
| 30         | 216         | 178        | 194         |

Comments:

0 reading indicates that the station was out of service.