

UNITED STATES DEPARTMENT OF THE INTERIOR
U.S. BUREAU OF RECLAMATION-CENTRAL VALLEY PROJECT-CALIFORNIA

RIPON ON THE STANISLAUS RIVER

JANUARY 2021

WATER QUALITY REPORT

RUN DATE: February 2, 2021

ELECTRICAL CONDUCTIVITY, UMHOS				WATER TEMPERATURE, DEG			DISSOLVED OXYGEN, PPM		
DAY	HIGH	LOW	MEAN	HIGH	LOW	MEAN	HIGH	LOW	MEAN
1	78	63	69	50.0	48.0	48.9	10.8	10.0	10.3
2	80	75	78	50.2	48.4	49.3	10.5	10.1	10.3
3	78	75	77	50.9	49.2	50.1	10.8	10.3	10.5
4	78	62	76	51.3	50.1	50.5	10.8	10.2	10.5
5	78	75	76	50.3	48.5	49.4	11.2	10.5	10.8
6	78	75	77	49.6	47.5	48.6	11.6	10.7	11.1
7	79	76	77	49.5	48.2	48.7	11.5	10.8	11.1
8	79	71	75	49.6	48.1	48.8	11.2	10.8	11.0
9	71	70	71	50.1	48.6	49.3	11.3	10.9	11.0
10	78	71	75	49.6	48.2	48.8	11.2	10.8	10.9
11	84	78	82	49.1	47.2	48.2	11.5	10.9	11.1
12	87	84	86	49.6	47.5	48.6	11.5	11.0	11.2
13	86	83	84	51.7	48.7	50.2	11.4	10.8	11.0
14	85	82	83	52.5	50.0	51.2	11.2	10.6	10.8
15	85	82	83	52.2	50.1	51.2	11.2	10.5	10.8
16	83	80	82	53.6	50.9	52.2	11.0	10.4	10.6
17	88	82	85	53.4	50.9	52.2	11.0	10.3	10.6
18	89	85	87	53.5	51.0	52.1	10.9	10.3	10.5
19	86	83	84	51.7	49.5	50.7	11.1	10.3	10.7
20	85	82	83	50.9	48.5	49.7	11.3	10.6	10.9
21	85	81	82	50.2	47.3	48.9	11.6	10.8	11.1
22	108	83	88	51.3	48.4	49.2	10.8	10.3	10.5
23	133	86	93	51.0	48.6	49.7	10.7	9.8	10.5
24	89	82	85	50.3	47.4	48.6	11.2	10.4	10.8
25	89	78	82	50.5	47.7	48.9	11.2	10.3	10.8
26	86	75	80	48.3	46.1	47.5	11.4	10.5	11.0
27	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
28	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
29	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
30	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
31	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0

Comments:

0 reading indicates that the station was out of service.