



February 2024

Electrical Conductivity, UMHOS

Water Temperature, DEG

Dissolved Oxygen, PPM

Day	High	Low	Mean	High	Low	Mean	High	Low	Mean
1	83	71	74	52.7	52.0	52.3	10.3	8.9	10.1
2	96	83	89	52.7	51.9	52.3	10.1	8.9	9.7
3	111	89	96	52.0	51.5	51.8	10.1	9.7	9.9
4	89	78	83	52.2	51.5	51.8	10.0	9.7	9.9
5	118	85	102	52.7	52.2	52.4	9.8	7.2	8.4
6	118	80	95	52.6	51.9	52.2	9.2	8.2	8.8
7	87	81	84	52.2	51.3	51.7	9.5	9.0	9.3
8	107	82	95	51.6	51.0	51.3	9.5	8.2	9.2
9	117	89	102	51.3	50.6	50.9	9.6	8.9	9.2
10	94	83	88	51.6	50.4	51.0	9.8	9.2	9.5
11	83	80	81	51.6	50.4	51.0	9.9	9.6	9.8
12	82	79	80	51.7	50.6	51.1	9.8	9.6	9.7
13	87	82	84	52.0	50.8	51.3	9.8	9.6	9.7
14	84	79	80	52.6	51.5	52.0	9.8	9.6	9.8
15	93	79	83	53.7	52.3	53.0	9.7	6.9	9.2
16	110	94	98	53.2	52.2	52.8	9.0	8.6	8.8
17	96	89	93	52.2	51.8	52.0	9.4	9.0	9.1
18	88	83	86	53.8	51.7	52.6	9.5	9.2	9.3
19	108	80	88	54.6	53.8	54.2	9.4	7.5	8.9
20	127	100	111	54.6	53.5	54.1	8.6	6.4	7.6
21	120	95	104	54.2	53.0	53.7	9.1	7.7	8.6
22	109	65	97	54.0	53.2	53.6	9.9	8.5	9.4
23	89	79	83	53.4	52.6	52.9	10.3	10.0	10.2
24	79	76	78	53.6	52.1	52.9	10.4	10.3	10.4
25	77	76	77	58.8	52.8	54.9	10.4	9.0	9.7
26	78	77	77	58.8	56.5	57.6	9.5	8.2	8.9
27	78	77	78	58.3	55.1	56.5	8.8	7.4	8.2
28	79	77	78	57.7	52.9	55.1	8.5	7.7	8.0
29	81	77	79	57.6	54.8	55.9	8.2	7.5	8.0

COMMENT(S): 0 reading indicates that the station was out of service.