



March 2026

**Electrical Conductivity, UMHOS**

**Water Temperature, DEG**

**Dissolved Oxygen, PPM**

Day	High	Low	Mean	High	Low	Mean	High	Low	Mean
1	107	106	107	63.8	61.7	62.5	9.0	8.5	8.7
2	107	106	106	63.4	59.9	61.5	9.3	8.7	9.0
3	107	105	106	63.0	59.1	61.0	9.6	8.9	9.2
4	105	104	105	63.0	59.4	61.0	9.7	9.1	9.4
5	107	103	105	61.3	58.0	59.6	10.0	9.3	9.6
6	106	103	104	60.5	56.8	58.6	10.2	9.6	9.9
7	104	101	102	60.2	56.0	58.2	10.4	9.8	10.0
8	102	99	100	61.8	57.1	59.4	10.2	9.7	9.9
9	103	98	100	63.6	59.3	61.2	9.8	9.3	9.6
10	116	95	103	64.0	60.2	62.1	9.9	9.0	9.5
11	101	93	98	63.9	59.2	61.6	9.9	9.2	9.5
12	101	50	97	65.0	59.5	62.1	9.8	9.1	9.4
13	100	98	99	64.4	59.9	62.1	9.8	8.9	9.2
14	100	99	99	65.4	60.2	62.8	9.7	8.9	9.2
15	100	98	99	66.0	61.5	63.7	9.6	8.7	9.0
16	99	96	97	66.9	61.8	64.3	9.5	8.7	8.9
17	102	96	99	69.0	63.3	66.1	9.2	8.3	8.7
18	103	93	99	71.0	65.5	68.1	8.9	8.1	8.4
19	106	95	98	71.9	66.9	69.3	8.8	8.0	8.3
20	101	97	98	72.5	67.0	69.7	8.7	7.8	8.1
21	103	94	99	71.1	67.8	69.4	8.6	7.8	8.1
22	97	89	93	70.5	65.8	68.2	8.8	8.0	8.3
23	93	89	90	70.9	65.2	68.0	8.8	8.2	8.4
24	93	88	90	70.6	65.2	67.8	8.8	8.1	8.4
25	91	86	88	69.7	64.4	67.1	8.9	8.2	8.5
26	103	86	89	69.3	64.7	66.9	9.0	8.2	8.5
27	102	83	89	68.0	64.2	66.0	9.2	8.3	8.6
28	97	84	86	68.9	63.2	66.1	9.1	8.4	8.7
29	87	82	84	69.6	64.2	66.8	9.1	8.4	8.6
30	85	75	79	67.3	62.1	64.8	9.3	8.3	8.8
31	75	50	62	61.8	59.0	60.0	9.5	9.4	9.5

COMMENT(S): 0 reading indicates that the station was out of service.