Northern CVP Water Temperature Report

October - 2026

Page	Description
2	- Mean Daily Water Temperature, Release Flow Rates and Air Temperatures with Monthly Averages
3	- Sacramento River Mean Daily Water Temperature Plot
4	- Trinity River Mean Daily Water Temperature Plot
5	- Shasta Lake Isothermobaths & Cold Water Pool Statistics
14	- Trinity Lake Isothermobaths & Cold Water Pool Statistics
23	- Whiskeytown Lake Isothermobaths & Cold Water Pool Statistics
x	- TCD Configuration (External Link)

BUREAU OF RECLAMATION

All Data in this Report is Preliminary and Subject to Change


DATE	Mean Daily Water Temperatures (°F)													Mean Daily Release (CFS)			Mean Daily Air Temperatures (°F)		
	TCD[1]	SHD	SPP[1]	KWK	SAC	CCR[2]	BSF	BND	RDB	IGO	LWS	DGC	NFH	Shasta Generation	Spring Creek P.P.	Keswick Total	RDD	BSF	RDB
Sep	53.6	52.9	58.8	54.2	54.7	55.4	56.7	55.5	59.3	57.5	50.3	53.1	55.9	9909	1292	11414	82.9	77.2	77.6
10/01	55.1	54.4	59.4	55.4	55.9	56.7	57.9 #		60.4	57.5	50.7	54.3	57.3	5405	556	5967	76.5	69.7	72.3
10/02	55.1	54.5	59.2	55.5	56.0	56.9	58.1 #		60.5	57.7	50.8	54.8	57.6	5460	150	6003	78.5	70.8	74.3
10/03	55.1	54.6	59.2	55.7	56.2	57.1	58.2 #		60.6	57.7	50.8	54.7	57.9	5786	300	6006	79.0	72.4	75.8
10/04	55.3	54.7	59.3	55.6	56.0	56.6	57.9 #		60.2	57.5	50.8	54.1	56.9	5050	488	6003	78.0	70.0	74.0
10/05	55.4	54.8	59.3	55.6	56.1	56.8	58.2 #		60.3	58.0	51.0	54.1	57.0	5648	412	5974	82.5	74.9	79.0
10/06	55.5	54.9	59.3	55.9	56.3	57.1	58.3 #		60.7	58.0	50.7	54.7	57.7	5627	288	5956	↑ 81.5	74.5	77.6
10/07	55.6	55.0	59.2	56.0	56.4	57.2	58.5 #		60.8	57.8	50.6	54.5	57.8	5437	154	5952	80.0	72.6	75.4
10/08	55.8	55.2	59.2	56.0	56.4	57.2	58.5 #		60.8	57.8	50.8	54.4	57.5	5527	287	5917	81.0	73.0	76.5
10/09	55.8	55.2	59.3	56.1	56.6	57.3	58.6 #		60.9	57.8	50.8	54.5	57.5	5523	290	5900	79.5	73.5	76.8
10/10	56.0	55.3	59.2	56.1	56.5	57.1	58.1 #		60.5	57.4	50.7	53.9	56.4	5443	277	5904	67.0	65.3	66.9
10/11	56.2	55.5	59.4	56.0	56.2	56.5	57.0 #		58.7	56.7	50.6	52.1	54.5	5622	135	5920	66.5	64.8	66.2
10/12	56.2	55.5	59.3	55.7	55.9	56.1	56.4 #		57.0	56.5	50.9	50.6	52.3	5678	194	5942	61.0	61.2	63.0
10/13	56.5	55.8	59.3	55.7	55.8	56.1	56.3 #		56.8	56.4	50.2	50.3	51.7	6251	275	5931	61.5	56.2	60.6
10/14	56.4	55.7	59.3	56.0	56.1	56.6	56.8 #		57.1	57.1	49.8	50.4	52.0	7108	284	5955	66.5	60.5	64.1
10/15	56.4	55.9	59.0	56.2	56.4	57.0	57.6 !		58.3	57.4	49.5	51.3	53.0	5618	302	5991	70.0	64.8	69.7
10/16	56.5	56.1	58.7	56.4	56.5	57.2	57.6	58.1	58.7	57.2	49.3	50.9	53.2	5683	307	5945	70.0	64.0	70.3
10/17	56.6	56.2	58.7	56.5	56.6	57.2	57.6	58.1	58.7	56.9	49.3	50.8	52.9	5641	309	5920	67.0	61.4	65.9
10/18	56.7	56.3	58.9	56.5	56.6	57.1	57.6	58.0	58.5	56.7	49.4	50.8	53.2	5321	517	5906	64.5	59.3	62.8
10/19	56.8	56.5	58.9	56.5	56.6	57.0	57.4	57.8	58.3	56.4	49.3	50.4	52.2	5635	523	5897	59.5	55.0	57.0
10/20	56.9	56.4	58.9	56.6	56.6	57.0	57.3	57.4	57.9	56.4	49.5	50.1	52.3	5607	569	5974	60.5	56.2	59.8
10/21	57.0	56.7	58.6	56.7	56.7	57.1	57.6	58.1	58.3	56.8	49.6	52.1	52.9	5547	318	5976	68.5	64.9	65.4
10/22	57.2	56.8	58.9	56.9	56.7	56.9	57.4	57.9	58.2	56.7	49.6	52.5	54.6	4286	728	6008	57.5	57.7	57.3
10/23	57.2	56.7	58.3	56.8	56.9	57.4	57.6	57.7	58.0	56.4	49.5	52.0	54.5	5642	226	6002	59.5	58.5	60.8
10/24	57.3	56.8	58.6	56.7	56.8	57.1	57.2	57.2	57.6	56.2	49.3	50.4	52.6	5523	364	6006	62.0	55.7	58.3
10/25	57.4	57.0	58.6	56.8	56.8	57.1	57.2	57.3	57.5	56.2	49.4	49.6	51.2	5516	290	6009	58.5	54.3	57.0
10/26	57.5	57.0	58.6	57.0	56.9	57.3	57.4	57.5	57.7	56.1	49.4	49.7	51.2	5654	5654	6053	58.0	54.0	55.0
10/27	57.5	57.1	58.7	57.1	57.0	57.3	57.3	57.3	57.5	56.1	49.5	49.5	51.2	5491	292	6070	56.0	52.1	53.8
10/28	57.5	57.2	58.7	57.0	57.0	57.2	57.1	57.0	57.1	56.0	49.2	48.6	50.3	5534	292	6056	59.5	50.5	54.3
10/29	57.6	57.1	58.5	57.0	56.8	56.9	56.7	56.5	56.7	55.9	49.2	47.7	49.1	5578	291	6066	54.5	49.3	52.6
10/30	57.8	57.4	58.8	56.9	56.7	56.9	56.7	56.3	56.3	56.0	49.1	47.8	48.7	5064	458	5839	54.0	50.4	53.4
10/31	58.0	57.5	58.7	57.0	56.8	56.8	56.8	56.8	56.7	56.2	49.0	48.5	49.2	4433	433	5635	55.0	52.5	52.1
Oct	56.5	55.9	59.0	56.3	56.5	57.0	57.5	57.5	58.7	56.9	50.0	51.7	53.9	5564	518	5968	67.3	62.2	65.2
												Total CFS		171338	15963	184683			
												Total AF		339842	31662	366311			

Legend

? = 1-9 hours of data missing (Average includes estimations)
! = 10 or more hours of data missing (Average not calculated)
= Station out of service
↑ = Record high air temperature
↓ = Record low air temperature
= Monthly Averages

Notes

[1] Temperatures are weighted averages based on individual penstock flow and temperature
Highlighted cells in the TCD column indicate a TCD change was made on that day
[2] Current Clear Creek River control point (see page 3 for more details)




Station Details			
Code	Body of Water	Location[1]	CDEC Link
TCD	N/A	Shasta Power Plant	N/A
SHD	Sacramento River	0.3 miles downstream of Shasta Power Plant	Click Here
SPP	N/A	Spring Creek Power Plant	N/A
KWK	Sacramento River	0.8 miles downstream of Keswick Dam	Click Here
SAC	Sacramento River	4.8 miles downstream of Keswick Dam	Click Here
CCR	Sacramento River	9.7 miles downstream of Keswick Dam	Click Here
BSF	Sacramento River	25 miles downstream of Keswick Dam	Click Here
JLF	Sacramento River	34 miles downstream of Keswick Dam	Click Here
BND	Sacramento River	41 miles downstream of Keswick Dam	Click Here
RDB	Sacramento River	58 miles downstream of Keswick Dam	Click Here
IGO	Clear Creek	7.3 miles downstream of Whiskeytown Dam	Click Here

Water Right Temperature Control Points				
River	Point	Temp. (°F)	Begin Date	End Date
Sacramento	CCR	58.0	Mar-01	May-15
Sacramento	CCR	53.5	May-15	Aug-31
Sacramento	CCR	55.0	Sep-01	Sep-15
Sacramento	CCR	56.0	Sep-16	

Notes

[1] Distances are approximate



Station Details			
Code	Body of Water	Location[1]	CDEC Link
LWS	Trinity River	1.1 miles downstream of Lewiston Dam	Click Here
DGC	Trinity River	19 miles downstream of Lewiston Dam	Click Here
NFH	Trinity River	38 miles downstream of Lewiston Dam	Click Here

Water Right Temperature Control Points				
River	Point	Temp. (°F)	Begin Date	End Date
Trinity	DGC	56	Sep-15	Oct-01
Trinity	NFH	56	Oct-01	Dec-31


Notes


[1] Distances are approximate


Shasta Lake Isothermobaths & Cold Water Pool Statistics


2026


Page	Description
6	- Shasta Lake Isothermobaths Plot
7	- Shasta Lake Cold Water Pool Volume ≤52°F
8	- Shasta Lake Cold Water Pool Volume ≤50°F
9	- Shasta Lake Cold Water Pool Volume ≤48°F
10	- Shasta Lake Cold Water Pool Volume ≤52°F - Percent Exceedances
11	- Shasta Lake Cold Water Pool Volume ≤50°F - Percent Exceedances
12	- Shasta Lake Cold Water Pool Volume ≤48°F - Percent Exceedances
13	- Shasta Lake Cold Water Pool Comparison by Year



Shasta Lake Isothermobaths Plot - 2026
<46
46-48
48-50
50-52
52-54
54-56
56-58
58-60
60-62
62-64
64-66
66-68
68-70
>70
Storage
Volume (TAF)
4500
4000
3500
3000
2500
2000
1500
1000
500
0
01/01
02/01
03/01
04/01
05/01
06/01
07/01
08/01
09/01
10/01
11/01
12/01



Shasta Lake Cold Water Pool Volume ≤52°F
Avg (1998-2025)
2015
2016
2018
2019
2022
2023
2024
2025
2026
Volume (TAF)
4500
4000
3500
3000
2500
2000
1500
1000
500
0
01/01
02/01
03/01
04/01
05/01
06/01
07/01
08/01
09/01
10/01
11/01
12/01


Shasta Lake Cold Water Pool Volume ≤50°F
Avg (1998-2025)
2015
2016
2018
2019
2022
2023
2024
2025
2026
Volume (TAF)
4500
4000
3500
3000
2500
2000
1500
1000
500
0
01/01
02/01
03/01
04/01
05/01
06/01
07/01
08/01
09/01
10/01
11/01
12/01


Shasta Lake Cold Water Pool Volume ≤48°F
Avg (1998-2025)
2015
2016
2018
2019
2022
2023
2024
2025
2026
Volume (TAF)
4500
4000
3500
3000
2500
2000
1500
1000
500
0
01/01
02/01
03/01
04/01
05/01
06/01
07/01
08/01
09/01
10/01
11/01
12/01


Shasta Lake Cold Water Pool Volume ≤52°F - Percent Exceedances (1998-2025)
2026
95
90
75
50
25
10
5
Volume (TAF)
4500
4000
3500
3000
2500
2000
1500
1000
500
0
01/01
02/01
03/01
04/01
05/01
06/01
07/01
08/01
09/01
10/01
11/01
12/01


Shasta Lake Cold Water Pool Volume ≤50°F - Percent Exceedances (1998-2025)
2026
95
90
75
50
25
10
5
Volume (TAF)
4500
4000
3500
3000
2500
2000
1500
1000
500
0
01/01
02/01
03/01
04/01
05/01
06/01
07/01
08/01
09/01
10/01
11/01
12/01


Shasta Lake Cold Water Pool Volume ≤48°F - Percent Exceedances (1998-2025)
2026
95
90
75
50
25
10
5
Volume (TAF)
4500
4000
3500
3000
2500
2000
1500
1000
500
0
01/01
02/01
03/01
04/01
05/01
06/01
07/01
08/01
09/01
10/01
11/01
12/01

Shasta Lake Cold Water Pool Comparison by Year (for Specified Date)

Oct-28 2026	Δ TAF				% Δ			
	≤52°	≤50°	≤48°	Abs. Avg.	≤52°	≤50°	≤48°	Abs. Avg.
1998	108	39	11	53	273	292	#N/A	#N/A
1999	448	393	304	382	1130	2983	#N/A	#N/A
2000	212	126	38	125	535	957	#N/A	#N/A
2001	124	109	80	104	313	827	#N/A	#N/A
2002	272	230	155	219	686	1750	#N/A	#N/A
2003	283	120	24	142	714	909	#N/A	#N/A
2004	65	64	40	56	163	486	#N/A	#N/A
2005	67	50	28	48	169	381	#N/A	#N/A
2006	300	237	147	228	755	1799	#N/A	#N/A
2007	36	44	39	40	91	334	#N/A	#N/A
2008	5	25	28	19	13	189	#N/A	#N/A
2009	49	54	47	50	123	412	#N/A	#N/A
2010	481	319	155	318	1212	2423	#N/A	#N/A
2011	630	523	396	516	1589	3971	#N/A	#N/A
2012	364	326	229	306	918	2476	#N/A	#N/A
2013	137	133	100	123	345	1014	#N/A	#N/A
2014	35	27	12	25	89	204	#N/A	#N/A
2015	83	76	19	59	209	574	#N/A	#N/A
2016	434	385	210	343	1093	2926	#N/A	#N/A
2017	515	425	318	419	1298	3227	#N/A	#N/A
2018	202	152	62	138	509	1152	#N/A	#N/A
2019	634	530	376	513	1598	4029	#N/A	#N/A
2020	142	88	25	85	357	669	#N/A	#N/A
2021	-6	9	4	7	-16	72	#N/A	#N/A
2022	51	52	41	48	129	398	#N/A	#N/A
2023	1071	923	756	917	2700	7009	#N/A	#N/A
2024	347	245	77	223	875	1862	#N/A	#N/A
2025	335	278	184	266	845	2112	#N/A	#N/A


Historical - Current


(Historical - Current) / Current


Trinity Lake Isothermobaths & Cold Water Pool Statistics


2026


Page	Description
15	- Trinity Lake Isothermobaths Plot
16	- Trinity Lake Cold Water Pool Volume ≤52°F
17	- Trinity Lake Cold Water Pool Volume ≤50°F
18	- Trinity Lake Cold Water Pool Volume ≤48°F
19	- Trinity Lake Cold Water Pool Volume ≤52°F - Percent Exceedances
20	- Trinity Lake Cold Water Pool Volume ≤50°F - Percent Exceedances
21	- Trinity Lake Cold Water Pool Volume ≤48°F - Percent Exceedances
22	- Trinity Lake Cold Water Pool Comparison by Year



Trinity Lake Isothermobaths Plot - 2026
<46
46-48
48-50
50-52
52-54
54-56
56-58
58-60
60-62
62-64
64-66
66-68
68-70
>70
Storage
Volume (TAF)
2500
2250
2000
1750
1500
1250
1000
750
500
250
0
01/01
02/01
03/01
04/01
05/01
06/01
07/01
08/01
09/01
10/01
11/01
12/01



Trinity Lake Cold Water Pool Volume ≤52°F
Avg (2000-2025)
2015
2016
2018
2019
2022
2023
2024
2025
2026
Volume (TAF)
2500
2250
2000
1750
1500
1250
1000
750
500
250
0
01/01
02/01
03/01
04/01
05/01
06/01
07/01
08/01
09/01
10/01
11/01
12/01


Trinity Lake Cold Water Pool Volume ≤50°F
Avg (2000-2025)
2015
2016
2018
2019
2022
2023
2024
2025
2026
Volume (TAF)
2500
2250
2000
1750
1500
1250
1000
750
500
250
0
01/01
02/01
03/01
04/01
05/01
06/01
07/01
08/01
09/01
10/01
11/01
12/01


Trinity Lake Cold Water Pool Volume ≤48°F
Avg (2000-2025)
2015
2016
2018
2019
2022
2023
2024
2025
2026
Volume (TAF)
2500
2250
2000
1750
1500
1250
1000
750
500
250
0
01/01
02/01
03/01
04/01
05/01
06/01
07/01
08/01
09/01
10/01
11/01
12/01


Trinity Lake Cold Water Pool Volume ≤52°F - Percent Exceedances (2000-2025)
2026
95
90
75
50
25
10
5
Volume (TAF)
2500
2250
2000
1750
1500
1250
1000
750
500
250
0
01/01
02/01
03/01
04/01
05/01
06/01
07/01
08/01
09/01
10/01
11/01
12/01


Trinity Lake Cold Water Pool Volume ≤50°F - Percent Exceedances (2000-2025)
2026
95
90
75
50
25
10
5
Volume (TAF)
2500
2250
2000
1750
1500
1250
1000
750
500
250
0
01/01
02/01
03/01
04/01
05/01
06/01
07/01
08/01
09/01
10/01
11/01
12/01


Trinity Lake Cold Water Pool Volume ≤48°F - Percent Exceedances (2000-2025)
2026
95
90
75
50
25
10
5
Volume (TAF)
2500
2250
2000
1750
1500
1250
1000
750
500
250
0
01/01
02/01
03/01
04/01
05/01
06/01
07/01
08/01
09/01
10/01
11/01
12/01

Trinity Cold Water Pool Comparison by Year (for Specified Date)

Oct-06 2026	Δ TAF				% Δ			
	≤52°	≤50°	≤48°	Abs. Avg.	≤52°	≤50°	≤48°	Abs. Avg.
2000	-120	-229	-236	195	-13	-29	-40	28
2001	-265	-245	-189	233	-30	-31	-32	31
2002	-236	-223	-142	200	-26	-28	-24	26
2003	9	-121	-185	105	1	-15	-32	16
2004	-210	-243	-245	233	-23	-31	-42	32
2005	20	-66	-200	95	2	-8	-34	15
2006	66	-5	-37	36	7	-1	-6	5
2007	-164	-146	-66	126	-18	-19	-11	16
2008	-504	-500	-406	470	-56	-63	-69	63
2009	-534	-510	-418	487	-60	-65	-71	65
2010	-180	-265	-324	256	-20	-34	-55	36
2011	279	198	133	203	31	25	23	26
2012	89	113	172	125	10	14	29	18
2013	-370	-346	-274	330	-41	-44	-47	44
2014	-747	-663	-498	636	-83	-84	-85	84
2015	-776	-696	-533	668	-87	-88	-91	89
2016	-545	-536	-406	496	-61	-68	-69	66
2017	-25	-138	-134	99	-3	-18	-23	14
2018	-41	-13	34	30	-5	-2	6	4
2019	274	257	277	269	31	33	47	37
2020	-264	-212	-187	221	-29	-27	-32	29
2021	-703	-622	-466	597	-78	-79	-79	79
2022	-707	-625	-467	600	-79	-79	-79	79
2023	-231	-249	-207	229	-26	-32	-35	31
2024	43	11	29	27	5	1	5	4
2025	92	94	154	113	10	12	26	16


Historical - Current


(Historical - Current) / Current


Whiskeytown Lake Isothermobaths & Cold Water Pool Statistics


2026


Page	Description
24	- Whiskeytown Lake Isothermobaths Plot
25	- Whiskeytown Lake Cold Water Pool Volume ≤60°F
26	- Whiskeytown Lake Cold Water Pool Volume ≤58°F
27	- Whiskeytown Lake Cold Water Pool Volume ≤56°F
28	- Whiskeytown Lake Cold Water Pool Volume ≤60°F - Percent Exceedances
29	- Whiskeytown Lake Cold Water Pool Volume ≤58°F - Percent Exceedances
30	- Whiskeytown Lake Cold Water Pool Volume ≤56°F - Percent Exceedances
31	- Whiskeytown Lake Cold Water Pool Comparison by Year



Whiskeytown Lake Isothermobaths Plot - 2026
<46
46-48
48-50
50-52
52-54
54-56
56-58
58-60
60-62
62-64
64-66
66-68
68-70
>70
Storage
Volume (TAF)
300
250
200
150
100
50
0
01/01
02/01
03/01
04/01
05/01
06/01
07/01
08/01
09/01
10/01
11/01
12/01



Whiskeytown Lake Cold Water Pool Volume ≤60°F
Avg (2000-2025)
2015
2016
2018
2019
2022
2023
2024
2025
2026
Volume (TAF)
300
250
200
150
100
50
0
01/01
02/01
03/01
04/01
05/01
06/01
07/01
08/01
09/01
10/01
11/01
12/01


Whiskeytown Lake Cold Water Pool Volume ≤58°F
Avg (2000-2025)
2015
2016
2018
2019
2022
2023
2024
2025
2026
Volume (TAF)
300
250
200
150
100
50
0
01/01
02/01
03/01
04/01
05/01
06/01
07/01
08/01
09/01
10/01
11/01
12/01


Whiskeytown Lake Cold Water Pool Volume ≤56°F
Avg (2000-2025)
2015
2016
2018
2019
2022
2023
2024
2025
2026
Volume (TAF)
300
250
200
150
100
50
0
01/01
02/01
03/01
04/01
05/01
06/01
07/01
08/01
09/01
10/01
11/01
12/01


Whiskeytown Lake Cold Water Pool Volume ≤60°F - Percent Exceedances (2000-2025)
2026
95
90
75
50
25
10
5
300
250
200
150
100
50
0
Volume (TAF)
01/01
02/01
03/01
04/01
05/01
06/01
07/01
08/01
09/01
10/01
11/01
12/01


Whiskeytown Lake Cold Water Pool Volume ≤58°F - Percent Exceedances (2000-2025)
2026
95
90
75
50
25
10
5
300
250
200
150
100
50
0
Volume (TAF)
01/01
02/01
03/01
04/01
05/01
06/01
07/01
08/01
09/01
10/01
11/01
12/01


Whiskeytown Lake Cold Water Pool Volume ≤56°F - Percent Exceedances (2000-2025)
2026
95
90
75
50
25
10
5
300
250
200
150
100
50
0
Volume (TAF)
01/01
02/01
03/01
04/01
05/01
06/01
07/01
08/01
09/01
10/01
11/01
12/01

Whiskeytown Cold Water Pool Comparison by Year (for Specified Date)

Oct-08 2026	Δ TAF				% Δ			
	≤60°	≤58°	≤56°	Abs. Avg.	≤60°	≤58°	≤56°	Abs. Avg.
2000	7.9	25.2	83.0	38.7	7.6	32.4	22340.5	7460.2
2001	39.3	60.5	124.6	74.8	37.6	77.9	33533.7	11216.4
2002	44.2	62.5	113.9	73.5	42.3	80.4	30666.3	10263.0
2003	39.2	63.3	128.8	77.1	37.5	81.5	34670.1	11596.4
2004	44.9	64.1	117.5	75.5	43.0	82.5	31646.6	10590.7
2005	-5.2	-3.8	17.8	8.9	-5.0	-4.8	4800.1	1603.3
2006	29.9	52.3	121.2	67.8	28.6	67.2	32643.5	10913.1
2007	29.9	53.1	73.6	52.2	28.7	68.3	19812.8	6636.6
2008	22.7	41.7	104.3	56.2	21.8	53.7	28074.2	9383.2
2009	15.0	23.8	19.6	19.5	14.4	30.6	5270.5	1771.8
2010	20.5	-14.5	-0.4	11.8	19.7	-18.7	-100.0	46.1
2011	7.4	26.1	50.7	28.0	7.1	33.5	13640.7	4560.4
2012	50.8	33.5	52.6	45.6	48.6	43.2	14162.0	4751.3
2013	103.4	57.8	113.4	91.6	99.1	74.4	30538.5	10237.3
2014	15.3	1.1	-0.2	5.5	14.7	1.4	-56.8	24.3
2015	21.7	-40.6	-0.4	20.9	20.7	-52.2	-100.0	57.7
2016	5.6	-31.2	-0.4	12.4	5.4	-40.1	-100.0	48.5
2017	93.5	30.3	79.7	67.8	89.6	38.9	21466.2	7198.2
2018	25.2	17.9	11.7	18.2	24.1	23.0	3144.6	1063.9
2019	-10.4	1.3	31.2	14.3	-10.0	1.6	8395.9	2802.5
2020	13.4	20.6	64.0	32.7	12.9	26.5	17224.5	5754.6
2021	93.5	40.2	72.0	68.6	89.6	51.8	19397.9	6513.1
2022	-78.6	-63.0	5.9	49.2	-75.3	-81.1	1597.2	584.6
2023	-18.9	-35.1	10.8	21.6	-18.1	-45.2	2900.0	987.8
2024	50.7	43.5	63.0	52.4	48.6	56.0	16951.3	5685.3
2025	57.1	67.5	98.1	74.2	54.7	86.8	26409.6	8850.4

Historical - Current

(Historical - Current) / Current