



November 2021

DAY	ELEV	STORAGE		COMPUTED* INFLOW C.F.S.	RELEASE - C.F.S.			EVAPORATION		PRECIP INCHES
		1000 ACRE - FEET			RIVER			C. F. S.	INCHES	
		IN LAKE	CHANGE	POWER	SPILL	OUTLET				
		1,002.0								
1	885.55	1,002.7	0.8	5,363	4,968	0	0	13	0.04	0.07
2	886.19	1,009.7	6.9	6,529	3,021	0	0	10	0.03	2.04
3	886.41	1,012.1	2.4	4,535	3,316	0	0	10	0.03	0.00
4	887.15	1,020.2	8.1	7,506	3,430	0	0	3	0.01	0.35
5	887.79	1,027.2	7.0	6,216	2,666	0	0	6	0.02	0.41
6	888.34	1,033.3	6.1	6,257	3,197	0	0	0	0.00	0.00
7	888.65	1,036.7	3.4	4,841	3,111	0	0	0	0.00	0.00
8	889.28	1,043.7	7.0	7,237	3,707	0	0	3	0.01	0.13
9	890.22	1,054.2	10.5	8,807	3,511	0	0	3	0.01	2.04
10	891.34	1,066.8	12.6	8,095	1,730	0	0	7	0.02	0.11
11	891.89	1,073.0	6.2	6,054	2,908	0	0	7	0.02	0.02
12	892.38	1,078.6	5.6	6,322	3,490	0	0	20	0.06	0.00
13	892.78	1,083.2	4.6	4,942	2,623	0	0	20	0.06	0.00
14	893.17	1,087.6	4.5	5,214	2,938	0	0	27	0.08	0.00
15	893.46	1,091.0	3.3	4,556	2,860	0	0	17	0.05	0.00
16	893.92	1,096.2	5.3	5,132	2,458	0	0	10	0.03	0.00
17	894.22	1,099.7	3.5	4,701	2,883	0	0	71	0.21	0.00
18	894.62	1,104.3	4.6	5,149	2,791	0	0	24	0.07	0.00
19	894.85	1,107.0	2.7	4,284	2,935	0	0	7	0.02	0.25
20	895.06	1,109.4	2.4	4,273	3,025	0	0	20	0.06	0.01
21	895.29	1,112.1	2.7	4,161	2,768	0	0	41	0.12	0.00
22	895.50	1,114.6	2.4	4,106	2,830	0	0	41	0.12	0.00
23	895.23	1,111.4	-3.1	976	2,543	0	0	20	0.06	0.00
24	895.27	1,111.9	0.5	2,994	2,718	0	0	41	0.12	0.00
25	895.42	1,113.6	1.7	4,034	3,121	0	0	31	0.09	0.00
26	895.51	1,114.7	1.0	4,013	3,474	0	0	10	0.03	0.00
27	895.60	1,115.7	1.0	3,453	2,900	0	0	24	0.07	0.00
28	895.63	1,116.1	0.4	3,191	2,998	0	0	17	0.05	0.00
29	895.67	1,116.5	0.5	3,531	3,275	0	0	21	0.06	0.00
30	895.73	1,117.2	0.7	3,087	2,708	0	0	27	0.08	0.00
TOTALS			115.3	149,559	90,903	0	0	551	1.63	5.43
ACRE-FEET			115,300	296,650	180,306	0	0	1,093		

Comments: * COMPUTED INFLOW IS THE SUM OF CHANGE IN STORAGE, RELEASES, PUMPING AND EVAPORATION

SUMMARY

Release (ACRE-FEET)				Precipitation	
Power	180,306	Outlet	0	This month =	5.43
Spill	0	Total	180,306	October 01, 2021 To date =	16.07