# RECLANATION Managing Water in the West



## San Luis Drainage Feature Re-evaluation

Final Environmental Impact Statement


**VOLUME I. MAIN TEXT** 

May 2006



U.S. Department of the Interior Bureau of Reclamation

# RECLANATION Managing Water in the West



## San Luis Drainage Feature Re-evaluation

Final Environmental Impact Statement

**VOLUME I. MAIN TEXT** 

May 2006



U.S. Department of the Interior Bureau of Reclamation

#### NOTICE FINAL ENVIRONMENTAL IMPACT STATEMENT SAN LUIS DRAINAGE FEATURE RE-EVALUATION

Lead Agencies:	U.S. Department of the Interior, Bureau of Reclamation (Reclamation)
	Mid-Pacific Region, Sacramento, California
Cooperating Agency:	U.S. Fish and Wildlife Service

This Final Environmental Impact Statement (EIS) was prepared in compliance with the National Environmental Policy Act (NEPA) and Reclamation procedures for NEPA compliance. Reclamation prepared this EIS subsequent to the San Luis Drainage Plan Formulation Report (PFR) of December 2002 and the PFR Addendum of July 2004. Preparation of this EIS is necessary to implement the preferred alternative or any other action alternative. The PFR was produced in response to the Ninth Circuit Court of Appeals ruling stating that the "...Department of Interior...shall without delay, provide drainage to the San Luis Unit, pursuant to the statutory duty imposed by section 1(a) of the San Luis Act." Reclamation has defined drainage service as the removal of water from irrigated fields to maintain long-term, sustainable salt and water balance in the root zone of irrigated lands where drainage service is defined as managing the regional shallow groundwater table by collecting and disposing of shallow groundwater from the root zone and/or reducing contributions of water to the shallow groundwater table through land retirement. A long-term sustainable salt and water balance is needed to ensure sustainable agriculture in the Unit and the region.

The project purpose is to provide agricultural drainage service to the San Luis Unit as defined above. To meet this overall purpose and need, four related project objectives were used to develop the alternatives evaluated in this EIS:

- Drainage service will consist of measures and facilities to provide a complete drainage solution, from production through disposal, and avoid a partial solution or a solution with undefined components.
- Drainage service must be technically proven and cost-effective.
- Drainage service must be provided in a timely manner.
- Drainage service should minimize adverse environmental effects and risks.

The proposed Federal action is to plan and construct a drainage system for the San Luis Unit. This proposed action would meet the needs of the Unit for drainage service, fulfill the requirements of the February 2000 Court Order, and be completed under the authority of Public Law 86-488.

The EIS evaluates seven action alternatives in addition to No Action: In-Valley Disposal, In-Valley/Groundwater Quality Land Retirement, In-Valley/Water Needs Land Retirement, In-Valley/Drainage-Impaired Area Land Retirement, Ocean Disposal, Delta-Chipps Island Disposal, and Delta-Carquinez Strait Disposal. All of the alternatives would include common elements: on-farm and in-district actions, drainwater collection systems, regional reuse facilities, the Firebaugh sumps, and land retirement of at least 44,106 acres. In addition to the common elements, the action alternatives (except Ocean Disposal) involve varying levels of drainwater treatment (reverse osmosis and/or biological selenium treatment) and/or additional land retirement before disposal.

The In-Valley Alternatives are located in the northwestern portion of Kings County, in western Fresno County, and in the southwestern tip of Merced County. The Ocean Disposal Alternative would include facilities in the above-mentioned counties as well as in the northwestern tip of Kern County and in northern San Luis Obispo County. The Delta Disposal Alternatives would include facilities in Stanislaus, San Joaquin, Alameda, and Contra Costa counties in addition to the counties listed for the In-Valley Alternatives.

Public review of the Draft EIS began on June 2, 2005, following publication of the Notice of Availability and the notice of public hearings for the EIS in the *Federal Register*. The initial 60-day comment period was extended through September 1, 2005, in response to public feedback. Public comments were received in the form of letters, e-mails, and formal statements made at public hearings. The Final EIS contains responses to all comments received and reflects comments and any additional information received during the review period.

After publication of the Draft EIS, the In-Valley/Drainage-Impaired Area Land Retirement Alternative was identified as the preferred alternative. Reclamation will not decide on what action to implement until at least 30 days after release of the Final EIS. After the 30-day waiting period, Reclamation will complete a Record of Decision (ROD). The ROD will state the action that will be implemented and will discuss all factors leading to the decision. The final decision could be the same as the preferred alternative, or it could be some variation or combination of alternatives.

For additional information, contact Mr. Gerald Robbins, Bureau of Reclamation, Mid-Pacific Region, 2800 Cottage Way, Sacramento, CA 95825, (916) 978-5061.

## **EXECUTIVE SUMMARY**

### ES.1 BACKGROUND

This Final Environmental Impact Statement (EIS) provides information on the environmental effects of seven action alternatives for providing drainage service to the San Luis Unit (the Unit). Following public review of the Draft EIS, comments received were fully considered by the Bureau of Reclamation (Reclamation), and revisions to the EIS were incorporated. Publication of this Final EIS will be followed by a Record of Decision, defining Reclamation future actions in providing drainage services to the Unit.

The Federal action, to provide agricultural drainage service, is required in response to the Ninth Circuit Court of Appeals ruling stating that the "...Department of Interior...shall without delay, provide drainage to the San Luis Unit, pursuant to the statutory duty imposed by section 1(a) of the San Luis Act." Reclamation has defined drainage service as managing the regional shallow groundwater table by collecting and disposing of shallow groundwater from the root zone and/or reducing contributions of water to the shallow groundwater table through land retirement. A long-term sustainable salt and water balance is needed to ensure sustainable agriculture in the Unit and the region.

The proposed Federal action is to provide drainage service to the San Luis Unit. This proposed action would meet the needs of the Unit for drainage service, fulfill the requirements of the February 2000 Court Order, and be completed under the authority of Public Law 86-488. The San Luis Drainage Feature Re-evaluation (Re-evaluation) is being conducted pursuant to Public Law 86-488, which authorized the Unit.

### ES1.1 Historical Summary

Planning for drainage facilities to serve the San Joaquin Valley has occurred since the mid-1950s. Drainage facilities were discussed when Reclamation studied the feasibility of water supply development for the Unit. Figure ES-1 provides an overview of historical and future events for San Joaquin Valley drainage planning.

### San Luis Unit Drainage Timeline




Figure ES-1 San Luis Unit Drainage Timeline

In 1960, Congress enacted Public Law 86-488 authorizing construction of the San Luis Unit of the Central Valley Project (CVP) including drainage systems.

By 1975, an 82-mile segment of the San Luis Drain (ending at Kesterson Reservoir) was completed, and subsequently 120 miles of collector drains were constructed in a 42,000-acre area of the northeast portion of Westlands Water District (Westlands).

Between 1975 and 1979, the San Joaquin Valley Interagency Drainage Program, a joint effort between Reclamation, the Department of Water Resources (DWR), and the State Water Resources Control Board (State Board), was formed to find an economically, environmentally, and politically acceptable solution to San Joaquin Valley drainage problems. This group recommended that a drain be completed to the Sacramento-San Joaquin River Delta (Delta), terminating near Chipps Island. Based on the San Joaquin Valley Interagency Drainage Program's recommendation, Reclamation initiated a special study to fulfill the requirements for a discharge permit from the State Board for a Federal-only drain.

In 1983, discovery of embryonic deformities of aquatic birds at Kesterson Reservoir significantly changed the approach to drainage solutions in San Joaquin Valley. Because of the high selenium (Se) levels found in the drainwater and its effects at Kesterson Reservoir, the San Luis Unit Special Study was suspended. In 1985, following a Nuisance and Abatement Order issued by the State Board, discharges to Kesterson Reservoir were halted, and feeder drains leading to the San Luis Drain were plugged.

In response to the Kesterson problems, the San Joaquin Valley Drainage Program (SJVDP) was formed by the governor of California and the Secretary of the Interior. This joint Federal/State effort was established to develop solutions to drainage and drainage-related problems. While the initial efforts looked at all possible solutions, a policy decision in 1987 limited studies to In-Valley drainage management measures based on a recommendation from a citizens advisory committee consisting of water users, environmental advocates, and public interests. The SJVDP's final report (SJVDP 1990) recommended an In-Valley solution that included source reduction, drainage reuse, land retirement, evaporation basins, groundwater management, San Joaquin River discharge, and institutional changes. This plan provided a strategy for managing salts through 2040 and stated that eventually salts may need to be removed from the San Joaquin Valley.

While the SJVDP was preparing its recommendations, a 1986 Federal court order settled a lawsuit among Westlands, Reclamation, and various classes of landowners and water users in Westlands. Named after one of the parties to the lawsuit, the Barcellos Judgment addressed, among other things, the supply of water to Westlands and the provision of drainage service to Westlands. It directed Reclamation to develop, adopt, and submit to Westlands a plan for drainage service facilities by the end of 1991, leading to preparation of the *San Luis Unit Drainage Program Plan Formulation Report* (PFR) and the related Draft EIS.

Several landowners subsequently sued the Department of the Interior (Interior), seeking completion of the master drain to the Delta. These lawsuits were partially consolidated in 1992 to address the common allegation that Interior was required by law to construct drainage service facilities from certain lands in the Unit. In 1995, the district court issued a partial judgment stating that the San Luis Act established a mandatory duty to provide drainage. The judgment ordered Interior to promptly prepare, file, and pursue an application for a discharge permit with the State Board. Interior appealed this judgment.

In February 2000, the U.S. Court of Appeals concluded that Interior must provide drainage service but held that Interior had the discretion to meet the court order with a plan other than the interceptor drain solution. In accordance with the court order, Reclamation developed a Plan of Action (April 2001; Reclamation 2001a) outlining its proposed efforts to provide prompt drainage service considering a variety of options.

• The first phase of the Re-evaluation, consistent with the Plan of Action, identified a list of preliminary alternatives that meet the court's order to provide prompt drainage service to the Unit. The result of the first phase was the *Preliminary Alternatives Report (PAR), San Luis Unit Drainage Feature Re-evaluation*, which was published in December 2001 (Reclamation 2001b). The alternatives described in the PAR meet the court order and use proven technology.

- The second phase of the Re-evaluation was the preparation of the PFR, which included the determination of the lands that require drainage service; the anticipated quantity and quality of drainwater for which Reclamation will need to provide service; the formulation, evaluation, and screening of the preliminary alternatives; the description of the final set of alternative plans; and the selection of the proposed action. The PFR was published in December 2002 (Reclamation 2002).
- The third phase of the Re-evaluation will refine the components of the proposed action, provide additional engineering detail, and complete the environmental review of the proposed action and alternatives. The product of this phase is the EIS and the Record of Decision.

The 2002 PFR identified the In-Valley Disposal Alternative as the proposed action to provide drainage service. The In-Valley Disposal Alternative was compared to No Action and the three Out-of-Valley Disposal Alternatives and was selected in 2002 as the proposed action based on cost, implementation, and other environmental information available in 2002.


Land retirement was considered in the 2002 PFR but was excluded as a primary drainage reduction component of the Federal drainage service alternatives under consideration at that time because it did not meet the project purpose of "providing drainage service." Land retirement is a measure that removes land from irrigated agricultural production, reducing the need for drainage service on remaining lands. However, as a result of public and stakeholder input, Reclamation determined that it would broaden the scope of analysis to include land retirement as a major component of some of the action alternatives.

On February 5, 2004, Reclamation submitted to the Court an *Amended Plan of Action for Drainage to the San Luis Unit* (Reclamation 2004a). The Amended Plan of Action states that Reclamation would continue to refine and evaluate all five alternatives described in the PFR for inclusion in the EIS. Additionally, Reclamation would formulate alternative(s) that use land retirement as a method to control drainage need, by comparing costs, benefits, and impacts for alternatives with different amounts of land retirement.

### ES1.2 Project Area

The geographic scope of the analysis (project area) consists of the drainage study area and other areas affected by disposal alternative features such as conveyance, treatment facilities, and discharge locations. The entire project area extends beyond the San Joaquin Valley west to the Pacific Ocean as far south as Point Estero and northwest to the Delta in northern and central California. Features of one or more of the action alternatives are located in nine counties: Fresno, Kings, Merced, Alameda, Contra Costa, San Joaquin, Stanislaus, Kern, and San Luis Obispo.

The drainage study area is located in the western San Joaquin Valley and consists primarily of the lands lying within the boundary of the CVP's San Luis Unit, as shown on Figure ES-2. The Unit, as defined by the authorized service area, encompasses the entire Westlands, Broadview, Panoche, and Pacheco water districts and the southern portion of the San Luis Water District. Lands immediately adjacent to the Unit, in the Grassland Drainage Area, have also been included. For this EIS, the drainage study area has been subdivided into the Westlands Water District and the Northerly Area.



The entire drainage study area (including the lands to the north and outside of the Unit, 40,400 acres) totals approximately 730,000 acres. Of these 730,000 acres, approximately 379,000 acres would be drainage-impaired and constitute the drainage service area. According to Reclamation's estimates, only two-thirds of this area, or 254,000 acres, would have subsurface drainage systems installed, based on localized conditions and economic considerations, by the end of the 50-year planning horizon for the Re-evaluation. Analysis indicates that this would maintain arability throughout the 379,000-acre drainage service area.

### ES.2 PURPOSE AND NEED

The project purpose is to provide agricultural drainage service to the San Luis Unit that achieves long-term, sustainable salt and water balance in the root zone of irrigated lands where drainage service is defined as managing the regional shallow groundwater table by collecting and disposing of shallow groundwater from the root zone and/or reducing contributions of water to the shallow groundwater table through land retirement. A long-term sustainable salt and water balance is needed to ensure sustainable agriculture in the Unit and the region.

To meet this overall purpose and need, Reclamation used four related project objectives to develop the alternatives evaluated in this EIS:

- Drainage service will consist of measures and facilities to provide a complete drainage solution, from production through disposal, and avoid a partial solution or a solution with undefined components.
- Drainage service must be technically proven and cost effective.
- Drainage service must be provided in a timely manner.
- Drainage service should minimize adverse environmental effects and risks.

The proposed Federal action is to provide drainage service to the San Luis Unit. This proposed action would meet the needs of the Unit for drainage service, fulfill the requirements of the February 2000 Court Order, and be completed under the authority of Public Law 86-488. The Re-evaluation is being conducted pursuant to Public Law 86-488, which authorized the Unit.

To plan this proposed action, Reclamation has determined a reasonable future drainage output from the Unit and used the best available information to determine the quality of any drainwater produced. All of the action alternatives use the determined values of drainage output and drainwater quality in the design of project features and in the analysis of environmental effects.

### ES.3 ALTERNATIVES CONSIDERED

Reasonable alternatives considered in this EIS and facility sizing assumptions related to drainage quantity are summarized below.

### ES3.1 Drainage Output

Reclamation developed drainage quantities and flow rates in the PFR (Reclamation 2002) and revised them in the PFR Addendum (Reclamation 2004b). The determined value of future drainage output included the consideration of regional drainwater reuse facilities as well as four cost-effective drainwater reduction measures: drainwater recycling, shallow groundwater

management, seepage reduction, and irrigation system improvements. In addition, Reclamation determined that the storage capacity of the groundwater aquifer beneath the reuse facilities could be used to regulate the seasonal variations in drainwater flows.

The total area needing drainage service is reduced by land retirement programs and actions. Land retirement is defined as the removal of lands from irrigated agricultural production by purchase or lease for other purposes or land uses.

Land retirement assumptions for No Action and the action alternatives include:

- The Sumner Peck settlement lands of 34,100 acres, 7,000 acres from the Central Valley Project Improvement Act [CVPIA] land retirement program, and 3,006 acres from the Britz settlement result in a total planned land retirement of 44,106 acres included in all the alternatives.
- The Westlands Water District (Sagouspe) settlement acreage of 65,000 acres remains temporarily fallowed in the No Action Alternative and in some of the land retirement alternatives, but would go back into production under some of the other action alternatives.
- Additional retirement is included in the In-Valley/Land Retirement Alternatives.

The estimates of land retirement acreage for all of the alternatives range from 44,106 to 308,000 acres for the seven action alternatives and up to 109,106 acres for the No Action Alternative.

Table ES-1 shows the estimated drainwater quantity for the various alternatives. The maximum estimated flow of drainwater produced is about 97,000 acre-feet (AF)/year. Different alternatives contain features that reduce this amount. Final drainwater flows for treatment and disposal range from 8,100 to 21,000 AF/year, depending on the amount of land retirement in the alternative.

		Land Ret	Land Retirement Alternatives*			
	In-Valley Disposal Alternative	In-Valley/ Groundwater Quality	In-Valley/ Water Needs	In-Valley Drainage- Impaired Area	Valley (Ocean and Delta) Alternatives	
Drainage Flow without Reduction (AF/year)	97,000	85,000	63,000	36,000	97,000	
Drainage Flow with Drainwater Reduction Activities (drainwater recycling, shallow groundwater management, and seepage reduction) (AF/year)	70,000	61,000	45,000	27,000	70,000	
Drainage Flow with Drainwater Reduction and Regional Reuse Facilities (AF/year)	21,000	18,500	14,000	8,100	21,000	
Average Design Flow with Drainwater Reduction and Regional Reuse Facilities (cfs)	29	26	19	11	29	

Table ES-1Drainwater Reduction and Average Design Flows

cfs = cubic feet per second

\*Alternatives are described in Section 2.3.3.

### ES3.2 Action Alternatives

A preferred alternative has been selected for the Final EIS following Reclamation's review of the Draft EIS and comments from reviewing agencies, organizations, and individuals. Reclamation's preferred alternative is the In-Valley/Drainage-Impaired Area Land Retirement Alternative primarily because of the flexibility in implementation, but also because economically it has the greatest net benefit to the nation as a whole.<sup>1</sup> The environmentally preferred alternative is the alternative that is the least damaging to the environment, and it will be identified in the Record of Decision. All of the action alternatives would have adverse effects on the environment. Determination of the alternative with the least environmental damage requires balancing of environmental resource values

### ES3.2.1 Common Elements to All Action Alternatives

The quantity of drainwater requiring treatment and/or disposal can be reduced by implementing drainwater reduction measures. Results of a cost-effectiveness analysis yielded the reasonable drainwater reduction actions that could be implemented within the drainage area and that are common to all disposal alternatives. These drainwater reduction actions are shown in Figure ES-3 and briefly described below.




Figure ES-3 Common Elements to All Disposal Alternatives

<sup>&</sup>lt;sup>1</sup> See Section 3.3.11 of the Plan Formulation Report Addendum for a discussion of benefits and costs from a national perspective.

### • On-Farm, In-District Actions

The on-farm, in-district drainwater reduction actions are not components of the drainage service alternatives to be implemented by Reclamation. Rather, they represent the assumptions Reclamation has made regarding the conditions of the area to be served and the reasonable actions that could be implemented by districts within the area to be served once drainage service is provided. Although drainwater reduction measures other than the ones selected could be implemented, they were either not cost effective compared to the disposal facilities, or it was assumed that they would not be implemented due to the uncertainty of the measure's effectiveness. Farmers would also install subsurface tile drains on drainage-impaired lands. In addition, irrigation system improvements for Westlands nondrainage-impaired land and lands in the Northerly Area were found to be cost effective (see PFR Addendum, Section 3.3.10.3).

#### • Federal Facilities

As part of the action alternatives under the Federal action, Reclamation would construct a closed **collection system** to collect and convey drainwater from on-farm subsurface tile drains to the **regional reuse facilities** located within each of the four zones (Northerly Area, Westlands North, Westlands Central, and Westlands South).

- The closed collection system is composed of drain sumps and pipelines. Drain sumps would be placed at the lowest corner of the quarter sections of land or at some other low point on the quarter section lines. Farmers would pump drainwater from their drains into the sumps, and pipelines would convey drainwater from the sumps to the reuse areas.
- The drainwater would be used to irrigate salt-tolerant crops at up to 16 regional reuse facilities. Each reuse facility would also provide an opportunity to control the flow of reused drainwater to downstream features. The water quality of the reused drainwater would initially be the same as the water quality of the perched aquifer beneath the reuse facility. In general, it is expected that water quality of the perched aquifer would gradually decline during long-term use, as do all aquifers underlying irrigated farmlands.
- The proposed separate Delta-Mendota Canal Drain is designed to intercept high-Se groundwater at the existing Firebaugh sumps and convey it to the Northerly Reuse Area for reuse, treatment, and disposal. The drain would consist of two pipelines. This drain would also collect precipitation that percolates through the ground to the underlying drains. The additional infiltration would affect the quantity of drainwater flows. The pipeline capacity allows the infiltrating water to remain in the ground for no more than 2 months before discharging to the reuse area.

#### Land Retirement

The minimum land retirement assumptions for all action alternatives compared to existing conditions and No Action are discussed in Section ES3.1 and subsequently displayed in Table 2.3-1. A minimum of 44,106 acres is assumed to be retired for all of the action alternatives (common element). Retired lands are assumed to be managed as dryland farming, grazed, or fallowed. While CVPIA retired lands (7,000 acres) are Federally owned, the remaining retired lands (37,100 acres) are expected to be privately owned.

### ES3.2.2 In-Valley Disposal Alternative

The In-Valley Disposal Alternative lies within the San Joaquin Valley and entirely within the boundaries of the drainage study area. This alternative would include the common elements of all alternatives: on-farm and in-district actions, drainwater collection systems, Delta-Mendota Canal Drain, regional reuse facilities, and land retirement (44,106 acres). In addition to the common elements, reuse facility drainwater would be treated with reverse osmosis (RO) and Se biotreatment before disposal in evaporation basins. Figure ES-4 illustrates the key components of the In-Valley Disposal Alternative.




Figure ES-4 Components of the In-Valley Disposal Alternative

The Federal components of this alternative are as follows.

### Common Elements:

- Drainwater collection system
- Firebaugh Sumps (Delta-Mendota Canal Drain)
- Regional reuse facilities

**Reverse Osmosis Treatment** – Reused drainwater from all 16 potential reuse areas would be conveyed to four areas for RO treatment to produce high-quality product water that could be blended with CVP water for irrigation. RO treatment plants would be located near each of four evaporation basins. Each RO system would consist of a single-stage, single-pass array with appropriate pretreatment to achieve 50 percent recovery.

**Selenium Biotreatment** – The concentrate reject stream from each of the four RO facilities would be conveyed to four Se treatment facilities. The effluent from the Se biotreatment plants would be discharged to evaporation basins in each of the four drainage areas. The flow rate to the biotreatment plant for the Northerly Area would be approximately 4,400 AF/year, while the flow rates for the Westlands North, Central, and South areas would be approximately 1,700, 3,000, and 1,400 AF/year, respectively. The flow-weighted average final Se and total dissolved solids (TDS) concentrations after reuse facility operation and RO treatment are estimated to be 475 micrograms per liter ( $\mu$ g/L) and 35,600 milligrams per liter (mg/L), respectively. Based on

results of laboratory and pilot tests of this technology using actual drainwater, it is estimated that full-scale biotreatment plants can remove Se to below  $10 \mu g/L$  in the treated effluent.

**Evaporation Basins** – Four areas are under investigation for evaporation facilities. At present, it is estimated that up to 3,290 acres would be needed in total for the four facilities. This acreage is a maximum estimate for wet years of flow and represents a maximum disturbed land area. It is based on the peak flow being provided by the reuse areas. The average "wetted" area is estimated at 2,870 acres.

**Conveyance System** – The In-Valley Disposal Alternative conveyance system includes 16 pumping plants. These plants pump reuse water from the reuse areas to either another pumping plant or a treatment and evaporation basin area. All of these pumping plants are in reuse areas.

Table ES-2 summarizes the present value and estimated annual equivalent costs for the In-Valley Disposal Alternative with a less than 70,000-AF/year drainage volume, based on updated feasibility studies.

Project Features	Present Value (\$1,000,000)	Annual Equivalent (\$1,000,000)	
FEDERAL PROJECT COSTS			
Alternative-Specific Federal Costs			
Conveyance System	26.6	1.6	
Evaporation Basins	114.7	6.9	
Reverse Osmosis Facilities	85.4	5.1	
Biological Selenium Treatment	59.7	3.6	
Land Retirement	10.7	0.6	
Subtotal – Alternative-Specific Federal Costs	297.1	17.9	
Common Federal Costs			
Drainage Collection System	186.1	11.2	
Regional Reuse Facilities	76.8	4.6	
Delta-Mendota Canal Drainage Collection/Reuse	1.7	0.1	
Subtotal - Common Federal Costs	264.7	15.9	
TOTAL – FEDERAL PROJECT COSTS	561.8	33.8	

## Table ES-2In-Valley Disposal AlternativePresent Worth of Federal Project Costs

### ES3.2.3 In-Valley/Groundwater Quality Land Retirement Alternative

The In-Valley/Groundwater Quality Land Retirement Alternative consists of retiring the 44,106 acres common to all alternatives plus all the lands in Westlands with Se concentration greater than 50 parts per billion (ppb) in the shallow groundwater and lands recently acquired by Westlands (approximately 38,486 acres), and 10,000 acres in Broadview Water District in the Northerly Area. Total land retirement is 92,592 acres (44,106 acres plus an additional 48,486

acres). This alternative includes irrigation system improvements to reduce deep percolation to shallow groundwater.

Lands remaining in production within the drainage-impaired area would be eligible for drainage service. The collection, treatment, and disposal of drainwater collected from drained lands would be similar to that described for the In-Valley Disposal Alternative for RO treatment and the evaporation basins, and the changes to Se biotreatment and conveyance are described in the following sections. Lands that could be retired are outside of the areas with drainwater collection but inside the drainage-impaired areas.

Selenium Biotreatment – There would be four Se biotreatment plants, one for each of the drainage areas (Northerly, Westlands North, Westlands Central, and Westlands South) for the In-Valley/Groundwater Quality Land Retirement Alternative. The effluent from the biotreatment plants would be discharged to evaporation basins located in each of the four drainage areas. The flow rate to the biotreatment plant for the Northerly Area would be approximately 4,000 AF/year, while the flow rates for the combined Westlands North, Central, and South areas would be 5,100 AF/year. These flows are based on the assumption that the drainage rate from the reuse area would be maintained at a fairly constant level throughout the year. The flow-weighted average Se and TDS concentrations after several years of reuse facility operation and RO treatment are estimated to be 530 µg/L and 33,000 mg/L, respectively. Flow-weighted average Se concentrations are higher under this alternative as compared to the In-Valley Disposal Alternative because drains from the Northerly Area, which has higher Se concentrations than Westlands, are a larger percentage of the flow-weighted average when Westlands lands are retired. Based on results of laboratory and pilot tests of this technology using actual drainwater, it is estimated that full-scale biotreatment plants can remove Se to below 10 µg/L in the treated effluent.

**Conveyance System** – Any differences between this alternative and the In-Valley Disposal Alternative would depend upon the quantity of water to be conveyed. A smaller quantity could require a smaller pipe size, and a larger quantity could require a larger pipe size.

Table ES-3 summarizes the present value and estimated annual equivalent costs for the In-Valley/Groundwater Quality Land Retirement Alternative with a less than 61,000-AF/year drainage volume, based on updated feasibility studies.

Project Features	Present Value (\$1,000,000)	Annual Equivalent (\$1,000,000)
FEDERAL PROJECT COSTS		
Alternative-Specific Federal Costs		
Conveyance System	25.0	1.5
Evaporation Basins	102.2	6.1
Reverse Osmosis Facilities	77.9	4.7
Biological Selenium Treatment	53.0	3.2
Land Retirement	140.4	8.4
Subtotal – Alternative-Specific Federal Costs	398.5	24.0
Common Federal Costs		
Drainage Collection System	158.4	9.5
Regional Reuse Facilities	67.1	4.0
Delta-Mendota Canal Drainage Collection/Reuse	1.7	0.1
Subtotal - Common Federal Costs	227.3	13.7
TOTAL – FEDERAL PROJECT COSTS	625.8	37.6

## Table ES-3In-Valley/Groundwater Quality Land Retirement Alternative<br/>Present Worth of Federal Project Costs

### ES3.2.4 In-Valley/Water Needs Land Retirement Alternative

The In-Valley/Water Needs Land Retirement Alternative would retire enough lands to balance the internal water demand of the San Luis Unit with the expected available supply, or 193,956 acres (44,106 acres plus 149,850 additional acres). This value would include lands with Se concentrations greater than 20 ppb in Westlands, lands acquired by Westlands (that could be brought into production with drainage service), and 10,000 acres in Broadview Water District. It is consistent with key elements of the locally developed Westside Regional Drainage Plan (SJRECWA et al. 2003). The alternative would include irrigation system improvements to reduce deep percolation to shallow groundwater. The irrigation system improvement program would be similar to that described for the In-Valley Disposal Alternative.

Lands remaining in production within the drainage-impaired area would be eligible for drainage service. The collection, treatment, and disposal of drainwater collected from drained lands would be similar to that described for the In-Valley Disposal Alternative for RO treatment and the evaporation basins, and the changes to Se biotreatment and conveyance are described in the following sections. Lands that could be retired are outside of the areas with drainwater collection but inside the drainage-impaired areas.

**Selenium Biotreatment** – There would be four Se biotreatment plants as in the previous alternative, one for each of the drainage areas. The flow rate to the biotreatment plant for the Northerly Area would be approximately 4,000 AF/year, while the flow rates for the combined Westlands service areas would be approximately 2,800 AF/year. The flow-weighted average Se and TDS concentrations after several years of reuse facility operation and RO treatment are estimated to be 530  $\mu$ g/L and 32,500 mg/L, respectively. Based on results of laboratory and pilot tests of this technology using actual drainwater, it is estimated that full-scale biotreatment plants can remove Se to below 10  $\mu$ g/L in the treated effluent.

**Conveyance System** – Any differences between this alternative and the In-Valley Disposal Alternative would depend upon the quantity of water to be conveyed. A smaller quantity could require a smaller pipe size, and a larger quantity could require a larger pipe size.

Table ES-4 summarizes the present value and estimated annual equivalent costs for the In-Valley/Water Needs Land Retirement Alternative with an approximately 45,000-AF/year drainage volume, based on updated feasibility studies.

Project Features	Present Value (\$1,000,000)	Annual Equivalent (\$1,000,000)
FEDERAL PROJECT COSTS		
Alternative-Specific Federal Costs		
Conveyance System	21.6	1.3
Evaporation Basins	80.6	4.9
Reverse Osmosis Facilities	61.3	3.7
Biological Selenium Treatment	40.9	2.5
Land Retirement	416.7	25.1
Subtotal – Alternative-Specific Federal Costs	621.1	37.4
Common Federal Costs		
Drainage Collection System	89.0	5.4
Regional Reuse Facilities	61.3	3.7
Delta-Mendota Canal Drainage Collection/Reuse	1.8	0.1
Subtotal - Common Federal Costs	152.0	9.1
TOTAL – FEDERAL PROJECT COSTS	773.1	46.5

## Table ES-4In-Valley/Water Needs Land Retirement Alternative<br/>Present Worth of Federal Project Costs

### *ES3.2.5* In-Valley/Drainage-Impaired Area Land Retirement Alternative (Preferred Alternative)

The In-Valley/Drainage-Impaired Area Land Retirement Alternative would retire 308,000 acres (44,106 plus 263,894 acres), including all of the drainage-impaired lands in Westlands (approximately 298,000 acres) and 10,000 acres in Broadview Water District. Drainage collection, treatment, and disposal facilities would not be needed in the Westlands drainage-impaired areas. The alternative would include irrigation system improvements to reduce deep percolation to shallow groundwater. The irrigation system improvement program would be similar to that described for the In-Valley Disposal Alternative but would occur only in the Northerly Area.

Lands remaining in production within the Northerly drainage-impaired area would be eligible for drainage service as under the previous alternative. The collection, treatment, and disposal of drainwater collected from drained lands would be only those needed to serve the Northerly Area.

**Selenium Biotreatment** – There would be one Se biotreatment plant in the Northerly Area for the In-Valley/Drainage-Impaired Area Land Retirement Alternative. The effluent from the

biotreatment plant would be discharged to an evaporation basin located in the Northerly Area. The flow rate to the biotreatment plant would be approximately 4,000 AF/year. This flow is based on the assumption that the drainage rate from the Northerly Reuse Area is maintained fairly constant throughout the year. The flow-weighted average Se and TDS concentrations after several years of reuse facility operation and RO treatment are estimated to be 640  $\mu$ g/L and 30,000 mg/L, respectively. Based on results of laboratory and pilot tests of this technology using actual drainwater, it is estimated that full-scale biotreatment plants will remove Se to below 10  $\mu$ g/L in the treated effluent.

**Conveyance System** – Conveyance for the In-Valley/Drainage-Impaired Area Land Retirement Alternative consists of only the 1.1-mile pipeline segment for the Delta-Mendota Canal Drain to the Northerly Area reuse facility.

Table ES-5 summarizes the present value and estimated annual equivalent costs for the In-Valley/Drainage-Impaired Land Retirement Alternative with a less than 27,000-AF/year drainage volume, based on updated feasibility studies.


Project Features	Present Value (\$1,000,000)	Annual Equivalent (\$1,000,000)
FEDERAL PROJECT COSTS		
Alternative-Specific Federal Costs		
Conveyance System	2.2	0.1
Evaporation Basins	39.7	2.4
Reverse Osmosis Facilities	30.3	1.8
Biological Selenium Treatment	21.3	1.3
Land Retirement	725.5	43.6
Subtotal – Alternative-Specific Federal Costs	818.9	49.3
Common Federal Costs		
Drainage Collection System	2.8	0.2
Regional Reuse Facilities	34.0	2.0
Delta-Mendota Canal Drainage Collection/Reuse	1.8	0.1
Subtotal - Common Federal Costs	38.6	2.3
TOTAL – FEDERAL PROJECT COSTS	857.5	51.6

Table ES-5
In-Valley/Drainage-Impaired Area Land Retirement Alternative
Present Worth of Federal Project Costs

### ES3.2.6 Ocean Disposal Alternative

The Ocean Disposal Alternative would include the common elements of all alternatives: on-farm and in-district actions, drainwater collection systems, Delta-Mendota Canal Drain, regional reuse facilities, and land retirement. Reused drainwater would be collected from the regional reuse facilities and transported by pipeline to the Pacific Ocean for disposal. The pipeline conveyance system would lie within the San Joaquin Valley from near Los Banos southeast to just south of Kettleman City and then extend southwesterly to the Pacific Ocean at Point Estero. The ocean diffuser would be approximately 1.4 miles offshore, at a depth of 200 feet, approximately 10 miles south of the southern boundary of the Monterey Bay National Marine Sanctuary.

Figure ES-5 shows the key components of this alternative.



#### Figure ES-5 Components of the Ocean Disposal Alternative

The Federal components of this alternative are as follows.

#### **Common Elements**:

- Drainwater collection system
- Firebaugh Sumps (Delta-Mendota Canal Drain)
- Regional reuse facilities

**Conveyance System** – The drainwater aqueduct for the Ocean Disposal Alternative would include 211 miles of buried pipeline, with three tunnels through the coastal range and 23 pumping plants and sumps.

**Outfall** – The aqueduct would have only one diffuser, located 1.4 miles off Point Estero, 10 miles south of the Monterey Bay National Marine Sanctuary.


Table ES-6 summarizes the estimated present value and annual equivalent costs for the Ocean Disposal Alternative with a less than 70,000-AF/year drainage volume, based on updated feasibility studies.

Project Features	Present Value (\$1,000,000)	Annual Equivalent (\$1,000,000)
FEDERAL PROJECT COSTS		
Alternative-Specific Federal Costs		
Conveyance System	289.3	17.4
Evaporation Basins	0	0
Reverse Osmosis Facilities	0	0
Biological Selenium Treatment	0	0
Land Retirement	10.2	0.6
Subtotal – Alternative-Specific Federal Costs	299.9	18.0
Common Federal Costs		
Drainage Collection System	184.1	11.1
Regional Reuse Facilities	77.0	4.6
Delta-Mendota Canal Drainage Collection/Reuse	1.7	0.1
Subtotal - Common Federal Costs	262.8	15.8
TOTAL – FEDERAL PROJECT COSTS	562.7	33.8

Table ES-6Ocean Disposal Alternative, Present Worth of Federal Project Costs

### ES3.2.7 Delta-Chipps Island Disposal Alternative

The Delta-Chipps Island Disposal Alternative would include the common elements of all alternatives: on-farm and in-district actions, drainwater collection systems, Delta-Mendota Canal Drain to intercept Firebaugh sumps, regional reuse facilities, and land retirement. Reuse drainwater would be treated with biological Se treatment before conveyance by canal and pipeline to the Delta for disposal. RO treatment is not included in the Delta-Chipps Island Disposal Alternative; however, reused drainwater would be treated with biological Se treatment. The canal and pipeline conveyance system would extend the existing San Luis Drain from its current terminus at Mud Slough to the north-northwest through Merced, Stanislaus, San Joaquin, and Contra Costa counties for disposal at the western end of the Delta at Chipps Island. The diffuser would be approximately 1 mile from the shoreline at Mallard Slough at a depth of 18 feet. Figure ES-6 shows the key components of this alternative.



#### Figure ES-6 Components of the Delta Disposal Alternatives

The Federal components of this alternative are as follows.

#### **Common Elements**:

• Drainwater collection system

- Firebaugh Sumps (Delta-Mendota Canal Drain)
- Regional reuse facilities

**Selenium Biotreatment** – The Se biotreatment plant for the two Delta Disposal Alternatives (Delta-Chipps Island and Delta-Carquinez Strait) would be based on the same modular system described in the In-Valley Disposal Alternative. Drainwater from the four drainage service areas (Northerly, Westlands North, Westlands Central, and Westlands South) would be conveyed to a central Se biotreatment facility before conveyance by canal and pipeline to the Delta for disposal. The facility's location has not been determined.

**Conveyance System** – The drainwater aqueduct for the Delta-Chipps Island Disposal Alternative would traverse gradually sloping lands to flat lands. A total of about 160 miles of pipeline and canal would be installed, including 1 mile of buried pipe underwater. In addition, about 83 miles of the existing San Luis Drain would be used, for a total conveyance length of 143 miles.

**Outfall** – The point of discharge for the Delta-Chipps Island Disposal Alternative would be 1 mile from the shoreline at Mallard Slough at a depth of 18 feet.

Table ES-7 summarizes the estimated present value and annual equivalent costs for the Delta-Chipps Island Disposal Alternative with a less than 70,000-AF/year drainage volume, based on updated feasibility studies.

Project Features	Present Value (\$1,000,000)	Annual Equivalent (\$1,000,000)
FEDERAL PROJECT COSTS		
Alternative-Specific Federal Costs		
Conveyance System	79.7	10.8
Evaporation Basins	0	0
Reverse Osmosis Facilities	0	0
Biological Selenium Treatment	108.1	6.5
Land Retirement	10.2	0.6
Subtotal – Alternative-Specific Federal Costs	298.0	17.9
Common Federal Costs		
Drainage Collection System	185.7	11.2
Regional Reuse Facilities	77.0	4.6
Delta-Mendota Canal Drainage Collection/Reuse	1.7	0.1
Subtotal - Common Federal Costs	264.5	15.9
TOTAL – FEDERAL PROJECT COSTS	562.4	33.8

## Table ES-7Delta-Chipps Island Disposal Alternative<br/>Present Worth of Total Federal Costs

### ES3.2.8 Delta-Carquinez Strait Disposal Alternative

This alternative has the same route and design elements as the Delta-Chipps Island Disposal Alternative, except that it continues west past Martinez to Carquinez Strait for disposal immediately upstream of Carquinez Bridge. Tidal flows heavily influence the mixing of the water in this area. Figure ES-6 in the previous section shows the key components of this alternative.

A total of about 177 miles of pipeline and canal would be installed, including 1 mile of pipe buried underwater. In addition, about 83 miles of the existing San Luis Drain would be used, for a total conveyance length of 260 miles. The Delta-Carquinez Strait route follows the Delta-Chipps Island route, but continues west along the railroad tracks past Martinez to Carquinez Strait Regional Shoreline to the city of Crockett, where it goes offshore to the diffuser.

The diffuser would be approximately 16 miles downstream of the western end of the Delta and 1 mile from the shoreline at Crockett at a depth of 18 feet. This disposal location has greater tidal action and is further removed from drinking water intakes than the Delta-Chipps Island Disposal Alternative.

The summary of the estimated present value and annual equivalent costs for the Delta-Carquinez Strait Disposal Alternative with a less than 70,000-AF/year drainage volume is included in Table ES-8. The same design considerations and assumptions identified for the Delta-Chipps Island Disposal Alternative apply to this alternative.

Project Features	Present Value (\$1,000,000)	Annual Equivalent (\$1,000,000)	
FEDERAL PROJECT COSTS			
Alternative-Specific Federal Costs			
Conveyance System	215.5	13.0	
Evaporation Basins	0	0	
Reverse Osmosis Facilities	0	0	
Biological Selenium Treatment	108.1	6.5	
Land Retirement	10.2	0.6	
Subtotal – Alternative-Specific Federal Costs	333.7	20.1	
Common Federal Costs			
Drainage Collection System	185.7	11.2	
Regional Reuse Facilities	77.0	4.6	
Delta-Mendota Canal Drainage Collection/Reuse	1.7	0.1	
Subtotal - Common Federal Costs	264.5	15.9	
TOTAL – FEDERAL PROJECT COSTS	598.2	36.0	

## Table ES-8Delta-Carquinez Strait Disposal Alternative,<br/>Present Worth of Federal Project Costs

A summary of the estimated annual equivalent costs for all Action Alternatives is included in Table ES-9.

# Table ES-9All AlternativesPresent Worth of Federal Project CostsSummary of Federal Project Costs (\$ millions, 2002 dollars)

	Federal Cost*					
Alternatives	Construction	Annual OM&R	Present Worth	Annual Equivalent		
In-Valley	607	19.8	562	33.8		
In-Valley/Groundwater Quality	676	18.1	626	37.6		
In-Valley/Water Needs	828	15.1	773	46.5		
In-Valley/Drainage-Impaired Area	918	10.9	857	51.6		
Delta-Chipps	630	12.5	562	33.8		
Delta-Carquinez	673	12.5	598	36.0		
Ocean	589	11.6	563	33.8		

**Federal Cost** – Costs for facilities that would be part of the Federal drainage service plan and are Federally funded. See Section 5.2 for the components that would be Federal facilities.

**Construction** – All capital costs for lands, ROWs, construction, mitigation, and interest during construction, displayed in 2002 dollars.

Annual OM&R – All costs required each year to operate, maintain, and replace project facilities, displayed in 2002 dollars, including energy costs.

**Present Worth** – The combined construction and annual OM&R costs presented as a one-time cost, displayed in 2002 dollars. **Annual Equivalent** – The present worth cost presented as a series of equal annual payments over 50 years.

\*The Federal costs for each of the action alternatives would exceed the current Federal spending limit authorized under the San Luis Act.

### ES.4 SUMMARY OF ENVIRONMENTAL EFFECTS

**Comprehensive summaries of environmental effects are contained in the text of the EIS at the end of each section for resources potentially affected by any of the alternatives.** These summaries contain comparisons to existing conditions as well as to No Action.

Table ES-10 is a summary of resource issues with any significant adverse effect for any of the seven action alternatives in comparison to No Action. A full comparison of all effects (both adverse and beneficial, as well as no significant effects) is provided in Section 2, Table 2.13-2. Most of these significant adverse effects can be mitigated to not significant as shown in Table 2.13-2. Mitigation measures are described in the resource sections and in Section 20, Environmental Mitigation.

					—		
Affected Resource and Area of Potential Effect	In-Valley Disposal	In-Valley/ Groundwater Quality Land Retirement	In-Valley/ Water Needs Land Retirement	In-Valley/ Drainage- Impaired Area Land Retirement	Ocean Disposal	Delta- Chipps Island Disposal	Delta- Carquinez Strait Disposal
<b>BIOLOGICAL RESOURCES</b>							
Terrestrial Resources							
Permanent loss or degradation of recognized sensitive, rare, or ecologically important natural communities					59 acres; mitigable	73 acres; mitigable	120 acres; mitigable
Permanent changes in agricultural and ruderal habitats affecting terrestrial habitat value			194,000 acres retired; unavoidable	308,000 acres retired; unavoidable			
Permanent changes in native and natural habitats					2,000 acres disturbed in construction; mitigable	1,000 acres disturbed in construction; mitigable	1,000 acres disturbed in construction; mitigable
Population-level effects to terrestrial resources due to Se bioaccumulation in the San Joaquin Valley	19,000 acres of reuse area; mitigable	16,700 acres of reuse area; mitigable	12,500 acres of reuse area; mitigable	7,500 acres of reuse area; mitigable	19,000 acres of reuse area; mitigable	19,000 acres of reuse area; mitigable	19,000 acres of reuse area; mitigable
Aquatic and Wetland Resources		•					
Adverse effects to aquatic or wetland-dependent species (also see Section 8 for an evaluation of effects due to Se bioaccumulation)	3,290 acres of evaporation facilities; unavoidable impact	2,890 acres of evaporation facilities; unavoidable impact	2,150 acres of evaporation facilities; unavoidable impact	1,270 acres of evaporation facilities; unavoidable impact	55 acres of sensitive habitat impacted; mitigable	73 acres of sensitive habitat impacted; mitigable	120 acres of sensitive habitat impacted; mitigable
Filling, draining, or net loss of existing wetlands	Extent unknown but limited; mitigable	Extent unknown but limited; mitigable	Extent unknown but limited; mitigable	Extent unknown but limited; mitigable	Extent unknown but limited; mitigable	Extent unknown but limited; mitigable	Extent unknown but limited; mitigable

 Table ES-10

 Summary of Adverse Environmental Effects for All Action Alternatives Compared to No Action

Affected Resource and Area of Potential Effect	In-Valley Disposal	In-Valley/ Groundwater Quality Land Retirement	In-Valley/ Water Needs Land Retirement	In-Valley/ Drainage- Impaired Area Land Retirement	Ocean Disposal	Delta- Chipps Island Disposal	Delta- Carquinez Strait Disposal
Alteration of historic stream	Extent	Extent unknown	Extent	Extent	Extent	Extent	Extent
channel characteristics	unknown but	but limited;	unknown but	unknown but	unknown but	unknown but	unknown but
	limited;	mitigable	limited;	limited;	limited;	limited;	limited;
	mitigable		mitigable	mitigable	mitigable	mitigable	mitigable
Population-level effects to aquatic	3,290 acres of	2,890 acres of	2,150 acres of	1,270 acres of			
resources (including waterbirds)	evaporation	evaporation	evaporation	evaporation			
due to Se bioaccumulation in the	facilities;	facilities;	facilities;	facilities;			
San Joaquin Valley	unavoidable	unavoidable	unavoidable	unavoidable			
	impact	impact	impact	impact			
Federally Listed Special-Status Sp	ecies						
Adverse effects resulting in take of	Significant	Significant	Significant	Significant	Habitat acreage	Habitat	Habitat
a listed terrestrial species or loss,	adverse effects	adverse effects	adverse effects	adverse effects	affected by	acreage	acreage
degradation, fragmentation, or	to San Joaquin	to San Joaquin	to San Joaquin	to San Joaquin	construction	affected by	affected by
disturbance of its habitat(s)	kit fox and bald	kit fox and bald	kit fox and bald	kit fox and	and operation	construction	construction
	eagle from	eagle from	eagle from	bald eagle	TBD in Section	and operation	and operation
	construction of	construction of	construction of	from	7 consultation;	TBD in	TBD in
	project	project facilities;	project	construction of	mitigable	Section 7	Section 7
	facilities; with	with	facilities; with	project		consultation;	consultation;
	mitigation=no	mitigation=no	mitigation=no	facilities; with		mitigable	mitigable
	significant effect.	significant effect.	significant effect.	mitigation=no			
	enect.	enect.	enect.	significant effect.			

Affected Resource and Area of Potential Effect	In-Valley Disposal	In-Valley/ Groundwater Quality Land Retirement	In-Valley/ Water Needs Land Retirement	In-Valley/ Drainage- Impaired Area Land Retirement	Ocean Disposal	Delta- Chipps Island Disposal	Delta- Carquinez Strait Disposal
Adverse effects resulting in take of	Giant garter	Giant garter	Giant garter	Giant garter	Habitat acreage	Habitat	Habitat
a listed freshwater aquatic/wetland	snake and	snake and	snake and	snake and	affected by	acreage	acreage
species or loss, degradation,	California red-	California red-	California red-	California	construction	affected by	affected by
fragmentation, or disturbance of its	legged frog	legged frog	legged frog	red-legged	and operation	construction	construction
habitat(s)	could	could	could	frog could	TBD in Section	and operation	and operation
	experience	experience	experience	experience	7 consultation;	TBD in	TBD in
	significant	significant	significant	significant	mitigable	Section 7	Section 7
	adverse effects	adverse effects	adverse effects	adverse	-	consultation;	consultation;
	due to	due to	due to	effects due to		mitigable	mitigable
	construction	construction	construction	construction			
	activities;	activities;	activities;	activities;			
	mitigable	mitigable	mitigable	mitigable			
Federally Listed Special-Status Sp	ecies						
Adverse effects resulting in take of					Habitat acreage		
a listed marine/coastal aquatic					affected by		
species or loss, degradation,					construction		
fragmentation, or disturbance of its					and operation		
habitat(s)					TBD in Section		
					7 consultation;		
					mitigable		
Individual-level effects to listed						Impacts to	Impacts to
special-status species due to Se						green	green
bioaccumulation in the Bay-Delta						sturgeon; unavoidable	sturgeon; unavoidable

-					_		
	Teo XZe Base	In-Valley/ Groundwater	In-Valley/ Water Needs	In-Valley/ Drainage- Impaired	0	Delta- Chipps	Delta- Carquinez
Affected Resource and Area of Potential Effect	In-Valley Disposal	Quality Land Retirement	Land Retirement	Area Land Retirement	Ocean Disposal	Island Disposal	Strait Disposal
Individual-level effects to listed special-status species due to Se bioaccumulation in the San Joaquin Valley	Significant adverse effects for San Joaquin kit fox and California least tern. Potentially unavoidable.	Significant adverse effects for San Joaquin kit fox and California least tern. Potentially unavoidable.	Significant adverse effects for San Joaquin kit fox and California least tern. Potentially unavoidable.	Significant adverse effects for San Joaquin kit fox and California least tern. Potentially unavoidable.	Significant adverse effects for San Joaquin kit fox. Potentially unavoidable. Out-of-valley component require additional Section 7 consultation; mitigable	Significant adverse effects for San Joaquin kit fox. Potentially unavoidable. Out-of-valley components require additional Section 7 consultation;	Significant adverse effects for San Joaquin kit fox. Potentially unavoidable. Out-of-valley components require additional Section 7 consultation;
State-listed Special-Status Species						mitigable	mitigable
Adverse effects resulting in take of	Habitat	Habitat	Habitat	Habitat	Habitat	Habitat	Habitat
a listed terrestrial species or loss, degradation, fragmentation, or disturbance of its habitat(s)	potentially affected by construction	potentially affected by construction	potentially affected by construction	potentially affected by construction	potentially affected by construction	potentially affected by construction	potentially affected by construction
	and operation; mitigable	and operation; mitigable	and operation; mitigable	and operation; mitigable	and operation; mitigable	and operation; mitigable	and operation; mitigable

Affected Resource and Area of Potential Effect	In-Valley Disposal	In-Valley/ Groundwater Quality Land Retirement	In-Valley/ Water Needs Land Retirement	In-Valley/ Drainage- Impaired Area Land Retirement	Ocean Disposal	Delta- Chipps Island Disposal	Delta- Carquinez Strait Disposal
State-listed Special-Status Species	-		•	•			
Adverse effects resulting in take of a listed freshwater aquatic/wetland species or loss, degradation, fragmentation, or disturbance of its habitat(s)	Habitat potentially affected by construction and operation; mitigable	Habitat potentially affected by construction and operation; mitigable	Habitat potentially affected by construction and operation; mitigable	Habitat potentially affected by construction and operation; mitigable	Habitat potentially affected by construction and operation; mitigable	Habitat potentially affected by construction and operation; mitigable	Habitat potentially affected by construction and operation; mitigable
Adverse effects resulting in take of a listed marine/coastal aquatic species or loss, degradation, fragmentation, or disturbance of its habitat(s)					Tidewater goby offshore habitat potentially affected by marine construction; mitigable		
Individual-level effects to listed special-status species due to Se bioaccumulation in the Bay-Delta						Green sturgeon; unavoidable	Green sturgeon; unavoidable
Individual-level effects to listed special-status species due to Se bioaccumulation in the San Joaquin Valley	19,000 acres of reuse area; potentially unavoidable	16,700 acres of reuse area; potentially unavoidable	12,500 acres of reuse area; potentially unavoidable	7,500 acres of reuse area; potentially unavoidable	19,000 acres of reuse area; potentially unavoidable	19,000 acres of reuse area; potentially unavoidable	19,000 acres of reuse area; potentially unavoidable

Affected Resource and Area of Potential Effect	In-Valley Disposal	In-Valley/ Groundwater Quality Land Retirement	In-Valley/ Water Needs Land Retirement	In-Valley/ Drainage- Impaired Area Land Retirement	Ocean Disposal	Delta- Chipps Island Disposal	Delta- Carquinez Strait Disposal
GEOLOGY	·		•		·		
Surface Fault Rupture					Mitigable	Mitigable	Mitigable
Landsliding/Mass Wasting					Mitigable		
Subsidence/Uplift	Mitigable	Mitigable	Mitigable	Mitigable	Mitigable	Mitigable	Mitigable
Expansive Soils	Mitigable	Mitigable	Mitigable	Mitigable	Mitigable	Mitigable	Mitigable
Erosion	Mitigable	Mitigable	Mitigable	Mitigable	Mitigable	Mitigable	Mitigable
Tsunami or Seiche					Mitigable		
AIR RESOURCES			•				
<ul> <li>Air Quality - Construction Phase</li> <li>Fugitive PM<sub>10</sub> Emissions and Equipment Exhaust Emissions</li> </ul>	Mitigable	Mitigable	Mitigable	Mitigable	Mitigable	Mitigable	Mitigable
Air Quality - Operation Phase <ul> <li>Agricultural Operations</li> </ul>	Emissions from additional 65,000 acres in agricultural production; mitigable				Emissions from additional 65,000 acres in agricultural production; mitigable	Emissions from additional 65,000 acres in agricultural production; mitigable	Emissions from additional 65,000 acres in agricultural production; mitigable
LAND AND SOIL RESOURCES							
Farmland of Statewide Importance			Loss of 91,000 acres; unavoidable	Loss of 211,000 acres; unavoidable			

Affected Resource and Area of Potential Effect	In-Valley Disposal	In-Valley/ Groundwater Quality Land Retirement	In-Valley/ Water Needs Land Retirement	In-Valley/ Drainage- Impaired Area Land Retirement	Ocean Disposal	Delta- Chipps Island Disposal	Delta- Carquinez Strait Disposal
Evaporation Basins	Increase of up to 3,290 acres of evaporation basins; unavoidable	Increase of up to 2,890 acres of evaporation basins; unavoidable	Increase of up to 2,150 acres of evaporation basins; unavoidable	Increase of up to 1,270 acres of evaporation basins; unavoidable			
Construction-related (weighted index - higher number is a more extensive adverse impact)	904; mitigable	794; mitigable	591; mitigable		1604; mitigable	1938; mitigable	2163; mitigable
Land Use			Inconsistent with existing state and local plans	Inconsistent with existing state and local plans			
RECREATION RESOURCES Delta Recreation						X	X
San Joaquin Valley Wildlife Viewing/Hunting	Impacts from 3,290 acres of evaporation basins; mitigable	Impacts from 2,890 acres of evaporation basins; mitigable	Impacts from 2,150 acres of evaporation basins; mitigable	Impacts from 1,270 acres of evaporation basins; mitigable		Λ	Δ
CULTURAL RESOURCES	1	1	1		1	1	1
Cultural Resources	Unknown number of resources potentially impacted; mitigable	<u>U</u> nknown number of resources potentially impacted; mitigable	Unknown number of resources potentially impacted; mitigable	Lesser unknown number of resources potentially impacted; mitigable	92 resources potentially impacted; mitigable	166 resources potentially impacted; mitigable	197 resources potentially impacted; mitigable

X = significant adverse effect

TBD = to be determined

### ES.5 PUBLIC AND AGENCY INVOLVEMENT

Reclamation published a Notice of Intent to prepare an EIS in the *Federal Register* in October 2001, and held the first in a series of public scoping meetings in Fresno and Concord on November 14 and 15, 2001, respectively. At these meetings, Reclamation provided information on the court decision prompting the EIS, as well as study plans, options to be re-evaluated, and other important components of the project. Notices announcing the meetings were mailed to approximately 425 interested individuals, stakeholders, and organizations. Interested parties were encouraged to ask questions and provide comments on issues of concern.

Reclamation held a second series of scoping meetings to receive comments from the public on issues that should be included in this EIS in Morro Bay, Fresno, Concord, and Sacramento on January 27, 28, 29 and 31, 2003, respectively, after distribution of the PFR in December 2002. At this series of meetings, Reclamation presented a brief history of the project; a review of the In-Valley, Delta, and Ocean Disposal Alternatives; an explanation of the evaluation factors and screening criteria that were applied to identify the proposed alternative; and outlined stages in the environmental review process. Reclamation conducted additional public scoping on land retirement alternatives in early March 2004. Reclamation solicited input from the interested parties, which is detailed in the Scoping Report contained in Appendix A and summarized as follows:

Public concerns and comments received at the public scoping meetings, as well as those received in response to the Notice of Intent, reflected regional preferences for drainage disposal, and a desire among stakeholders to reduce or eliminate potential environmental impacts drainage service may generate, as well as a preference to reduce or eliminate the need for drainage service altogether.

In addition to public scoping meetings discussed above and Interagency Workshops held throughout 2002, Reclamation conducted briefings for a number of local agencies, cooperating agencies, environmental groups, and congressional staff. These briefings are detailed in Section 21 of this EIS, which also contains a complete distribution list of Federal and State elected officials, agencies, organizations, and interested individuals.

The public Draft EIS was available for review and comment for 92 days following filing of the Notice of Availability of the EIS with the EPA. The purpose of public review was to receive comments from interested parties on the Draft EIS's completeness and adequacy in disclosing the environmental effects of the alternatives under consideration, and input into Reclamation's determination of a preferred alternative. Following the close of the public review period, this final document was prepared that includes comments received on the Draft EIS and Reclamation's responses to those comments. After adoption of the Final EIS, Reclamation will use the EIS to make a final decision on actions to be taken. The decision will be documented in a Record of Decision.

### ES.6 PREFERRED ALTERNATIVE

Reclamation anticipates that the action implemented will be one of the In-Valley/Land Retirement Alternatives or some variation of these alternatives, accompanied by land retirement. Two of these alternatives have been identified as having distinct advantages:

- The National Economic Development (NED) analysis completed for the SLDFR EIS (Appendix N) indicates that the alternative with the greatest net benefit (benefits minus costs) to the United States as a whole, commonly called the NED alternative, is the In-Valley/Drainage-Impaired Area Land Retirement Alternative.
- The In-Valley/Water Needs Land Retirement Alternative, with its nearly 194,000 acres of land retirement primarily in Westlands Water District, is the closest to a "locally developed" alternative because it is consistent with key elements of the proposed Westside Regional Drainage Plan (SJRECWA et al. 2003).

Under Section 1502.14(e) of the NEPA regulations, the Council for Environmental Quality requires identification of a preferred alternative in a final EIS. To comply with this requirement and follow the Federally mandated *Economic and Environmental Principles and Guidelines for Water and Related Land Resources Implementation Studies*, Reclamation has identified the NED alternative, the In-Valley/Drainage-Impaired Area Land Retirement Alternative, as the preferred alternative. The final course of action identified in the ROD may be different than that identified in the Final EIS.

All of the In-Valley Alternatives allow for flexibility in implementation including a phased approach for construction and mitigation (with the Northerly Area having collection and disposal components completed first) and the ability to evaluate and incorporate new technologies. Complete drainage service can begin sooner than for the Out-of-Valley Disposal Alternatives, which require completion of extensive pipelines for disposal to the Delta or ocean. This flexibility and the NED benefits associated with the In-Valley /Drainage-Impaired Area Land Retirement Alternative are the principal reasons for this selection.

### ES.7 MITIGATION

Mitigation is proposed for avoidable significant adverse effects. Mitigation measures would be incorporated into the project design where feasible or conducted subsequent to project construction. Major mitigation elements include:

**Preliminary Site Studies and Biological Surveys.** Biological surveys would be conducted to identify the occurrence of protected plant and animal species, rare communities, mature oak trees, stream crossings, wetlands, and other significant resources that could be affected. These surveys would be used to adjust areas of construction or develop specific management measures to protect endangered resources.

**Project Design, Facility Operation, and Construction Measures.** Design features would be incorporated into the planning, sizing, routing/siting, and operation of project facilities to minimize their adverse effects on the environment. Construction-related measures such as avoidance, construction practices that minimize disturbance, and monitoring would be used to eliminate or reduce construction-related impacts.

**Mitigation Habitat Site Measures.** Alternative and/or enhancement habitat would be created for waterfowl to avoid impacts from Se bioaccumulation to migratory waterfowl exposed to evaporation facilities.

Adaptive Management Measures. Facility monitoring and adaptive operation and maintenance plans, including contingency measures for individual facilities, would be implemented.

Compensation habitat measures would be used to replace or compensate for lost or irreparably damaged biological resources when significant impacts cannot be avoided (for example, building and operating compensation habitat where avoidance measures are infeasible or unsuccessful).

#### ES.8 AREAS OF CONCERN

Major areas of concern for each alternative are summarized below.

#### **In-Valley Alternatives**

- Impacts to migratory waterfowl from the use of evaporation basins
- Economic impacts to local communities from land retirement
- Technical and economic feasibility of Se treatment

#### **Ocean Disposal Alternative**

- Impacts to ecology and tourism from drainage discharge into the Pacific Ocean
- Impacts to sensitive habitats from pipeline construction
- Impacts from pipeline failure

#### **Delta Disposal Alternatives**

- Impacts to drinking water supplies from salt discharge
- Impacts to birds and fish in the Delta from Se bioaccumulation
- Technical and economic feasibility of Se treatment.

#### VOLUME 1

Cover Page/I	Notice		Cover
Executive Su	ummary		ES-1
	<b>ES</b> .1	Background	ES-1
	ES.2	Purpose and Need	ES-7
	<b>ES.3</b>	Alternatives Considered	ES-7
	ES.4	Summary of Environmental Effects	ES-21
	<b>ES.5</b>	Public and Agency Involvement	
	ES.6	Preferred Alternative	ES-29
	<b>ES.7</b>	Mitigation	
	ES.8	Areas of Concern	ES-31
Section 1	Purpo	se of and Need for Action	1-1
	1.1	Purpose of and Need for Action	1-1
	1.2	Historical Perspective	
	1.3	Drainage Service Need	
		1.3.1 Areas Needing Drainage	
		1.3.2 Drainwater Quantity and Quality	
	1.4	Related Projects and Activities	
		1.4.1 Grassland Bypass Project	1-12
		1.4.2 San Joaquin Valley Drainage Program and Ongoing Studies	1-12
		1.4.3 San Luis Unit Long-Term Contract Renewal	
		1.4.4 Land Retirement Programs	
		1.4.5 Westside Regional Drainage Plan	
		1.4.6 Water Supply, Reliability, and Environmental	
		Improvement Act (Public Law 108-361)	1-14
	1.5	Decisions to Be Made	
Section 2	Altern	atives	2-1
	2.1	Project Area	
	2.2	No Action Alternative	
		2.2.1 Description	
	2.3	Common Elements to All Action Alternatives	
		2.3.1 On-Farm, In-District Activities	
		2.3.2 Federal Facilities	
		2.3.3 Land Retirement	
	2.4	In-Valley Disposal Alternative	
		2.4.1 Description	
		2.4.2 Implementation Schedule and Costs	
	2.5	In-Valley/Groundwater Quality Land Retirement Alternative	
		2.5.1 Description	

		2.5.2 Implementation Schedule and Costs	2-32			
	2.6	In-Valley/Water Needs Land Retirement Alternative				
		2.6.1 Description	2-34			
		2.6.2 Implementation Schedule and Costs	2-39			
	2.7	In-Valley/drainage-impaired area land retirement alternative				
		2.7.1 Description				
		2.7.2 Implementation Schedule and Costs				
	2.8	Ocean Disposal Alternative				
		2.8.1 Description				
		2.8.2 Implementation Schedule and Costs				
	2.9	Delta-Chipps Island Disposal Alternative				
		2.9.1 Description				
		2.9.2 Implementation Schedule and Costs				
	2.10	Delta-Carquinez Strait Disposal Alternative				
		2.10.1 Description				
		2.10.2 Implementation Schedule and Costs				
	2.11	Alternatives Considered but Eliminated From Detailed Study				
		2.11.1 Preliminary Alternatives				
		2.11.2 Complete Alternatives				
		2.11.3 Disposal Alternatives Eliminated				
		2.11.4 Land Retirement Alternatives				
	2.12	Cost Estimating and Assumptions				
	2.13	Summary Comparison of Alternatives				
	2.13	Required Approvals and Permits				
	2.15	Preferred Alternatives				
Section 3	Scone	Scope of Analysis				
Section 5	•					
	3.1	Resources to Be Evaluated				
	3.2	Resources Not Evaluated in Detail				
		3.2.1 Traffic and Transportation				
		3.2.2 Noise				
		3.2.3 Utilities and Public Services				
		3.2.4 Indian Trust Assets				
Section 4	Regul	atory Environment and Compliance Requirements	4-1			
Section 5	Surfa	ce Water Resources	5-1			
	5.1	Affected Environment				
		5.1.1 Surface Water Resources				
		5.1.2 Water Quality in San Joaquin River Reaches and Tributaries	5 /			
		5.1.3 Water Quality in the Bay-Delta				
		5.1.4 Water Quality in Estero Bay				
		5.1.5 Drinking Water Resources				
		•				
	5 0	5.1.6 Regulatory Environment				
	5.2	Environmental Consequences				

		5.2.1	Evaluation Criteria	5-51
		5.2.2	Modeling Method and Assumptions	5-51
		5.2.3	No Action Alternative	
		5.2.4	In-Valley Disposal Alternative	5-60
		5.2.5	In-Valley/Groundwater Quality Land Retirement	
			Alternative	5-63
		5.2.6	In-Valley/Water Needs Land Retirement Alternative	
		5.2.7	In-Valley/Drainage-Impaired Area Land Retirement Alternative	
		5.2.8	Ocean Disposal Alternative	
		5.2.8	Delta-Chipps Island Disposal Alternative	
		5.2.9		
		5.2.10	Delta-Carquinez Strait Disposal Alternative	
			Bay-Delta Modeling Results Summary for Delta Disposal Alternatives	5-133
		5.2.12	Cumulative Effects	
		5.2.13	Environmental Effects Summary	
		5.2.14	Mitigation Recommendations	5-147
Section 6	Groun	dwater F	Resources	6-1
	6.1	Affecte	ed Environment	6-1
	6.2	Enviro	nmental Consequences	6-12
		6.2.1	Evaluation Criteria	
		6.2.2	Methodology and Assumptions	6-13
		6.2.3	No Action Alternative	
		6.2.4	In-Valley Disposal Alternative	6-24
		6.2.5	In-Valley/Groundwater Quality Land Retirement	
			Alternative	6-26
		6.2.6	In-Valley/Water Needs Land Retirement Alternative	6-28
		6.2.7	In-Valley/Drainage-Impaired Area Land Retirement	
		$\langle 0 \rangle$	Alternative	
		6.2.8	Ocean Disposal Alternative	
		6.2.9	Delta-Chipps Island Disposal Alternative	
		6.2.10	Delta-Carquinez Strait Disposal Alternative	
		6.2.11	Cumulative Effects	
		6.2.12	Environmental Effects Summary	
		6.2.13	Mitigation Recommendations	6-45
Section 7	Biolog	ical Res	ources	7-1
	7.1	Affecte	ed Environment	7-1
		7.1.1	Terrestrial Resources	
		7.1.2	Aquatic and Wetland Resources	7-5
		7.1.3	Special-Status Species	
	7.2	Enviro	nmental Consequences	
		7.2.1	Evaluation Criteria	
		7.2.2	Assessment Methods (Modeling, Evaluation Methods,	
			and Assumptions)	7-13
			<b>▲</b> '	

		7.2.3	No Action Alternative	7-15
		7.2.4	In-Valley Disposal Alternative	7-17
		7.2.5	In-Valley/Groundwater Quality Land Retirement	
			Alternative	
		7.2.6	In-Valley/Water Needs Land Retirement Alternative.	
		7.2.7	In-Valley/Drainage-Impaired Area Land Retirement	
			Alternative	
		7.2.8	Ocean Disposal Alternative	
		7.2.9	Delta-Chipps Island Disposal Alternative	
		7.2.10	Delta-Carquinez Strait Disposal Alternative	7-64
		7.2.11	Cumulative Effects	7-75
		7.2.12	Environmental Effects Summary	7-77
		7.2.13	Mitigation Recommendations	
Section 8	Seleni	um Bioa	ccumulation	8-1
	8.1	Affect	ed Environment	8-1
	0.11	8.1.1	In-Valley Disposal Alternative Area	
		8.1.2	In-Valley/Land Retirement Alternatives Area	
		8.1.3	Ocean Disposal Alternative Area	
		8.1.4	Delta Disposal Alternative Area	
		8.1.5	Reuse Facilities (All Action Alternatives)	
	8.2		nmental Consequences	
	0.2	8.2.1	Evaluation Criteria	
		8.2.2	Modeling Methods and Assumptions	
		8.2.3	No Action Alternative	
		8.2.4	In-Valley Disposal Alternative	
		8.2.5	In-Valley/Groundwater Quality Land Retirement	
			Alternative	
		8.2.6	In-Valley/Water Needs Land Retirement Alternative	
		8.2.7	In-Valley/Drainage-Impaired Area Land Retirement	
			Alternative	
		8.2.8	Ocean Disposal Alternative	
		8.2.9	Delta-Chipps Island Disposal Alternative	
		8.2.10	Delta-Carquinez Strait Disposal Alternative	
		8.2.11	Cumulative Effects	
		8.2.12	Environmental Effects Summary	
		8.2.13	Mitigation Recommendations	
Section 9	Geolo	gy and S	eismicity	9-1
	9.1	Affect	ed Environment	9-1
	2.1	9.1.1	Regulatory Background	
		9.1.2	Geologic Setting	
		9.1.2	Seismicity	
		9.1.4	Significant Faults	
		9.1.5	Geologic and Seismic Hazards	

		9.1.6	Geologic Resources of Recreational, Commercial, or	
			Scientific Value	
	9.2	Enviro	nmental Consequences	
		9.2.1	Evaluation Criteria	
		9.2.2	Assessment Methods	
		9.2.3	No Action Alternative	
		9.2.4	In-Valley Disposal Alternative	
		9.2.5	In-Valley/Groundwater Quality Land Retirement	
			Alternative	
		9.2.6	In-Valley/Water Needs Land Retirement Alternative	
		9.2.7	In-Valley/Drainage-Impaired Area Land Retirement	
			Alternative	
		9.2.8	Ocean Disposal Alternative	
		9.2.9	Delta Disposal Alternatives	
		9.2.10	Cumulative Effects	
		9.2.11	Environmental Effects Summary	
		9.2.12	Mitigation Recommendations	
Section 10	Energy Resources			
	10.1	Affecte	ed Environment	
	10.2	Enviro	nmental Consequences	
		10.2.1	Evaluation Criteria	
		10.2.2	No Action Alternative	
		10.2.3	In-Valley Disposal Alternative	
		10.2.4	In-Valley/Groundwater Quality Land Retirement	
			Alternative	10-3
		10.2.5	In-Valley/Water Needs Land Retirement Alternative	
		10.2.6	In-Valley/Drainage-Impaired Area Land Retirement Alternative	10-5
		10.2.7	Ocean Disposal Alternative	
		10.2.7	Delta Disposal Alternatives	
		10.2.9	Cumulative Effects	
		10.2.1		
		10.2.11		
Section 11	Air Re	sources		11-1
	11.1	Affecte	ed Environment	11-1
	11.1	11.1.1	Climate and Weather	
		11.1.1	Existing Air Quality	
		11.1.2	Current Sources of Air Pollution	
		11.1.3	Regulatory Environment	
	11.2		nmental Consequences	
	11.4	11.2.1	Evaluation Criteria	
		11.2.1	No Action	
		11.2.2	In-Valley Disposal Alternative	
		11.4.5	in , and proposal mornal versions	

		11.2.4	In-Valley/Groundwater Quality Land Retirement	
			Alternative	
		11.2.5	In-Valley/Water Needs Land Retirement Alternative	e 11-14
		11.2.6	In-Valley/Drainage-Impaired Area Land Retiremen	t
			Alternative	
		11.2.7	Ocean Disposal Alternative	11-16
		11.2.8	Delta Disposal Alternatives	
		11.2.9	Cumulative Effects	
		11.2.10	Environmental Effects Summary	
		11.2.11	Mitigation Recommendations	
Section 12	Agricu	Itural Pro	duction and Economics	12-1
	12.1	Affected	l Environment	
	12.2		mental Consequences	
		12.2.1	Evaluation Criteria	
		12.2.2	Evaluation Approach	
		12.2.3	No Action Alternative	
		12.2.4	Action Alternatives	
		12.2.5	Cumulative Effects	
		12.2.6	Environmental Effects Summary	
		12.2.0	Mitigation Recommendations	
Section 13	Land a	and Soil R	esources	
	13.1		d Environment	
		13.1.1	Prime and Unique Farmlands	
		13.1.2	Farmlands of Statewide Importance	
	12.0	13.1.3 Equine	Land Use	
	13.2		mental Consequences	
		13.2.1	Evaluation Criteria for Land and Soil Resources	
		13.2.2	Evaluation Approach	
		13.2.3	No Action Alternative	
		13.2.4	In-Valley Disposal Alternative	13-16
		13.2.5	In-Valley/Groundwater Quality Land Retirement	10 10
			Alternative	
		13.2.6	In-Valley/Water Needs Land Retirement Alternative	13-19
		13.2.7	In-Valley/Drainage-Impaired Area Land Retirement Alternative	13-19
		13.2.8	Out-of-Valley Disposal Alternatives	
		13.2.9	Cumulative Effects	
		13.2.10	Environmental Effects Summary	
		13.2.10	Mitigation Recommendations	
Section 14	Recrez	ation Reso	Durces	
	14.1		d Environment	
		14.1.1	Physical Environment	
		14.1.2	Regulatory Environment	14-3

	14.2	Environ	mental Consequences	
		14.2.1	Evaluation Criteria	
		14.2.2	Evaluation Approach	
		14.2.3	No Action Alternative	
		14.2.4	In-Valley Disposal Alternative	
		14.2.5	In-Valley/Groundwater Quality Land Retirement	
			Alternative	
		14.2.6	In-Valley/Water Needs Land Retirement Alternative	
		14.2.7	In-Valley/Drainage-Impaired Area Land Retirement	
			Alternative	
		14.2.8	Ocean Disposal Alternative	
		14.2.9	Delta-Chipps Island Disposal Alternative	
		14.2.10	Delta-Carquinez Strait Disposal Alternative	
		14.2.11	Cumulative Effects	
		14.2.12	Environmental Effects Summary	
		14.2.13	Mitigation Recommendations	
C	0			45 4
Section 15	Cultur	al Resour	ces	15-1
	15.1	Affected	l Environment	
		15.1.1	Regulatory Environment	
		15.1.2	San Joaquin Valley	
		15.1.3	Sacramento-San Joaquin River Delta	
		15.1.4	South Coast Ranges	
		15.1.5	Southern/Central Coast	
	15.2	Environ	mental Consequences	
		15.2.1	Evaluation Criteria	
		15.2.2	Assessment Methods	
		15.2.3	No Action Alternative	
		15.2.4	In-Valley Disposal Alternative	15-10
		15.2.5	In-Valley/Groundwater Quality Land Retirement	
			Alternative	
		15.2.6	In-Valley/Water Needs Land Retirement Alternative	
		15.2.7	In-Valley/Drainage-Impaired Area Land Retirement	
			Alternative	
		15.2.8	Ocean Disposal Alternative	
		15.2.9	Delta Disposal Alternatives	
		15.2.10	Cumulative Effects	
		15.2.11	Environmental Effects Summary	
		15.2.12	Mitigation Recommendations	15-19
Section 16	Aesthe	etics		
	16.1	Affected	l Environment	
		16.1.1	General Environmental Setting	
		16.1.2	Relevant Regulations	
	16.2	Environ	mental Consequences	
		16.2.1	Evaluation Criteria	

		16.2.2	No Action Alternative	
		16.2.3	In-Valley Disposal Alternative	
		16.2.4	In-Valley/Groundwater Quality Land Retirement	
			Alternative	
		16.2.5	In-Valley/Water Needs Land Retirement Alternative	
		16.2.6	In-Valley/Drainage-Impaired Area Land Retirement	
			Alternative	
		16.2.7	Ocean Disposal Alternative	
		16.2.8	Delta-Chipps Island Disposal Alternative	
		16.2.9	Delta-Carquinez Strait Disposal Alternative	
		16.2.10	Cumulative Effects	
		16.2.11	Environmental Effects Summary	
		16.2.12	Mitigation Recommendations	
Section 17	Regio	nal Econo	mics	
	17.1	Affected	l Environment	
		17.1.1	Population	
		17.1.2	Employment	
	17.2	Environ	mental Consequences	
		17.2.1	Evaluation Criteria	
		17.2.2	Evaluation Approach	
		17.2.3	No Action Alternative	
		17.2.4	Action Alternatives	
		17.2.5	Cumulative Effects	
		17.2.6	Environmental Effects Summary	17-51
		17.2.7	Mitigation Recommendations	
Section 18	Social	Issues ar	nd Environmental Justice	
	18.1	Affected	l Environment	
		18.1.1	Race and Ethnicity	
		18.1.2	Low Income	
	18.2	Environ	mental Consequences	
		18.2.1	Key Effect and Evaluation Criteria	
		18.2.2	No Action Alternative	
		18.2.3	In-Valley Disposal Alternative	
		18.2.4	In-Valley/Groundwater Quality Land Retirement	
			Alternative	
		18.2.5	In-Valley/Water Needs Land Retirement Alternative.	
		18.2.6	In-Valley/Drainage-Impaired Area Land Retirement	
			Alternative	
		18.2.7	Ocean Disposal Alternative	
		18.2.8	Delta-Chipps Island Disposal Alternative	
		18.2.9	Delta-Carquinez Strait Disposal Alternative	
		18.2.10	Cumulative Effects	
		18.2.11	Environmental Effects Summary	
			-	

Section 19	Other	r Required Disclosures	19-1			
	19.1	Relationship Between Short-Term Uses and Maintenance of Lon	g-			
		Term Productivity				
		19.1.1 Surface Water Resources				
		19.1.2 Groundwater Resources	19-1			
		19.1.3 Biological Resources	19-2			
		19.1.4 Geology Resources	19-3			
		19.1.5 Energy Resources	19-3			
		19.1.6 Air Resources	19-4			
		19.1.7 Agricultural Production and Economics	19-4			
		19.1.8 Land and Soil Resources	19-4			
		19.1.9 Recreation Resources	19-4			
		19.1.10 Cultural Resources	19-4			
		19.1.11 Aesthetic Resources	19-4			
		19.1.12 Regional Economics	19-4			
		19.1.13 Social Issues and Environmental Justice	19-5			
	19.2	Irreversible or Irretrievable Commitments of Natural Resources	19-5			
		19.2.1 Energy Resources	19-5			
		19.2.2 Land Resources	19-5			
	19.3	Unavoidable Adverse Effects	19-6			
		19.3.1 No Action Alternative	19-6			
		19.3.2 In-Valley Disposal Alternative	19-9			
		19.3.3 In-Valley/Groundwater Quality Land Retirement				
		Alternative	19-9			
		19.3.4 In-Valley/Water Needs Retirement Alternative	19-9			
		19.3.5 In-Valley/Drainage-Impaired Area Retirement Alternati	ve 19-10			
		19.3.6 Ocean Disposal Alternative	19-11			
		19.3.7 Delta-Chipps Island Disposal Alternative	19-11			
		19.3.8 Delta-Carquinez Strait Alternative	19-11			
	19.4	Growth-Inducing Effects	19-11			
	19.5	Environmentally Preferred Alternative	19-12			
Section 20	Envir	commontal Mitigation	20.1			
		Environmental Mitigation20				
	20.1	Mitigation, Monitoring, and Adaptive Management Overview				
	20.2	Mitigation Measures				
		20.2.1 Mitigation Schedule and Reporting				
		20.2.2 Biological Resources				
		20.2.3 Geology and Seismicity				
		20.2.4 Air Quality				
		20.2.5 Land and Soil Resources				
		20.2.6 Recreation				
		20.2.7 Cultural				
	20.3	Monitoring	20-17			

Section 21	Consultation and Coordination				
	21.1	Public	Scoping		
		21.1.1			
		21.1.2	Scope of the Environmental Impact Analysis		
		21.1.2	Public Review of the Draft Environmental Impact	210	
			Statement		
	21.2	Agency	Consultation and Involvement		
		21.2.1	Interagency Meetings and Workshops		
		21.2.2	Agency and Interest Group Briefings		
		21.2.3	Cooperating Agencies		
		21.2.4	Fish and Wildlife Coordination		
		21.2.5	National Historic Preservation Act/State Historic		
			Preservation Officer Consultation		
	21.3	List of	Environmental Commitments		
	21.4		ution List		
		21.4.1	Elected Officials		
		21.4.2	Federal Agencies		
		21.4.3	State Agencies		
		21.4.4	Local Agencies		
		21.4.5	Organizations and Businesses		
		21.4.6	Interested Individuals		
Section 22	Report Preparation				
	Bureau of Reclamation				
	Consultant Team				
Section 23	Refere	ences		23-1	
Section 24	Index			24-1	

#### VOLUME 2

А	Public Scoping Report
В	Pilot Studies
С	Drainwater Quantity and Quality
D	Water Quality Modeling
E	Groundwater Resources
F	Special-Status Species
G	Ecological Risk Assessment, In-Valley Disposal Alternative
Н	Geology and Seismicity
Ι	Land and Soil Resources of the San Luis Unit
J	Implementation of In-Valley Alternatives
Κ	Out-of-Valley Land Retirement Alternatives Investigation
L	Regulatory Environment and Compliance Requirements
Μ	Biological Consultation and Concurrence
Ν	National Economic Development (NED) Analysis
0	Mitigation Cost Estimates

#### VOLUME 3

P Comments and Responses on the Draft EIS

ES-1	Drainwater Reduction and Average Design Flows
ES-2	In-Valley Disposal Alternative, Present Worth of Federal Project Costs
ES-3	In-Valley/Groundwater Quality Land Retirement Alternative, Present Worth of Federal Project Costs
ES-4	In-Valley/Water Needs Land Retirement Alternative, Present Worth of Federal Project Costs
ES-5	In-Valley/Drainage-Impaired Area Land Retirement Alternative, Present Worth of Federal Project Costs
ES-6	Ocean Disposal Alternative, Present Worth of Federal Project Costs
ES-7	Delta-Chipps Island Disposal Alternative, Present Worth of Total Federal Costs
ES-8	Delta-Carquinez Strait Disposal Alternative, Present Worth of Federal Project Costs
ES-9	All Alternatives Present Worth of Federal Project Costs Summary of Federal Project Costs (\$ millions, 2002 dollars)
ES-10	Summary of Adverse Environmental Effects for All Action Alternatives Compared to No Action
1-1	Drainage Study Area
1-2	Area Needing Drainage Service
1-3	Drainwater Reduction
2.3-1	Minimum Land Retirement Assumptions
2.4-1	Summary of Features and Specifications, In-Valley Disposal Alternative1
2.4-2	Key Components in In-Valley Conveyance Segments
2.4-3	In-Valley Disposal Alternative, Present Worth of Federal Project Costs
2.4-4	Unit Cost Estimates for Land Management Options
2.5-1	Summary of Features and Specifications, In-Valley/Groundwater Quality Land Retirement Alternative
2.5-2	Key Components in In-Valley/Groundwater Quality Land Retirement Alternative Conveyance Segments
2.5-3	In-Valley/Groundwater Quality Land Retirement Alternative, Present Worth of Federal Project Costs
2.6-1	Summary of Features and Specifications, In-Valley/Water Needs Land Retirement Alternative
2.6-2	Key Components in In-Valley/Water Needs Land Retirement Alternative Conveyance Segments
2.6-3	In-Valley/Water Needs Land Retirement Alternative, Present Worth of Federal Project Costs

2.7-1	Summary of Features and Specifications, In-Valley/Drainage-Impaired Area Land Retirement Alternative
2.7-2	Key Components in In-Valley/Drainage-Impaired Area Land Retirement Alternative Conveyance Segments
2.7-3	In-Valley/Drainage-Impaired Area Land Retirement Alternative, Present Worth of Federal Project Costs
2.8-1	Summary of Features and Specifications, Ocean Disposal Alternative 1
2.8-2	Conveyance Components of the Ocean Disposal Alternative
2.8-3	Ocean Disposal Alternative, Present Worth of Federal Project Costs
2.9-1	Summary of Features and Specifications, Delta-Chipps Island Disposal Alternative
2.9-2	Conveyance Components of the Delta-Chipps Island Disposal Alternative
2.9-3	Delta-Chipps Island Disposal Alternative, Present Worth of Total Federal Costs
2.10-1	Summary of Features and Specifications, Delta-Carquinez Strait Disposal Alternative
2.10-2	Conveyance Components of the Delta-Carquinez Strait Disposal Alternative
2.10-3	Delta-Carquinez Strait Disposal Alternative, Present Worth of Federal Project Costs
2.11-1	Screening Criteria and Factors
2.12-1	All Alternatives Federal Project Costs Summary of Federal Project Costs (\$ millions, 2002 dollars)
2.13-1	Comparison of Features and Specifications, All Disposal Alternatives
2.13-2	Summary of Beneficial and Adverse Effects for All Action Alternatives Compared to No Action
2.14-1	Summary Count of Required Permits and Approvals That May be Necessary for SLDFR Alternative Implementation
4-1	Federal Compliance Actions, Legislation, Requirements, Regulations, Permits, Licenses, and Approvals That May be Necessary for an Implementable Alternative Pursuant to the San Luis Drainage Feature Re-evaluation
4-2	Relative Difficulty to Obtain Permits Ordered from Most Complex and Difficult to Least Complex and Difficult
4-3	State and Local Compliance Actions, Legislation, Requirements, Regulations, Permits, Licenses, and Approvals Pertinent to the San Luis Drainage Feature Re evaluation
5.1-1	Months with Exceedance of Selenium Water Quality Objective at Crows Landing (October 1996 to July 2005)
5.1-1	San Joaquin Valley Water Year Hydrologic Classification

5.1-2	Summary of Regional Monitoring Program Data for San Francisco Bay-Delta
5.1-3	Summary of Regional Monitoring Program Results By Region
5.1-4	Summary of Current Permitted Discharges into Estero Bay
5.1-5	Summary of Regional CCWD Intake Bromide Concentrations
5.1-6	Summary of Regional CCWD Intake TOC Concentrations
5.1-7	Summary of Regional CCWD Intake TDS Concentrations
5.1-8	Summary of Regional CCWD Intake Selenium Concentrations
5.1-9	Summary of Regional CCWD Intake Nitrate Concentrations
5.1-10	Beneficial Uses of Potentially Affected Surface Waters
5.1-11	Selected Water Quality Objectives and Criteria for Ocean Waters
5.1-12	Selected Water Quality Objectives and Criteria for Bay-Delta Waters in the Carquinez Strait and Chipps Island Vicinity
5.1-13	Selected Water Quality Objectives and Criteria for the San Joaquin River
5.1-14	TMDL Priority List for Potentially Affected Waters
5.1-15	Summary of 303(d)-Listed Waterbodies in the Estero Bay Vicinity
5.1 16	Cryptosporidium Action Bins Requirement Table
5.2-1	San Luis Drain Effluent Data
5.2-2	Ambient Temperature and Salinity Data, Carquinez Strait, California
5.2-3	Diffuser Design Parameters, Delta Discharge Locations
5.2-4	Ambient Ocean Data Sources and Descriptions
5.2-5	Ambient Ocean Data, Point Estero, California
5.2-6	Diffuser Design Parameters, Point Estero Diffuser
5.2-6a	Concentrations of Relevant Constituents at the Zone of Initial Dilution's Edge, Point Estero
5.2-7	Maximum Monthly Concentration Increments
5.2-8	Mean Total Dissolved Solids Concentration (July–December 1977)
5.2-9	Mean Dissolved Selenium Concentration (June-November)
5.2-10	Mean Adsorbed Selenium Concentration (June-November)
5.2-11	Mean Benthic Selenium Concentration (June-November)
5.2-12	Summary Comparison of Effects of No Action
5.2-13	Summary Comparison of Effects of In-Valley Disposal Alternative
5.2-14	Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative

5.2-15	Summary Comparison of Effects of In-Valley/Water Needs Land Retirement Alternative
5.2-16	Summary Comparison of Effects of In-Valley/Drainage-Impaired Area Land Retirement Alternative
5.2-17	Summary Comparison of Effects of Ocean Disposal Alternative
5.2-18	Summary Comparison of Effects of Delta-Chipps Island Disposal Alternative
5.2-19	Summary Comparison of Effects of Delta-Carquinez Strait Disposal Alternative
6-1	Summary of Bare-Soil Evaporation and Shallow Water Table Area Criteria
6-2	Summary Comparison of Effects of No Action Alternative
6-3	Summary Comparison of Effects of In-Valley Disposal Alternative
6-4	Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative
6-5	Summary Comparison of Effects of In-Valley/Water Needs Land Retirement Alternative
6-6	Summary Comparison of Effects of In-Valley/Drainage-Impaired Area Land Retirement Alternative
6-7	Summary Comparison of Effects of Ocean Disposal Alternative
6-8	Summary Comparison of Effects of Delta-Chipps Island Disposal Alternative
6-9	Summary Comparison of Effects of Delta-Carquinez Strait Disposal Alternative
7-1	Federal and State-Listed Species That May Occur in Areas Potentially Affected by Action Alternatives
7-2	Special-Status Species That May Be Affected by the In-Valley Disposal Alternative
7-3	Special-Status Species That May Be Affected by the Ocean Disposal Alternative
7-4	Special-Status Species That May Be Affected by the Delta-Chipps Island Disposal Alternative
7-5	Special-Status Species That May Be Affected by the Delta-Carquinez Strait Disposal Alternative
7-6	Summary Comparison of Effects of No Action Alternative
7-7	Summary Comparison of Effects of In-Valley Disposal Alternative
7-8	Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative
7-9	Summary Comparison of Effects of In-Valley/Water Needs Land Retirement Alternative
7-10	Summary Comparison of Effects of In-Valley/Drainage-Impaired Area Land Retirement Alternative

7-11Summary Comparison of Effects of Ocean Disposal Alternative7-12Summary Comparison of Effects of Delta-Chipps Island Disposal Alternative7-13Summary Comparison of Effects of Delta-Carquinez Strait Disposal Alternative8-0Selenium Concentrations Associated with Adverse Effects in Birds8-1Morro Bay Area Selenium Concentrations in Mussel (Mytilus californianus) Tissue8-2Estimated Dietary Composition for Bird Categories8-3Predicted Selenium Concentrations in Influent Water and Dietary Tissue8-4Predicted Average Selenium Concentration in Diet of Each Bird Category8-4a2-ppb Diffuser Design Parameters, Point Estero Diffuser8-5Mean Predicted Exotic Bivalve Tissue Selenium Concentration (June-November)8-6Mean Predicted Exotic Bivalve Tissue Selenium Concentration (Maximum 30- day Average)8-8Mean Predicted Exotic Bivalve Tissue Selenium Concentration (Maximum 30- day Average)8-9Summary Comparison of Effects of In-Valley Disposal Alternative8-10Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative8-12Summary Comparison of Effects of In-Valley/Drainage-Impaired Area Land Retirement Alternative8-13Summary Comparison of Effects of Delta-Carquinez Strait Disposal Alternative8-14Summary Comparison of Effects of Delta-Chipps Island Disposal Alternative8-15Summary Comparison of Effects of Delta-Chipps Island Disposal Alternative8-16Summary Comparison of Effects of Delta-Chipps Island Disposal Alternative8-17Major Active Faults <td< th=""><th></th><th></th></td<>		
7-13Summary Comparison of Effects of Delta-Carquinez Strait Disposal Alternative8-0Selenium Concentrations Associated with Adverse Effects in Birds8-1Morro Bay Area Selenium Concentrations in Mussel (Mytilus californianus) Tissue8-2Estimated Dietary Composition for Bird Categories8-3Predicted Selenium Concentrations in Influent Water and Dietary Tissue8-4Predicted Average Selenium Concentration in Diet of Each Bird Category8-4Predicted Average Selenium Concentration in Diet of Each Bird Category8-42-ppb Diffuser Design Parameters, Point Estero Diffuser8-5Mean Predicted Native Bivalve Tissue Selenium Concentration (June-November)8-6Mean Predicted Exotic Bivalve Tissue Selenium Concentration (Maximum 30- day Average)8-7Mean Predicted Exotic Bivalve Tissue Selenium Concentration (Maximum 30- day Average)8-8Mean Predicted Exotic Bivalve Tissue Selenium Concentration (Maximum 30- day Average)8-9Summary Comparison of Effects of In-Valley Disposal Alternative8-10Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative8-12Summary Comparison of Effects of In-Valley/Water Needs Land Retirement Alternative8-14Summary Comparison of Effects of Delta-Carquinez Strait Disposal Alternative8-15Summary Comparison of Effects of Delta-Carquinez Strait Disposal Alternative8-16Summary Comparison of Effects of Delta-Carquinez Strait Disposal Alternative9-1Major Active Faults9-2Potential Surface Faulting Displacements9-3Sum	7-11	Summary Comparison of Effects of Ocean Disposal Alternative
8-0Selenium Concentrations Associated with Adverse Effects in Birds8-1Morro Bay Area Selenium Concentrations in Mussel (Mytilus californianus) Tissue8-2Estimated Dietary Composition for Bird Categories8-3Predicted Selenium Concentrations in Influent Water and Dietary Tissue8-4Predicted Average Selenium Concentration in Diet of Each Bird Category8-4a2-ppb Diffuser Design Parameters, Point Estero Diffuser8-5Mean Predicted Native Bivalve Tissue Selenium Concentration (June-November)8-6Mean Predicted Exotic Bivalve Tissue Selenium Concentration (Maximum 30- day Average)8-7Mean Predicted Exotic Bivalve Tissue Selenium Concentration (Maximum 30- day Average)8-8Mean Predicted Exotic Bivalve Tissue Selenium Concentration (Maximum 30- day Average)8-9Summary Comparison of Effects of In-Valley Disposal Alternative8-11Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative8-12Summary Comparison of Effects of In-Valley/Drainage-Impaired Area Land Retirement Alternative8-13Summary Comparison of Effects of Delta-Chipps Island Disposal Alternative8-14Summary Comparison of Effects of Delta-Chipps Island Disposal Alternative8-15Summary Comparison of Effects of No Action Alternative8-16Summary Comparison of Effects of No Action Alternative8-17Major Active Faults9-2Potential Surface Faulting Displacements9-3Summary Comparison of Effects of Delta-Carquinez Strait Disposal Alternative9-4Summary Comparison of Effects of I	7-12	Summary Comparison of Effects of Delta-Chipps Island Disposal Alternative
8-1Morro Bay Area Selenium Concentrations in Mussel (Mytilus californianus) Tissue8-2Estimated Dietary Composition for Bird Categories8-3Predicted Selenium Concentrations in Influent Water and Dietary Tissue8-4Predicted Average Selenium Concentration in Diet of Each Bird Category8-42-ppb Diffuser Design Parameters, Point Estero Diffuser8-5Mean Predicted Native Bivalve Tissue Selenium Concentration (June-November)8-6Mean Predicted Exotic Bivalve Tissue Selenium Concentration (Maximum 30- day Average)8-7Mean Predicted Exotic Bivalve Tissue Selenium Concentration (Maximum 30- day Average)8-8Mean Predicted Exotic Bivalve Tissue Selenium Concentration (Maximum 30- day Average)8-9Summary Comparison of Effects of In-Valley Disposal Alternative8-10Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative8-12Summary Comparison of Effects of In-Valley/Water Needs Land Retirement Alternative8-13Summary Comparison of Effects of Ocean Disposal Alternative8-14Summary Comparison of Effects of Delta-Chipps Island Disposal Alternative8-15Summary Comparison of Effects of Delta-Chipps Island Disposal Alternative8-16Summary Comparison of Effects of No Action Alternative8-17Major Active Faults9-2Potential Surface Faulting Displacements9-3Summary Comparison of Effects of No Action Alternative9-4Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative9-5Summary Comparison of Effects of	7-13	Summary Comparison of Effects of Delta-Carquinez Strait Disposal Alternative
Tissue8-2Estimated Dietary Composition for Bird Categories8-3Predicted Selenium Concentrations in Influent Water and Dietary Tissue8-4Predicted Average Selenium Concentration in Diet of Each Bird Category8-4a2-ppb Diffuser Design Parameters, Point Estero Diffuser8-5Mean Predicted Native Bivalve Tissue Selenium Concentration (June-November)8-6Mean Predicted Exotic Bivalve Tissue Selenium Concentration (June-November)8-7Mean Predicted Exotic Bivalve Tissue Selenium Concentration (Maximum 30- day Average)8-8Mean Predicted Exotic Bivalve Tissue Selenium Concentration (Maximum 30- day Average)8-9Summary Comparison of Effects of No Action Alternative8-10Summary Comparison of Effects of In-Valley Disposal Alternative8-11Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative8-13Summary Comparison of Effects of In-Valley/Drainage-Impaired Area Land Retirement Alternative8-14Summary Comparison of Effects of Delta-Chipps Island Disposal Alternative8-15Summary Comparison of Effects of Delta-Carquinez Strait Disposal Alternative8-16Summary Comparison of Effects of In-Valley/Disposal Alternative9-2Potential Surface Faulting Displacements9-3Summary Comparison of Effects of In-Valley Disposal Alternative9-4Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative9-5Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative	8-0	Selenium Concentrations Associated with Adverse Effects in Birds
<ul> <li>8-3 Predicted Selenium Concentrations in Influent Water and Dietary Tissue</li> <li>8-4 Predicted Average Selenium Concentration in Diet of Each Bird Category</li> <li>8-4a 2-ppb Diffuser Design Parameters, Point Estero Diffuser</li> <li>8-5 Mean Predicted Native Bivalve Tissue Selenium Concentration (June-November)</li> <li>8-6 Mean Predicted Exotic Bivalve Tissue Selenium Concentration (Maximum 30- day Average)</li> <li>8-8 Mean Predicted Exotic Bivalve Tissue Selenium Concentration (Maximum 30- day Average)</li> <li>8-9 Summary Comparison of Effects of No Action Alternative</li> <li>8-10 Summary Comparison of Effects of In-Valley Disposal Alternative</li> <li>8-11 Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative</li> <li>8-13 Summary Comparison of Effects of No Action Disposal Alternative</li> <li>8-14 Summary Comparison of Effects of Delta-Chipps Island Disposal Alternative</li> <li>8-15 Summary Comparison of Effects of Delta-Chipps Island Disposal Alternative</li> <li>8-16 Summary Comparison of Effects of No Action Alternative</li> <li>8-17 Summary Comparison of Effects of Delta-Chipps Island Disposal Alternative</li> <li>8-18 Summary Comparison of Effects of No Action Alternative</li> <li>8-19 Summary Comparison of Effects of No Action Alternative</li> <li>8-14 Summary Comparison of Effects of Delta-Chipps Island Disposal Alternative</li> <li>8-14 Summary Comparison of Effects of No Action Alternative</li> <li>8-15 Summary Comparison of Effects of No Action Alternative</li> <li>8-16 Summary Comparison of Effects of No Action Alternative</li> <li>8-17 Major Active Faults</li> <li>9-2 Potential Surface Faulting Displacements</li> <li>9-3 Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative</li> <li>9-4 Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative</li> <li>9-5 Summary Comparison of Effects of In-Valley/Mater Needs Land Retirement</li> </ul>	8-1	
<ul> <li>8-4 Predicted Average Selenium Concentration in Diet of Each Bird Category</li> <li>8-4a 2-ppb Diffuser Design Parameters, Point Estero Diffuser</li> <li>8-5 Mean Predicted Native Bivalve Tissue Selenium Concentration (June-November)</li> <li>8-6 Mean Predicted Exotic Bivalve Tissue Selenium Concentration (Maximum 30- day Average)</li> <li>8-8 Mean Predicted Exotic Bivalve Tissue Selenium Concentration (Maximum 30- day Average)</li> <li>8-9 Summary Comparison of Effects of No Action Alternative</li> <li>8-10 Summary Comparison of Effects of In-Valley Disposal Alternative</li> <li>8-11 Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative</li> <li>8-13 Summary Comparison of Effects of Ocean Disposal Alternative</li> <li>8-14 Summary Comparison of Effects of Delta-Chipps Island Disposal Alternative</li> <li>8-15 Summary Comparison of Effects of Delta-Chipps Island Disposal Alternative</li> <li>8-16 Summary Comparison of Effects of No Action Alternative</li> <li>8-17 Numary Comparison of Effects of Delta-Chipps Island Disposal Alternative</li> <li>8-18 Summary Comparison of Effects of No Action Alternative</li> <li>8-19 Summary Comparison of Effects of No Action Alternative</li> <li>8-10 Summary Comparison of Effects of Delta-Chipps Island Disposal Alternative</li> <li>8-14 Summary Comparison of Effects of No Action Alternative</li> <li>8-15 Summary Comparison of Effects of No Action Alternative</li> <li>8-16 Summary Comparison of Effects of No Action Alternative</li> <li>9-2 Potential Surface Faulting Displacements</li> <li>9-3 Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative</li> <li>9-4 Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative</li> <li>9-5 Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative</li> </ul>	8-2	Estimated Dietary Composition for Bird Categories
<ul> <li>8-4a 2-ppb Diffuser Design Parameters, Point Estero Diffuser</li> <li>8-5 Mean Predicted Native Bivalve Tissue Selenium Concentration (June-November)</li> <li>8-6 Mean Predicted Exotic Bivalve Tissue Selenium Concentration (June-November)</li> <li>8-7 Mean Predicted Native Bivalve Tissue Selenium Concentration (Maximum 30- day Average)</li> <li>8-8 Mean Predicted Exotic Bivalve Tissue Selenium Concentration (Maximum 30- day Average)</li> <li>8-8 Mean Predicted Exotic Bivalve Tissue Selenium Concentration (Maximum 30- day Average)</li> <li>8-9 Summary Comparison of Effects of No Action Alternative</li> <li>8-10 Summary Comparison of Effects of In-Valley Disposal Alternative</li> <li>8-11 Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative</li> <li>8-12 Summary Comparison of Effects of In-Valley/Drainage-Impaired Area Land Retirement Alternative</li> <li>8-13 Summary Comparison of Effects of Ocean Disposal Alternative</li> <li>8-14 Summary Comparison of Effects of Delta-Chipps Island Disposal Alternative</li> <li>8-15 Summary Comparison of Effects of Delta-Chipps Island Disposal Alternative</li> <li>9-1 Major Active Faults</li> <li>9-2 Potential Surface Faulting Displacements</li> <li>9-3 Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative</li> <li>9-4 Summary Comparison of Effects of In-Valley Disposal Alternative</li> <li>9-5 Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative</li> </ul>	8-3	Predicted Selenium Concentrations in Influent Water and Dietary Tissue
<ul> <li>8-5 Mean Predicted Native Bivalve Tissue Selenium Concentration (June-November)</li> <li>8-6 Mean Predicted Exotic Bivalve Tissue Selenium Concentration (June-November)</li> <li>8-7 Mean Predicted Native Bivalve Tissue Selenium Concentration (Maximum 30- day Average)</li> <li>8-8 Mean Predicted Exotic Bivalve Tissue Selenium Concentration (Maximum 30- day Average)</li> <li>8-9 Mean Predicted Exotic Bivalve Tissue Selenium Concentration (Maximum 30- day Average)</li> <li>8-9 Summary Comparison of Effects of No Action Alternative</li> <li>8-10 Summary Comparison of Effects of In-Valley Disposal Alternative</li> <li>8-11 Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative</li> <li>8-12 Summary Comparison of Effects of In-Valley/Water Needs Land Retirement Alternative</li> <li>8-13 Summary Comparison of Effects of Ocean Disposal Alternative</li> <li>8-14 Summary Comparison of Effects of Delta-Chipps Island Disposal Alternative</li> <li>8-15 Summary Comparison of Effects of Delta-Carquinez Strait Disposal Alternative</li> <li>9-1 Major Active Faults</li> <li>9-2 Potential Surface Faulting Displacements</li> <li>9-3 Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative</li> <li>9-3 Summary Comparison of Effects of In-Valley Disposal Alternative</li> <li>9-4 Summary Comparison of Effects of In-Valley Disposal Alternative</li> <li>9-5 Summary Comparison of Effects of In-Valley Disposal Alternative</li> <li>9-6 Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative</li> </ul>	8-4	Predicted Average Selenium Concentration in Diet of Each Bird Category
<ul> <li>8-6 Mean Predicted Exotic Bivalve Tissue Selenium Concentration (June-November)</li> <li>8-7 Mean Predicted Native Bivalve Tissue Selenium Concentration (Maximum 30-day Average)</li> <li>8-8 Mean Predicted Exotic Bivalve Tissue Selenium Concentration (Maximum 30-day Average)</li> <li>8-9 Summary Comparison of Effects of No Action Alternative</li> <li>8-10 Summary Comparison of Effects of In-Valley Disposal Alternative</li> <li>8-11 Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative</li> <li>8-12 Summary Comparison of Effects of In-Valley/Water Needs Land Retirement Alternative</li> <li>8-13 Summary Comparison of Effects of In-Valley/Drainage-Impaired Area Land Retirement Alternative</li> <li>8-14 Summary Comparison of Effects of Delta-Chipps Island Disposal Alternative</li> <li>8-16 Summary Comparison of Effects of Delta-Carquinez Strait Disposal Alternative</li> <li>9-1 Major Active Faults</li> <li>9-2 Potential Surface Faulting Displacements</li> <li>9-3 Summary Comparison of Effects of In-Valley Disposal Alternative</li> <li>9-4 Summary Comparison of Effects of In-Valley Disposal Alternative</li> <li>9-5 Summary Comparison of Effects of In-Valley Jisposal Alternative</li> <li>9-6 Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative</li> </ul>	8-4a	2-ppb Diffuser Design Parameters, Point Estero Diffuser
<ul> <li>8-7 Mean Predicted Native Bivalve Tissue Selenium Concentration (Maximum 30- day Average)</li> <li>8-8 Mean Predicted Exotic Bivalve Tissue Selenium Concentration (Maximum 30- day Average)</li> <li>8-9 Summary Comparison of Effects of No Action Alternative</li> <li>8-10 Summary Comparison of Effects of In-Valley Disposal Alternative</li> <li>8-11 Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative</li> <li>8-12 Summary Comparison of Effects of In-Valley/Water Needs Land Retirement Alternative</li> <li>8-13 Summary Comparison of Effects of In-Valley/Drainage-Impaired Area Land Retirement Alternative</li> <li>8-14 Summary Comparison of Effects of Ocean Disposal Alternative</li> <li>8-15 Summary Comparison of Effects of Delta-Chipps Island Disposal Alternative</li> <li>8-16 Summary Comparison of Effects of Delta-Carquinez Strait Disposal Alternative</li> <li>9-1 Major Active Faults</li> <li>9-2 Potential Surface Faulting Displacements</li> <li>9-3 Summary Comparison of Effects of In-Valley Disposal Alternative</li> <li>9-4 Summary Comparison of Effects of In-Valley Disposal Alternative</li> <li>9-5 Summary Comparison of Effects of In-Valley Disposal Alternative</li> <li>9-6 Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative</li> </ul>	8-5	Mean Predicted Native Bivalve Tissue Selenium Concentration (June-November)
day Average)8-8Mean Predicted Exotic Bivalve Tissue Selenium Concentration (Maximum 30- day Average)8-9Summary Comparison of Effects of No Action Alternative8-10Summary Comparison of Effects of In-Valley Disposal Alternative8-11Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative8-12Summary Comparison of Effects of In-Valley/Water Needs Land Retirement Alternative8-13Summary Comparison of Effects of In-Valley/Drainage-Impaired Area Land Retirement Alternative8-14Summary Comparison of Effects of Ocean Disposal Alternative8-15Summary Comparison of Effects of Delta-Chipps Island Disposal Alternative8-16Summary Comparison of Effects of Delta-Carquinez Strait Disposal Alternative9-1Major Active Faults9-2Potential Surface Faulting Displacements9-3Summary Comparison of Effects of In-Valley Disposal Alternative9-4Summary Comparison of Effects of In-Valley Disposal Alternative9-5Summary Comparison of Effects of In-Valley Disposal Alternative9-6Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative	8-6	Mean Predicted Exotic Bivalve Tissue Selenium Concentration (June-November)
day Average)8-9Summary Comparison of Effects of No Action Alternative8-10Summary Comparison of Effects of In-Valley Disposal Alternative8-11Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative8-12Summary Comparison of Effects of In-Valley/Water Needs Land Retirement Alternative8-13Summary Comparison of Effects of In-Valley/Drainage-Impaired Area Land Retirement Alternative8-14Summary Comparison of Effects of Ocean Disposal Alternative8-15Summary Comparison of Effects of Delta-Chipps Island Disposal Alternative8-16Summary Comparison of Effects of Delta-Carquinez Strait Disposal Alternative9-1Major Active Faults9-2Potential Surface Faulting Displacements9-3Summary Comparison of Effects of In-Valley Disposal Alternative9-4Summary Comparison of Effects of In-Valley Disposal Alternative9-5Summary Comparison of Effects of In-Valley Disposal Alternative9-6Summary Comparison of Effects of In-Valley Disposal Alternative	8-7	
<ul> <li>8-10 Summary Comparison of Effects of In-Valley Disposal Alternative</li> <li>8-11 Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative</li> <li>8-12 Summary Comparison of Effects of In-Valley/Water Needs Land Retirement Alternative</li> <li>8-13 Summary Comparison of Effects of In-Valley/Drainage-Impaired Area Land Retirement Alternative</li> <li>8-14 Summary Comparison of Effects of Ocean Disposal Alternative</li> <li>8-15 Summary Comparison of Effects of Delta-Chipps Island Disposal Alternative</li> <li>8-16 Summary Comparison of Effects of Delta-Carquinez Strait Disposal Alternative</li> <li>9-1 Major Active Faults</li> <li>9-2 Potential Surface Faulting Displacements</li> <li>9-3 Summary Comparison of Effects of In-Valley Disposal Alternative</li> <li>9-4 Summary Comparison of Effects of In-Valley Disposal Alternative</li> <li>9-5 Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative</li> </ul>	8-8	
<ul> <li>8-11 Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative</li> <li>8-12 Summary Comparison of Effects of In-Valley/Water Needs Land Retirement Alternative</li> <li>8-13 Summary Comparison of Effects of In-Valley/Drainage-Impaired Area Land Retirement Alternative</li> <li>8-14 Summary Comparison of Effects of Ocean Disposal Alternative</li> <li>8-15 Summary Comparison of Effects of Delta-Chipps Island Disposal Alternative</li> <li>8-16 Summary Comparison of Effects of Delta-Carquinez Strait Disposal Alternative</li> <li>9-1 Major Active Faults</li> <li>9-2 Potential Surface Faulting Displacements</li> <li>9-3 Summary Comparison of Effects of In-Valley Disposal Alternative</li> <li>9-4 Summary Comparison of Effects of In-Valley Disposal Alternative</li> <li>9-5 Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative</li> </ul>	8-9	Summary Comparison of Effects of No Action Alternative
Retirement Alternative8-12Summary Comparison of Effects of In-Valley/Water Needs Land Retirement Alternative8-13Summary Comparison of Effects of In-Valley/Drainage-Impaired Area Land Retirement Alternative8-14Summary Comparison of Effects of Ocean Disposal Alternative8-15Summary Comparison of Effects of Delta-Chipps Island Disposal Alternative8-16Summary Comparison of Effects of Delta-Carquinez Strait Disposal Alternative9-1Major Active Faults9-2Potential Surface Faulting Displacements9-3Summary Comparison of Effects of In-Valley Disposal Alternative9-4Summary Comparison of Effects of In-Valley Disposal Alternative9-5Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative	8-10	Summary Comparison of Effects of In-Valley Disposal Alternative
Alternative8-13Summary Comparison of Effects of In-Valley/Drainage-Impaired Area Land Retirement Alternative8-14Summary Comparison of Effects of Ocean Disposal Alternative8-15Summary Comparison of Effects of Delta-Chipps Island Disposal Alternative8-16Summary Comparison of Effects of Delta-Carquinez Strait Disposal Alternative9-1Major Active Faults9-2Potential Surface Faulting Displacements9-3Summary Comparison of Effects of In-Valley Disposal Alternative9-4Summary Comparison of Effects of In-Valley Disposal Alternative9-5Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative9-6Summary Comparison of Effects of In-Valley/Water Needs Land Retirement	8-11	
Retirement Alternative8-14Summary Comparison of Effects of Ocean Disposal Alternative8-15Summary Comparison of Effects of Delta-Chipps Island Disposal Alternative8-16Summary Comparison of Effects of Delta-Carquinez Strait Disposal Alternative9-1Major Active Faults9-2Potential Surface Faulting Displacements9-3Summary Comparison of Effects of In-Valley Disposal Alternative9-4Summary Comparison of Effects of In-Valley Disposal Alternative9-5Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative9-6Summary Comparison of Effects of In-Valley/Water Needs Land Retirement	8-12	
<ul> <li>8-15 Summary Comparison of Effects of Delta-Chipps Island Disposal Alternative</li> <li>8-16 Summary Comparison of Effects of Delta-Carquinez Strait Disposal Alternative</li> <li>9-1 Major Active Faults</li> <li>9-2 Potential Surface Faulting Displacements</li> <li>9-3 Summary Comparison of Effects of No Action Alternative</li> <li>9-4 Summary Comparison of Effects of In-Valley Disposal Alternative</li> <li>9-5 Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative</li> <li>9-6 Summary Comparison of Effects of In-Valley/Water Needs Land Retirement</li> </ul>	8-13	
<ul> <li>8-16 Summary Comparison of Effects of Delta-Carquinez Strait Disposal Alternative</li> <li>9-1 Major Active Faults</li> <li>9-2 Potential Surface Faulting Displacements</li> <li>9-3 Summary Comparison of Effects of No Action Alternative</li> <li>9-4 Summary Comparison of Effects of In-Valley Disposal Alternative</li> <li>9-5 Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative</li> <li>9-6 Summary Comparison of Effects of In-Valley/Water Needs Land Retirement</li> </ul>	8-14	Summary Comparison of Effects of Ocean Disposal Alternative
<ul> <li>9-1 Major Active Faults</li> <li>9-2 Potential Surface Faulting Displacements</li> <li>9-3 Summary Comparison of Effects of No Action Alternative</li> <li>9-4 Summary Comparison of Effects of In-Valley Disposal Alternative</li> <li>9-5 Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative</li> <li>9-6 Summary Comparison of Effects of In-Valley/Water Needs Land Retirement</li> </ul>	8-15	Summary Comparison of Effects of Delta-Chipps Island Disposal Alternative
<ul> <li>9-2 Potential Surface Faulting Displacements</li> <li>9-3 Summary Comparison of Effects of No Action Alternative</li> <li>9-4 Summary Comparison of Effects of In-Valley Disposal Alternative</li> <li>9-5 Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative</li> <li>9-6 Summary Comparison of Effects of In-Valley/Water Needs Land Retirement</li> </ul>	8-16	Summary Comparison of Effects of Delta-Carquinez Strait Disposal Alternative
<ul> <li>9-3 Summary Comparison of Effects of No Action Alternative</li> <li>9-4 Summary Comparison of Effects of In-Valley Disposal Alternative</li> <li>9-5 Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative</li> <li>9-6 Summary Comparison of Effects of In-Valley/Water Needs Land Retirement</li> </ul>	9-1	Major Active Faults
<ul> <li>9-4 Summary Comparison of Effects of In-Valley Disposal Alternative</li> <li>9-5 Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative</li> <li>9-6 Summary Comparison of Effects of In-Valley/Water Needs Land Retirement</li> </ul>	9-2	Potential Surface Faulting Displacements
<ul> <li>9-5 Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative</li> <li>9-6 Summary Comparison of Effects of In-Valley/Water Needs Land Retirement</li> </ul>	9-3	Summary Comparison of Effects of No Action Alternative
<ul><li>9-6 Retirement Alternative</li><li>9-6 Summary Comparison of Effects of In-Valley/Water Needs Land Retirement</li></ul>	9-4	Summary Comparison of Effects of In-Valley Disposal Alternative
	9-5	
	9-6	

9-7	Summary Comparison of Effects of In-Valley/Drainage-Impaired Area Land Retirement Alternative
9-8	Summary Comparison of Effects of Ocean Disposal Alternative
9-9	Summary Comparison of Effects of Delta-Chipps Island Disposal Alternative
9-10	Summary Comparison of Effects of Delta-Carquinez Strait Disposal Alternative
10-1	Summary Comparison of Effects of No Action Alternative
10-2	Summary Comparison of Effects of In-Valley Disposal Alternative
10-3	Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative
10-4	Summary Comparison of Effects of In-Valley/Water Needs Land Retirement Alternative
10-5	Summary Comparison of Effects of In-Valley/Drainage-Impaired Area Land Retirement Alternative
10-6	Summary Comparison of Effects of Ocean Disposal Alternative
10-7	Summary Comparison of Effects of Delta-Chipps Island Disposal Alternative
10-8	Summary Comparison of Effects of Delta-Carquinez Strait Disposal Alternative
11-1	Applicable Federal and State Ambient Air Quality Standards
11-2	State and National Attainment Status Classifications
11-3	Agricultural Operations-Related PM10 Control Measures
11-4	Summary Comparison of Effects of No Action Alternative
11-5	Summary Comparison of Effects of In-Valley Disposal Alternative
11-6	Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative
11-7	Summary Comparison of Effects of In-Valley/Water Needs Land Retirement Alternative
11-8	Summary Comparison of Effects of In-Valley/Drainage-Impaired Area Land Retirement Alternative
11-9	Summary Comparison of Effects of Ocean Disposal Alternative
11-10	Summary Comparison of Effects of Delta Disposal Alternatives
11-11	Construction-Related PM10 Control Measures
11-12	Construction Equipment Mitigation Measures
12-1	Irrigated Land Use in the San Luis Unit
12-2	Lands Assumed Retired in the No Action Alternative
12-3	Sensitivity Analysis on Natural Drainage

12-4	Average Soil Salinity Estimates for Drained Lands (EC of saturation extract [dS/m])
12-5	Salt Balance Estimates for Drainage Service Alternatives – Net Change Compared to No Action Alternative (tons of salt per year in 2050)
12-6	Long-Term Yield Effects of Soil Salinity in the Drainage-Impaired Area
12-7	Benefits (Costs) of Cropping Changes and Irrigation Improvements: Changes Relative to the No Action Alternative (million \$/year in 2050)
12-8	Estimates of Water Purchase Costs – Net Change Compared to No Action Alternative* (million \$ per year in 2050)
12-9	Summary Comparison of Effects of No Action Alternative
12-10	Summary Comparison of Effects of In-Valley Disposal Alternative
12-11	Summary Comparison of Effects of Out-of-Valley Disposal Alternatives
12-12	Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative
12-13	Summary Comparison of Effects of In-Valley/Water Needs Land Retirement Alternative
12-14	Summary Comparison of Effects of In-Valley/Drainage-Impaired Area Land Retirement Alternative
13-1	San Luis Unit Land Classification Data
13-2	Crop Summary Data, Westlands Water District
13-3	Percentage of General Land Use Types for Out-of-Valley Disposal Alternatives
13-4	Action Alternatives Features and Associated Weighting Values Used in Land Use Effects Analysis
13-5	Comparison of Proposed Features of Out-of-Valley Disposal Alternatives
13-6	Summary Comparison of Effects of No Action Alternative
13-7	Summary Comparison of Effects of In-Valley Disposal Alternative
13-8	Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative
13-9	Summary Comparison of Effects of In-Valley/Water Needs Land Retirement Alternative
13-10	Summary Comparison of Effects of In-Valley/Drainage-Impaired Area Land Retirement Alternative
13-11	Summary Comparison of Effects of Ocean Disposal Alternative
13-12	Summary Comparison of Effects of Delta-Chipps Island Disposal Alternative
13-13	Summary Comparison of Effects of Delta-Carquinez Strait Disposal Alternative
14-1	Summary Comparison of Effects of No Action

14-2	Summary Comparison of Effects of In-Valley Disposal Alternative
14-3	Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative
14-4	Summary Comparison of Effects of In-Valley/Water Needs Land Retirement Alternative
14-5	Summary Comparison of Effects of In-Valley/Drainage-Impaired Area Land Retirement Alternative
14-6	Summary Comparison of Effects of Ocean Disposal Alternative
14-7	Summary Comparison of Effects of Delta-Chipps Island Disposal Alternative
14-8	Summary Comparison of Effects of Delta-Carquinez Strait Disposal Alternative
15-1	Summary Comparison of Effects of No Action Alternative
15-2	Summary Comparison of Effects of In-Valley Disposal Alternative
15-3	Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative
15-4	Summary Comparison of Effects of In-Valley/Water Needs Land Retirement alternative
15-5	Summary Comparison of Effects of In-Valley/Drainage-Impaired Area Land Retirement alternative
15-6	Summary Comparison of Effects of Ocean Disposal Alternative
15-7	Summary Comparison of Effects of Delta-Chipps Island Disposal Alternative
15-8	Summary Comparison of Effects of Delta-Carquinez Strait Disposal Alternative
16-1	Summary Comparison of Effects of No Action Alternative
16-2	Summary Comparison of Effects of In-Valley Disposal Alternative
16-3	Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative
16-4	Summary Comparison of Effects of In-Valley/Water Needs Land Retirement Alternative
16-5	Summary Comparison of Effects of In-Valley/Drainage-Impaired Area Land Retirement Alternative
16-6	Summary Comparison of Effects of Ocean Disposal Alternative
16-7	Summary Comparison of Effects of Delta-Chipps Island Disposal Alternative
16-8	Summary Comparison of Effects of Delta-Carquinez Strait Disposal Alternative
17-1	Population by Category, Nine-County San Luis Region, 1990 and 2000
17-2	Employment by Category, San Luis Unit, 1970 and 2000
17-3	No Action Alternative Regional Economic Effects of Annual Crop Revenue Losses

17-4	Project Implementation Expenditures (\$000)
17-5	Annual Project OM&R Expenditures (\$000)
17-6	In-Valley Disposal Alternative Regional Economic Effects from Recurring OM&R Expenditures – Year 1
17-7	In-Valley Disposal Alternative Regional Economic Effects from Recurring OM&R Expenditures – End of Construction
17-8	In-Valley Disposal Alternative Regional Economic Effects from Recurring OM&R Expenditures – End of Project
17-9	In-Valley Disposal Alternative Regional Economic Effects from Changes in Agricultural Expenditures – Year 1
17-10	In-Valley Disposal Alternative Regional Economic Effects from Changes in Agricultural Expenditures – End of Construction
17-11	In-Valley Disposal Alternative Regional Economic Effects from Changes in Agricultural Expenditures – End of Project
17-12	In-Valley Disposal Alternative Nonrecurring Regional Economic Effects (Year 1 of Construction Period)
17-13	In-Valley Disposal Alternative Nonrecurring Regional Economic Effects (Remainder of Initial Construction Period)
17-14	In-Valley Disposal Alternative Nonrecurring Regional Economic Effects (Phase 2 Construction)
17-15	In-Valley/Groundwater Quality Land Retirement Alternative Regional Economic Effects from Recurring OM&R Expenditures – Year 1
17-16	In-Valley/Groundwater Quality Land Retirement Alternative Regional Economic Effects from Recurring OM&R Expenditures – End of Construction
17-17	In-Valley/Groundwater Quality Land Retirement Alternative Regional Economic Effects from Recurring OM&R Expenditures – End of Project
17-18	In-Valley/Groundwater Quality Land Retirement Alternative Regional Economic Effects from Changes in Agricultural Expenditures – Year 1
17-19	In-Valley/Groundwater Quality Land Retirement Alternative Regional Economic Effects from Changes in Agricultural Expenditures – End of Construction
17-20	In-Valley/Groundwater Quality Land Retirement Alternative Regional Economic Effects from Changes in Agricultural Expenditures – End of Project
17-21	In-Valley/Groundwater Quality Land Retirement Alternative Nonrecurring Regional Economic Effects (Year 1 of Construction Period)
17-22	In-Valley/Groundwater Quality Land Retirement Alternative Nonrecurring Regional Economic Effects (Remainder of Initial Construction Period)
17-23	In-Valley/Groundwater Quality Land Retirement Alternative Nonrecurring Regional Economic Effects (Phase 2 Construction)

17-24	In-Valley/Water Needs Land Retirement Alternative Regional Economic Effects from Recurring OM&R Expenditures – Year 1
17-25	In-Valley/Water Needs Land Retirement Alternative Regional Economic Effects from Recurring OM&R Expenditures – End of Construction
17-26	In-Valley/Water Needs Land Retirement Alternative Regional Economic Effects from Recurring OM&R Expenditures – End of Project
17-27	In-Valley/Water Needs Land Retirement Alternative Regional Economic Effects from Changes in Agricultural Expenditures – Year 1
17-28	In-Valley/Water Needs Land Retirement Alternative Regional Economic Effects from Changes in Agricultural Expenditures – End of Construction
17-29	In-Valley/Water Needs Land Retirement Alternative Regional Economic Effects from Changes in Agricultural Expenditures – End of Project
17-30	In-Valley/Water Needs Land Retirement Alternative Nonrecurring Regional Economic Effects (Year 1 of Construction Period)
17-31	In-Valley/Water Needs Land Retirement Alternative Nonrecurring Regional Economic Effects (Remainder of Initial Construction Period)
17-32	In-Valley/Water Needs Land Retirement Alternative Nonrecurring Regional Economic Effects (Phase 2 Construction)
17-33	In-Valley/Drainage-Impaired Area Land Retirement Alternative Regional Economic Effects from Recurring OM&R Expenditures – Year 1
17-34	In-Valley/Drainage-Impaired Area Land Retirement Alternative Regional Economic Effects from Recurring OM&R Expenditures – End of Construction
17-35	In-Valley/Drainage-Impaired Area Land Retirement Alternative Regional Economic Effects from Recurring OM&R Expenditures – End of Project
17-36	In-Valley/Drainage-Impaired Area Land Retirement Alternative Regional Economic Effects from Changes in Agricultural Expenditures – Year 1
17-37	In-Valley/Drainage-Impaired Area Land Retirement Alternative Regional Economic Effects from Changes in Agricultural Expenditures – End of Construction
17-38	In-Valley/Drainage-Impaired Area Land Retirement Alternative Regional Economic Effects from Changes in Agricultural Expenditures – End of Project
17-39	In-Valley/Drainage-Impaired Area Land Retirement Alternative Nonrecurring Regional Economic Effects (Year 1 of Construction Period)
17-40	In-Valley/Drainage-Impaired Area Land Retirement Alternative Nonrecurring Regional Economic Effects (Remainder of Initial Construction Period)
17-41	In-Valley/Drainage-Impaired Area Land Retirement Alternative Nonrecurring Regional Economic Effects (Phase 2 Construction)
17-42	Ocean Disposal Alternative Regional Economic Effects from Recurring OM&R Expenditures – Year 1

17-43	Ocean Disposal Alternative Regional Economic Effects from Recurring OM&R Expenditures – End of Construction
17-44	Ocean Disposal Alternative Regional Economic Effects from Recurring OM&R Expenditures – End of Project
17-45	Ocean Disposal Alternative Regional Economic Effects from Changes in Agricultural Expenditures – Year 1
17-46	Ocean Disposal Alternative Regional Economic Effects from Changes in Agricultural Expenditures – End of Construction
17-47	Ocean Disposal Alternative Regional Economic Effects from Changes in Agricultural Expenditures – End of Project
17-48	Ocean Disposal Alternative Nonrecurring Regional Economic Effects (Year 1 of Construction Period)
17-49	Ocean Disposal Alternative Nonrecurring Regional Economic Effects (Remainder of Initial Construction Period)
17-50	Ocean Disposal Alternative Nonrecurring Regional Economic Effects (Phase 2 Construction)
17-51	Delta-Chipps Island Disposal Alternative Regional Economic Effects from Recurring OM&R Expenditures – Year 1
17-52	Delta-Chipps Island Disposal Alternative Regional Economic Effects from Recurring OM&R Expenditures – End of Construction
17-53	Delta-Chipps Island Disposal Alternative Regional Economic Effects from Recurring OM&R Expenditures – End of Project
17-54	Delta-Chipps Island Disposal Alternative Regional Economic Effects from Changes in Agricultural Expenditures – Year 1
17-55	Delta-Chipps Island Disposal Alternative Regional Economic Effects from Changes in Agricultural Expenditures – End of Construction
17-56	Delta-Chipps Island Disposal Alternative Regional Economic Effects from Changes in Agricultural Expenditures – End of Project
17-57	Delta-Chipps Island Disposal Alternative Nonrecurring Regional Economic Effects (Year 1 of Construction Period)
17-58	Delta-Chipps Island Disposal Alternative Nonrecurring Regional Economic Effects (Remainder of Initial Construction Period)
17-59	Delta-Chipps Island Disposal Alternative Nonrecurring Regional Economic Effects (Phase 2 Construction)
17-60	Delta-Carquinez Strait Disposal Alternative Regional Economic Effects from Recurring OM&R Expenditures – Year 1
17-61	Delta-Carquinez Strait Disposal Alternative Regional Economic Effects from Recurring OM&R Expenditures – End of Construction

17-62	Delta-Carquinez Strait Disposal Alternative Regional Economic Effects from Recurring OM&R Expenditures – End of Project
17-63	Delta-Carquinez Strait Disposal Alternative Regional Economic Effects from Changes in Agricultural Expenditures – Year 1
17-64	Delta-Carquinez Strait Disposal Alternative Regional Economic Effects from Changes in Agricultural Expenditures – End of Construction
17-65	Delta-Carquinez Strait Disposal Alternative Regional Economic Effects from Changes in Agricultural Expenditures – End of Project
17-66	Delta-Carquinez Strait Disposal Alternative Nonrecurring Regional Economic Effects (Year 1 of Construction Period)
17-67	Delta-Carquinez Strait Disposal Alternative Nonrecurring Regional Economic Effects (Remainder of Initial Construction Period)
17-68	Delta-Carquinez Strait Disposal Alternative Nonrecurring Regional Economic Effects (Phase 2 Construction)
17-69	Summary of Regional Economic Effects
17-70	Summary Comparison of Effects of No Action Alternative
17-71	Summary Comparison of Effects of In-Valley Disposal Alternative
17-72	Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative
17-73	Summary Comparison of Effects of In-Valley/Water Needs Land Retirement Alternative
17-74	Summary Comparison of Effects of In-Valley/Drainage-Impaired Area Land Retirement Alternative
17-75	Summary Comparison of Effects of Ocean Disposal Alternative
17-76	Summary Comparison of Effects of Delta-Chipps Island Disposal Alternative
17-77	Summary Comparison of Effects of Delta-Carquinez Strait Disposal Alternative
18-1	Population, Race, and Ethnicity, 2000
18-2	Income and Poverty, 1999
18-3	Housing, Labor Force, and Employment, 2000
18-4	Summary of Section 17 Regional Economic Employment Effects
18-5	Summary Comparison of Effects of the No Action Alternative
18-6	Summary Comparison of Effects of In-Valley Disposal Alternative
18-7	Summary Comparison of Effects of In-Valley/Groundwater Quality Land Retirement Alternative
18-8	Summary Comparison of Effects of In-Valley/Water Needs Land Retirement Alternative

- 18-9 Summary Comparison of Effects of In-Valley/Drainage-Impaired Area Land Retirement Alternative
- 18-10 Summary Comparison of Effects of Ocean Disposal Alternative
- 18-11 Summary Comparison of Effects of Delta-Chipps Island Disposal Alternative
- 18-12 Summary Comparison of Effects of Delta-Carquinez Strait Disposal Alternative
- 19-1 Energy and Land Requirements for Disposal Alternatives
- 20-1 Draft Mitigation Monitoring and Reporting Program for San Luis Drainage Feature Re-evaluation Environmental Impact Statement
- 20-2 Monitoring Components

ES-1	San Luis Unit Drainage Timeline
ES-2	Drainage Study Area
ES-3	Common Elements to All Disposal Alternatives
ES-4	Components of the In-Valley Disposal Alternative
ES-5	Components of the Ocean Disposal Alternative
ES-6	Components of the Delta Disposal Alternatives
1-1	San Luis Unit Drainage Timeline
1-2	Drainage Study Area
2.1-1	Project Area
2.3-1	Common Elements to All Disposal Alternatives
2.3-2	Potential Areas for Reuse Facilities (B/W)
2.4-1	In-Valley Disposal Alternative Features
2.4-2	Schematic of RO Treatment Plant
2.4-3	Process Flow Schematic for Typical Bioreactor Module
2.4-4	In-Valley Disposal Alternative Implementation Schedule
2.5-1	In-Valley/Groundwater Quality Land Retirement Alternative Features
2.5-2	In-Valley/Groundwater Quality Land Retirement Alternative Implementation Schedule
2.6-1	In-Valley/Water Needs Land Retirement Alternative Features
2.6-2	In-Valley/Water Needs Land Retirement Alternative Implementation Schedule
2.7-1	In-Valley/Drainage-Impaired Area Land Retirement Alternative Features
2.7-2	In-Valley/Drainage-Impaired Area Land Retirement Alternative Implementation Schedule
2.8-1	Ocean Disposal Alternative Features
2.8-2	Ocean Disposal Alternative Implementation Schedule
2.9-1	Delta Disposal Alternatives Features
2.9-2	Delta Disposal Alternatives Implementation Schedule
2.11-1	Schematic of In-Valley Disposal Alternatives
2.11-2	Additional Evaluation of In-Valley Disposal Alternatives
5.1-0	Mean Annual Water Flow in the San Joaquin River
5.1-1	Historical Monthly Flows in Mud Slough and Contribution from GDA
5.1-2	Average and Median Monthly Flows in the San Joaquin River at Crows Landing (Based on 30 Years of Records)

5.1-3	Existing Conditions for Selenium (Water Year 1999)
5.1-4	Existing Conditions for Salinity (Water Year 1999)
5.1-5	Existing Conditions for Boron (Water Year 1999)
5.1-6	Daily Selenium Concentrations, Salinity, and Daily Flows in the San Joaquin River at Crows Landing (Station N)
5.1-7	Regional Monitoring Program Sampling Station Locations
5.1-8	Estero Bay and Ocean Disposal Alternative Outfall Locations
5.1-9	CCWD Intake Bromide Concentrations
5.1-10	CCWD Intake TOC Concentrations
5.1-11	CCWD Intake TDS Concentrations
5.1-12	CCWD Intake Selenium Concentrations
5.1-13	CCWD Intake Nitrate Concentrations
5.2-1	Fischer-Delta Model Grid
5.2-2	Bathymetry for MIKE 21 Model and Location of Modeled Discharges and USGS (Open Circles) and RMP (Closed Squares) Monitoring Stations
5.2-3	Chipps Island Discharge (Suisun Bay, Channel 19; Contra Costa Rock Slough), 1956-91 Mean TDS Increment
5.2-4	Chipps Island Discharge (Martinez; Clifton Court Forebay), 1956-91, Mean TDS Increment
5.2-5	Chipps Island Discharge (Suisun Bay, Channel 19; Contra Costa Rock Slough), 1956-91, Mean Selenium Increment
5.2-6	Chipps Island Discharge (Martinez; Clifton Court Forebay), 1956-91, Mean Selenium Increment
5.2-7	Chipps Island Discharge (Suisun Bay, Channel 19; Contra Costa Rock Slough), 1956-91, Mean TOC Increment
5.2-8	Chipps Island Discharge (Martinez; Clifton Court Forebay), 1956-91, Mean TOC Increment
5.2-9	Chipps Island Discharge (Suisun Bay, Channel 19; Contra Costa Rock Slough), 1956-91, Mean Bromide Increment
5.2-10	Chipps Island Discharge (Martinez; Clifton Court Forebay), 1956-91, Mean Bromide Increment
5.2-11	Exceedance Probability for Incremental TDS (Salinity) at Suisun Bay, Channel 19 Chipps Island Discharge, 1956-91, All Months
5.2-12	Exceedance Probability for Incremental TDS (Salinity) at Contra Costa Rock Slough Intake Chipps Island Discharge, 1956-91, All Months

5.2-13	Exceedance Probability for Incremental TDS (Salinity) at Clifton Court Forebay Chipps Island Discharge, 1956-91, All Months
5.2-14	Suisun Bay, Channel 19, 1956-91, Monthly Mean TDS (Salinity) Mean TDS + Incremental Increase from 29.1 cfs Discharge at Chipps Island
5.2-15	Contra Costa Intake - Rock Slough, 1956-91, Monthly Mean TDS (Salinity) Mean TDS + Incremental Increase from 29.1 cfs Discharge at Chipps Island
5.2-16	Clifton Court Forebay, 1956-91, Monthly Mean TDS (Salinity)Mean TDS + Incremental Increase from 29.1 cfs Discharge at Chipps Island
5.2-17	Bathymetry and Locations Selected for Time-Series Analysis of TDS and Selenium Concentrations as a Function of Time
5.2-18	MIKE 21 Chipps Island Discharge (July–December 1977), Total Dissolved Solids Concentrations Expressed as Incremental Change from Baseline Conditions
5.2-19	MIKE 21 Chipps Island Discharge (July–December 1977), Probability of Exceedance of Incremental TDS Concentrations
5.2-20	MIKE 21 Chipps Island Discharge (July–December 1977), Mean Total Dissolved Solids Concentration (TOP), Difference from Baseline Conditions (BOTTOM)
5.2-21	MIKE 21 Chipps Discharge (July–November 1997), Mean Total Selenium Concentration (TOP), Difference from Baseline Conditions (BOTTOM)
5.2-22	MIKE 21 Chipps Discharge (June–November 1997), Dissolved Selenium Concentrations Due to Project and Incremental Change from Baseline Conditions
5.2-23	MIKE 21 Chipps Discharge (June–November 1997), Probability of Exceedance of Dissolved Selenium Concentrations–Baseline and Project Conditions
5.2-24	MIKE 21 Chipps Discharge (June–November 1997), Mean Dissolved Selenium Concentration and Difference from Baseline Conditions
5.2-25	MIKE 21 Chipps Discharge (June–November 1997), Adsorbed Selenium Concentrations Due to Project and Incremental Change from Baseline Conditions
5.2-26	MIKE 21 Chipps Discharge (June–November 1997), Probability of Exceedance of Adsorbed Selenium Concentrations–Baseline and Project Conditions
5.2-27	MIKE 21 Chipps Discharge (June–November 1997), Mean Adsorbed Selenium Concentration and Difference from Baseline Conditions
5.2-28	MIKE 21 Chipps Discharge (June–November 1997), Benthic Selenium Concentrations Due to Project and Incremental Change from Baseline Conditions
5.2-29	MIKE 21 Chipps Discharge (June–November 1997), Probability of Exceedance of Benthic Selenium Concentrations–Baseline and Project Conditions
5.2-30	MIKE 21 Chipps Discharge (June–November 1997), Mean Benthic Selenium Concentration and Difference from Baseline Conditions
5.2-31	MIKE 21 Carquinez Discharge (July–December 1977), Total Dissolved Solids Concentrations Expressed as Incremental Change from Baseline Conditions

5.2-32	MIKE 21 Carquinez Discharge (July–December 1977), Probability of Exceedance of Total Dissolved Solids Concentrations
5.2-33	MIKE 21 Carquinez Discharge (July–December 1977), Mean Total Dissolved Solids Concentration (TOP), Difference from Baseline Conditions (BOTTOM)
5.2-34	MIKE 21 Carquinez Discharge (July–November 1997), Mean Total Selenium Concentration and Difference from Baseline Conditions
5.2-35	MIKE 21 Carquinez Discharge (June–November 1997), Dissolved Selenium Concentrations Due to Project and Incremental Change from Baseline Conditions
5.2-36	MIKE 21 Carquinez Discharge (June–November 1997), Probability of Exceedance of Dissolved Selenium Concentrations–Baseline and Project Conditions
5.2-37	MIKE 21 Carquinez Discharge (June–November 1997), Mean Dissolved Selenium Concentration and Difference from Baseline Conditions
5.2-38	MIKE 21 Carquinez Discharge (June–November 1997), Adsorbed Selenium Concentrations Due to Project and Incremental Change from Baseline Conditions
5.2-39	MIKE 21 Carquinez Discharge (June–November 1997), Probability of Exceedance of Adsorbed Selenium Concentrations–Baseline and Project Conditions
5.2-40	MIKE 21 Carquinez Discharge (June–November 1997), Mean Adsorbed Selenium Concentration and Difference from Baseline Conditions
5.2-41	MIKE 21 Carquinez Discharge (June–November 1997), Benthic Selenium Concentrations Due to Project and Incremental Change from Baseline Conditions
5.2-42	MIKE 21 Carquinez Discharge (June–November 1997), Probability of Exceedance of Benthic Selenium Concentrations–Baseline and Project Conditions
5.2-43	MIKE 21 Carquinez Discharge (June–November 1997), Mean Benthic Selenium Concentration and Difference from Baseline Conditions
6-1	Total Dissolved Solids in Shallow Groundwater
6-2	Selenium Concentration in Shallow Groundwater
6-3	Molybdenum Concentration in Shallow Groundwater
6-4	Boron Concentration in Shallow Groundwater
6-5	Geohydrologic Section of Western San Joaquin Valley (modified from Belitz and Heimes 1990)
8-1	Bathymetry and Areas Selected for Average Tissue Concentration Calculations
8-2	MIKE 21 Chipps Discharge (June–November 1997) Maximum 30-Day Average Native Bivalve Tissue Selenium Concentration Near Discharge and Difference from Baseline Conditions

8-3	MIKE 21 Carquinez Discharge (June–November 1997) Maximum 30-Day Average Native Bivalve Tissue Selenium Concentration Near Discharge and Difference from Baseline Conditions
8-4	MIKE 21 Chipps Discharge (June–November Dry Water Year) Native Bivalve Tissue Selenium Concentration (mg/kg) Predicted Based on BSAF and Adsorbed Selenium
8-5	MIKE 21 Chipps Discharge (June–November Dry Water Year) Exotic Bivalve Tissue Selenium Concentration (mg/kg) Predicted Based on BSAF and Adsorbed Selenium
8-6	MIKE 21 Chipps Discharge (June–November 1997) Maximum 30-Day Average Exotic Bivalve Tissue Selenium Concentration Near Discharge and Difference from Baseline Conditions
8-7	MIKE 21 Carquinez Discharge (June–November Dry Water Year) Native Bivalve Tissue Selenium Concentration (mg/kg) Predicted Based on BSAF and Adsorbed Selenium
8-8	MIKE 21 Carquinez Discharge (June–November Dry Water Year) Exotic Bivalve Tissue Selenium (mg/kg) Predicted Based on BSAF and Adsorbed Selenium
8-9	MIKE 21 Carquinez Discharge (June–November 1997) Maximum 30-Day Average Exotic Bivalve Tissue Selenium Concentration Near Discharge and Difference from Baseline Conditions
9-1	Geomorphic Provinces
9-2	Schematic Cross Section of San Joaquin Valley
9-3a	Geologic Map (1 of 5)
9-3b	Geologic Map (2 of 5)
9-3c	Geologic Map (3 of 5)
9-3d	Geologic Map (4 of 5)
9-3e	Geologic Map (5 of 5)
9-3f	Geologic Map Legend
9-4	Active Faults
9-5	Historical Seismicity M $\geq$ 3 and Significant Earthquakes, 1864-2005
9-6	Potential Slope Instability Along Ocean Disposal Alternative
9-7	Subsidence
12-1	Salinity Trends in the Northerly Area, No Action Alternative
12-2	Salinity Trends in Westlands Central, No Action Alternative
12-3	Sensitivity Analysis on Shallow Groundwater Salinity, Different Conditions of Natural Drainage
12-4	Salinity Trends in the Northerly Area, All Action Alternatives

- 12-5 Salinity Trends in the Northerly Area Reuse Facility, All Action Alternatives
- 12-6 Salinity Trends for a Typical Drained Field in Westlands Central, All Action Alternatives
- 12-7 Salinity Trends in the Westlands Central Reuse Facility, All Action Alternatives
- 13-1 Westlands Fallow and Idle Acreage Trends
- 14-1 Project Area Wildlife Areas
- 16-1 Central Valley Farmland
- 16-2 Scenic Highways in Vicinity of Alternatives
- 16-3 Existing San Luis Drain
- 16-4 Drainwater Treatment Facility at Panoche Water District
- 16-5 Buried Pipeline Alignment
- 16-6 Dryland Farming (Barley Grown in a Good Rainfall Year in Tranquility Area)
- 16-7 Example of Grazing (Sheep in Background)
- 16-8 Disked Fallow Land in Westlands
- 17-1 Unemployment Rates in the San Luis Region, California, and the United States
- 17-2 Projected Crop Revenue Losses Under the No Action Alternative

#### San Luis Drainage Feature Re-evaluation Alternatives

- No Action Alternative
- In-Valley Disposal Alternative<sup>1</sup>
- In-Valley/Groundwater Quality Land Retirement Alternative<sup>1,2</sup>
- In-Valley/Water Needs Land Retirement Alternative<sup>1,2</sup>
- In-Valley/Drainage-Impaired Area Land Retirement Alternative<sup>1,2</sup>
- Ocean Disposal Alternative<sup>3</sup>
- Delta-Chipps Island Disposal Alternative<sup>3,4</sup>
- Delta-Carquinez Strait Disposal Alternative<sup>3,4</sup>

<sup>1</sup>In-Valley Alternatives refers to all four together.

```
<sup>2</sup>Land Retirement Alternatives refers to all three together.
```

<sup>3</sup>Out-of-Valley Disposal Alternatives refers to all three together.

<sup>4</sup>Delta Disposal Alternatives refers to both Delta alternatives.

AD	MIKE 21 advection-dispersion module
AF	acre-foot or acre-feet
APE	Area of Potential Effects
ASBS	area of special biological significance
BAAQMD	Bay Area Air Quality Management District
Basin Plan	Water Quality Control Plan for the Sacramento River and San Joaquin River Basins
Bay	San Francisco Bay
Bay-Delta	San Francisco Bay–Sacramento–San Joaquin River Delta
BCF	bioconcentration factor
BMPs	best management practices
BP	before present
Cal/COFI	California Cooperative Oceanic Fisheries Investigations Program
Caltrans	California Department of Transportation
CAA	Clean Air Act
CAR	Coordination Act Report
CBC	California Building Code
CCCCS	Central California Coastal Circulation Study
CCR	California Code of Regulations

CCWD	Contra Costa Water District
CDFG	California Department of Fish and Game
CDIP	Coastal Data Information Program
CESA	California Endangered Species Act
CEQA	California Environmental Quality Act
CFR	Code of Federal Regulations
cfs	cubic feet per second
CGS	California Geological Survey
cm	centimeter(s)
CMP	Construction Management Practice (plan)
CNDDB	California Natural Diversity Database
CRSB	Coast Range-Sierran Block
CTR	California Toxics Rule
CVP	Central Valley Project
CVPIA	Central Valley Project Improvement Act (Title XXXIV of Public Law 102-575)
CWA	Clean Water Act
DBPs	disinfectant by-products
DBPR	Disinfectants/Disinfection By-Products Rule
DDT	dichlorodiphenyltrichloroethane
Delta	Sacramento-San Joaquin River Delta
DHS	California Department of Health and Safety
DOC	dissolved organic carbon
DOS-IR	Drain or Sub-Irrigation Riser (valve)
Drain	San Luis Interceptor Drain, an existing feature of the Central Valley Project that, under the terms of the 1995 Use Agreement with the Grassland Area Farmers, is used to convey agricultural drainwater
DS	dilution standard
dS/m	deciSiemen(s) per meter
DSOD	Division of Safety of Dams
DWR	California Department of Water Resources
EC	electrical conductivity
ECe	electrical conductivity extract

EES	enhanced evaporation system
EFH	Essential Fish Habitat
EIR	Environmental Impact Report
EIS	Environmental Impact Statement
EPA	U.S. Environmental Protection Agency
ESA	Federal Endangered Species Act
ESU	evolutionarily significant unit
ET	evapotranspiration
FDM	Fischer-Delta Model
FEMA	Federal Emergency Management Agency
FSI	Farmland of Statewide Importance
g	acceleration due to gravity
GDA	Grassland Drainage Area
GIS	Geographic Information System
HAAs	haloacetic acids
HD	MIKE 21 hydrodynamic module
HDPE	high-density polyethylene
IDC	interest during construction
Interior	U.S. Department of the Interior
kg/s	kilogram(s) per second
km	kilometer(s)
kWh	kilowatt-hour
LT2ESWTR	Long-Term Stage 2 Enhanced Surface Water Treatment Rule
М	moment magnitude
MBTA	Migratory Bird Treaty Act
MCL	maximum concentration limit
ME	MIKE 21 heavy metals module
μg/L	microgram(s) per liter
µmhos/cm	micromhos per centimeter, a measure of conductance
μS/cm	microSiemens(s) per centimeter
mg/kg	milligram(s) per kilogram
mg/L	milligram(s) per liter
mgd	million gallons per day

mL	milliliter(s)
M <sub>L</sub>	Richter local magnitude
mm	millimeter(s)
NDBC	National Data Buoy Center
NED	National Economic Development
NEHRP	National Earthquake Hazards Reduction Program
NEP	National Earthquake Loss Reduction Program
NEPA	National Environmental Policy Act
NHPA	National Historic Preservation Act
NOAA	National Oceanic and Atmospheric Administration
NOAA Fisheries	National Oceanic and Atmospheric Administration National Marine Fisheries Service
NPDES	National Pollution Discharge Elimination System
NRCS	Natural Resources Conservation Service
NWR	National Wildlife Refuge
O&M	operation and maintenance
OM&R	operations, maintenance, and replacement
PAHs	polycyclic aromatic hydrocarbons
PAM	Planning Aid Memorandum
PAR	San Luis Drainage Feature Re-evaluation, Preliminary Alternatives Report (Reclamation 2001a)
PCBs	polychlorinated biphenyls
PFR	Plan Formulation Report
PG&E	Pacific Gas and Electric Company
рНр	soil reaction pH of the saturated soil paste
PM <sub>10</sub>	particulate matter less than 10 microns in diameter
ppb	part(s) per billion
ppm	part(s) per million
ppt	part(s) per thousand
PVC	polyvinyl chloride
RCRA	Resource Conservation and Recovery Act
Reclamation	Bureau of Reclamation
Regional Board	San Francisco Bay Regional Water Quality Control Board

RMP	Regional Monitoring Program for Trace Substances
RO	reverse osmosis
ROD	Record of Decision
ROW	right-of-way
SAE	seasonal application efficiency
Se	selenium
Service	U.S. Fish and Wildlife Service
SFEI	San Francisco Estuary Institute
SHPO	State Historic Preservation Officer
SJVAPCD	San Joaquin Valley Air Pollution Control District
SJVDP	San Joaquin Valley Drainage Program
SJVDIP	San Joaquin Valley Drainage Implementation Program
SLDFR, Re-evaluation	San Luis Drainage Feature Re-evaluation
State Board	California State Water Resources Control Board
SWPPP	Storm Water Pollution Prevention Plan
TCPU	Transportation, Communication, and Public Utilities
TDS	total dissolved solids
TMDL	total maximum daily load
TOC	total organic carbon
TTHMs	total trihalomethanes
UIC	Underground Inspection Control (Program)
Unit or SLU	San Luis Unit
USACE	U.S. Army Corps of Engineers
USDA	U.S. Department of Agriculture
USGS	U.S. Geological Survey
VAMP	Vernalis Adaptive Management Plan
VP	Visual Plumes program (EPA)
WDRs	Waste Discharge Requirements
Westlands	Westlands Water District
WMA	Wildlife Management Area
WQOs	water quality objectives
WWTP	wastewater treatment plant
ZID	zone of initial dilution

drainwater	water leaving an irrigated area, composed of a combination of tailwater, tilewater, ricewater, and possibly canal seepages
Drainwater reduction	a management action or system used to control drainwater; nine options (excluding the No Action Alternative) are listed below for the San Luis Drainage Feature Re-evaluation:
	<ul> <li>Annual Fallowing – similar to land retirement but implemented on an annual basis by willing parties</li> </ul>
	• Controlled Drainage – controlling the discharges and water depths from subsurface tile drainage systems so that a portion of irrigation deep percolation is retained in the soil and is available to contribute to crop evapotranspiration (ET)
	• Drainwater Recycling – reapplying drainwater and mixing it with freshwater for crop irrigation
	• Land Retirement – changing from irrigated to nonirrigated land uses over the long term so that irrigation deep percolation and the need for drainage is totally eliminated on selected lands
	• On-Farm Irrigation Systems and Management – improving the uniformity and timing of irrigation to reduce deep percolation
	• Reuse (Reuse/Drainwater Management) – using drainwater as an irrigation supply for salt-tolerant crops
	<ul> <li>Seepage Reduction – includes lining or piping of existing unlined irrigation conveyance and distribution facilities to reduce seepage losses</li> </ul>
	• Semiconfined Zone Groundwater Pumping – pumping groundwater from aquifers that overlie more impermeable layers
	• Shallow Drainage – placing subsurface tile drains at relatively shallow depths so that they intercept less and possibly improve the quality of drainwater
ricewater	surface drainwater from the flooding of a rice field
tailwater	surface irrigation drainwater other than ricewater
tilewater	subsurface irrigation drainwater that is discharged through a sump
Water Year	October 1 to September 30 of each year
2001 Use Agreement	Second Agreement for Use of the San Luis Drain (Agreement No. 01-WC-20-2075) (Grassland Bypass Project)