## 4.0 Environmental Consequences

This section presents the environmental consequences resulting from implementation of the Proposed Action or the No-Action Alternative. Requirements of both NEPA and CEQA Guidelines are addressed herein. The CEQA Guidelines require that environmental effects be identified by use of a checklist, matrix, or other method with brief explanations to support the entries (Section 15063(d)(3)). The Environmental Checklist Form, as presented in Appendix G of the State CEQA Guidelines, is considered to be the best method to satisfy CEQA Guidelines and was used herein to identify the potential impacts of implementing the Proposed Action ("proposed project" under CEQA). While CEQA Guidelines require that an IS and Environmental Checklist evaluate only the proposed project, NEPA requires that the No-Action Alternative also be evaluated. Consequently, the Environmental Checklist Form also addresses environmental effects from the No-Action Alternative.

The thresholds for determining the significance of impacts for this analysis are based on the Environmental Checklist in Appendix G of the State CEQA Guidelines, as presented for individual resource areas in this section. These thresholds also encompass the factors taken into account under NEPA to determine the significance of an action in terms of its context and the intensity of its effects. While NEPA discourages identifying the significance of impacts in an EA, CEQA requires that these conclusions be made in an IS. Consequently, statements as to the significance of impacts are included in this section to satisfy CEQA requirements, as are any proposed mitigation measures. This EA/IS uses the following CEQA terminology to denote the significance of environmental impacts of the Proposed Action and No-Action Alternative:

- An impact is **significant** if it would cause a substantial, or potentially substantial, adverse change in any of the physical conditions within the area affected by the project. Levels of significance can vary by project alternative, based on the setting and nature of the change in the existing physical condition.
- An impact is **potentially significant** if it would be considered a significant impact as described above; however, the occurrence of the impact cannot be immediately determined with certainty. For CEQA purposes, a potentially significant impact is treated as if it were a significant impact. Therefore, under CEQA, mitigation measures or alternatives to the Proposed Action must be provided, where feasible, to avoid or reduce the magnitude of any significant impact.
- An impact would be **less than significant** if it would not result in a substantial or potentially substantial adverse change in the physical environment. This impact level does not require mitigation, even if applicable measures are available, under CEQA. If an impact is deemed beneficial, it is designated as a "less-than-significant impact" in the CEQA Environmental Checklist.

- An impact would be **less than significant with mitigation** if it would be a potentially significant or significant impact, but with mitigation, the impact is reduced to a less-than-significant impact.
- **No impact** indicates the project would not have any direct or indirect impacts on the environment, or the consequences are undetectable and/or not applicable.

The level of impact of the Proposed Action and the No-Action Alternative is determined by comparing estimated effects with baseline conditions. Under CEQA, the environmental setting (as defined in Section 3, "Affected Environment") normally represents "existing" baseline conditions. Under NEPA, the No-Action Alternative (expected future conditions without the project) is the baseline against which the effects of the Proposed Action are compared. For nearly all topics, conditions under the No-Action Alternative are considered to be substantively equivalent to existing conditions, unless otherwise noted. Therefore, comparisons of the effects of the Proposed Action (including the schedule and magnitude of flow releases, flow modifications, additional implementation considerations, and environmental commitments, as described in Section 2) are made to existing conditions (to satisfy CEQA requirements) and to the No-Action Alternative (to satisfy NEPA requirements).

## 4.1 Analytical Approach

A variety of models are used to estimate expected conditions under the Proposed Action and No-Action Alternative. Simulation results from the models are used to compare the differences in trends under the Proposed Action and No-Action Alternative. Limitations of the individual models used for the technical analyses are described in detail in Appendix G. Model results are useful in analyzing trends and for comparing similar factors between the Proposed Action and the No-Action Alternative. While models can provide useful insight to complex systems or overcome the deficiencies of incomplete observed data, they are a simplification of the true system or natural processes. Most of the models, including CalSim II and SJR5Q, have been peer reviewed and are regularly refined and improved as additional information is provided. Model limitations include the following:

- Models represent simplifications or estimations of certain processes.
- Model outputs are dependent on the quality of the input data.
- Numerical solution to the governing equations included in the models can also introduce error. Errors associated with model simulations can be cumulative. For instance, using one model's output as a second model's input carries assumptions made in the first analysis forward into the second. Careful attention was given to the analysis conducted in this EA/IS. However, due to the large cross-utilization of modeling data among analyses, the results here are best perceived in terms of trends and comparisons, and not relied upon for absolute predictive precision.
- Models are designed to compare and contrast the effect of current and assumed future operational conditions. The models are not predictive; they are intended to identify trends.

These models are the product of the best science available at the time this document was prepared.

CEQA ENVIRONMENTAL CHECKLIST FORM							
PROJECT INFORMATION							
1.	Project Title:		San Joaquin River Restoration Program Wa	ater Yea	r 2010 Interim Flows		
2.	Lead Agency Name and Address	:	California Department of Water Resources San Joaquin District 3374 East Shields Avenue Fresno, CA 93726				
3.	Contact Person and Phone Number:		Paula J. Landis San Joaquin District (559) 230-3310				
4.	Project Location:		Millerton Lake (Fresno and Madera counties); San Joaquin River from Friant Dam to the Sacramento-San Joaquin Delta (Stanislaus, San Joaquin, Sacramento, Solano, and Contra Costa counties), Eastside Bypass (Fresno, Madera, and Merced counties), Mariposa Bypass (Merced); and place of water use (all counties named above, as well as any other counties within the Central Valley Project or State Water Project service areas south of the Delta)				
5.	Project Sponsor's Name and Address:		N/A				
6.	General Plan Designation:		Fresno County: Agriculture; Madera Coun Agricultural	y: Open	Space; Merced County:		
7.	Zoning:		Fresno County: AE-20; Madera County: O	S; Merco	ed County: A-1		
8.	8. Description of Project: (Describe the whole action involved, including but not limited to later phases of the project, and any secondary, support, or off-site features necessary for its implementation. Attach additional sheets if necessary.) The Proposed Action involves implementing temporary changes to Friant Dam operations in Water Year 2010 (October 1, 2009, through September 30, 2010) to release Interim Flows from Friant Dam into the San Joaquin River and potentially downstream as far as the Sacramento-San Joaquin Delta. The Proposed Action is specified in the Stipulation of Settlement in <i>NRDC, et al. v. Kirk Rodgers, et al.</i> and is part of the San Joaquin River Restoration Program. The Interim Flows would be recaptured by existing water diversion facilities along the San Joaquin River and/or in the Sacramento-San Joaquin Delta for agricultural, municipal and industrial, or fish and wildlife uses. Section 2, "Project Description," of the Environmental Assessment/Initial Study contains a full project description.						
9.	Surrounding Land Uses and Setting: (Briefly describe the project's surroundings) The San Joaquin River flows through or near the cities of Friant, Fresno, Firebaugh, and Stockton, and includes urban and nonurban areas. Most of the identified study area is surrounded by various types of agricultural lands with the San Joaquin River flowing through the region. The San Joaquin River has many existing flood management and water diversion structures located along its length. Land uses in the study area are primarily agriculture and rangeland but also include urban, recreation, and open space.						
	and Wildlife Service, National M Department of Fish and Game, G	Marine Centra	Fisheries Service, California State Water I Valley Flood Protection Board, U.S. Arn	Resource y Corps	es Control Board, California of Engineers		
ENV	RONMENTAL FACTORS POTENT	IALLY	AFFECTED:				
The e "Pote	nvironmental factors checked below w ntially Significant Impact" as indicated	ould b d by th	e potentially affected by this project, invol e checklist on the following pages.	ving at l	east one impact that is a		
	Aesthetics		Agriculture Resources		Air Quality		
	Biological Resources		Cultural Resources		Geology / Soils		
	Hazards & Hazardous Materials		Hydrology / Water Quality		Land Use / Planning		
	Mineral Resources		Noise		Population / Housing		
	Public Services		Recreation		Transportation / Traffic		
	Utilities / Service Systems		Mandatory Findings of Significance	$\boxtimes$	None With Mitigation		

DETERMINATION (To be completed by the Lead Agency)						
On the basis of this initial evaluation:						
I find that the proposed project <b>COULD NOT</b> have a signific a <b>NEGATIVE DECLARATION</b> will be prepared.	I find that the proposed project COULD NOT have a significant effect on the environment, and a NEGATIVE DECLARATION will be prepared.					
I find that although the proposed project COULD have a significant effect in this case because a made by or agreed to by the project proponent. A MITIGAT be prepared.						
I find that the proposed project <b>MAY</b> have a significant effective <b>ENVIRONMENTAL IMPACT REPORT</b> is required.	I find that the proposed project <b>MAY</b> have a significant effect on the environment, and an [ ENVIRONMENTAL IMPACT REPORT is required.					
I find that the proposed project MAY have a "potentially significant impact" or "potentially significant unless mitigated" impact on the environment, but at least one effect 1) has been adequately analyzed in an earlier document pursuant to applicable legal standards, and 2) has been addressed by mitigation measures based on the earlier analysis as described on attached sheets. An ENVIRONMENTAL IMPACT REPORT is required, but it must analyze only the effects that remain to be addressed.						
I find that although the proposed project could have a significant effect on the environment, because all potentially significant effects (a) have been analyzed adequately in an earlier <b>EIR</b> or <b>NEGATIVE DECLARATION</b> pursuant to applicable standards, and (b) have been avoided or mitigated pursuant to that earlier <b>EIR</b> or <b>NEGATIVE DECLARATION</b> , including revisions or mitigation measures that are imposed upon the proposed project, nothing further is required.						
Signature Date						
Paula J. Landis California Department of Water Resources						
Printed Name	Agency					

## 4.2 Aesthetics

Environmental Issues		Potentially Significant Adverse Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
	I	Aesthetics. Wou	Id the project:		
a)	Have a substantial adverse effect on a scenic vista?			$\boxtimes$	
b)	Substantially damage scenic resources, including, but not limited to, trees, rock outcroppings, and historic buildings within a state scenic highway?				
c)	Substantially degrade the existing visual character or quality of the site and its surroundings?			$\boxtimes$	
d)	Create a new source of substantial light or glare which would adversely affect day or nighttime views in the area?				

#### a) Have a substantial adverse effect on a scenic vista?

A scenic vista is generally considered to be a view of an area that has a remarkable scenic quality or a natural or cultural quality that is indigenous to the area. Some may consider views of Millerton Lake from upper elevations descending from the crest of the Sierra Nevada to be scenic vistas, as well as views of Millerton Lake and of the Sierra Nevada from the grasslands surrounding the lake. Reoperation of Friant Dam and recapture of Interim Flows would not affect flow patterns in the San Joaquin River above Millerton Lake. The changes in surface water elevation would be within the historic operational range of Millerton Lake. Therefore, no changes in visual expectations of viewers of Millerton Lake from the Sierra Nevada would change as a result of the Proposed Action. Some may also consider the views of Millerton Lake and the surrounding hills to be a scenic vista. Some portion of the water released from Millerton Lake for Interim Flows would be released earlier in the season (approximately October through March) than would occur under existing conditions for agricultural releases. Consequently, minimal variation in the seasonal Millerton Lake water level fluctuation is expected under the Proposed Action, although by the end of the water year (October 1, 2009, through September 30, 2010), there would be no measurable differences in reservoir levels between the Proposed Action and the No-Action Alternative. This impact is considered less than significant because Millerton Lake already experiences large seasonal fluctuations in water elevations, and the temporary reductions in water surface elevations early in the season would be within historic variations of the lake's water surface elevations. The scenic vista would be similar with or without the Proposed Action.

The San Joaquin River and land on both sides of the river, from Friant Dam to Highway 99 in the Restoration Area, are included in the proposed *San Joaquin River Parkway Plan* (San Joaquin River Conservancy 2000). WY 2010 Interim Flows would increase flow volumes and water velocities in the Restoration Area and downstream from the Merced River confluence to the Delta, which would disturb soil and vegetation in the affected reaches and could result in changes to the visual setting. However, such changes are expected to enhance the scenic value of the river and lands in the Restoration Area and not result in any adverse impacts on a scenic vista. Because of the temporary nature of this Proposed Action, impacts would be **less than significant** and beneficial (within the Restoration Area). Because flow increases that could affect soil and vegetation would not occur under the No-Action Alternative, there would be no impact on a scenic vista under this alternative and therefore less impact than the Proposed Action.

# b) Substantially damage scenic resources, including, but not limited to, trees, rock outcroppings, and historic buildings within a state scenic highway?

No officially designated State scenic highways are located in or immediately adjacent to Millerton Lake Reservoir, the Restoration Area, or along the San Joaquin River downstream from the confluence with the Merced River to the Delta, and the Proposed Action would not affect scenic resources along the San Joaquin River upstream from Millerton Lake Reservoir. Therefore, under both the Proposed Action and the No-Action Alternative, there would be **no impact**.

# c) Substantially degrade the existing visual character or quality of the site and its surroundings?

For the same reasons stated in item a), the Proposed Action would not result in substantial degradation of the existing visual character or quality of Millerton Lake, the Restoration Area, the San Joaquin River below the Merced River confluence to the Delta, or their surroundings; therefore, this impact would be **less than significant** and beneficial (within the Restoration Area) under the Proposed Action. There would be no impact under the No-Action Alternative and therefore would be less degradation of visual character than the Proposed Action.

# d) Create a new source of substantial light or glare which would adversely affect day or nighttime views in the area?

The Proposed Action would not involve temporary or long-term installation or use of new sources of lighting. Likewise, no new sources of light or glare would be included in the No-Action Alternative. Therefore, under both the Proposed Action and the No-Action Alternative, there would be **no impact**.

## 4.3 Agricultural Resources

Environmental Issues	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
И.	Agricultural I	Resources.		
In determining whether impacts to agricultural resources are significant environmental effects, lead agencies may refer to the California Agricultural Land Evaluation and Site Assessment Model (1997, as updated) prepared by the California Department of Conservation as an optional model to use in assessing impacts on agriculture and farmland.				
Would the project:				
a) Convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance (Farmland), as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural use?				$\boxtimes$
b) Conflict with existing zoning for agricultural use or a Williamson Act contract?				$\boxtimes$
<ul> <li>c) Involve other changes in the existing environment, which, due to their location or nature, could result in conversion of Farmland to non-agricultural use?</li> </ul>				

#### a) Convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance (Farmland), as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural use?

Reoperation of Friant Dam to introduce WY 2010 Interim Flows would not convert lands designated as Prime Farmland, Unique Farmland, or Farmland of Statewide Importance (Farmland). Flows may temporarily inundate lands with Farmland designations, but the temporary inundation would not require a change to the designations or create a long-term adverse effect. The Proposed Action does not include any construction activities that may temporarily or permanently modify agricultural uses. Some water supply may be foregone for agricultural purposes, but this impact would be temporary and would not

involve converting important agricultural lands to nonagricultural uses. Therefore, there would be **no impact** on designated Farmland under the Proposed Action or the No-Action Alternative.

# b) Conflict with existing zoning for agricultural use or a Williamson Act contract?

Implementing the Proposed Action would not require any zoning changes or result in conflicts with Williamson Act contracts. Changes in zoning that would conflict with Williamson Act contracts also would not occur under the No-Action Alternative. Therefore, both the Proposed Action and the No-Action Alternative would have **no impact** related to existing zoning for agricultural use or a Williamson Act contract.

# c) Involve other changes in the existing environment, which, due to their location or nature, could result in conversion of Farmland to non-agricultural use?

During periods of WY 2010 (October 1, 2009, through September 30, 2010), Interim Flows could temporarily inundate some areas of active grazing lands in the bypasses. These flows would be similar to existing conditions in that flood flows resulting from 2to 5-year storms occur intermittently and inundate productive farmland and grazing lands.

Potential flows under the Proposed Action also would be limited to volumes that do not cause substantial seepage effects on adjacent land. Seepage issues are discussed in Section 4.9, "Hydrology and Water Quality," and the plan for monitoring and managing seepage is provided as Appendix D. Measures in this plan were developed to avoid or minimize saturation of the upper soil layers, which contain most of the root system of crop plants and thus strongly affect crop growth, and the condition of the soil layers also affects the ability to use farm machinery. Thus, prolonged saturation of the upper soil layers would likely cause temporary, adverse effects on the ability to use land for agricultural purposes. Because the Proposed Action would not cause substantial prolonged saturation of the upper layers of soil, substantial adverse effects on the use of agricultural land because of soil saturation, or substantial damage to existing woody vines and trees in vineyards and orchards, would not occur.

The Proposed Action also would not alter the extent of disease on adjacent agricultural land such that it would prevent agricultural use of nearby land or substantially reduce its productivity. If the Proposed Action serves as a source of causal organisms, water and vegetation along river and bypass channels can affect the incidence of some diseases on adjacent land. Because some riparian plants are alternative hosts for the causal organisms of some diseases of fruit and nut crops, it is possible for riparian vegetation in the study area to affect the incidence of some diseases in orchards and vineyards. *Botryosphaeria dothidea* (white rot) has been isolated from riparian plants (Michailides 2009). White rot can cause a shoot blight on pistachio and a canker on almonds, and it occurs on a number of crop, ornamental, and wild plants, causing diseases in some (Ogawa and English 1991, pages 329–331; Michailides, Morgan, and Ma 2003; Micke 1996). Because this organism occurs on a variety of fruit and nut crops, and these crops occupy much larger acreages in

the study area than do riparian host plants, riparian vegetation may be a less important source of this organism, and of other diseases, than orchard and vineyard vegetation. Furthermore, the incidence of disease is not solely or even primarily determined by the presence of causal organisms in the vicinity of an orchard or vineyard. Physical conditions (including weather), irrigation and other management practices, and susceptibility of crop cultivars and their rootstocks are also important factors in the incidence of disease. Because WY 2010 Interim Flows are not anticipated to substantially change the extent of riparian vegetation, and because existing orchards and vineyards provide a much more extensive potential source of a greater variety of disease-causing organisms, and multiple other factors besides the presence of causal organisms affect the incidence of disease, the Proposed Action is unlikely to cause a substantial change in agricultural productivity by increasing the incidence of disease.

No physical changes to the land are proposed that would convert productive farmland and grazing lands to nonagricultural use, such as a restoration use. The Proposed Action would not involve any urban development; therefore, farmers and ranchers would not be induced to modify farming or ranching practices or convert farmland to urban development. Also, because any potential inundation of productive farmland and grazing land would be temporary and similar to existing conditions, and because productive farmland and grazing the Proposed Action would not be converted to nonagricultural use, implementing the Proposed Action would not substantially affect agricultural lands or practices. Implementing the WY 2010 Interim Flows could result in a change in the amount of water delivered to Friant Division contractors; as a result, some Friant Division contractors would likely change cropping practices, the extent of groundwater pumping, or both. However, Friant Division contractors would not likely convert farmland to nonagricultural use. The impacts of the Proposed Action on conversion of farmland to nonagricultural use would be **less than significant**.

Additional effects of reduced deliveries to the Friant Division are addressed in the "Hydrology and Water Quality," "Population and Housing," and "Socioeconomic Effects and Environmental Justice" sections.

Because the No-Action Alternative would not involve any changes to the existing environment, implementing this alternative would result in no impact and the Proposed Action would have a greater impact than under the No-Action Alternative.

### 4.4 Air Quality

Environmental Issues	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
	III. Air G	Juality.		
Where available, the significance criteria established by the applicable air quality management or air pollution control district may be relied on to make the following determinations.				
Would the project:				
<ul> <li>a) Conflict with or obstruct implementation of the applicable air quality plan?</li> </ul>			$\boxtimes$	
<ul> <li>b) Violate any air quality standard or contribute substantially to an existing or projected air quality violation?</li> </ul>				
c) Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non- attainment under an applicable federal or state ambient air quality standard (including releasing emissions which exceed quantitative thresholds for ozone precursors)?				
<ul> <li>d) Expose sensitive receptors to substantial pollutant concentrations?</li> </ul>				
<ul> <li>e) Create objectionable odors affecting a substantial number of people?</li> </ul>			$\boxtimes$	

- a) Conflict with or obstruct implementation of the applicable air quality plan?
- b) Violate any air quality standard or contribute substantially to an existing or projected air quality violation?
- c) Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard (including releasing emissions which exceed quantitative thresholds for ozone precursors)?

#### a, b, c) Operational Emissions

#### Criteria Air Pollutants and Precursors

Emissions related to WY 2010 Interim Flows would be temporary in duration (i.e., emissions would only be produced during the years indicated under the project description) and would potentially represent a significant impact with respect to air quality. Fugitive dust (PM<sub>10</sub>) emissions are primarily associated with ground disturbance and vary as a function of such parameters as soil silt content, soil moisture, wind speed, acreage of disturbed area, and miles traveled by vehicles on site and off site. ROG and NO<sub>x</sub> emissions are primarily associated with mobile equipment exhaust. With respect to the Proposed Action, vegetation management and maintenance activities would result in the generation of ROG,  $NO_X$ , and  $PM_{10}$  emissions from site preparation (e.g., clearing), material transport, and other miscellaneous activities. Related vehicle trips would be associated with material transport and worker commute trips. Project-generated ROG, NO<sub>X</sub>, PM<sub>10</sub>, and PM<sub>2.5</sub> were modeled using the URBEMIS 2007 Version 9.2.4 computer program. This modeling was based on the assumption that invasive plant surveys and removal would begin in spring and fall 2011, respectively, and on default URBEMIS model settings. The URBEMIS model is the product of the best science available at the time this document was prepared. Survey crews would consist of two to three workers and approximately one trip would be made per day per surveying crew. The survey period is unknown at this time but could last several months (3 months is assumed for modeling purposes). Vegetation-removal crews would consist of six to seven workers, and could include one heavy piece of equipment per crew (i.e., bobcat or backhoe). Other crew members would use hand tools, chainsaws, and weed whackers. Vegetation removal would result in approximately one haul truck trip per day per crew to move vegetation to an as-yet-undetermined waste or composting facility. Vegetation-removal activities are expected to last approximately 3 months and could occur for up to 3 consecutive years (2011–2013). The trip generation rates input into the URBEMIS model are representative of the Proposed Action and would result in approximately eight associated daily vehicle round trips per day (seven employees, one haul truck). A maximum of 10 crews is expected for vegetation removal and would remove approximately 1 acre of vegetation per day for all crews.

Bridge crossings would be maintained at Avenue 7 (Chowchilla Canal) and North Madera Avenue (Reach 1B). West Whitesbridge Avenue (SR 145) in Fresno County provides east-west access from North San Mateo Avenue to North Madera Avenue (SR 145). The distance between these two crossings is approximately 25 miles. Located in Merced County, Avenue 7 is an east-west road that connects with North Madera Avenue. The distance between these locations is approximately 15 miles. The distance of the Avenue 7 crossing from the North San Mateo Avenue crossing is approximately 5 miles. The air quality analysis evaluated potential mobile source emissions that could result from the increased vehicle miles travelled of up to 25 miles each way (50 miles round trip). The analysis shows that if traffic were redirected to utilize crossings at Avenue 7 and North Madera Avenue in lieu of the crossings at Dan McNamara Road and North San Mateo Avenue respectively, there would not be a significant increase in the emissions of ROG,  $NO_x$ ,  $PM_{10}$ , or  $PM_{2.5}$ .

Some increased recreation could result from additional water flow (i.e., canoeing, kayaking, and fishing) and could create additional vehicle trips in and downstream from the Restoration Area. These trips are assumed to already exist, however; instead of traveling to other areas in the San Joaquin River watershed, it is assumed that recreationists would be attracted to the newly watered river reaches. Because criteria pollutant emissions are regional pollutants, and trips to the Restoration Area would be diversions from other parts of the region (the SJVAB), no net increase in criteria air pollutants in the region would occur. In addition, any new emissions from increased recreation activities would be similar to operational activities shown in Table 4-1, which are negligible.

Table 4-1 summarizes the modeled maximum project-generated, operational emissions of criteria air pollutants and ozone precursors under project operations in 2011. As summarized in Table 4-1, project operations during 2011 would result in daily unmitigated emissions of approximately 0.2 tons per year (TPY) of ROG, 1.1 TPY of NO<sub>X</sub>, 0.4 TPY of PM<sub>10</sub>, and 0.2 TPY of PM<sub>2.5</sub>.

Table 4-1.Summary of Modeled Emissions of Criteria Air Pollutants and PrecursorsGenerated by Project Operations

Source	Emissions (TPY)			
2011	ROG NO <sub>X</sub> PM <sub>10</sub>			PM <sub>2.5</sub>
Vegetation surveys	0.00	0.00	0.00	0.00
Vegetation removal	0.16	1.13	0.42	0.15
Total	0.16	1.13	0.42	0.15
SJVAPCD significance threshold	10 TPY	10 TPY	<b></b> <sup>1</sup>	<b></b> <sup>1</sup>

Notes:

SJVAPCD does not have an adopted threshold for  $PM_{10}$  and  $PM_{2.5}$ .

Refer to Appendix G, Attachment 5, for detailed assumptions and modeling output files. Key:

 $NO_X = oxides of nitrogen$ 

 $PM_{10}$  = respirable particulate matter with an aerodynamic diameter of 10 micrometers or less  $PM_{2.5}$  = fine particulate matter with an aerodynamic diameter of 2.5 micrometers or less ROG = reactive organic gases

SJVAPCD = San Joaquin Valley Air Pollution Control District

TPY = tons per year

Based on the modeling conducted, implementing the Proposed Action would result in no emissions of ROG and  $NO_x$  exceeding the 10 TPY threshold for ROG and  $NO_x$  recommended by SJVAPCD. Implementing the Proposed Action would generate no substantial operational emissions (e.g., would not exceed SJVAPCD's CEQA significance emissions thresholds), and there would be no permanent stationary or mobile emission sources.

Although the Proposed Action emissions would not exceed SJVAPCD thresholds, ground-clearing activities using large mechanical equipment for vegetation removal could result in emissions of  $PM_{10}$  and  $PM_{2.5}$  and, thus, these activities would be subject to SJVAPCD Regulation VIII: Fugitive  $PM_{10}$  Prohibitions. Because the Proposed Action includes implementing measures necessary to comply with SJVAPCD Regulation VIII: Fugitive  $PM_{10}$  Prohibitional emissions would not conflict with or obstruct implementation of an applicable air quality plan, violate an air quality standard, contribute substantially to an existing or projected air quality violation, or result in a cumulatively considerable net increase of any criteria pollutant for which the Proposed Action region is nonattainment under an applicable Federal or State ambient air quality standard. These impacts would be **less than significant**.

Impacts resulting from the Proposed Action would be greater than those resulting from the No-Action Alternative because under the No-Action Alternative, no nonnative plant management activities or no direct or indirect construction would occur. Conflicts with or obstruction of implementation of the applicable air quality plan would not occur. Moreover, implementing the No-Action Alternative would not violate any air quality standard or contribute substantially to an existing or projected air quality violation, nor would it result in a cumulatively considerable net increase of any criteria pollutant. Because it would not result in any emissions, the No-Action Alternative would not expose sensitive receptors to substantial pollutant concentrations or create objectionable odors. The No-Action Alternative would have no air quality impacts.

#### Global Climate Change

Operations of the Proposed Action would result in negligible regional emissions of GHGs from mobile sources. Implementation of the Proposed Action would not result in construction-, area-, or stationary-source GHG emissions. GHG emissions generated by the Proposed Action would predominantly be in the form of  $CO_2$  from mobile sources. Although emissions of other GHGs, such as  $CH_4$  and  $N_2O$ , are important with respect to global climate change, the emission levels of these GHGs for the sources associated with Proposed Action operations are relatively small compared with  $CO_2$  emissions, even considering their higher global warming potential. Therefore, all GHG emissions are reported as  $CO_2$ . Emission factors and calculation methods for estimating GHG emissions have not been formally adopted for use by the State, SJVAPCD, or any other air district.

Mobile-source GHG emissions would be generated by vehicle trips for vegetation surveys and removal, and minor recreation increases during WY 2010. CO<sub>2</sub> emissions generated by operation of the Proposed Action were calculated using URBEMIS 2007, with the same assumptions used for mobile-source criteria air pollutants above. Table 4-2 presents annual operational GHG emissions associated with the Proposed Action.

As shown in Table 4-2, estimated annual GHG emissions associated with the entire Proposed Action would be approximately 532 metric tons of CO<sub>2</sub>. Absent any air-qualityregulatory-agency-adopted threshold for GHG emissions, it is notable that the Proposed Action would generate substantially fewer emissions than 25,000 MT CO<sub>2</sub>/yr, which is the threshold established by AB 32 for mandatory reporting to the ARB. This information is presented for informational purposes only, and it is not the intention of the Proposed Action to adopt 25,000, 10,000, or 7,000 MT CO<sub>2</sub>/yr as a numeric threshold. Rather, the intention is to put project-generated GHG emissions in the appropriate statewide context to evaluate whether the Proposed Action's contribution to the global impact of climate change is considered substantial. This approach is consistent with proposed CEQA guideline amendments for GHGs currently under consideration by the California Office of Planning and Research (2009). Because operation-related emissions would be temporary and finite and below the minimum standard for reporting requirements under AB 32, the Proposed Action's GHG emissions would not be a considerable contribution to the cumulative global impact. Therefore, the impact would be **less than significant**.

Because no emissions would be generated under the No-Action Alternative, implementing the alternative would not contribute to global climate change. The contribution of the Proposed Action to the cumulative impact of global climate change therefore would be greater than the contribution of the No-Action Alternative.

 Table 4-2.

 Summary of Modeled Operation-Generated Emissions of Greenhouse Gases

Source	Total Mass CO <sub>2</sub> Emissions (metric tons)
Vegetation surveys (2011) <sup>1</sup>	0.8
Vegetation removal (2011)	119.7
Total operational emissions (2011-2013) <sup>2</sup>	482.6

Notes:

Direct operational emissions (i.e., mobile sources) were modeled using the URBEMIS 2007 computer model, based on trip generation rates obtained from the traffic analysis, as well as the assumptions and input parameters used to estimate criteria air pollutant emissions. Mobile-source emissions assume one trip per month. URBEMIS also does not estimate GHG emissions other than CO<sub>2</sub>, such as CH<sub>4</sub> or NO<sub>2</sub>, because the emission levels of these pollutants are expected to be nominal in comparison to the estimated CO<sub>2</sub> levels despite their higher global warming potential.

<sup>1</sup> Emissions represented here are for 3 months of surveys. Modeling output is for 12 months of surveys.

<sup>2</sup> Total operational emissions include 3 years of vegetation removal and 1 year of vegetation surveys. See Appendix G for detailed model input, assumptions, and threshold calculations. Key:

 $CO_2$  = carbon dioxide

#### d) Expose sensitive receptors to substantial pollutant concentrations?

The nearest sensitive receptors in the vicinity of the Proposed Action would be any residences, churches, schools, hospitals, and parks within 500 feet of the Restoration Area and the San Joaquin River downstream from the Merced River confluence to the Delta. As discussed in item a) above, implementing the Proposed Action or the No-Action Alternative would result in negligible emissions of criteria air pollutants and precursors. Thus, emissions of criteria air pollutants and precursors generated by the Proposed Action or the No-Action Alternative would not expose sensitive receptors to substantial criteria pollutant concentrations.

# *Operational, Local, Mobile-Source Emissions of Carbon Monoxide Generated by Project Operations*

Concentrations of CO are a direct result of motor vehicle activity (e.g., idling time, traffic flow conditions), particularly during peak commute hours, and meteorological conditions. Under specific meteorological conditions (e.g., stable conditions that result in poor dispersion), CO concentrations may reach unhealthy levels with respect to local sensitive land uses, such as residential areas, schools, and hospitals.

Because increased CO concentrations usually are associated with roadways that are congested and have heavy traffic volumes, the *Transportation Project-Level Carbon Monoxide Protocol* (Garza et al. 1997) states that signalized intersections at level of service E or F represent a potential for a CO violation, also known as a "hot spot." Intersections controlled by stop signs do not have high enough traffic volumes to result in violations of the ambient air quality standards (AAQS); therefore, CO modeling is not recommended (Garza et al. 1997).

Project-generated traffic would consist of eight trips per day total across the Restoration Area. This level of activity would not result in the congestion of any roadway or intersection. Because no roadway or intersection would be affected by the Proposed Action, no violation of AAQS would occur and no CO "hot spots" would be created. Thus, project-generated activities would not expose sensitive receptors to substantial CO concentrations.

#### Toxic Air Contaminant Emissions

Vegetation-removal activities would generate diesel exhaust emissions from the use of off-road diesel equipment required for removal of various invasive plants and from motor vehicles required for survey and work crews. Particulate exhaust emissions from diesel PM were identified as a toxic air contaminant by ARB in 1998. The dose to which the receptors are exposed (a function of concentration and duration of exposure) is the primary factor used to determine health risk (i.e., potential exposure to toxic air contaminant emission levels that exceed applicable standards). According to the California Office of Environmental Health Hazard Assessment, health risk assessments, which determine the exposure of sensitive receptors to toxic air contaminant emissions, should be based on a 70-year exposure period; however, such assessments should be limited to the period/duration of activities associated with the Proposed Action (Salinas, pers. comm., 2004).

The possible sensitive receptor exposure period for the Proposed Action is short (less than 3 years), and mobile equipment would not operate near any sensitive receptor for more than a few days. SJVAPCD does not have any current guidance on toxic air contaminant emissions from mobile equipment or a threshold of significance for exposure to emissions of diesel exhaust. In addition, diesel PM is highly dispersive, and studies have shown that measured concentrations of vehicle-related pollutants, including ultra-fine particles, decrease dramatically within approximately 300 feet of the source (Zhu et al. 2002, ARB 2005). Thus, because the use of mobilized equipment would be temporary, in combination with the dispersive properties of diesel PM, construction-

related toxic air contaminant emissions would not be anticipated to expose sensitive receptors to substantial pollutant concentrations (10 chances per million, or greater than a hazard index of 1.0).

Mobile sources associated with the Proposed Action would include motor vehicle trips required for survey and work crews and diverted recreation trips. According to the ARB *Air Quality and Land Use Handbook*, projects should avoid siting new sensitive land uses within 500 feet of a freeway, urban roads with 100,000 vehicle trips per day, and rural roads with 50,000 vehicle trips per day (2005). Because implementing the Proposed Action would not create motor vehicle numbers of this magnitude, toxic air contaminant levels emitted as a result of Proposed Action implementation would result in negligible amounts of pollutant concentrations.

Based on this analysis of criteria air pollutant and precursor emissions, local mobilesource emissions of CO-generated by Proposed Action operations, and toxic air contaminant emissions, implementing the Proposed Action would not expose people to substantial pollutant concentrations. The impact would be **less than** significant and greater than under the No-Action Alternative because the No-Action Alternative would have no emissions.

#### e) Create objectionable odors affecting a substantial number of people?

No construction, stationary, or mobile sources of odor would exist under implementation of the Proposed Action that would affect a substantial number of people. Implementing the Proposed Action would result in diesel PM from vegetation-removal activities. The diesel PM would be intermittent and temporary and would dissipate rapidly from the source with an increase in distance. The evaporation of water in the San Joaquin River channel might create anaerobic odors related to decaying organic material. However, these odors would be temporary and intermittent, and these types of odors already occur annually as a result of low water levels typical throughout the Restoration Area. No other existing odor sources that could be affected are located in the project vicinity, and the Proposed Action would not include the operation of any new sources. Thus, implementation of the Proposed Action would not create, exacerbate, or change existing objectionable odors that would affect a substantial number of people. As a result, this impact would be less than significant. Because the No-Action Alternative would not involve any activities that could result in the creation of objectionable odors, odor impacts resulting from the Proposed Action would be greater than under the No-Action Alternative.

## 4.5 Biological Resources – Terrestrial Species

	Environmental Issues	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
	IV. Biologica	al Resources.	Would the proje	ct:	
a)	Have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special-status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Game or the U.S. Fish and Wildlife Service?				
b)	Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, or regulations or by the California Department of Fish and Game or the U.S. Fish and Wildlife Service?				
c)	Have a substantial adverse effect on federally protected wetlands as defined by Section 404 of the Clean Water Act (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means?				
d)	Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites?				
e)	Conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance?				
f)	Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan?				

a) Have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or specialstatus species in local or regional plans, policies, or regulations, or by the California Department of Fish and Game or the U.S. Fish and Wildlife Service?

The study area contains numerous special-status plant and animal species. Appendix H (Biological Resources) provides CNDDB database records (Attachment 1), a USFWS listing of special-status species that could occur in the study area (Attachment 2), and two tables that summarize information on the special-status plant and animal species known or with potential to occur in the Restoration Area (Attachment 3).

Special-status wildlife and plant species along the San Joaquin River and connected flood bypasses throughout the Restoration Area may be affected by loss or fragmentation of habitat; alteration of habitat conditions or resources; alteration of interactions with prey, pollinators, competitors, parasites, diseases, herbivores, and predators; disturbance, harm, or death from human activities; or alteration of natural processes that sustain habitats (e.g., river flow regimes).

By altering flow in the San Joaquin River and bypass system during WY 2010, the Proposed Action could potentially affect sensitive species in the Restoration Area, at least temporarily, by any of the impact mechanisms listed above. These potential effects are discussed separately for sensitive animal and plant species below and then summarized. However, habitat degradation or loss resulting from the spread of invasive plants is discussed in item b), below.

Although implementation of the Proposed Action would also alter flows outside the Restoration Area, these alterations would not substantially affect sensitive wildlife or plant species. These flow alterations would cause effects similar to those caused by flow alteration in the Restoration Area, but the effects would be much smaller. Effects along the San Joaquin River downstream from the confluence with the Merced River and in the Delta would be smaller than in the Restoration Area because releases from Friant Dam account for a smaller fraction of total flow downstream from the confluence with the Merced River. Also, the portion of total flow that WY 2010 Interim Flows account for further diminishes with increasing distance downstream as tributaries cumulatively add to the San Joaquin River's flow. These increased flows would largely be confined within existing channels, would not increase flood flows, would be within the range of historical flows, and would have a timing similar to historical flows. Releases from major reservoirs on the main tributaries to the San Joaquin River (e.g., Merced, Tuolumne, and Stanislaus rivers) are made in response to multiple operational objectives, including flood management, downstream diversions, instream fisheries flows, instream water quality flows, and releases to meet water quality and flow objectives at Vernalis (i.e., VAMP requirements). Thus, only small alterations to these flows would result from the Proposed Action and would be insufficient to affect vegetation and wildlife. At the Delta, conditions are also determined by the Sacramento River, water diversions, and tidal action. Thus, implementation of the Proposed Action is not anticipated to alter total flows to the Delta sufficiently to cause a measureable effect on sensitive wildlife or plant

species. Therefore, effects on sensitive wildlife and plant species downstream from the confluence with the Merced River would be **less than significant** and are not discussed further.

#### Special-Status Animal Species

Effects of the Proposed Action on the various sensitive animal species found in the Restoration Area are discussed below, including the following:

- Listed vernal pool invertebrates
- Valley elderberry longhorn beetle
- Special-status amphibians
- Special-status reptiles
- Special-status birds
- Special-status mammals

**Listed Vernal Pool Invertebrates.** Four Federally listed vernal pool invertebrate species and their designated critical habitat are known to occur in the Restoration Area:

- Conservancy fairy shrimp, Federally listed as endangered
- Longhorn fairy shrimp, Federally listed as endangered
- Vernal pool fairy shrimp, Federally listed as threatened
- Vernal pool tadpole shrimp, Federally listed as endangered

These vernal pool invertebrates may be present in suitable vernal pools and seasonal wetlands in the Restoration Area. As previously described, flows would largely be confined within the existing channels, would not increase flood flows, would be within the range of historical flows, and would have a timing similar to historical flows. Therefore, increased flows under the Proposed Action would not inundate vernal pools. WY 2010 Interim Flows would be incrementally increased, which would prevent substantial potential effects of shallow subsurface water on adjacent, nonriparian land, including vernal pools and other seasonal wetlands. Therefore, the effects of WY 2010 Interim Flows on vernal pool invertebrates and designated critical habitat would be **less than significant**.

**Valley Elderberry Longhorn Beetle.** Blue elderberry shrubs, the host plant for valley elderberry longhorn beetle larvae, are abundant in Reaches 1 and 2 and are sparsely distributed in or absent from Reaches 3, 4, and 5, based on kayak, ground, and aerial surveys conducted in 2004 and 2005 (ESRP 2006). Approximately 410 elderberry shrubs were mapped in Reaches 1 and 2. In Reaches 3, 4, and 5, three elderberry shrubs were observed from the air but could not be located during kayak or ground surveys. Elderberry shrubs may be found in other areas than reported in previous studies, as current surveys for the SJRRP were not comprehensive, and elderberry shrubs can colonize new areas quickly. The impact analysis below does not solely rely on the 2004 and 2005 data to determine level of significance. Exit holes made by valley elderberry longhorn beetle larvae as they leave the host plant during metamorphosis to the adult stage were found in few shrubs throughout the Restoration Area; less than 1 percent of stems observed had exit holes (ESRP 2006). Although valley elderberry longhorn beetle

may be rare in the Restoration Area, elderberry shrubs provide potentially suitable habitat throughout the Restoration Area, especially in Reaches 1 and 2. Elderberry shrubs grow rapidly and may occur in additional areas that have not been surveyed or may have grown in areas since the surveys were conducted. In addition, valley elderberry longhorn beetle could occur in more shrubs, as the exit-hole surveys were not comprehensive and results may be outdated.

In the Restoration Area, elderberry shrubs typically are located on the higher portions of levees and streambanks, which are not subject to inundation or scouring. During vegetation surveys of the Restoration Area, elderberry shrubs have been documented in Reach 1A in riparian forest along the lower portions of bluffs above the river and in several patches of elderberry savanna that are at higher elevations along Reaches 1 and 2 (DWR 2002). In a survey of Reach 2 in 2003, most elderberry shrubs were in uplands adjacent to the river channel; however, some shrubs were growing along the channel, which in this reach is typically dry under existing conditions (ESRP 2004).

Elderberry shrubs at most locations are not anticipated to be inundated by WY 2010 Interim Flows. A few elderberry shrubs in Reach 2 that are growing along the river channel may be partially inundated during a period in spring (up to an estimated maximum nonflood flow of between 1,370 and 1,470 cfs). The period of these higher estimated maximum nonflood flows would be from mid-March through June, which corresponds to the natural hydrograph of rivers receiving snowmelt from the Sierra Nevada. Elderberry shrubs in Reach 2 are currently subject to temporary flood flows that occur every 2 to 5 years under existing conditions. Elderberry is a riparian species that can withstand periodic inundation, and the WY 2010 Interim Flows are not likely to result in loss of elderberry shrubs or any resident beetles. Release of WY 2010 Interim Flows would increase the amount of water in the river channel, and for elderberry shrubs at higher elevations on the streambanks and the adjacent lowermost terraces, an increase in water available to elderberry roots may stimulate growth of elderberry shrubs and ultimately have a beneficial effect on habitat for this species. These effects would be **less than significant**.

**Special-Status Amphibians.** California red-legged frog, Federally listed as threatened and a California species of special concern, is unlikely to occur in the Restoration Area, because the area lacks suitable breeding habitat and because the species is presumed extirpated from the San Joaquin Valley region. There would be **no impact**.

California tiger salamander, Federally listed as threatened and a California candidate species, and western spadefoot toad, a California species of special concern, require the relatively calm waters of vernal pools, ponds, or seasonal wetlands for breeding and larval maturation. When they are not breeding, these species spend most of their life cycle in upland habitats using underground burrows for refuge. Critical habitat for California tiger salamander has been designated in and adjacent to Reach 1A. Although breeding habitats of these species are located adjacent to the Restoration Area, California tiger salamander would not be affected along any reach by the release of WY 2010 Interim Flows.

These amphibians are not expected to breed in the river channel. Water from the flow releases would be restricted to the river channel, which is characterized by open water, woody riparian vegetation, tules and cattails, or riverwash. If substantial effects resulting from changes in shallow, subsurface water in areas adjacent to the river are observed, flows would be reduced and/or diverted. Potential management actions to reduce or divert flows are described in Appendix D. Also, because the Proposed Action would avoid inundation of vernal pools in the Eastside Bypass, these vernal pools would not be inundated under the Proposed Action. The Proposed Action also would not affect the primary constituent elements of critical habitat for California tiger salamander. These effects would be **less than significant**.

**Special-Status Reptiles.** Aquatic reptiles, including giant garter snake, Federally listed and State-listed as threatened, and western pond turtle, a California species of special concern, are known to occur in suitable habitat in the San Luis NWR Complex, in the Mendota WA, and at the Mendota Pool. These reptiles are expected to occur in suitable habitat in other locations in the Restoration Area and may occur in the portions of the river channel that would be inundated by the release of WY 2010 Interim Flows. These species require aquatic habitat for breeding and foraging during spring and summer. Therefore, the presence of additional flows during these seasons, as well as in winter, would have a beneficial effect on these species. Although water velocities would increase in Mendota Pool between the San Joaquin River and Mendota Dam, velocity would not be substantially altered because, although hydraulically connected, most of the pool lies outside of the WY 2010 Interim Flow route. Velocities within the pool's backwater on the San Joaquin River would not increase substantially because of the pool's width. Impacts on upland habitats that these species use for refuge (giant garter snake) and nesting (western pond turtle) are not expected under the Proposed Action because flows generally would be restricted to the river channel and immediately adjacent, lower floodplain surfaces, and would not inundate a substantial amount of available upland habitat. If substantial effects resulting from changes in shallow, subsurface water in areas adjacent to the river are observed, flows would be reduced and/or diverted. Potential management actions to reduce or divert flows are described in Appendix D.

The coast horned lizard and San Joaquin whipsnake, both California species of special concern, occur in a variety of open vegetation types, including grassland, oak savanna, scrub, and woodlands. These species use small-mammal burrows for refuge and for hibernating during winter. There are no documented occurrences of either species in the Restoration Area, although they do have potential to be present based on the presence of suitable grassland and scrub habitats. Suitable upland habitats that may contain rodent burrows occupied by these species are located in the Restoration Area, but they would not be affected along any reach by the release of WY 2010 Interim Flows. Water from the flow releases generally would be restricted to the river channel and immediately adjacent, lower floodplain surfaces, and would not inundate a substantial amount of available upland habitat (DWR in preparation). These areas are seasonally inundated or periodically inundated by flood flows (every 2 to 5 years) in winter or spring and early summer (Jones and Stokes 2002, McBain and Trush 2002, DWR in preparation) and are

characterized by woody riparian vegetation, emergent marsh, riverwash, and open water. Therefore, these species are not expected to be hibernating in areas that would be inundated during winter flow releases. This effect would be **less than significant**.

Silvery legless lizard, a California species of special concern, is known to occur in suitable habitat in the San Luis NWR and near the confluence with the Chowchilla Bypass. This species has a narrow range and limited dispersal capability. It occurs in upland habitats characterized by sandy soils and vegetation that produces leaf litter. It is not expected to occur in habitats that experience seasonal or periodic inundations. At present, all reaches that would receive WY 2010 Interim Flows are seasonally inundated, with the exception of Reaches 2A and 2B and portions of the Eastside Bypass. However, these reaches have been inundated periodically (every 2 to 5 years) by flood flows. It is not likely that silvery legless lizards occur in areas that would be inundated by WY 2010 Interim Flows. They also are not expected to disperse into areas that could be inundated during WY 2010 Interim Flows because their movements typically occur within a narrow home range and primarily consist of burrowing into sandy soils, infrequently emerging above the surface. There would be **no impact**.

BNLL, Federally listed and State listed as endangered, is a fully protected species under the California Fish and Game Code. BNLLs are found in areas with sandy soils and scattered vegetation and usually are absent from thickly vegetated habitats. They would be most likely to use alkali scrub habitat with sandy soils, rodent burrows, and sparse vegetation adjacent to portions of the Restoration Area. BNLLs use small rodent burrows for shelter, predator avoidance, and behavioral thermoregulation. Breeding activity of the species generally begins within a month after emergence from dormancy, usually the end of April, and continues through the beginning of June and occasionally to the end of June. Young hatch through August.

At present, all reaches that would receive WY 2010 Interim Flows are seasonally inundated, with the exception of Reaches 2A and 2B and portions of the Eastside Bypass, which are periodically inundated by flood flows and local runoff. The portions of Reaches 2A and 2B that could be inundated by WY 2010 Interim Flows are characterized by sandy riverwash and gravelly substrate. Habitat conditions in these areas are not highly suitable, and the presence of BNLL is unlikely because of regular inundation of this area from seasonal flood flows.

There is potential for the BNLL to occur in the vicinity of the Eastside Bypass, and to occur in portions of the Eastside Bypass that may be inundated by WY 2010 Interim Flows if suitable habitats are present nearby. If present, some individuals might not be able to escape rising flow waters that could ramp up during spring. As described in Section 2 of this EA/IS, surveys to identify habitat and species presence were conducted between April 15 and July 15, 2009 when the species is most active. Additional surveys were conducted between August 1 and September 15, 2009 when hatchlings and subadults are most commonly observed. Survey results did not document the presence of BNLL in areas that would likely be inundated by WY 2010 Interim Flows. Survey results are being reviewed to identify the potential presence of suitable BNLL habitat that was not surveyed. If the survey results suggest that no areas in the Eastside Bypass surveyed

may contain suitable habitat for BNLL that would likely be inundated by WY 2010 Interim Flows, then WY 2010 Interim Flows would be reduced to not inundate these areas. This effect would be **less than significant**.

**Special-Status Birds.** Several raptors and other sensitive bird species have the potential or are known to occur in the Restoration Area (Appendix H, Attachment 3).

Many special-status birds occurring in the Restoration Area build nests in large trees or shrubs that would be well above the waterline under the Proposed Action during the breeding season (approximately February through August). Some special-status species, such as the least bittern, redhead, yellow-headed blackbird, tricolored blackbird, and white-faced ibis, nest closer to the ground in emergent marsh vegetation such as that present in portions of the river channel. Other California species of special concern listed in Appendix H, Attachment 3, nest directly on the ground in open areas (horned larks and western burrowing owls) or in areas surrounded by tall grasslands, crops, or wetland vegetation (short-eared owl and northern harrier).

The Proposed Action could progressively increase nonflood flows from February, March, April, and May throughout the Restoration Area. There is potential for increased flows to inundate nest sites of ground and low vegetation nesters if they are established before releases. This would result in nest abandonment and the loss of any viable eggs or chicks that have not yet fledged. Existing habitat types in these channel reaches have some potential to support these species; however, these areas already experience periodic flood flows during spring, and WY 2010 Interim Flows would generally be at nearly their highest levels by March 16 (see Table 2-2), before the nesting season of most birds, such as migratory passerines like the least Bell's vireo. Least Bell's vireos would migrate into the Restoration Area or downstream along the San Joaquin River sometime in April and would naturally construct their nests above the Interim Flow levels. Furthermore, the incidence of nests established below the WY 2010 Interim Flow levels during the breeding season is expected to be low given the prevalence of surrounding habitats that are suitable. Burrowing owls and other ground-nesting birds are not expected to nest within the low-flow channel, which is subject to regular or periodic inundation from seasonal flood flows. These effects would be less than significant.

**Special-Status Mammals.** The following special-status mammal species in the Restoration Area have the potential to be affected by the Proposed Action:

- Several special-status bats
- San Joaquin kit fox
- American badger
- Riparian brush rabbit
- San Joaquin Valley woodrat
- Ringtail
- Fresno kangaroo rat
- Nelson's antelope squirrel
- San Joaquin pocket mouse

Several special-status bat species have the potential or are known to occur in the Restoration Area (Appendix H, Attachment 3). Implementing the Proposed Action would not inundate portions of any structures that provide suitable thermal protection for roosting or hibernating bats, such as bridges or buildings. Bat species occurring in the Restoration Area may roost in large trees or shrubs that would be well above the waterline under the Proposed Action. Thus, the release of WY 2010 Interim Flows would have no impact on individual bats or their roost sites. However, there would be an increase in seasonally available foraging habitat for species that feed on insects that congregate over open water. The effect would be beneficial. San Joaquin kit fox, Federally listed as endangered and State-listed as threatened, and American badger, a California species of special concern, are large mammals that occupy grassland and scrub habitats in the Restoration Area. The San Joaquin kit fox recovery area overlaps with portions of the Restoration Area. These mammals create burrows for denning and refuge. Although occupied dens may be located near the river corridor, they would not be affected along any reach by the release of WY 2010 Interim Flows. Water from the flow releases would be restricted to the channel and adjacent lower floodplain surfaces, which are characterized by open water, riverwash, emergent wetland, and riparian scrub and forest. These habitats are not suitable for denning, although San Joaquin kit fox and American badger may forage and disperse through the river corridor or the Eastside Bypass. Implementing the Proposed Action would not affect the ability of these species to carry out these activities, because these species are mobile and wide ranging and often use road crossings and culverts to traverse aquatic features. They prey on a wide variety of terrestrial animals, and foraging habitat would remain plentiful along the river corridor, Eastside Bypass, and adjacent habitats. This effect would be less than significant.

The riparian brush rabbit, Federally and State-listed as endangered, has very limited distribution. Recent captive breeding and recovery efforts have included establishing one population in 2002 in restored habitat on the San Joaquin River refuge and releasing another small population in 2005 on private lands adjacent to the San Joaquin River NWR, west of Modesto. Other known populations are in Caswell Memorial State Park near Ripon, and in Paradise Cut and along the San Joaquin River west of Manteca. Riparian brush rabbits are not expected to occur upstream from the confluence with the Merced River. Because WY 2010 Interim Flows would have a very minimal effect on riparian habitats downstream of the Merced River (see discussion above), there would be **no impact**.

The San Joaquin Valley woodrat, Federally listed as endangered and a California species of special concern, and ringtail, a fully protected species under the California Fish and Game Code, have not been documented in the Restoration Area or its vicinity. San Joaquin Valley woodrat builds stick houses in dense riparian vegetation at the base of trees or in tree cavities and canopies. Ringtails are found in brushy and wooded areas in foothill areas, especially along water courses, and typically make dens in hollow trees. Although the range of ringtail in California excludes most of the San Joaquin Valley, the distribution of the species is not well documented and could include portions of the Restoration Area, especially the foothill portion of Reach 1. Potentially suitable habitat for San Joaquin Valley woodrat is present in riparian vegetation that could be inundated

by WY 2010 Interim Flows. However, because the only verified extant population of San Joaquin Valley woodrat is located on the Stanislaus River at Caswell Memorial State Park, which is outside the Restoration Area, implementing the Proposed Action is not expected to affect this species. Although some habitat in Reach 1 for ringtail may be affected by WY 2010 Interim Flows, ringtail dens are not expected to be inundated if they were present in the Restoration Area because they are unlikely to den in the low-flow channel, which is subject to periodic inundation due to seasonal flood flows; therefore, impacts on ringtail are expected to be **less than significant**.

Fresno kangaroo rat (Federally listed and State-listed as endangered), Nelson's antelope ground squirrel (State-listed as threatened), and San Joaquin pocket mouse (tracked in the CNDDB) are all small burrowing mammals that have been reported in the vicinity of the Restoration Area. These species inhabit grassland and scrub habitats. They generally do not occupy riparian areas, although they may disperse through dry river washes. These species tend to have small home ranges and are not expected to regularly disperse across the river channel. Suitable upland habitats and occupied burrows may be located adjacent to the Restoration Area; however, these species would not be affected along any reach or bypass because the WY 2010 Interim Flows would be restricted to the river channel and lower floodplain surfaces.

Critical habitat designated for the Fresno kangaroo rat is located approximately 1.75 miles southeast of Reaches 2A and 2B; however, this species is considered by some to be extirpated along the San Joaquin River because of repeated negative findings during survey efforts since 1993 (DFG 2005). Nelson's antelope ground squirrel has not been documented in the vicinity of the Restoration Area since the early 1900s. Therefore, these species are not expected to be present in the river channel during the WY 2010 Interim Flows, and implementing the Proposed Action would have **no impact** on the Fresno kangaroo rat or Nelson's antelope squirrel.

The San Joaquin pocket mouse has been recorded in Reach 3 of the Restoration Area. Habitats that could be inundated by WY 2010 Interim Flows are of low quality for this species, which prefers friable soils for easy burrowing and grassy vegetation for forage. It is unlikely that this species is present in the river bed banks or lower floodplain surfaces. The effect would be **less than significant**.

#### Special Status Plant Species

Seven Federally listed or State-listed plant species are known from or could occur in the Restoration Area (Appendix H, Attachment 3). These species would not be affected by WY 2010 Interim Flows. Five of these are species occurring in vernal pool habitats: succulent owl's-clover, Bogg's Lake hedge-hyssop, Colusa grass, San Joaquin Valley Orcutt grass, and hairy Orcutt grass. Vernal pools are located on terraces above Reach 1A; however, these locations would not be inundated by WY 2010 Interim Flows. In the Eastside Bypass downstream from the Mariposa Bypass, vernal pools may be present in areas that could be inundated by WY 2010 Interim Flows; however, as previously described, inundation of vernal pools would be avoided under the Proposed Action. Because vernal pool habitats would not be inundated under the Proposed Action, the five

Federally listed or State-listed vernal pool species would not be affected. Thus, there would be **no impact**.

Two Federally listed or State-listed species that are known from or could occur in the Restoration Area are not associated with vernal pools: palmate-bracted bird's-beak and Delta button-celery. Palmate-bracted bird's-beak is a species of scrub that has been documented in the vicinity of Reach 3. This species is unlikely to be present on alluvial soils in areas that are seasonally inundated or periodically inundated by flood flows along the San Joaquin River. However, potentially suitable habitat may be present along the Eastside Bypass. Because alkali sink habitats would be avoided, as would most or all upland habitat adjacent to alkali sinks, effects on pollinators of palmate-bracted bird'sbeak (and of other plant species) would likely not be substantial and, thus, not sufficient to cause a substantial effect on palmate-bracted bird's-beak. The Proposed Action includes measures to avoid inundation of potential habitat for palmate-bracted bird'sbeak along the Eastside Bypass. When flows are greater than 475 cfs, a daily evaluation would be made of all information available, including recent groundwater levels, visual assessments made during levee patrols, flow and stage levels within the river channel, and landowner feedback. If effects from changes in shallow subsurface water in areas adjacent to the river and bypass channels are observed, flows would be reduced and/or diverted. Potential management actions to reduce or divert flows are described in Appendix D. Therefore, palmate-bracted bird's-beak would not be affected by WY 2010 Interim Flows. Thus, there would be no impact.

Delta button-celery occurs in periodically inundated, sparsely vegetated depressions in floodplains and has been documented along the Eastside Bypass (Appendix H, Attachment 1). Therefore, the habitat and populations of Delta-button celery could benefit from WY 2010 Interim Flows. However, the growth, reproduction, or survival of some individuals may be adversely affected by the extent of inundation during WY 2010 Interim Flows. Because of this uncertainty, to avoid any adverse effects on this species, the Proposed Action includes measures to avoid inundation of occupied floodplain habitat along the Eastside Bypass (as described in Section 2.2.3, "Additional Implementation Considerations"). Therefore, the Proposed Action would cause no adverse impacts on Delta button-celery. There would be **no impact**.

An additional 23 special-status plant species that are not Federally listed or State-listed are known from or could occur in the Restoration Area (Appendix H, Attachment 3). These species would not be substantially adversely affected by WY 2010 Interim Flows. Of special-status plants that are not Federally listed or State-listed, seven are species that occur primarily in vernal pool landscapes: alkali milk-vetch, vernal pool smallscale, Hoover's spurge, dwarf downingia, spiny-sepaled button-celery, little mousetail, and prostrate navarretia. As previously described, a minimization commitment to avoid inundation of vernal pool habitats has been incorporated into the Proposed Action; thus, these species would not be adversely affected. There would be **no impact**.

Of the special-status plant species that are not Federally listed or State-listed, six are species that occur primarily in alkaline scrub, grassland, and sink landscapes: heartscale, brittlescale, San Joaquin spearscale, lesser saltscale, Lost Hills crownscale, and hispid

bird's-beak. These species are unlikely to be present on alluvial soils in areas that are seasonally inundated or periodically inundated by flood flows along the San Joaquin River. However, potentially suitable habitat for these species may be present along the Eastside Bypass. The minimization commitment to avoid inundation of potential habitat for palmate-bracted bird's-beak also would avoid habitat for these species. Therefore, these species are unlikely to be adversely affected by WY 2010 Interim Flows.

Five of the special-status species that are not Federally listed or State-listed are species of upland, annual grassland landscapes: subtle orache, recurved larkspur, round-leaved filaree, Munz's tidy-tips, and caper-fruited tropidocarpum. Potential habitat for these species may be inundated by the Proposed Action, particularly along Reaches 1 and 2 during spring and early summer flows. However, at any one location along the river, only a small portion of the upland grassland would potentially be inundated. These would also be areas that already experience periodic inundation by flood flows; thus, species in these areas have some ability to tolerate or recover from flood flows or reestablish from adjacent uplands. For these reasons, and because WY 2010 Interim Flows would affect only a single growing season, these species would not be substantially affected. These impacts would be **less than significant**.

Five of the special-status species that are not Federally listed or State-listed are species of riverine or marsh habitats or that could occur in riparian vegetation: four-angled spikerush, California satintail, slender-pondweed, Sanford's arrowhead, and Wright's trichocoronis. Sanford's arrowhead is known from the Mendota Pool, but marsh and riparian habitat at the Mendota Pool and its backwater along Reach 2B would not experience a substantial change in inundation as a result of the Proposed Action. Elsewhere, WY 2010 Interim Flows would alter inundation of marsh and riparian habitats and thus could affect these five special-status species. As described below in items b) and c), riparian and marsh plants could experience temporary adverse and beneficial impacts, but these impacts would not be substantial. Therefore, these species would not be substantially affected by WY 2010 Interim Flows. These impacts would be **less than significant**.

Upstream from Friant Dam, WY 2010 Interim Flows could affect the elevation of the water surface of Millerton Lake. The elevation would remain within the historical range, but the annual reduction in water surface elevation would occur earlier in the year than under the No-Action Alternative. Three special-status plant species could be present at the shoreline of Millerton Lake: Bogg's Lake hedge-hyssop, Madera leptosiphon, and blue elderberry (host to the Federally listed valley elderberry longhorn beetle). WY 2010 Interim Flows would not cause a substantial impact on these species. Bogg's Lake hedge-hyssop may be growing at or in the zone that is seasonally inundated. It is a species of habitats with substantial interannual variation in inundation and hydrology; thus, this difference in timing of drawdown during a single year would not cause a substantial impact on this species. Madera leptosiphon and blue elderberry would grow in woodland and riparian vegetation above the immediate shoreline and thus would not be substantially affected. These impacts would be **less than significant**.

In summary, for special-status plants, impacts on Federally listed or State-listed species would be avoided, and impacts on other special-status plants would be unlikely to occur, would be avoided, would not be substantial, or could be beneficial. These impacts would be **less than significant**.

#### Summary of Species Effects

In summary, implementing the Proposed Action would not have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special-status species in local or regional plans, policies, or regulations or by DFG or USFWS. The impact would be **less than significant**.

Implementing the No-Action Alternative also would not result in any substantial adverse effects, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special-status species in local or regional plans, policies, or regulations by DFG or USFWS. Most adverse and beneficial effects on these species that were described for the Proposed Action would either not occur or be less under the No-Action Alternative than under the Proposed Action.

Under the No-Action Alternative, existing habitats and use of the Restoration Area by sensitive species would remain comparable to existing conditions. Implementing the No-Action Alternative would not substantially eliminate or fragment habitat along the San Joaquin River or in the bypass system. It also would not substantially alter ecologically important interactions with other organisms. Implementing the No-Action Alternative would not substantially alter habitat conditions, including the existing regime of hydrologic conditions, and the associated scour and sediment deposition. There would be no impact under the No-Action Alternative.

#### b) Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, or regulations or by the California Department of Fish and Game or the U.S. Fish and Wildlife Service?

Riparian habitat and other sensitive natural communities found in the Restoration Area could be adversely affected by loss or fragmentation, placement of fill, human-caused disturbances that remove vegetation (e.g., levee maintenance activities), introduction and spread of invasive nonnative species, alterations to surface water or groundwater hydrology, and alterations to geomorphic processes that scour and deposit sediment. Potential effects by these mechanisms are described below.

Implementing the Proposed Action would not convert riparian habitat or other sensitive natural communities to other vegetation types or to agricultural or developed land uses, and it would not fragment, fill, or remove native vegetation from riparian habitats or other sensitive natural communities. Implementing the WY 2010 Interim Flows, however, would provide additional habitat values and could provide additional riparian habitat along the San Joaquin River from Friant Dam downstream throughout the affected portions of the Restoration Area. In these areas, implementing the Proposed Action could cause inundation and/or raise groundwater levels and scour and deposit sediment for

several months during WY 2010. These alterations could both adversely and beneficially affect riparian vegetation, depending on species and site-specific hydrologic changes; however, effects would not be substantial and would be temporary.

Upstream from Friant Dam, WY 2010 Interim Flows could affect the elevation of the water surface of Millerton Lake. The elevation would remain within the historical range, but the annual reduction in water surface elevation could occur earlier in the year than under the No-Action Alternative. This difference during a single year would not be sufficient to cause a substantial effect on the growth or survival of riparian or wetland communities at the lake's shoreline. This impact would be **less than significant**.

Downstream from Friant Dam, WY 2010 Interim Flows could inundate areas that are seasonally inundated during winter or spring to early summer (March 16 through June 30) in most years, and areas that are not inundated by most seasonal flows but that are periodically inundated by flood flows (every 2 to 5 years) in winter or spring to early summer (Jones and Stokes 2002, McBain and Trush 2002).

Most potential effects of the WY 2010 Interim Flows would be comparable to those of the periodic flood flows that have occurred historically and would continue under both the Proposed Action and the No-Action Alternative, and many of these effects are beneficial, such as greater availability of water to support growth. The primary and most ecologically important difference from existing flood flows would be the duration and seasonality of inundation: WY 2010 Interim Flows could inundate some areas for much longer periods than would seasonal flows or flood flows, and WY 2010 Interim Flows also would occur in seasons when flood flows do not occur (i.e., summer and fall).

In some locations, for 1 or more months, WY 2010 Interim Flows could submerge most of the stems and leaves of riparian plants. Such submergence would occur primarily in the herbaceous layer of riparian forest, and in riparian and willow scrub, because of their shorter stature and proximity to the water surface during lower flows. WY 2010 Interim Flows could be sufficient to submerge such vegetation at some locations along Reaches 1 and 2A; the portion of Reach 2B upstream from the backwater of Mendota Pool; Reaches 3, 4A, and 5; and the Eastside and Mariposa bypasses. In portions of those areas, the water surface could be up to several feet higher from March 16 through June 30, 2010.

Where WY 2010 Interim Flows submerge the shoots and leaves of riparian plants for weeks or months during the growing season, the growth of submerged plants would be reduced, and some plant parts would be damaged. Upland species and more widely distributed species occurring in riparian communities (e.g., nonnative grasses) could be damaged or killed by prolonged inundation. However, riparian plants possess adaptations that reduce physiological stress and damage when partially or completely submerged (Braendle and Crawford 1999, Karrenberg et al. 2002, Kozlowskiet al. 1991). Also, the riparian and willow scrub vegetation that could be submerged is resistant to damage from prolonged inundation (Karrenberg et al. 2002, Vaghti and Greco 2007). Furthermore, this vegetation exists in locations that already experience scour and deposition of sediment

during periodic flood flows. Thus, extensive mortality of the trees, shrubs, and perennial forbs that dominate these communities is unlikely to result from prolonged inundation during a single growing season.

In many locations and times of year throughout the Restoration Area, WY 2010 Interim Flows could increase groundwater elevations in the root zones of riparian plants and possibly submerge some but not all of their aboveground parts. Where this hydration or partial submergence occurs during late spring to fall, plant growth for many species would increase because the growth of riparian plants is sensitive to water availability (Stillwater Sciences 2003). However, this beneficial effect would be limited to the single growing season affected by the WY 2010 Interim Flows.

The scour and deposition of sediment can damage riparian vegetation by abrasion or burial (Friedman and Auble 1999); however, substantial adverse effects are unlikely to result from sediment scour and deposition during the WY 2010 Interim Flows. Along Reach 2 (upstream from the backwater of the Mendota Pool), there may be scour and sediment deposition. Most riparian vegetation along this reach is riparian or willow scrub, however, and the dominant species of these scrubs (e.g., sandbar willow) are particularly resistant to damage by scour or burial. Furthermore, scour and deposition of sediment sustains floodplain habitats (such as the depressions with which Delta button-celery is associated) and creates opportunities for plant establishment and thus sustains the diversity of riparian and wetland vegetation. Therefore, scour and deposition of sediment during WY 2010 Interim Flows would not cause a substantial adverse effect on riparian vegetation.

In some locations, for 1 or more months, WY 2010 Interim Flows would inundate areas that do not currently support riparian vegetation. This inundation could create conditions suitable for dispersal and establishment of riparian plants. These conditions could be created by scour and sediment deposition, water transport of plant seeds and fragments to new locations, increased water availability, and reduced competition from upland plant species (such as some nonnative grasses) that are intolerant of prolonged submergence.

Establishment of additional riparian and wetland vegetation, however, would not be extensive. In Reaches 1 and 2, WY 2010 Interim Flows from March 16 through June 30 would inundate extensive areas that currently lack riparian and wetland vegetation (DWR in preparation). At most of these sites, seedlings of riparian species would be unlikely to survive. Most riparian species require relatively high moisture levels in the root zone of seedlings, including Fremont's cottonwood and willow species (Mahoney and Rood 1998). At most sites inundated by spring and early summer flows, seedlings would have insufficient water to survive until fall because summer and fall WY 2010 Interim Flows would be much smaller, the coarse-textured soils of Reaches 1 and 2 store relatively little water, and the water table would be below the root zone of seedlings at most sites (EDAW 2008). In Reaches 3, 4A, and 5 and in the Eastside Bypass, the area inundated by WY 2010 Interim Flows that currently lacks riparian vegetation would be much less than in Reaches 1 and 2. However, establishment of some additional riparian

vegetation may be more likely along these reaches or the Eastside Bypass than along Reaches 1 and 2 because the soils typically can hold more moisture, and water tables typically are closer to the soil surface than along Reaches 1 and 2.

The temporary nature of the WY 2010 Interim Flows also would limit adverse and beneficial effects on riparian and wetland vegetation. For example, any establishment of additional riparian vegetation (particularly in Reaches 1 and 2) likely would depend on additional flows in subsequent years.

WY 2010 Interim Flows also could affect riparian habitats by increasing the spread of invasive plant species. Downstream from Friant Dam, WY 2010 Interim Flows could substantially increase the quantity of water flowing through some reaches of the San Joaquin River, and in these reaches and portions of the bypass system, more water may be more continuously flowing during summer and fall. These hydrologic alterations could introduce and spread four species that are among the primary invasive species that have potential to substantially alter habitats and potentially increase substantially as a result of SJRRP operations: red sesbania, salt cedar, giant reed, and Chinese tallow. These hydrologic alterations also could potentially cause a substantial increase in the distribution of sponge plant, which is an aquatic invasive species that is present in Reach 1 but that currently has a very restricted distribution in California.

Although increased flows could disperse propagules of these species, flood flows already disperse propagules of these species throughout the Restoration Area. However, WY 2010 Interim Flows could aid the establishment of these species by providing water throughout the growing season, which is currently lacking along portions of the San Joaquin River and bypasses that would be affected by WY 2010 Interim Flows.

In the San Joaquin Valley, these invasive species are largely confined to sites with moderate or high levels of water availability. Therefore, by increasing water availability throughout the growing season, particularly in locations that would otherwise lack surface water (such as Reach 2A), WY 2010 Interim Flows could aid their establishment at locations along the San Joaquin River that receive WY 2010 Interim Flows. Because established plants are less sensitive to water availability than seedlings and have deeper and more extensive root systems, these plants, after they become established, would be likely to persist at additional sites, even with reduced flows in subsequent years. In particular, WY 2010 Interim Flows may aid the establishment of red sesbania at additional locations. Because red sesbania is abundant in Reach 1 and produces seed pods that float and seed that can remain dormant for at least several years, the increased water availability during the growing season would likely allow the establishment of numerous individuals in locations where they otherwise would not have been able to germinate, grow, and survive. Consequently, the spread of invasive plant species would be exacerbated under the Proposed Action compared to either existing conditions or conditions under the No-Action Alternative and is considered to be significant without mitigation.

Overall, for riparian habitat in the Restoration Area, the WY 2010 Interim Flows would likely alter plant growth at some locations and during some portions of the growing season, and the flows may increase plant establishment or mortality at some locations, but the WY 2010 Interim Flows are unlikely to substantially reduce the extent of existing riparian vegetation by increased mortality, and they may help to establish additional riparian and wetland vegetation. These effects would be **less than significant**.

For riparian habitat downstream from the confluence with the Merced River and in the Delta, effects of WY 2010 Interim Flows would also be less than significant and would be much less than in the Restoration Area. These flow alterations would cause effects similar to those caused by flow alterations in the Restoration Area, but the effects would be much smaller for the reasons given previously under item a). Thus, effects of the Proposed Action on riparian habitats downstream from the confluence with the Merced River would be **less than significant**.

Vernal pools are located on terraces above Reach 1A, but these locations would not be inundated by the WY 2010 Interim Flows. In the Eastside Bypass, vernal pools may be present in areas that could potentially be inundated by the WY 2010 Interim Flows, but the Proposed Action includes measures to avoid inundation of vernal pools in the Eastside Bypass that have been incorporated into the Proposed Action. As described in Section 2.0, release of WY 2010 Interim Flows into the Eastside and/or Mariposa bypasses would depend on the ability to determine that flows would remain within the existing low-flow channel in the bypass or otherwise would avoid inundating vernal pools. Therefore, these vernal pools also would not be inundated under the Proposed Action.

In summary, implementing the Proposed Action would not have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, or regulations or by DFG or USFWS. Implementing the Proposed Action would not convert sensitive natural communities to other vegetation types or to agricultural or developed land uses, and it would not fragment, fill, or remove native vegetation from riparian habitats or other sensitive natural communities, and effects on vernal pools would be avoided. Implementing the Proposed Action would provide additional habitat values and could provide additional wetland and riparian habitat along the San Joaquin River from Friant Dam to the most downstream extent of WY 2010 Interim Flows within the Restoration Area. In these areas, implementing the Proposed Action could cause inundation and/or raise groundwater levels and scour and deposit sediment for several months during WY 2010. These alterations would adversely and beneficially affect riparian habitat, depending on site-specific hydrologic changes; however, effects would not be substantial and would be temporary. Implementing the Proposed Action, however, would increase the distribution and spread of invasive species within riparian habitats or sensitive communities. Most adverse and beneficial effects described for the Proposed Action would either not occur or be less under the No-Action Alternative than under the Proposed Action. However, implementing the No-Action Alternative would result in an adverse effect on riparian habitat caused by the spread of invasive plants.

Implementing the No-Action Alternative would not convert sensitive natural communities or wetlands to other vegetation types or to agricultural or developed land uses, and it would not fragment, fill, or remove native vegetation from riparian habitats or sensitive natural communities. Implementing the No-Action Alternative also would not substantially alter the existing regime of hydrologic conditions and associated scour and deposition of sediment.

However, under the No-Action Alternative, existing populations of invasive plant species would continue to be introduced and spread along the San Joaquin River as a result of dispersal to suitable sites by flood flows; natural and agricultural drainage; and other water releases from Friant Dam, the Mendota Pool, and other facilities. In particular, five species have been identified as primary invasive species with the potential to affect habitats and potentially increase substantially as a result of continued water management operations along the San Joaquin River: red sesbania, salt cedar, giant reed, Chinese tallow, and sponge plant. Consequently, the spread of invasive plant species would continue under the No-Action Alternative, and depending on flood releases, could be potentially **significant**. Under the No-Action Alternative, no mitigation measures would be implemented.

#### Mitigation Measure Bio-1: Implement an Invasive Vegetation Management Plan.

Reclamation would monitor red sesbania, salt cedar, giant reed, Chinese tallow, and sponge plant along affected portions of the San Joaquin River and bypass system (before and after WY 2010 Interim Flows) and control and manage these species, as specified in the Invasive Species Management Plan for WY 2010 Interim Flows included as Appendix F. Potential adverse effects of implementing Mitigation Measure Bio-1 are addressed elsewhere in this, "Environmental Consequences" section.

Through implementation of Mitigation Measure Bio-1, the effect of the introduction and spread of invasive species resulting from WY 2010 Interim Flows would be substantially reduced through management. Consequently, effects on riparian habitat resulting from WY 2010 Interim Flows spreading invasive species would be **less than significant with mitigation** for the Proposed Action. Similar impacts would remain significant under the No-Action Alternative (depending on flood releases); however, no mitigation measure would be implemented if the No-Action Alternative is selected through the NEPA and CEQA processes.

#### c) Have a substantial adverse effect on federally protected wetlands as defined by Section 404 of the Clean Water Act (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means?

Federally protected wetlands found in the Restoration Area could be adversely affected by loss or fragmentation, placement of fill, human-caused disturbances that remove vegetation (e.g., levee maintenance activities), introduction and spread of invasive nonnative species, alterations to surface water or groundwater hydrology, and alterations to geomorphic processes that scour and deposit sediment. Potential effects by these mechanisms are described below.

Implementing the Proposed Action would not have a substantial adverse effect on Federally protected wetlands as defined by Section 404 of the Clean Water Act (including, but not limited to, marsh, vernal pool, and coastal habitats) through direct removal, filling, hydrological interruption, or other means. Implementing the Proposed Action would not convert wetlands to other vegetation types or to agricultural or developed land uses, and it would not fragment, fill, or remove native vegetation from wetlands. Also, as previously described in item b), the Proposed Action would avoid affecting vernal pools. Implementing the Proposed Action, however, would provide additional habitat values and could provide additional wetland habitat along the San Joaquin River within the Restoration Area. Downstream from the confluence with the Merced River and in the Delta, effects of WY 2010 Interim Flows on wetlands would be much less than in the Restoration Area for the same reasons discussed previously for riparian habitats. In these areas, implementing the Proposed Action could cause inundation and/or raise groundwater levels and scour and deposit sediment for several months during WY 2010. The effects of these alterations on wetland vegetation would be similar to those previously described for riparian vegetation because wetland plants also can survive inundation, are resistant to the effects of scouring and burial, and are sensitive to water availability (Braendle and Crawford 1999, Coops et al. 1996, Grace and Harrison 1986, Keddy 2000, Karrenberg et al. 2002). These alterations could adversely and beneficially affect wetlands, depending on site-specific hydrologic changes; however, effects would not be substantial and would be temporary. The impact would be less than significant.

As previously described for riparian habitats, most adverse and beneficial effects on wetlands that are described for the Proposed Action would either not occur or be less under the No-Action Alternative than under the Proposed Action. However, without mitigation, implementing the No-Action Alternative would result in an adverse effect on wetlands caused by the spread of invasive plants.

Implementing the No-Action Alternative would not convert sensitive natural communities or wetlands to other vegetation types or to agricultural or developed land uses, and it would not fragment, fill, or remove native vegetation from riparian habitats or sensitive natural communities. Implementing the No-Action Alternative also would not substantially alter the existing regime of hydrologic conditions and the associated scour and deposition of sediment.

However, under the No-Action Alternative, existing populations of invasive plant species would continue to be introduced and spread along the San Joaquin River as a result of dispersal to suitable sites by flood flows; natural and agricultural drainage; and other water releases from Friant Dam, the Mendota Pool, and other facilities. In particular, five species could potentially increase substantially as a result of continued water management operations along the San Joaquin River and are invasive species with the potential to affect habitats along the San Joaquin River, including wetlands: red sesbania, salt cedar, giant reed, Chinese tallow, and sponge plant.

d) Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites?

Implementing the Proposed Action would not interfere substantially with the movement of any native resident or migratory wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites.

Although in portions of the Restoration Area, terrestrial wildlife could be affected by implementation of the Proposed Action, such effects would not be substantial. Terrestrial reptiles and small mammals in the Restoration Area have small home ranges and are not expected to regularly disperse across the river channel. As described previously, riparian brush rabbits are not expected to occur upstream from the Merced River; and downstream from the Merced River, WY 2010 Interim Flows would not create a new barrier to movement and would not substantially increase inundated area or cause rapid fluctuation in flow. Therefore, WY 2010 Interim Flows would not substantially interfere with the movement of riparian brush rabbits in riparian areas. Larger mammals that are wider ranging are able to use road crossings to traverse aquatic features. Furthermore, any effects from implementing the Proposed Action would be temporary and would not continue after WY 2010. The impact would be **less than significant**.

Implementing the No-Action Alternative also would not interfere substantially with the movement of any native resident or migratory wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites. Effects would be even smaller under the No-Action Alternative than under the Proposed Action because the adverse and potentially beneficial effects on the movement of wildlife species that would result from changes in river flow under the Proposed Action would not occur under the No-Action Alternative.

# e) Conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance?

Implementing the Proposed Action would not conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance. Implementing the Proposed Action would not adversely affect local policies or ordinances because it would not substantially affect special-status species, reduce the biological value or interfere with the management of protected biological resources, or eliminate opportunities to protect biological resources. However, implementing the Proposed Action would contribute to the future enhancement and restoration of biological resources along the San Joaquin River. In the Restoration Area, all potentially affected local plans have such goals or policies (e.g., *Fresno County General Plan* (Fresno County 2000), *Madera County General Plan Policy Document* (Madera County 1995), and
*Merced County General Plan* (Merced County 2000)), and implementing the Proposed Action would beneficially affect attainment of such goals and would not conflict with such policies. The impact overall would be **less than significant**, although there would be beneficial effects with respect to certain goals and policies.

Similar to the Proposed Action, implementing the No-Action Alternative would not adversely affect the attainment of local policies or conflict with ordinances because it would not substantially affect special-status species, reduce the biological value, interfere with the management of protected biological resources, or eliminate opportunities to protect biological resources. However, unlike implementing the Proposed Action, implementing the No-Action Alternative also would not beneficially affect attainment of these plans' goals for protecting biological resources, because it would not contribute to the future enhancement and restoration of biological resources along the San Joaquin River.

#### f) Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan?

An activity would conflict with a conservation plan if it would substantially reduce the effectiveness of its conservation strategy or otherwise prevent attainment of the plan's goals and objectives. These conflicts can result from reducing the viability of populations that are targets of the plan's goals, objectives, and conservation strategy or from conflicting with implementation of the plan. Therefore, in addition to the mechanisms by which an activity can reduce the viability of populations (which were the mechanisms causing adverse effects described previously under "Special Status Plant Species"), activities can conflict with conservation plans by reducing the habitat value of conserved lands (e.g., by creating adjacent, incompatible land uses), interfering with the management of conserved lands (e.g., by eliminating access or water supplies), or eliminating opportunities for conservation activities (e.g., by developing land identified for preservation in the plan). By all of these mechanisms, an activity can also conflict with a local policy for protecting biological resources.

Implementing the Proposed Action would not conflict with the provisions of an adopted habitat conservation plan; natural community conservation plan; or other approved local, regional, or State habitat conservation plan. Implementing the Proposed Action would not adversely affect adopted conservation plans because it would not substantially reduce the viability of target species, reduce the habitat value or interfere with the management of conserved lands, or eliminate opportunities for conservation activities. However, implementing the Proposed Action would support the future enhancement and restoration of biological resources along the San Joaquin River in the Restoration Area. In the Restoration Area, all potentially affected Federal, State, regional, and local plans have such goals or objectives (e.g., *San Joaquin River Management Plan* (DWR 1995), Central Valley Joint Venture, Riparian Habitat Joint Venture, *San Joaquin River Plan* (SJRC 2000)), and implementing the Proposed Action would

beneficially affect their attainment. However, the contribution of the Proposed Action to attainment of these goals and objectives would not be substantial. The impact would be **less than significant**.

Similar to implementing the Proposed Action, implementing the No-Action Alternative would not result in a substantial effect on an adopted habitat conservation plan; natural community conservation plan; or other approved local, regional, or State habitat conservation plan. Implementing the No-Action Alternative would not conflict with the provisions of these plans because it would not substantially reduce the viability of target species, reduce the habitat value or interfere with the management of conserved lands, eliminate opportunities for conservation activities, or otherwise prevent the attainment of the goals or objectives of these plans. However, unlike the Proposed Action, the No-Action Alternative also would not beneficially affect plans, because it would not support their attainment of goals or objectives related to enhancement or restoration of biological resources along the San Joaquin River (all of the potentially affected Federal, State, regional, and local plans in the Restoration Area have such goals or objectives).

## 4.6 Biological Resources – Fish

	Environmental Issues	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
	IV. Biologica	I Resources. V	Nould the projec	t:	
a)	Have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special-status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Game, National Marine Fisheries Service or the U.S. Fish and Wildlife Service?				
b)	Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, or regulations or by the California Department of Fish and Game or the U.S. Fish and Wildlife Service? (Addressed in 4.4, Biological Resources – Terrestrial Species.)				
c)	Have a substantial adverse effect on federally protected wetlands as defined by Section 404 of the Clean Water Act (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means? (Addressed in 4.4, Biological Resources – Terrestrial Species.)				
d)	Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites?				
e)	Conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance? (Addressed in 4.4, Biological Resources – Terrestrial Species.)				

Environmental Issues	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
IV. Biologica	I Resources. V	Vould the projec	t:	
<ul> <li>f) Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan? (Addressed in 4.4, Biological Resources – Terrestrial Species.)</li> </ul>				

a) Have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or specialstatus species in local or regional plans, policies, or regulations, or by the California Department of Fish and Game, National Marine Fisheries Service or the U.S. Fish and Wildlife Service?

Special-status fish that could be affected by WY 2010 Interim Flows are located in the San Joaquin River from the Merced River confluence downstream to the Delta, in major tributaries to the San Joaquin River in this reach, and in the Delta. No self-sustaining special-status fish in the Restoration Area. However, under extended wet conditions, anadromous fish including Central Valley steelhead may occasionally be found in the Restoration Area. Special-status fish may be affected by alteration of habitat conditions or resources; alteration of interactions with predators and prey; diversions; or alteration of natural processes that sustain habitats (e.g., river flow regimes). Effects to special-status fish species' movements or migration are discussed under item d) below. Increasing flows in the San Joaquin River below the Merced River confluence under the Proposed Action would not cause substantial adverse effects directly on special-status fish or their habitats in the San Joaquin River. Any such effects would be **less than significant**. Effects of the Proposed Action on the various sensitive fish species found in the Delta, listed below, are discussed:

- Delta smelt
- Longfin smelt
- Fall-run Chinook salmon
- Central Valley steelhead
- Green sturgeon
- Sacramento splittail

The effects of the SJRRP on Delta fish were assessed using environmental factors of potential importance to fish and associated evaluation variables (Table 4-3).

Table 4-3.
Environmental Factors and Variables Evaluated for Effects of the Proposed Action
on Delta Fish

Environmental Factor	Evaluation Variable
Fish movement/distribution	San Joaquin River flow at Vernalis, Old and Middle rivers flow, X2
Entrainment	San Joaquin River flow at Vernalis, Old and Middle rivers flow
Predation	San Joaquin River flow at Vernalis, Old and Middle rivers flow
Habitat quality and quantity	San Joaquin River flow at Vernalis, Old and Middle rivers flow, X2
Food web support	San Joaquin River flow at Vernalis, Old and Middle rivers flow, X2

Key: X2 = distance upstream from Golden Gate Bridge where salinity equals 2 parts per thousand.

Flow patterns and diversion rates in the south Delta are believed to strongly influence fish distributions in the south Delta. Three flow variables simulated by CalSim (San Joaquin River flow at Vernalis, combined Old River and Middle River flows, and X2) were used to quantify WY 2010 Interim Flow effects on Delta fishes with regards to movement/distribution, susceptibility to entrainment at diversions, predation, habitat quality and quantity, and food supply. Evaluations were conducted comparing the effects during different water year-types. Water year-types for all Delta analyses are based on the Sacramento Valley Index because the Sacramento Index better represents what is happening in the Delta (because of the disproportionate influence of the Sacramento River). Additional information on the methodology and assumptions used in CalSim simulations in support of this EA/IS is presented in the Modeling Appendix (Appendix G). As stated previously, the CalSim model represented the best science available at the time this document was prepared.

The Delta is a highly modified and complex environment, and most factors responsible for changes in fish populations are poorly understood, despite years of research effort. Because changes in flow are thought to be a key factor affecting Delta fisheries, the assessment of project-related effects uses changes in tidally averaged flow to define the level of effects to fish populations. The largest flows in the Delta are tidal flows, which far exceed other flows in most Delta channels, but nontidal flows determine the net direction of water movement and thereby affect fish movements.

Changes in Delta channels and patterns of flow circulation have strongly affected fish distribution, migration behaviors, survival, and spawning success for in-Delta spawners such as delta smelt and longfin smelt. Effects on movement are especially important in the south Delta, where the Jones and Banks pumping facilities can have substantial effects on Delta hydrodynamics, as well as direct effects through entrainment and indirect effects through increased predation and other mechanisms.

Barriers installed in south Delta channels to control water levels impede fish movements and degrade their condition. Inflow from the San Joaquin River is beneficial in helping to move fish downstream and away from the influence of the pumps. Mechanisms that are believed responsible for causing reverse flows and other unnatural flow patterns adversely affect fish movements in the south Delta by directly transporting weak swimming fish to the pumping facilities and attracting larger fish migrating downstream to the ocean to follow the reverse flows to the pumps in the south Delta where survival rates are low. Reverse flows in the south Delta make fish more vulnerable to entrainment at the pumps and delay migrations through or from the south Delta.

Although the WY 2010 Interim Flows would then be implemented pursuant to FWS 2008 and NMFS 2009 CVP and SWP Operations BOs, the Proposed Action is expected to result in increased mean monthly San Joaquin River inflow into the Delta in each WY type, except during December, January, and August (Table 4-4). Changes from the No-Action Alternative to the Proposed Action in mean monthly combined Old River and Middle River flow for years in which the flows under the No-Action Alternative were negative are displayed in Table 4-5. Large increases in mean reverse flows were found for most water year-types during April and for above-normal and below-normal years in March. March had large decreases in mean reverse flows for wet and dry years. The changes were small for most other months. The anomalously large mean percent increase in reverse flow for February of dry years (74 percent), as shown in Table 4-5, results from a change for February 1949 from -395 cfs for the No-Action Alternative to -5,606 cfs for the Proposed Action, a 1,320 percent increase in reverse flow. This predicted change may result from a modeling artifact, and likely does not accurately represent expected changes. When 1949 is excluded, the mean percent change for February of dry years is 1 percent.

Table 4-4.Percent Change in Mean Monthly San Joaquin River Delta Inflow from No-ActionAlternative to Proposed Action

Water Year- Type	Oct	Nov	Dec	Jan	Feb	Mar	Apr	Мау	Jun	Jul	Aug	Sep
Wet	3	10	-1	-3	-3	5	6	2	6	0	0	2
Above-Normal	3	9	-1	-1	1	15	15	3	1	1	0	2
Below-Normal	4	10	0	0	4	27	17	4	2	1	0	1
Dry	4	10	0	0	4	26	16	3	4	1	0	1
Critical	3	8	0	0	5	22	7	3	6	1	1	1

Note: Water year-types are based on the San Joaquin Valley Index.

#### Table 4-5. Percent Change in Mean Monthly Old River and Middle River Flow from No-Action Alternative to Proposed Action

Water Year- Type	Oct	Nov	Dec	Jan	Feb	Mar	Apr	Мау	Jun	Jul	Aug	Sep
Wet	1	2	1	5	7	-28	5	0	2	0	-1	0
Above-Normal	1	0	5	1	1	6	3	1	-3	0	-1	0
Below-Normal	0	0	1	1	11	13	5	1	0	0	1	0
Dry	0	2	1	1	74	-16	7	0	0	-1	4	1
Critical	0	3	0	-2	1	-3	2	1	-1	4	-2	-1

Note: Water year-types are based on the Sacramento Valley Index.

The mean monthly ratios of San Joaquin River inflow to Old River and Middle River reverse flows increased substantially in November, March, April, and June (Table 4-6). In other months, changes in the mean ratios were generally small. The largest decreases in the mean ratios, minus 4 percent, were found for December of above-normal years and January of wet years. Higher ratios represent increases in natural, downstream flow relative to reverse, upstream flow toward the south Delta and the Jones and Banks export pumps and, therefore, are considered beneficial to most fishes.

Table 4-6.Percent Change in Mean Monthly Ratio of San Joaquin River Delta Inflow to<br/>Reverse Flow of Old River and Middle Rivers from No-Action Alternative to<br/>Proposed Action

Water Year- Type	Oct	Nov	Dec	Jan	Feb	Mar	Apr	Мау	Jun	Jul	Aug	Sep
Wet	2	7	-1	-4	-2	6	3	1	7	0	1	2
Above-Normal	3	11	-4	-2	0	18	8	8	10	1	1	2
Below-Normal	4	10	-1	-1	-2	23	8	1	2	1	0	2
Dry	4	8	0	0	3	25	9	3	4	2	-2	1
Critical	2	5	0	2	3	18	6	3	8	-3	3	2

Note: Water year-types are based on the Sacramento Valley Index.

Changes in circulation patterns and volume of water diverted affect fish entrainment rates at the export facilities. The biggest Delta diversions are in the south Delta, where the Jones and Banks export facilities entrain millions of fish each year (Reclamation 2008). Current and potential future diversions from the Jones and Banks export facilities are made under, consistent with the USFWS BO issued in December 2008, and the NFMS BO issued in June 2009. The effects of pumping on steelhead in the south Delta were addressed in the NMFS 2009 BO. Reclamation is currently revising CalSim to represent the Reasonable and Prudent Alternatives (RPA) under these BOs; however, this model is not yet available to assess the potential impacts of SJRRP.

Delta operations under the new BO requirements are structured to reduce impacts to steelhead migrating from the San Joaquin system (NMFS 2009). As noted above, recapture of WY 2010 Interim Flows would be subject to the RPAs under the 2008 and 2009 BOs. The new RPAs would reduce potential impacts of the WY 2010 Interim Flows on steelhead migrants and reduce the relative occurrence of entrainment at the pumps. Anticipated changes in Delta flow patterns may benefit steelhead by reducing migration delays and by directing less fish towards the south Delta.

RPAs in the NMFS 2009 BO that would protect steelhead in the San Joaquin system from potential effects of the WY 2010 Interim Flows include the following:

- *Action III.1.1.* Establish Stanislaus Operations Group for real-time operational decision-making as described in these actions and implementation procedures.
- *Action III.1.3:* Operate the East Side Division dams to meet the minimum flows, as measured at Goodwin Dam.

• Action III.2.1. San Joaquin River inflow-to-export ratio.

Increase the inflow-to-export ratio.

• Action IV 2.2. Six-year acoustic tag experiment.

Tagged fish will be released to coincide with different periods and operations: March 1 to March 31 (operations dictated by Action IV 2.1), April 1 through May 31 (exports dictated by Action IV. 2.1), and June 1 through June 15 (minimum 1:1 inflow to export ratio).

• Action IV.2.3. Old River and Middle River flow management.

From January 1 through June 15, reduce exports as necessary, to limit negative flows to -2,500 to -5,000 cfs in Old River and Middle Rivers, depending on the presence of salmonids.

• *Action IV.3.* Reduce likelihood of entrainment and salvage at the export facilities.

From November 1 through April 30, operations of the Tracy and Skinner Fish Collection Facilities shall be modified according to monitoring data from upstream of the Delta. From January 1 through April 30, implement Action IV.2.3, which includes restrictions on Old and Middle River (OMR) flows rather than set levels of combined export pumping.

• *Action IV.4.* Modifications of the operations and infrastructure of the CVP and SWP fish collection facilities.

Achieve 75 percent performance goal for facility salvage at both Federal and State facilities.

Hundreds of agricultural diversions that entrain small fish are also located in the south Delta. Diversions not only entrain fish, but also affect them indirectly by altering flow patterns, food supply, and habitat. The mean monthly volume of Jones and Banks diversions is expected to increase with the Proposed Action during most months and year-types, with especially large increases during November and February through April of most water year-types (Table 4-7). For all of these months except February, the Proposed Action is also expected to increase the ratio of San Joaquin River inflow to Old River and Middle River flow (Table 4-6).

Water Year- Type	Oct	Nov	Dec	Jan	Feb	Mar	Apr	Мау	Jun	Jul	Aug	Sep
Wet	124	136	52	48	262	444	352	13	-10	33	-69	8
Above-Normal	79	38	117	-44	88	146	363	48	53	-8	-34	-22
Below-Normal	14	56	99	54	114	380	333	42	35	49	70	-1
Dry	58	136	82	35	448	225	195	24	17	-27	114	47
Critical	39	240	-11	-78	69	177	47	25	-43	118	-157	-64

Table 4-7.Mean Monthly Changes in Diversions at Jones and Banks Pumping Plants from<br/>No-Action Alternative to Proposed Action (cfs)

Note: Water year-types are based on the Sacramento Valley Index. Key:

cfs = cubic feet per second

Predation rates in the south Delta are believed to be higher than in other parts of the Delta for a variety of reasons, including (1) turbidity is generally lower in the south Delta (Nobriga et al. 2008; Feyrer et al. 2007) and therefore fish are more visible to their predators, (2) many of the structures and facilities in the south Delta provide excellent conditions for predacious fish, particularly the Clifton Court Forebay and fish louver screens at the Jones and Banks facilities, and (3) recent invasions by the submerged plant, *Egeria densa*, provide favorable habitat conditions for black bass species, which prey heavily on young life stages of other fishes (Nobriga et al. 2005). Increased San Joaquin River Delta inflow and reduced Old River and Middle River reversed flow (as part of the USFWS 2008 BO RPAs) predicted for the Proposed Action would likely reduce numbers of special-status fish species in the south Delta during April through May, and thereby reduce their losses to predation.

Delta outflow establishes the location in the Delta of the low salinity zone, an area that has historically high prey densities and other favorable habitat conditions for rearing juvenile delta smelt, striped bass, and other fish species. The low salinity zone is often referenced by X2 which is the distance upstream from the Golden Gate Bridge where salinity is equal to 2 parts per thousand (ppt). The low salinity zone is believed to provide the best combination of habitat quality when X2 is located downstream from the confluence of the Sacramento and San Joaquin rivers. When Delta outflow is low, X2 is located in the relatively narrow channel of these rivers, and at higher outflows, it moves downstream into more open waters. The Proposed Action would have very little effect on X2. The largest predicted increases are less than 1.5 kilometers. None of the predicted changes in X2 resulted in its movement either from downstream to upstream of the confluence of the Sacramento and San Joaquin rivers. Such a small effect on X2 would be expected because the San Joaquin River has much less effect on Delta outflow than the Sacramento River.

In addition, habitat quality and quantity are affected when inflow and exports change the distribution of fish in the Delta because the Delta varies among regions in habitat quality and quantity. For many fish species, habitat quality in the south Delta is believed to be poor. For instance, turbidity in the south Delta is low, which is considered to reduce the

quality of this habitat for delta smelt and other species (Nobriga et al. 2008; Freyer et al. 2007). Therefore, circulation patterns that cause fish to move to the south Delta are likely to affect the populations adversely.

Food web conditions are considered poor in the south Delta because of degraded water quality, high water temperatures, and high diversion rates. Low turbidity levels in the south Delta increase predation on sensitive life stages, and also reduce feeding rates of delta smelt (Baskerville-Bridges et al. 2004) and probably other planktivorous species such as longfin smelt and the early life stages of nearly all species.

**Delta Smelt** Delta smelt are small fish that spend their entire lives in the Delta. Therefore, they are particularly vulnerable to changes in flows toward the south Delta. Delta smelt juveniles and immature adults reside in the low salinity zone (typically in Suisun Bay or the western Delta), but the adults move upstream to spawn in freshwater during December through April. In years with relatively high Delta outflow, most spawning occurs in Suisun Bay, but in years of low Delta outflow, delta smelt spawn in the upper Delta, including the lower Sacramento and San Joaquin rivers. Delta smelt in the lower San Joaquin River are especially at risk of being drawn into the south Delta by reverse flows. The larvae begin hatching in April and larvae are typically present until June. The larvae are slowly transported downstream as they develop. However, many juveniles remain in upstream portions of the Delta for a month or more, particularly in years with low Delta inflow.

The mean monthly ratio of San Joaquin River inflow to reverse flow in the Old and Middle rivers, used to evaluate the combined effect of the two flow variables, changed little from the No-Action Alternative to the Proposed Action from December through February for most year-types, but increased in March and April for all year-types and in May and June for Above-Normal year-types (Table 4-6). From July through October, changes in the mean monthly ratio were very small (less than 5 percent) for all yeartypes. The March and April increases in this ratio are considered beneficial for spawning adult delta smelt and for delta smelt larvae and juveniles in the upper Delta. In addition, the Proposed Action would be operated under the 2008 USFWS and 2009 NMFS BOs for the long-term coordinated operations of the CVP and SWP so RPAs would provide adequate protection for delta smelt. The effect of increases in the ratio during March and April would be **less than significant**, but beneficial to delta smelt.

Rearing juvenile delta smelt and immature adults reside in the low salinity zone; therefore, the position of X2 with respect to the south Delta affects the vulnerability of these life stages. However, the changes in X2 under the Proposed Action are negligible and therefore have **no impact** to delta smelt.

Because of the change in Delta flow patterns, the Proposed Action is expected to reduce the movement of mature adult, juvenile, and larval delta smelt towards the south Delta where survival is lowest. Additionally, the Proposed Action is expected to have no effect on the location of the low salinity zone, where most juvenile and immature adult delta smelt reside. On balance, therefore, the effect of the Proposed Action on the distribution of delta smelt would be **less than significant** but beneficial. Delta smelt are preyed on by numerous piscivorous fish species. Water clarity, structures, and submerged vegetation favor piscivorous fish in the south Delta; therefore, the effects of the Proposed Action on delta smelt would be **less than significant**, but beneficial, by lowering risk of exposure to the south Delta. The high water clarity of the south Delta benefits piscivorous species (i.e., fish that feed on other fish), but adversely affects delta smelt feeding (Baskerville-Bridges et al. 2004). This impact would be **less than significant** but beneficial by reducing the amount of time delta smelt are exposed to the poor feeding conditions in the south Delta.

Overall, the effects of the Proposed Action on delta smelt would be **less than significant** but beneficial by reducing the amount of time they are exposed to the poor habitat and feeding conditions in the south Delta as well as the elevated risks of entrainment and predation.

**Longfin Smelt.** Longfin smelt spend much of their lives downstream from the Delta, but they migrate to Suisun Bay and the upper Delta to spawn. In Dry years, spawning may occur in the lower sections of the Sacramento and San Joaquin rivers within the Delta. The adults migrate upstream from December through March, and the larvae and small juveniles remain in the Delta from January through May. Because longfin smelt are relatively small, they are probably more vulnerable to the poor conditions of the south Delta and to being entrained into the south Delta by reverse flows. This would be particularly true for larvae that hatch in the lower San Joaquin River. Larvae are poor swimmers and are easily transported by flows.

The mean monthly ratio of San Joaquin River inflow to reverse flow in the Old and Middle rivers changed little from the No-Action Alternative to the Proposed Action from December through February of most year-types, but increased substantially during March and April of all year-types and in May of Above -Normal year-types (Table 4-6). In addition, the Proposed Action would be operated under the 2008 USFWS and 2009 NMFS BOs for the long-term coordinated operations of the CVP and SWP so RPAs would provide adequate protection for longfin smelt. Therefore, the impact of the Proposed Action on the distribution of adult longfin would be **less than significant**, but beneficial. The Proposed Action would reduce the risk to the larval and juvenile stages of movement to the south Delta.

Longfin smelt abundance is correlated with X2. This is believed to result in part from more effective movement of young longfin smelt to downstream rearing areas when Delta outflow, which largely determines X2, is high. However, the Proposed Action causes very little change in X2; therefore, the impact on longfin smelt would be **less than significant**.

Because of the change in Delta flow patterns, the Proposed Action is expected to reduce the movement of mature adult, juvenile, and larval longfin smelt towards the south Delta where survival is lowest. In addition, the Proposed Action is expected to have no effect on longfin smelt abundance due to changes in X2. On balance, therefore, the effect of the Proposed Action on longfin smelt movements is expected to be **less than significant**. Effects on longfin smelt resulting from predation under the Proposed Action would likely be the same as those for Delta smelt. Therefore, the effects of the Proposed Action would be **less than significant**, but beneficial, by reducing exposure time to predators in the south Delta.

The high water clarity of the south Delta benefits piscivorous species, but adversely affects longfin smelt feeding (Baskerville-Bridges et al. 2004). The effect of the Proposed Action on longfin smelt would be **less than significant** but beneficial by reducing the amount of time the smelt are exposed to the poor feeding conditions in the south Delta.

Overall, the effect of the Proposed Action on longfin smelt would be **less than significant** but beneficial by reducing the amount of time the smelt are exposed to the poor habitat and feeding conditions in the south Delta, as well as the elevated risks of entrainment and predation.

#### Central Valley Fall-Run Chinook Salmon and Other Evolutionarily Significant

**Units.** Fall-run Chinook salmon migrate through the Delta as adults from September to November to spawn in the east-side tributaries of the San Joaquin River, and as juveniles and smolts emigrating in March through June. Increased flows resulting from the Proposed Action may trigger upstream migration. The Proposed Action is predicted to result in slightly higher mean monthly San Joaquin River Delta inflow during September and October and substantially higher inflow during November of all year-types (Table 4-4). Higher inflow helps prevent straying of San Joaquin River Chinook salmon into the Sacramento River basin (Mesick 2001).

Increased San Joaquin River Delta inflow would likely benefit emigrating Chinook salmon. Tagging studies conducted for VAMP have demonstrated that smolt survival through the Delta is positively correlated with San Joaquin River inflow (SJRGA 2001 to 2009). The Proposed Action would result in substantially increased San Joaquin River inflows into the Delta in most nonwet years during March and April, and more modest increases in May and June (Table 4-4). The effects of these changes are expected to be **less than significant,** but beneficial to emigrating Chinook salmon migration and distribution. This is true for all evolutionarily significant units of Chinook salmon.

Adult Chinook salmon migration in the San Joaquin River is often delayed by low dissolved oxygen levels near the Stockton Deep Water Ship Channel (Giovannini 2005). Increased inflow in these months would potentially provide stronger cues to initiate spawning migration, improve the dissolved oxygen conditions near Stockton, and help keep the salmon from straying out of the San Joaquin River channel into the south Delta. The effects of the Proposed Action to Chinook salmon migration and distribution would be **less than significant** but beneficial from increased Delta inflow. This is true for all evolutionarily significant units of Chinook salmon.

Reverse flows likely cause increased straying of migrating adults into the south Delta, where their progress may be impeded by barriers and irregular flow patterns. The October and November increases in the ratio of San Joaquin River Delta inflow to reverse flow of the Old and Middle rivers expected for the Proposed Action similarly suggest that environmental cues would improve for keeping the adults from straying from the river. All of these effects are positive, but the changes in flows are generally not large enough to provide much benefit for the adult salmon. In addition, the Proposed Action would be operated under the 2008 USFWS and 2009 NMFS BOs for the long-term coordinated operations of the CVP and SWP so RPAs would provide adequate protection for Chinook salmon. Therefore, there would be **no impact** to Chinook salmon migration resulting from reverse flows. This is true for all evolutionarily significant units of Chinook salmon, including both winter-run and spring-run Chinook salmon from the Sacramento River.

The Proposed Action would be 2008 USFWS and 2009 NMFS BOs and RPAs would provide adequate protection for Chinook salmon The effects of the Proposed Action to Chinook salmon, especially fall-run Chinook salmon in the San Joaquin River, would be **less than significant** but beneficial by reducing the transit time of emigrating Chinook salmon through the south Delta, resulting in reduced predation.

Adult Chinook salmon do not feed during their spawning migrations, whereas juvenile Chinook salmon feed primarily on zooplankton and other macroinvertebrates while emigrating through the Delta. Food web conditions are considered poor in the south Delta because of poor water quality, high water temperatures, and high diversion rates. The high water clarity of the south Delta benefits piscivorous species, but is likely to adversely affect plankton feeding by juvenile Chinook salmon. The Proposed Action is expected to reduce the transit time of emigrating smolts through the south Delta, which would allow the smolts to more quickly access areas with better food web conditions and cause a **less-than-significant** but beneficial effect on all runs of Chinook salmon.

The Proposed Action is expected to have a **less than significant** but beneficial effect on San Joaquin River fall-run Chinook salmon.

**Central Valley Steelhead.** Less information regarding steelhead in the San Joaquin basin is available than for Chinook salmon, in part due to low population sizes in the tributaries. Steelhead adults migrate upstream through the Delta primarily from November through January as they move toward the San Joaquin River tributaries. Increased San Joaquin River inflow would likely trigger and improve conditions for upstream migrating steelhead, but at a lower level than for Chinook salmon because December and January are likely to experience little to no changes in the mean monthly ratio between Delta inflow and reverse flow between the Proposed Action and the No-Action Alternative (Table 4-6). In addition, the Proposed Action would be operated under the 2008 USFWS and 2009 NMFS BOs for the long-term coordinated operations of the CVP and SWP so RPAs would provide adequate protection for Central Valley steelhead. The Proposed Action would have a low magnitude of changes in flows on the Merced, Tuolumne, and Stanislaus rivers shown in the Hydrology and Water Quality section, when compared with historical variability.

Steelhead juveniles and smolts emigrate through the Delta in spring, with the median migrations occurring in March. The effects of the Proposed Action on steelhead resulting from Delta flows and diversions are expected to be similar to those on salmon, although effects on steelhead have not been studied.

The effects of the Proposed Action on predation and food web support of emigrating steelhead are poorly known, but likely to be similar to those for emigrating Chinook salmon. The effects of the Proposed Action in reducing predation effects, and improving food web conditions to steelhead, are considered **less than significant**.

Overall, effects of the Proposed Action on migrating adult steelhead and emigrating smolts is expected to be minor. Therefore, effects of the Proposed Action on Central Valley steelhead are expected to be **less than significant**.

**Green Sturgeon.** Little is known about factors in the Delta that affect the abundance of green sturgeon. Adults migrate up the Sacramento River to spawn from April through June, but likely do not spawn in the San Joaquin River. Juvenile sturgeon are entrained in the Jones and Banks export facilities, but entrainment numbers are low relative to those of most Delta species. Movements of adult green sturgeon are likely impeded by the temporary barriers used to control water levels in the south Delta. It may be assumed that sturgeon are adversely affected by poor habitat conditions in the south Delta and would benefit from flows that reduced their exposure to this portion of the Delta.

Because green sturgeon reside in the Delta throughout the year, they would be potentially affected by changes resulting from the Proposed Action in any month. In addition, the Proposed Action would be operated under the 2008 USFWS and 2009 NMFS BOs for the long-term coordinated operations of the CVP and SWP so RPAs would provide adequate protection for green sturgeon.. San Joaquin River Delta inflows and reverse flows may affect movement of adult or juvenile green sturgeon into the south Delta. Flow conditions expected under the Proposed Action would likely result in reduced exposure of green sturgeon to the south Delta. The estimated mean monthly ratio of inflow to reverse flow of the Old and Middle rivers was greater for the Proposed Action than the No-Action Alternative during October and November and March through June of most year-types, while the change was generally small or evenly balanced between increases in decrease during the other months (Table 4-6). Therefore, the effect of the Proposed Action on green sturgeon movement and distribution would be **less than significant**.

Little is known about predation on juvenile green sturgeon. Water clarity, structure, and submerged vegetation favor piscivorous fish in the south Delta; therefore, the effect of the Proposed Action on green sturgeon would be **less than significant** but beneficial by lowering risk of exposure in the south Delta to predators.

Green sturgeon feed on benthic macroinvertebrates and small fish. The effect of the Proposed Action on the abundance of the prey items or on feeding opportunities for green sturgeon would be **less than significant**.

Overall, the Proposed Action is expected to have no effect or a minor benefit on adult and juvenile green sturgeon. Therefore, the impact on the species would be **less than significant**.

**Sacramento Splittail.** Sacramento splittail migrate upstream to spawn, but juveniles and adults are found in the Delta throughout the year. Sacramento splittail primarily spawn in the Sacramento River, but in wetter years spawning also occurs in the San Joaquin River (Moyle et al. 2004). Sacramento splittail are particularly vulnerable to entrainment in the Jones and Banks pumping facilities during their upstream migrations from December through March and downstream migrations as juveniles during May and June. Sacramento splittail are affected by poor conditions in the south Delta and are most likely to occur in the south Delta during the same months in which they are most vulnerable to entrainment in the south Delta pumps.

Increased San Joaquin Delta inflow and reversed Old River and Middle River flow are considered to have the greatest effect on Sacramento splittail from the Proposed Action. From December through March, when adult Sacramento splittail are most vulnerable to entrainment (Moyle et al. 2004), the mean ratio of these flows is predicted to increase from the Proposed Action during March of all year-types, but is predicted to change little or decrease slightly during the other months (Table 4-6). Juvenile Sacramento splittail are most vulnerable during May and June. The ratio is expected to increase substantially during June of Wet, Above-Normal, and Critical year-types, and during May of Above-Normal year-types. These results indicate that the effects of the Proposed Action on juvenile Sacramento splittail movement are expected to be **less than significant** but beneficial, and the effects on movements of adults would be **less than significant**. In addition, the Proposed Action would be operated under the 2008 USFWS and 2009 NMFS BOs for the long-term coordinated operations of the CVP and SWP so RPAs would provide adequate protection for Sacramento splittail.

Adult Sacramento splittail are strong swimmers and may be able to avoid most potential predators. However, the larvae and juveniles are preyed on by a number of piscivorous fish species. Water clarity, structure, and submerged vegetation favor piscivorous fish in the south Delta; therefore, the Proposed Action would likely reduce predation on young Sacramento splittail by reducing the time young Sacramento splittail spend in the south Delta. This effect would be **less than significant** but beneficial.

Older Sacramento splittail take much of their prey from the bottom. Important food items include mollusks, benthic invertebrates, and detritus. Food web conditions for adult Sacramento splittail are poor in the south Delta because of poor water quality, high water temperatures, and high diversion rates. Sacramento splittail larvae and small juveniles are planktivorous. The high water clarity likely has an adverse effect on the planktivorous feeding of the young juveniles and larvae. The effect of the Proposed Action on Sacramento splittail would be **less than significant** but beneficial by reducing the amount of time they are exposed to the poor feeding conditions in the south Delta.

Overall, the effect of the Proposed Action on Sacramento splittail would be **less than significant** but beneficial by reducing the amount of time they are exposed to the poor habitat and feeding conditions in the south Delta, as well as to elevated risks of entrainment and predation.

#### Summary of Species Effects

In summary, implementing the Proposed Action would not have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special-status species in local or regional plans, policies, or regulations or by DFG or USFWS. The overall impact would be **less than significant**.

Implementing the No-Action Alternative also would not result in any substantial adverse effects, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special-status species in local or regional plans, policies, or regulations by DFG or USFWS. Most adverse and beneficial effects on these species that were described for the Proposed Action would either not occur or be less under the No-Action Alternative than under the Proposed Action.

b) Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, or regulations or by the California Department of Fish and Game or the U.S. Fish and Wildlife Service?

This question is addressed above under "Biological Resources - Terrestrial Species."

c) Have a substantial adverse effect on federally protected wetlands as defined by Section 404 of the Clean Water Act (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means?

This question is addressed above under "Biological Resources – Terrestrial Species."

d) Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites?

#### San Joaquin River Upstream from Friant Dam

No special-status fish species are found in Millerton Lake. Millerton Lake surface water elevations would change minimally, and within the historical range, under the Proposed Action. Spawning for both spotted and largemouth bass occurs between March and June. It is possible that both species would experience lower reservoir elevations, which could reduce the amount of shallow-water habitat available for spawning and rearing. Both species may also experience a more rapid decrease in elevation during the spawning season for a period of time. However, it is not anticipated that this difference would result in a substantial reduction in the populations. Millerton Lake is already subject to highly fluctuating and generally declining water surface elevations throughout the spring, summer, and fall. Therefore, impacts to Millerton Lake fish are **less than significant**.

#### San Joaquin River from Friant Dam to the Merced River

Part of the purpose of the WY 2010 Interim Flows is to support collection of relevant data concerning flows, water temperatures, and potential habitat that might exist after the reintroduction of Chinook salmon. As a result, flows would increase in all river reaches throughout the WY 2010 Interim Flow period (note that WY 2010 Interim Flows are not released between November 21, 2009, and January 31, 2010). In addition, Interim Flows would not pass through Reach 4B1; therefore, no evaluation of fisheries would be conducted for this reach. WY 2010 Interim Flows would instead flow through the Eastside Bypass. Therefore, it is assumed that the Restoration Area would have continuous flow and, as a result, resident fish that currently exist in the Restoration Area would have the ability to move more readily throughout the Restoration Area, and those that occur downstream from the Restoration Area may be able to move into the Restoration Area.

Currently, perennial cold-water flows occur in Reach 1. Increased flow in Reaches 1 and 2 under the Proposed Action would likely result in beneficial effects by potentially increasing the amount of habitat available for different life stages, as well as potentially triggering geomorphic processes that could assist in increasing habitat complexity. When sufficient flows and water temperatures occur in Reach 2, fish would likely move downstream to occupy Reach 2 except where barriers exist. These impacts are considered to be **less than significant** but beneficial.

Flows in Reach 3 under the Proposed Action would increase relative to the No-Action Alternative in most months unless the water year-type is Wet or Normal-Wet, in which case, there might be a slight decrease in flows for flood operations. In addition, water temperatures would likely decrease in March through April, and perhaps also in May. As a result, the impacts to cold-water fish would be **less than significant** but beneficial.

Reaches 4A and 4B2 would be affected similar to Reach 3. February to May would have increases in flow, but could have some decreases in flow during Wet and Normal-Wet water year-types from flood operations. Water temperatures would likely decrease in February to May. Therefore, these impacts would be **less than significant** but beneficial.

Reach 4B would not receive additional flow, and would have no change relative to the No-Action Alternative. There would be **no impact** to fish in Reach 4B.

As with Reaches 3 and 4A, flows in Reach 5 would likely decrease from December through June if a Wet water year-type occurs, and from December through January if a Normal-Wet water year-type occurs. In all other water year-types, flows would increase relative to the No-Action Alternative. Water temperatures would slightly decrease in March through May. Therefore, these impacts would be **less than significant** but beneficial to fish.

Because a monitoring and salvage operation is identified for Central Valley steelhead upstream from the confluence with the Merced River, the impact to steelhead would be **less than significant**.

#### San Joaquin River from Merced River to the Delta

The San Joaquin River downstream from the confluence with the Merced River could experience temperature changes under the Proposed Action. Potential changes from the No-Action Alternative do not appear to cross a threshold between suitable and unsuitable conditions for steelhead as compared with existing conditions. In general, ambient air temperatures control water temperatures in the lower San Joaquin River and operations exert little influence.

Table 4-8 reports simulated changes in water temperature on the San Joaquin River as a result of WY 2010 Interim Flows for 1981 – 2003 and differences from the No-Action Alternative. Tables 4-9 and 4-10 display water temperatures during the emigration period both upstream and downstream from the Merced River confluence, and with and without WY 2010 Interim Flows. Water temperature changes were simulated through application of the SJR5Q model of the San Joaquin River. SJR5Q includes a representation of operations on the San Joaquin River, and a boundary condition for Merced River operations. This allows the model to investigate changes in temperatures on the San Joaquin River as a result of operations at Friant Dam, while holding operations on the Merced River constant.

			Sel	30
			just	51:65
			βnβ	Цo
	River	ve	V	5910
	ced F	rnati	٦u	Цo
	Mer	Alte	e	5:55
	from	ction	nn	Цo
	am 1	0-A(		:66
	stre	m N	May	
	NNC NNC	fro		ļ
	er D	ence	ril	55:0
<i></i>	Rič	iffer	dΑ	
e 4-8	Iquin	nd D	ų	D:66
Tabl	30L 1	ws a	Maro	10
	Sar	Flo	Σ	166
	ŝs in	erim	brua	
	Iture	Inte	щ	0
	pera	2010	uary	19:C
	Tem	ear	Jan	L o
	ater .	ter Y	her	59 C
	å Š	Wai	Decen	
	late	ring		
	imu	Du	embei	510
	S		Š	

Г

01	Mictor	Octo	ober	Nove	mber	Dece	mber	Janu	larv	Febru	Jary	Marc	ch	Apr	ii	Ma	\ \	Jun	e	Juc	,	Augu	st	Septem	ber
nteri	Year	Å	Diff	Å	Diff	Å	Diff	ĥ	Diff	ĥ	Diff	ĥ	Diff	۴	Diff	Å	Diff	Å	Diff	۴	Diff	<u> </u> ה	Diff	Ч	Diff
m F	1981	65	0.7	56	0.5	48	0.0	48	0.0	55	0.5	60	0.4	69	0.9	73	1.1	81	0.7	82	0.4	31	0.4	77	0.5
- - - -	1982	99	0.6	56	0.6	48	0.0	46	0.1	53	0.3	58	0.1	61	0.0	67	-0.2	74	-0.3	79	0.1	30	0.3	73	0.3
ws	1983	62	0.3	52	-0.1	48	-0.2	46	0.0	52	0.1	57	0.0	60	0.0	67	0.1	70	0.1	73	0.0	17	0.1	71	0.0
Pro	1984	62	0.2	55	0.1	49	-0.1	49	0.0	53	0.1	63	0.8	99	1.0	75	1.1	79	0.5	83	0.4	31	0.3	77	0.4
Dier	1985	64	0.4	54	0.3	50	-0.2	46	0.0	54	0.3	61	0.8	69	1.0	72	1.1	79	0.5	82	0.3	90	0.3	74	0.3
ct	1986	65	0.6	53	0.5	46	0.1	49	0.0	54	0.3	59	0.3	63	0.0	70	-0.1	77	0.1	82	0.1	30	0.2	73	0.2
I	1987	99	0.4	56	0.7	46	0.0	46	0.0	54	0.4	61	0.6	71	0.9	74	0.7	78	0.5	80	0.3	90	0.3	76	0.5
<u> </u>	1988	69	0.9	54	0.6	48	0.1	48	0.0	57	0.6	64	1.2	67	1.1	71	0.7	77	0.4	83	0.3	31	0.3	76	0.4
<u> </u>	1989	68	0.7	55	0.9	48	0.0	48	0.0	54	0.3	61	1.2	20	1.5	73	1.2	77	0.5	81	0.3	30	0.2	75	0.3
<u> </u>	1990	67	0.6	57	0.7	47	0.1	48	0.0	51	0.0	62	1.3	69	1.4	72	0.7	77	0.4	83	0.2	32	0.2	77	0.2
<u> </u>	1991	69	0.8	55	0.9	46	0.0	48	0.0	55	0.7	61	1.2	67	1.5	73	1.6	78	0.5	83	0.3	31	0.2	78	0.4
<u> </u>	1992	69	1.0	56	1.0	48	0.1	46	0.0	55	0.3	63	1.2	20	1.1	76	0.9	79	0.4	81	0.2	32	0.2	76	0.3
<u>I</u>	1993	69	0.6	55	1.1	47	0.1	48	0.0	54	0.0	64	0.6	64	-0.1	70	0.1	76	0.8	81	0.1	26 (	0.3	72	0.4
<u>I</u>	1994	64	0.5	56	0.5	48	0.0	48	0.0	53	0.1	63	1.4	67	1.1	71	0.7	79	0.4	80	0.3	32	0.2	77	0.2
I	1995	99	0.5	52	0.4	47	0.0	50	0.0	55	0.6	58	0.1	62	0.0	66	0.0	68	-0.9	76	-0.1	90	D.1	75	0.3
<u> </u>	1996	62	0.4	60	0.7	52	0.1	50	0.0	55	0.0	60	0.1	66	0.8	68	-0.2	78	-0.2	82	0.2	31	0.1	75	0.2
I	1997	65	0.3	56	0.3	50	0.1	50	0.0	53	0.0	61	0.6	99	1.5	74	1.3	79	1.1	83	0.3	32	D.1	78	0.2
	1998	67	0.3	58	0.7	48	0.1	50	0.0	53	0.3	60	0.0	63	0.0	65	0.1	70	-0.2	77	0.2	62	0.2	71	0.3
<u>I</u>	1999	63	0.5	56	0.4	48	0.2	49	0.0	54	0.1	60	0.6	63	1.5	70	1.2	79	0.4	83	0.3	31	D.1	77	0.3
I	2000	69	0.5	58	0.7	50	0.1	51	0.0	54	0.1	58	0.5	68	2.0	72	1.2	79	0.1	80	0.2	31	0.2	75	0.3
<u>I</u>	2001	65	0.4	53	0.1	50	0.0	49	0.0	52	0.2	63	0.9	66	1.7	74	1.6	79	0.4	80	0.2	62	0.2	77	0.3
I	2002	67	0.5	57	0.6	48	0.0	49	0.0	55	0.4	61	0.9	68	1.9	70	1.2	77	0.5	82	0.3	90	0.3	79	0.3
I	2003	67	0.5	56	0.7	51	0.1	51	0.0	56	0.4	63	1.0	99	2.0	71	1.3	79	0.4	82	0.3	62	0.3	76	0.3
⊡ <del>-</del> ⊻ ⊧ Fina	<pre>(ey: F = degre )iff = diffe</pre>	es Fah trence	Irenheit																						

	_	•		(								
Water												
Year	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1981	68	56	47	47.0	54.7	60.6	68.5	73.1	80.1	82	81	77
1982	66	56	48	46.1	53.5	59.2	63.5	71.3	76.7	81	81	74
1983	66	53	48	45.4	52.2	57.2	61.5	68.1	72.7	75	80	75
1984	66	55	48	48.1	53.4	62.6	66.4	75.0	78.9	83	81	77
1985	65	53	46	43.9	54.1	61.0	69.0	72.4	78.9	82	80	74
1986	66	53	46	49.0	53.4	59.7	66.0	72.4	78.1	82	80	74
1987	67	56	47	46.2	54.1	61.2	70.6	74.5	78.3	80	80	75
1988	69	55	49	48.0	56.3	63.6	66.5	71.3	76.8	83	80	76
1989	68	55	48	47.7	54.0	60.9	68.9	73.5	77.6	81	80	75
1990	67	57	48	48.4	51.4	61.1	68.6	72.0	77.5	83	82	77
1991	69	56	46	47.4	54.4	61.8	67.3	73.5	78.6	83	82	78
1992	70	57	48	46.3	54.8	63.0	70.2	77.0	79.1	81	82	77
1993	70	56	47	47.5	54.5	64.2	67.9	74.1	78.6	83	81	77
1994	69	56	48	48.1	52.6	62.2	67.4	73.2	79.7	83	82	77
1995	68	53	46	50.4	54.6	58.4	64.1	69.2	76.1	79	83	78
1996	69	60	52	50.2	56.7	62.1	67.0	71.2	78.5	82	81	75
1997	66	56	50	49.3	53.2	62.4	66.2	75.6	77.9	83	82	78
1998	67	58	48	49.7	52.2	61.5	64.1	67.1	73.7	80	83	78
1999	67	56	47	47.9	55.2	60.9	65.0	72.2	79.4	83	81	77
2000	69	58	50	50.7	54.5	60.6	68.4	72.8	79.0	80	81	75
2001	66	54	50	49.2	53.1	62.9	67.5	78.1	79.1	80	80	77
2002	68	57	47	49.3	55.2	61.4	67.6	72.7	77.9	83	81	79
2003	68	57	51	51.5	56.1	62.5	66.1	72.7	79.4	82	80	77

Table 4-9.Mean Monthly Water Temperatures Under Existing Flows Upstream (top table) and<br/>Downstream (bottom table) from Merced River Confluence

Water												
Year	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1981	65	55	48	47.6	54.5	59.9	67.9	72.3	79.8	82	80	76
1982	65	55	48	46.2	53.2	58.3	60.9	67.4	74.3	79	79	73
1983	62	52	48	46.0	52.3	56.6	60.2	66.5	69.9	73	77	71
1984	62	54	49	48.8	53.3	61.9	65.4	73.8	78.1	83	81	77
1985	64	53	50	46.2	53.9	60.4	68.3	71.4	78.4	82	80	73
1986	65	53	46	49.0	53.4	58.9	63.5	69.6	77.4	82	80	73
1987	66	56	46	46.3	53.9	60.7	70.1	73.5	77.8	80	79	75
1988	68	54	48	48.0	56.0	63.2	66.0	70.5	76.5	83	80	76
1989	67	54	48	47.5	53.6	60.2	68.3	72.1	77.0	81	80	75
1990	67	56	47	48.2	51.1	60.4	67.7	70.9	76.9	83	82	77
1991	68	54	46	48.2	54.3	59.4	65.8	70.9	77.9	82	81	77
1992	68	55	48	46.4	54.8	62.3	69.0	75.0	78.4	81	82	76
1993	68	54	47	47.7	54.2	63.4	63.7	69.6	75.0	81	75	72
1994	64	55	48	48.2	52.4	61.6	65.6	70.3	78.4	80	82	77
1995	66	52	47	50.5	54.6	57.6	61.7	66.0	68.8	76	80	74
1996	62	59	51	50.0	55.2	59.4	65.1	68.2	78.0	82	81	75
1997	64	55	50	49.7	52.6	60.8	64.3	73.1	77.4	82	82	78
1998	66	57	48	50.1	52.2	60.0	62.5	65.3	70.6	77	79	71
1999	62	56	48	48.9	54.2	59.7	61.5	68.9	78.5	83	81	77
2000	68	57	50	50.7	54.1	58.0	65.9	70.4	78.6	80	80	75
2001	64	53	50	48.7	52.3	62.2	64.8	72.6	78.1	79	79	76
2002	67	56	48	48.9	54.8	60.4	65.9	68.6	76.7	82	80	78
2003	66	56	51	51.2	55.3	61.9	63.5	69.2	78.3	82	79	76

Final 4-56 – September2009 Water Year 2010 Interim Flows Project Environmental Assessment/Initial Study

(	υμ ιαυ	iej aliu		nsueai	π (ροιιά	uni tabi		Imerce	u River	COIII	luence	7
Water												
Year	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1981	68	57	47	47.0	55.4	60.8	69.2	74.1	81.0	83	81	77
1982	66	57	48	46.2	54.1	59.8	63.7	71.9	77.2	82	81	75
1983	66	53	48	45.4	52.4	57.2	61.4	68.4	72.9	76	80	75
1984	67	55	48	48.1	53.6	63.4	66.9	75.9	79.5	84	81	78
1985	65	54	46	43.9	54.4	61.5	69.8	73.5	79.6	83	80	74
1986	66	54	46	49.0	53.8	60.2	66.2	72.6	78.4	82	80	74
1987	67	57	47	46.2	54.6	61.7	71.5	75.3	78.9	80	80	76
1988	70	55	49	48.0	57.0	64.8	67.7	72.1	77.2	83	81	76
1989	68	55	48	47.7	54.3	62.0	70.4	74.6	78.1	81	80	75
1990	68	58	48	48.4	51.3	62.3	70.1	72.8	77.9	83	82	77
1991	70	56	46	47.4	55.5	61.9	67.9	74.2	79.1	83	82	78
1992	70	58	48	46.3	55.1	64.1	71.1	77.7	79.5	81	83	77
1993	71	57	47	47.5	54.5	64.6	67.7	74.1	78.2	83	81	77
1994	70	57	48	48.1	52.7	63.6	68.6	73.9	80.0	84	82	78
1995	68	53	46	50.4	55.4	58.4	64.3	70.3	76.5	79	83	78
1996	69	61	52	50.2	56.8	62.1	67.3	71.9	78.3	82	82	75
1997	66	56	49	49.2	53.3	63.0	67.1	75.9	78.8	83	83	79
1998	67	58	48	49.7	52.8	61.4	64.2	67.7	74.4	81	83	78
1999	67	57	47	47.9	55.4	61.4	65.5	72.9	79.8	83	81	78
2000	70	59	50	50.7	54.7	60.9	69.7	73.6	79.2	81	81	76
2001	66	54	50	49.2	53.2	63.7	68.4	79.2	79.5	80	80	77
2002	68	58	47	49.3	55.7	61.9	69.1	73.4	78.4	83	81	79
2003	68	58	51	51.5	56.5	63.4	66.7	73.4	79.9	82	80	77

Table 4-10.Mean Monthly Water Temperatures Under Water Year 2010 Interim Flows Upstream<br/>(top table) and Downstream (bottom table) from Merced River Confluence

Water												
Year	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1981	65	56	48	47.6	55.1	60.3	68.8	73.3	80.5	82	81	77
1982	66	56	48	46.2	53.5	58.4	60.9	67.2	74.0	79	80	73
1983	62	52	48	46.0	52.4	56.5	60.2	66.7	70.0	73	77	71
1984	62	55	49	48.8	53.4	62.7	66.4	74.9	78.7	83	81	77
1985	64	54	50	46.2	54.2	61.1	69.4	72.5	79.0	82	80	74
1986	65	53	46	49.0	53.7	59.2	63.5	69.6	77.5	82	80	73
1987	66	56	46	46.3	54.3	61.4	70.9	74.2	78.3	80	80	76
1988	69	54	48	48.0	56.6	64.4	67.1	71.1	76.9	83	81	76
1989	68	55	48	47.5	53.9	61.4	69.8	73.3	77.4	81	80	75
1990	67	57	47	48.2	51.1	61.7	69.1	71.6	77.3	83	82	77
1991	69	55	46	48.2	55.0	60.6	67.3	72.5	78.4	83	81	78
1992	69	56	48	46.4	55.1	63.5	70.1	75.9	78.8	81	82	76
1993	69	55	47	47.7	54.2	64.0	63.6	69.7	75.8	81	76	72
1994	64	56	48	48.2	52.6	63.0	66.8	71.0	78.8	80	82	77
1995	66	52	47	50.5	55.3	57.7	61.7	66.1	67.9	76	80	75
1996	62	60	52	50.0	55.2	59.5	65.8	67.9	77.8	82	81	75
1997	65	56	50	49.7	52.6	61.4	65.8	74.3	78.6	83	82	78
1998	67	58	48	50.1	52.5	60.0	62.5	65.4	70.5	77	79	71
1999	63	56	48	48.9	54.4	60.4	63.0	70.1	78.9	83	81	77
2000	69	58	50	50.7	54.3	58.5	67.9	71.6	78.7	80	81	75
2001	65	53	50	48.7	52.5	63.2	66.5	74.2	78.5	80	79	77
2002	67	57	48	48.9	55.2	61.3	67.8	69.8	77.2	82	80	79
2003	67	56	51	51.2	55.7	62.9	65.5	70.5	78.7	82	79	76

Tables 4-8 through 4-10 were developed using mean monthly data from the SJR5Q model. Shorter term, such as 7-day, averages were not computed because of the limited accuracy in actual daily data used to define the SJR5Q simulation. However, these mean monthly results can be used to identify trends in water temperatures and identify the potential magnitude of impacts.

Tables 4-12, 4-13, and 4-16 show changes in water temperatures from upstream to downstream of the Merced River confluence both under existing conditions and WY 2010 Interim Flows. The juvenile migration period is highlighted. Green indicates temperatures suitable for smoltification of Central Valley steelhead. Yellow represents water temperatures that are suitable for juvenile migration. Orange represents water temperatures that exceed the suitable criteria established by USEPA (2003). Modeling results indicate that with WY 2010 Interim Flows, water temperatures, particularly downstream from the Merced River confluence, would change on four different occasions to a different level of suitability for salmonids; two of the changes are positive.

Most steelhead emigrate from the San Joaquin system in spring, primarily between February and May, but may emigrate in January and June as well (NMFS 2009). Recommended water temperatures for steelhead smoltification based on a 7-day average of the daily maximum (7DADM) are 57°F and below, but emigration may take place before or after smoltification, when water temperature tolerances are higher (up to 68°F) (USEPA 2003). Fall-run Chinook salmon juveniles emigrate between January and June, with most juveniles emigrating between February and May (NMFS 2009). Optimal water temperatures for Chinook salmon smoltification is 56°F, but rearing/emigrating juveniles can tolerate warmer water temperatures up to 68°F (USEPA 2003).

As shown in Table 4-8, water temperatures in the San Joaquin River downstream from the Merced River would be suitable for steelhead and fall-run Chinook salmon migration and/or smoltification, both with and without WY 2010 Interim Flows, during January of all simulated years, and most years in February. The increment of change between existing conditions and WY 2010 Interim Flows is small (less than 2°F), particularly since the natural variability in the system is already high. In addition, the differences in water temperature between existing conditions and WY 2010 Interim Flows are typically fractional, and may be a result of model noise.

In March, both with and without the WY 2010 Interim Flows, average monthly water temperatures in the San Joaquin River downstream from the confluence with the Merced River would almost always exceed 58°F (and therefore would not be suitable for smoltification), but would not exceed 68°F (and therefore would be suitable for emigration before or after smoltification). Water temperatures in April are sometimes greater than 68°F without WY 2010 Interim Flows, and WY 2010 Interim Flows increase the temperatures by no more than 2°F. Because water temperatures through March in most years would continue to be within the suitable range during WY 2010 Interim Flows (less than 68°F), and because April temperatures which typically already exceed healthy steelhead and Chinook salmon criteria would change slightly, the changes would not

species that currently exist. In May and June, water temperatures typically exceed healthy criteria for steelhead and Chinook salmon; however, on two occasions, WY 2010 Interim Flows would improve water temperatures. In general, water temperatures improve downstream from the Merced River confluence, particularly in May.

Linear regressions of recorded water temperature and mean daily flow were also performed to estimate the correlation between temperature and flow in the Merced, Tuolumne, and Stanislaus rivers in the months of March and April. Based on this analysis, flows in these three tributaries of the San Joaquin River have a negligible correlation with water temperature. The relationship between flow and temperature was not linear and the range of possible temperatures varied by +/- 10°F, particularly during lower releases expected by the CalSim modeling under both No–Action Alternative and WY 2010 Interim Flows. The results indicate that as water flows farther from Friant Dam, ambient air temperature conditions dominate over the flow rate in controlling temperature. Therefore, WY 2010 Interim Flows are not likely to affect temperatures on the tributaries.

The San Joaquin River downstream from the confluence with the Merced River would experience an increase, or no change, in flows in all months. Immediately downstream from the confluence, water temperature would increase very slightly in October, March, April, and May. Because the increase would be only 1°F to 2°F (Table 4-8), it is expected that the water would equilibrate quickly downstream, thus minimizing any effects to fish. In addition, Reclamation would implement a program to monitor water temperatures on the Merced River near the San Joaquin River confluence, as described in Section 2. The changes in flow, which would be small, would have no impact to fish, and the water temperature increase would be less than significant.

Records of flow rates and temperatures were compiled for the tributary rivers, as close to the confluences as could be found. The relationship between flow and temperature was not linear: the range of possible temperatures varied by +/- 10°F, particularly during lower releases expected by CalSim modeling under both the No–Action Alternative and Proposed Action. Conceptually, as water flows farther from Friant Dam, ambient air temperature conditions dominate over the flow rate in controlling water temperature. At the confluence of the tributaries with the San Joaquin River, flow rates do not appear to influence temperatures at lower ranges of release. Changes in tributary flows as a result of WY 2010 Interim Flows are unlikely to change water temperatures because ambient air temperature conditions dominate.

The temperature model, SJR5Q, is a 6-hour time step model of the San Joaquin River from Millerton Lake to the confluence with the Merced River. SJR5Q is a subset of a larger model of the San Joaquin River system that extends downstream to the Delta and upstream on the tributary rivers.

A short "stub" represents the Merced River in the SJR5Q model. This does not include any storage on the Merced River or in most of the reach of the river from Lake McClure to the San Joaquin River. All of the information on how the Merced River flows could change because of WY 2010 Interim Flows comes from the CalSim monthly model. Real-time flow changes could be much different on a daily basis because of operational and local inflow variations, especially since the VAMP period and the WY 2010 Interim flow periods could move within their respective time windows, changing the days when they do or do not interact.

Historical data were used to determine whether a relationship exists between flow and temperature in the tributary rivers near the confluence with the San Joaquin River that could be used to approximate any potential changes in Merced River inflow to the San Joaquin. Historical data showed almost zero correlation between Merced River flows and temperature at the confluence with the San Joaquin River. This indicates that the temperatures at this location have reached equilibrium and would not change because of changes in Merced River flows, including potential changes that could occur as a result of WY 2010 Interim Flows. In addition, water temperatures recorded from the DWR gages on the San Joaquin River at Crows Landing, and in the Merced River at Stevenson, were graphed for a wet and dry water year, to show the current trend in water temperatures throughout the year (Figures 4-1 and 4-2)

Tables 4-11 through 4-22 show flows and temperatures at three locations, as reported by SJR5Q.





Final 4-62 – September 2009

					<u></u>		10.10				<u> </u>	
Water Year	Oct	Νον	Dec	Jan	Feb	Mar	Apr	Мау	Jun	Jul	Aug	Sep
1981	477	286	309	486	704	959	543	410	310	389	410	367
1982	314	359	447	1,066	2,802	3,433	8,353	7,456	2,973	1,280	754	1,019
1983	1,142	2,229	8,423	9,822	15,241	16,539	13,477	11,523	12,838	9,738	1,452	1,639
1984	2,388	2,658	6,118	5,801	879	859	717	550	558	538	627	602
1985	620	218	128	295	503	711	676	488	482	545	603	572
1986	407	269	402	545	5,080	9,187	6,063	3,823	3,329	1,190	874	793
1987	558	366	359	417	561	868	587	461	478	552	544	423
1988	299	374	282	479	447	611	493	358	433	415	537	448
1989	339	174	238	295	344	417	514	351	370	434	484	433
1990	425	391	394	359	425	407	329	273	277	377	421	303
1991	210	161	116	98	104	592	316	158	162	232	257	176
1992	142	111	118	163	485	460	287	148	195	237	274	246
1993	193	97	150	1,556	1,256	1,042	1,273	1,338	791	878	475	399
1994	418	468	457	445	730	533	332	223	271	333	403	351
1995	281	232	292	1,608	2,445	6,537	6,409	7,525	3,084	6,347	957	785
1996	652	483	523	634	1,870	2,836	778	2,338	1,333	613	735	617
1997	533	703	3,110	16,659	11,725	1,511	463	1,163	395	434	536	473
1998	547	458	609	1,070	8,383	4,905	7,800	7,996	6,378	7,076	861	822
1999	913	705	605	441	896	888	560	412	402	505	583	528
2000	588	470	290	415	1,285	1,264	595	531	573	530	495	401
2001	535	575	525	628	680	947	487	382	398	417	452	380
2002	389	517	446	669	546	612	316	299	313	379	378	351
2003	352	468	732	654	547	762	337	288	355	394	396	343
Minimum	142	97	116	98	104	407	287	148	162	232	257	176
Average	553	555	1,090	1,939	2,519	2,473	2,248	2,108	1,595	1,471	587	542
Maximum	2,388	2,658	8,423	16,659	15,241	16,539	13,477	11,523	12,838	9,738	1,452	1,639

 Table 4-11.

 Simulated Monthly San Joaquin River Flows, Upstream from Merced River

 Confluence, under Existing Conditions (cubic feet per second)

Table 4-12.

Simulated Monthly San Joaquin River Temperatures, Upstream from Merced River Confluence, under Existing Conditions (degrees Fahrenheit)

Water	0.4	Neur	Dee	lan	Fak	Max	A	Ман	l	L.I	A	C
Year	Oct	NOV	Dec	Jan	reb	war	Apr	way	Jun	Jui	Aug	Sep
1981	68	56	47	47	55	61	69	73	80	82	81	77
1982	66	56	48	46	54	59	63	71	77	81	81	74
1983	66	53	48	45	52	57	61	68	73	75	80	75
1984	66	55	48	48	53	63	66	75	79	83	81	77
1985	65	53	46	44	54	61	69	72	79	82	80	74
1986	66	53	46	49	53	60	66	72	78	82	80	74
1987	67	56	47	46	54	61	71	75	78	80	80	75
1988	69	55	49	48	56	64	66	71	77	83	80	76
1989	68	55	48	48	54	61	69	74	78	81	80	75
1990	67	57	48	48	51	61	69	72	78	83	82	77
1991	69	56	46	47	54	62	67	73	79	83	82	78
1992	70	57	48	46	55	63	70	77	79	81	82	77
1993	70	56	47	48	55	64	68	74	79	83	81	77
1994	69	56	48	48	53	62	67	73	80	83	82	77
1995	68	53	46	50	55	58	64	69	76	79	83	78
1996	69	60	52	50	57	62	67	71	78	82	81	75
1997	66	56	50	49	53	62	66	76	78	83	82	78
1998	67	58	48	50	52	62	64	67	74	80	83	78
1999	67	56	47	48	55	61	65	72	79	83	81	77
2000	69	58	50	51	55	61	68	73	79	80	81	75
2001	66	54	50	49	53	63	68	78	79	80	80	77
2002	68	57	47	49	55	61	68	73	78	83	81	79
2003	68	57	51	52	56	62	66	73	79	82	80	77
Minimum	65	53	46	44	51	57	61	67	73	75	80	74
Average	68	56	48	48	54	61	67	73	78	82	81	76
Maximum	70	60	52	52	57	64	71	78	80	83	83	79

Water									•			
Year	Oct	Νον	Dec	Jan	Feb	Mar	Apr	Мау	Jun	Jul	Aug	Sep
1981	659	548	384	495	911	1.675	1.343	697	445	478	527	498
1982	490	605	515	993	1,639	2,644	8,013	6,272	2,197	1,315	875	1,157
1983	1,184	1,881	7,662	9,420	14,212	16,504	13,467	10,748	12,312	9,658	1,484	1,640
1984	2,492	2,904	5,149	5,519	1,051	1,579	1,899	979	690	659	745	736
1985	799	497	205	304	715	1,445	1,456	768	599	657	723	705
1986	571	536	476	473	4,142	8,270	5,717	3,458	3,083	1,315	993	925
1987	744	635	422	425	760	1,565	914	597	605	661	652	555
1988	459	639	348	483	629	1,280	806	500	545	502	621	558
1989	479	404	295	305	532	1,123	1,270	623	475	505	548	533
1990	569	624	434	368	617	1,073	631	385	362	436	475	384
1991	331	384	154	100	275	1,297	1,087	416	245	293	314	264
1992	256	334	157	164	664	1,130	590	261	277	295	327	317
1993	304	319	189	1,550	1,211	1,543	1,369	1,431	1,697	1,093	529	470
1994	531	695	497	447	899	1,199	634	339	353	392	456	422
1995	393	455	331	1,536	1,393	6,714	5,913	5,817	2,245	6,130	999	862
1996	764	705	562	635	1,917	2,984	1,634	1,112	1,042	674	789	691
1997	645	934	1,945	16,286	10,886	1,799	1,705	1,714	1,560	782	589	544
1998	659	679	648	1,014	6,481	4,953	7,528	6,857	4,988	6,028	913	893
1999	1,025	896	643	441	1,059	1,613	1,810	817	498	576	636	599
2000	704	710	343	418	1,479	1,750	1,754	950	536	589	552	472
2001	647	797	564	630	850	1,652	1,248	653	480	478	506	451
2002	500	739	485	671	716	1,306	1,068	554	400	439	438	427
2003	464	691	771	656	714	1,483	1,544	688	436	453	455	414
Minimum	256	319	154	100	275	1,073	590	261	245	293	314	264
Average	681	766	1,008	1,884	2,337	2,895	2,756	2,028	1,568	1,496	659	631
Maximum	2,492	2,904	7,662	16,286	14,212	16,504	13,467	10,748	12,312	9,658	1,484	1,640

 Table 4-13.

 Simulated Monthly San Joaquin River Flows, Upstream from Merced River

 Confluence, Under the Proposed Action (cubic feet per second)

#### Table 4-14.

#### Simulated Monthly San Joaquin River Temperature, Upstream from Merced River Confluence, Under the Proposed Action (degrees Fahrenheit)

Water	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Year							•	,				•
1981	68	57	47	47	55	61	69	74	81	83	81	77
1982	66	57	48	46	54	60	64	72	77	82	81	75
1983	66	53	48	45	52	57	61	68	73	76	80	75
1984	67	55	48	48	54	63	67	76	80	84	81	78
1985	65	54	46	44	54	62	70	74	80	83	80	74
1986	66	54	46	49	54	60	66	73	78	82	80	74
1987	67	57	47	46	55	62	72	75	79	80	80	76
1988	70	55	49	48	57	65	68	72	77	83	81	76
1989	68	55	48	48	54	62	70	75	78	81	80	75
1990	68	58	48	48	51	62	70	73	78	83	82	77
1991	70	56	46	47	55	62	68	74	79	83	82	78
1992	70	58	48	46	55	64	71	78	80	81	83	77
1993	71	57	47	48	54	65	68	74	78	83	81	77
1994	70	57	48	48	53	64	69	74	80	84	82	78
1995	68	53	46	50	55	58	64	70	77	79	83	78
1996	69	61	52	50	57	62	67	72	78	82	82	75
1997	66	56	49	49	53	63	67	76	79	83	83	79
1998	67	58	48	50	53	61	64	68	74	81	83	78
1999	67	57	47	48	55	61	65	73	80	83	81	78
2000	70	59	50	51	55	61	70	74	79	81	81	76
2001	66	54	50	49	53	64	68	79	80	80	80	77
2002	68	58	47	49	56	62	69	73	78	83	81	79
2003	68	58	51	52	56	63	67	73	80	82	80	77
Minimum	65	53	46	44	51	57	61	68	73	76	80	74
Average	68	56	48	48	54	62	68	73	78	82	81	77
Maximum	71	61	52	52	57	65	72	79	81	84	83	79

				101			000011	۳ <i>)</i>				
Water	Oct	Nov	Dec	.lan	Feb	Mar	Δnr	Mav	Jun	Jul	Διια	Sen
Year	000		200	oun	100	mai	741	inay	oun	oui	Aug	000
1981	539	500	445	279	188	268	158	143	89	63	65	67
1982	74	195	194	291	1,239	1,711	4,619	3,702	1,097	693	250	520
1983	1,359	868	2,030	2,199	3,677	4,401	4,119	3,013	4,083	2,772	693	1,118
1984	2,156	655	1,810	3,098	1,051	423	297	273	224	115	75	90
1985	211	506	1,167	605	238	189	199	220	150	74	67	123
1986	219	188	247	159	551	2,943	2,854	1,735	539	103	80	123
1987	325	181	160	175	193	217	152	193	151	80	64	66
1988	77	195	187	204	194	186	149	170	112	57	59	24
1989	63	190	212	216	218	254	222	201	138	60	54	42
1990	72	206	204	204	228	200	201	189	127	56	46	40
1991	71	204	210	148	119	330	151	142	71	52	55	82
1992	87	248	257	251	306	257	159	146	79	52	55	54
1993	243	275	225	337	273	269	1,488	1,339	660	404	707	690
1994	1,304	220	231	239	265	265	389	441	137	365	57	63
1995	350	237	235	338	226	2,291	3,371	3,680	3,080	2,486	423	636
1996	1,618	461	480	292	2,169	2,640	840	1,134	259	103	96	143
1997	429	291	2,031	7,648	6,785	1,588	669	603	146	83	79	111
1998	155	253	229	781	4,618	2,525	2,896	2,672	2,469	1,981	648	1,096
1999	1,101	321	468	824	1,614	735	1,124	769	195	107	61	111
2000	280	269	282	288	1,735	2,349	792	577	190	123	103	172
2001	531	406	321	277	254	324	553	617	149	102	76	95
2002	408	470	518	298	248	247	391	664	186	94	82	78
2003	333	264	235	209	241	252	510	649	181	108	94	104
Minimum	63	181	160	148	119	186	149	142	71	52	46	24
Average	522	331	538	842	1,158	1,081	1,144	1,012	631	441	173	246
Maximum	2,156	868	2,031	7,648	6,785	4,401	4,619	3,702	4,083	2,772	707	1,118

#### Table 4-15. Simulated Monthly Merced River Flows, Upstream from San Joaquin River Confluence, Under Existing Conditions and Proposed Action (cubic feet per second)

#### Table 4-16.

Simulated Monthly Merced River Temperatures, Upstream from San Joaquin River Confluence, Under Existing Conditions and Proposed Action (degrees Fahrenheit)

	,											
Water Year	Oct	Νον	Dec	Jan	Feb	Mar	Apr	Мау	Jun	Jul	Aug	Sep
1981	62	55	48	48	54	58	65	70	78	80	78	74
1982	63	53	48	47	52	56	56	59	68	73	76	70
1983	59	51	50	49	52	54	55	60	61	65	71	64
1984	57	53	51	50	53	60	63	71	76	80	78	75
1985	62	52	50	47	54	58	66	69	77	80	77	71
1986	62	52	45	49	53	56	58	63	73	79	77	71
1987	63	54	46	47	53	59	67	70	76	78	77	73
1988	66	52	48	48	55	61	64	68	75	81	78	75
1989	65	52	48	48	53	59	66	69	75	79	78	74
1990	64	54	46	48	51	59	66	69	75	81	79	75
1991	65	53	46	49	54	55	63	67	75	80	78	76
1992	66	55	48	47	55	61	67	73	76	79	79	73
1993	65	54	46	48	53	61	60	65	71	77	71	68
1994	62	53	47	49	52	60	64	69	76	77	79	75
1995	64	50	47	51	55	56	57	59	62	66	75	70
1996	59	57	51	50	54	56	63	65	76	80	79	72
1997	62	54	51	50	52	59	63	70	76	80	78	75
1998	64	56	48	51	52	57	58	59	62	67	74	66
1999	59	54	49	50	54	58	60	67	76	80	78	74
2000	65	55	49	51	54	57	64	68	77	78	78	72
2001	63	53	49	48	50	60	62	68	75	78	77	74
2002	65	55	49	48	54	58	64	66	74	79	77	75
2003	64	54	49	50	54	60	62	67	76	79	76	73
Minimum	57	50	45	47	50	54	55	59	61	65	71	64
Average	63	54	48	49	53	58	62	67	73	77	77	72
Maximum	66	57	51	51	55	61	67	73	78	81	79	76

Water	<b>•</b> •		_									•
Year	Oct	Nov	Dec	Jan	Feb	Mar	Apr	мау	Jun	Jui	Aug	Sep
1981	1,020	785	754	761	897	1,227	703	554	400	452	475	433
1982	389	551	642	1,355	4,022	5,137	12,934	11,197	4,085	1,987	1,003	1,533
1983	2,489	3,095	10,399	11,964	18,943	20,943	17,611	14,550	16,873	12,613	2,147	2,753
1984	4,539	3,307	7,875	8,940	1,934	1,285	1,015	823	781	654	701	692
1985	832	723	1,295	901	742	897	877	708	632	618	669	694
1986	628	456	651	700	5,587	12,123	8,941	5,566	3,882	1,298	955	916
1987	885	548	519	592	754	1,084	741	653	629	633	607	490
1988	375	571	469	682	641	798	642	527	545	472	595	474
1989	402	365	449	512	562	670	734	555	508	494	538	476
1990	497	597	599	563	653	608	530	460	405	433	467	343
1991	280	365	326	247	223	920	470	300	233	284	312	259
1992	228	359	375	415	790	716	448	294	274	289	328	300
1993	436	372	375	1,891	1,521	1,312	2,755	2,689	1,448	1,285	1,181	1,091
1994	1,723	689	689	684	993	800	722	666	408	699	460	415
1995	631	470	526	1,932	2,673	8,783	9,789	11,205	6,190	8,844	1,384	1,419
1996	2,273	945	1,002	924	4,024	5,481	1,630	3,471	1,596	717	831	761
1997	961	995	5,095	24,247	18,617	3,135	1,136	1,769	542	516	615	584
1998	702	710	839	1,841	12,957	7,442	10,701	10,670	8,835	9,108	1,509	1,917
1999	2,017	1,027	1,075	1,264	2,507	1,628	1,682	1,183	599	611	643	639
2000	868	740	572	702	3,001	3,629	1,381	1,113	764	653	598	573
2001	1,062	983	847	904	932	1,275	1,040	1,001	547	520	528	475
2002	794	987	963	974	794	859	707	965	499	473	461	429
2003	685	732	964	865	786	1,015	847	939	535	502	491	447
Minimum	228	359	326	247	223	608	448	294	233	284	312	259
Average	1,075	886	1,622	2,776	3,676	3,555	3,393	3, 124	2,227	1,920	761	788
Maximum	4,539	3,307	10,399	24,247	18,943	20,943	17,611	14,550	16,873	12,613	2,147	2,753

 Table 4-17.

 Simulated San Joaquin River Flows, Downstream from Merced River Confluence,

 Under Existing Conditions (cubic feet per second)

#### Table 4-18.

Simulated San Joaquin River Temperatures, Downstream from Merced River Confluence, Under Existing Conditions (degrees Fahrenheit)

Water	Oct	Nov	Dec	.lan	Feb	Mar	Δnr	Mav	Jun	Jul	Διια	Sen
Year	001	1101	200	oun	105	mai	, thi	may	oun	oui	Aug	oop
1981	65	55	48	48	55	60	68	72	80	82	80	76
1982	65	55	48	46	53	58	61	67	74	79	79	73
1983	62	52	48	46	52	57	60	67	70	73	77	71
1984	62	54	49	49	53	62	65	74	78	83	81	77
1985	64	53	50	46	54	60	68	71	78	82	80	73
1986	65	53	46	49	53	59	63	70	77	82	80	73
1987	66	56	46	46	54	61	70	73	78	80	79	75
1988	68	54	48	48	56	63	66	70	76	83	80	76
1989	67	54	48	48	54	60	68	72	77	81	80	75
1990	67	56	47	48	51	60	68	71	77	83	82	77
1991	68	54	46	48	54	59	66	71	78	82	81	77
1992	68	55	48	46	55	62	69	75	78	81	82	76
1993	68	54	47	48	54	63	64	70	75	81	75	72
1994	64	55	48	48	52	62	66	70	78	80	82	77
1995	66	52	47	50	55	58	62	66	69	76	80	74
1996	62	59	51	50	55	59	65	68	78	82	81	75
1997	64	55	50	50	53	61	64	73	77	82	82	78
1998	66	57	48	50	52	60	63	65	71	77	79	71
1999	62	56	48	49	54	60	61	69	78	83	81	77
2000	68	57	50	51	54	58	66	70	79	80	80	75
2001	64	53	50	49	52	62	65	73	78	79	79	76
2002	67	56	48	49	55	60	66	69	77	82	80	78
2003	66	56	51	51	55	62	64	69	78	82	79	76
Minimum	62	52	46	46	51	57	60	65	69	73	75	71
Average	65	55	48	48	54	60	65	70	77	81	80	75
Maximum	68	59	51	51	56	63	70	75	80	83	82	78

Water Year	Oct	Νον	Dec	Jan	Feb	Mar	Apr	Мау	Jun	Jul	Aug	Sep	
1981	1,201	1,047	831	769	1,101	1,940	1,504	843	535	542	592	565	
1982	564	797	711	1,283	2,865	4,344	12,594	10,016	3,303	2,021	1,124	1,671	
1983	2,541	2,738	9,643	11,561	17,919	20,899	17,603	13,777	16,347	12,531	2,178	2,755	
1984	4,642	3,554	6,907	8,655	2,104	2,002	2,197	1,258	913	774	820	826	
1985	1,010	1,002	1,374	910	953	1,629	1,658	990	749	730	790	827	
1986	792	723	725	629	4,650	11,206	8,594	5,201	3,634	1,423	1,073	1,048	
1987	1,070	817	582	600	951	1,780	1,070	789	756	741	716	622	
1988	535	836	535	686	821	1,466	957	669	657	560	679	583	
1989	541	595	508	521	748	1,374	1,491	829	612	565	601	575	
1990	640	830	639	572	843	1,273	834	573	490	492	521	424	
1991	402	588	366	249	391	1,623	1,243	560	316	345	369	347	
1992	342	582	415	416	967	1,385	753	407	356	348	382	371	
1993	547	594	414	1,885	1,475	1,812	2,854	2,781	2,345	1,511	1,234	1,162	
1994	1,836	916	729	686	1,160	1,464	1,026	782	490	758	513	486	
1995	742	693	566	1,862	1,623	8,956	9,300	9,500	5,347	8,623	1,426	1,496	
1996	2,385	1,168	1,042	924	4,069	5,626	2,490	2,249	1,302	777	885	834	
1997	1,072	1,226	3,946	23,875	17,780	3,417	2,375	2,320	1,709	868	669	655	
1998	813	931	879	1,786	11,059	7,485	10,432	9,534	7,472	8,028	1,561	1,988	
1999	2,129	1,218	1,114	1,264	2,668	2,349	2,932	1,592	694	682	697	709	
2000	984	980	627	704	3,193	4,116	2,537	1,536	727	712	656	644	
2001	1,174	1,205	886	906	1,100	1,977	1,802	1,275	630	580	582	546	
2002	905	1,210	1,002	977	962	1,552	1,460	1,223	587	533	520	504	
2003	796	955	1,004	867	952	1,733	2,055	1,343	616	561	549	518	
Minimum	342	582	366	249	391	1,273	753	407	316	345	369	347	
Average	1,203	1,096	1,541	2,721	3,494	3,974	3,903	3,045	2,199	1,944	832	876	
Maximum	4,642	3,554	9,643	23,875	17,919	20,899	17,603	13,777	16,347	12,531	2,178	2,755	

Table 4-19.Simulated San Joaquin River Flows, Downstream from Merced River Confluence,Under the Proposed Action (cubic feet per second)

#### Table 4-20.

Simulated San Joaquin River Temperatures, Downstream from Merced River Confluence, Under the Proposed Action (degrees Fahrenheit)

Water	Oct	Nov	Dec	Jan	Feb	Mar	Apr	Mav	Jun	Jul	Aua	Sep
Year	•••		200	Jun					•	•u.	,g	000
1981	65	56	48	48	55	60	69	73	81	82	81	77
1982	66	56	48	46	53	58	61	67	74	79	80	73
1983	62	52	48	46	52	57	60	67	70	73	77	71
1984	62	55	49	49	53	63	66	75	79	83	81	77
1985	64	54	50	46	54	61	69	72	79	82	80	74
1986	65	53	46	49	54	59	63	70	77	82	80	73
1987	66	56	46	46	54	61	71	74	78	80	80	76
1988	69	54	48	48	57	64	67	71	77	83	81	76
1989	68	55	48	48	54	61	70	73	77	81	80	75
1990	67	57	47	48	51	62	69	72	77	83	82	77
1991	69	55	46	48	55	61	67	73	78	83	81	78
1992	69	56	48	46	55	63	70	76	79	81	82	76
1993	69	55	47	48	54	64	64	70	76	81	76	72
1994	64	56	48	48	53	63	67	71	79	80	82	77
1995	66	52	47	50	55	58	62	66	68	76	80	75
1996	62	60	52	50	55	60	66	68	78	82	81	75
1997	65	56	50	50	53	61	66	74	79	83	82	78
1998	67	58	48	50	53	60	63	65	70	77	79	71
1999	63	56	48	49	54	60	63	70	79	83	81	77
2000	69	58	50	51	54	58	68	72	79	80	81	75
2001	65	53	50	49	52	63	66	74	79	80	79	77
2002	67	57	48	49	55	61	68	70	77	82	80	79
2003	67	56	51	51	56	63	66	71	79	82	79	76
Minimum	62	52	46	46	51	57	60	65	68	73	76	71
Average	66	55	48	48	54	61	66	71	77	81	80	75
Maximum	69	60	52	51	57	64	71	76	81	83	82	79

# Table 4-21.Simulated San Joaquin River Flows, Downstream from Merced River Confluence,<br/>Under Proposed Action Compared with Existing Conditions (cubic feet per<br/>second, Proposed Action minus Existing Conditions)

Water	Oct	Nov	Dec	Jan	Feb	Mar	Apr	Mav	Jun	Jul	Aug	Sep
Year								,			J	
1981	181	262	76	8	205	714	801	290	134	90	117	132
1982	176	246	69	(71)	(1,158)	(793)	(340)	(1,181)	(782)	34	121	137
1983	52	(357)	(756)	(403)	(1,024)	(44)	(7)	(774)	(526)	(82)	31	1
1984	103	247	(968)	(286)	170	717	1,182	434	132	120	119	134
1985	178	279	78	9	210	731	781	282	117	112	121	133
1986	163	267	74	(70)	(937)	(917)	(347)	(365)	(248)	125	119	132
1987	185	269	64	8	197	695	329	136	127	109	108	132
1988	160	265	67	4	180	668	315	142	112	88	84	110
1989	139	230	59	9	186	704	757	274	104	71	63	100
1990	143	233	41	9	191	664	304	113	85	59	54	81
1991	121	222	40	2	169	703	772	260	83	61	57	88
1992	114	222	40	1	177	668	305	113	82	59	53	71
1993	111	222	40	(6)	(46)	500	99	92	897	226	53	71
1994	113	228	41	2	167	665	304	116	82	59	53	71
1995	111	222	40	(70)	(1,050)	172	(489)	(1,706)	(843)	(221)	42	76
1996	111	222	40	0	45	145	859	(1,222)	(294)	61	54	73
1997	111	231	(1,149)	(371)	(837)	282	1,239	551	1,167	353	53	71
1998	111	221	40	(55)	(1,898)	43	(269)	(1,137)	(1,362)	(1,081)	53	71
1999	111	191	39	0	161	721	1,250	409	95	71	53	71
2000	116	240	55	2	192	487	1,155	423	(37)	59	57	71
2001	111	222	40	2	168	702	762	274	83	60	54	71
2002	111	222	40	2	168	693	754	258	88	60	60	76
2003	111	223	40	2	165	719	1,208	404	81	59	58	71
Minimum	52	(357)	(1, 149)	(403)	(1,898)	(917)	(489)	(1,706)	(1,362)	(1,081)	31	1
Average	128	210	(81)	(55)	(183)	419	510	(79)	(27)	24	71	89
Maximum	185	279	78	9	210	731	1,250	551	1,167	353	121	137

#### Table 4-22.

#### Simulated San Joaquin River Temperatures, Downstream from Merced River Confluence, Under Proposed Action Compared with Existing Conditions (cubic degrees Fahrenheit, Proposed Action minus Existing Conditions)

Water Xear	Oct	Nov	Dec	Jan	Feb	Mar	Apr	Мау	Jun	Jul	Aug	Sep
1981	07	0.5	(0,0)	0.0	0.5	04	0.9	11	07	04	04	0.5
1082	0.0	0.0	(0.0)	0.0	0.0	0.1	0.0	(0.2)	(0.3)	0.1	0.1	0.0
1983	0.0	(0.1)	(0.0)	0.1	0.0	(0,0)	(0,0)	(0.2)	(0.3)	0.1	0.0	0.0
1984	0.0	0.1	(0.1)	0.0	0.1	0.8	1.0	11	0.1	0.0	0.1	0.0
1985	0.2	0.1	(0.1)	(0,0)	0.1	0.0	1.0	1.1	0.5	0.1	0.0	0.1
1986	0.6	0.5	0.1	(0.0)	0.3	0.0	0.0	(0 1)	0.0	0.0	0.0	0.0
1987	0.0	0.0	0.0	(0.0)	0.0	0.0	0.0	0.7	0.5	0.1	0.3	0.5
1988	0.9	0.6	0.0	0.0	0.6	1.0	11	0.7	0.4	0.3	0.3	0.4
1989	0.0	0.0	(0,0)	(0,0)	0.0	1.2	1.1	12	0.1	0.0	0.0	0.1
1990	0.6	0.7	0.1	(0.0)	(0,0)	1.3	14	0.7	0.4	0.2	0.2	0.2
1991	0.8	0.9	0.0	0.0	0.7	1.2	1.5	1.6	0.5	0.3	0.2	0.4
1992	1.0	1.0	0.1	(0.0)	0.3	1.2	1.1	0.9	0.4	0.2	0.2	0.3
1993	0.6	1.1	0.1	(0.0)	(0.0)	0.6	(0.1)	0.1	0.8	0.1	0.3	0.4
1994	0.5	0.5	0.0	0.0	0.1	1.4	1.1	0.7	0.4	0.3	0.2	0.2
1995	0.5	0.4	(0.0)	0.0	0.6	0.1	0.0	0.0	(0.9)	(0,1)	0.1	0.3
1996	0.4	0.7	0.1	0.0	0.0	0.1	0.8	(0.2)	(0.2)	0.2	0.1	0.2
1997	0.3	0.3	0.1	(0.0)	0.0	0.6	1.5	1.3	1.1	0.3	0.1	0.2
1998	0.3	0.7	0.1	0.0	0.3	(0.0)	(0.0)	0.1	(0.2)	0.2	0.2	0.3
1999	0.5	0.4	0.2	0.0	0.1	0.6	1.5	1.2	0.4	0.3	0.1	0.3
2000	0.5	0.7	0.1	0.0	0.1	0.5	2.0	1.2	0.1	0.2	0.2	0.3
2001	0.4	0.1	(0.0)	0.0	0.2	0.9	1.7	1.6	0.4	0.2	0.2	0.3
2002	0.5	0.6	0.0	0.0	0.4	0.9	1.9	1.2	0.5	0.3	0.3	0.3
2003	0.5	0.7	0.1	0.0	0.4	1.0	2.0	1.3	0.4	0.3	0.3	0.3
Minimum	0.2	(0.1)	(0.2)	(0.0)	(0.0)	(0.0)	(0.1)	(0.2)	(0.9)	(0.1)	0.1	0.0
Average	0.5	0.6	0.0	0.0	0.3	0.7	1.0	0.8	0.3	0.2	0.2	0.3
Maximum	1.0	1.1	0.2	0.1	0.7	1.4	2.0	1.6	1.1	0.4	0.4	0.5

#### San Joaquin River Tributaries

The Merced, Tuolumne, and Stanislaus rivers are the three main tributaries to the lower San Joaquin River. Each tributary supports populations of fall-run Chinook salmon and Central Valley steelhead. Releases from major reservoirs on the three main tributaries are made in response to multiple operational objectives, including flood management, downstream diversions, instream fisheries flows, instream water quality flows, and releases to meet water quality and flow objectives at Vernalis (i.e., VAMP requirements).

Regulated flows in the San Joaquin River upstream from Vernalis resulting from WY 2010 Interim Flows would be similar to or greater than those for the No-Action Alternative under all potential hydrologic conditions (Wet years, as shown in Figure 4-3). In response to WY 2010 Interim Flows, tributary releases to meet VAMP spring pulse flow objectives at Vernalis would be affected in one of two ways. In conditions when WY 2010 Interim Flows contribute toward meeting the same VAMP flow threshold that would have been in place in the No-Action Alterative, required releases from tributary reservoirs could be reduced. In conditions when WY 2010 Interim Flows cause a higher VAMP flow target than would have been in place in the No-Action Alterative, required releases from tributary reservoirs would be made to achieve the higher threshold. Changes in VAMP contribution releases from tributary reservoirs should not affect the ability to meet instream fish and water quality flow requirements in the Merced, Tuolumne, or Stanislaus rivers.





Similarly, increased flows in the lower San Joaquin River resulting from WY 2010 Interim Flows would improve water quality conditions upstream from the Stanislaus River, thereby reducing required releases from New Melones Reservoir pursuant to SWRCB Water Right Decision 1641 (D-1641) to achieve water quality objectives at Vernalis. These changes should not affect the ability to meet instream fish and water quality flow requirements in the Stanislaus River. CalSim model results indicate changes in tributaries flows are generally between zero and ten percent with one extreme in March of critical years (see Section 4.10, Tables 4-33 through 4-35). This is due to the potential that less flow may be needed from the Stanislaus River to maintain water quality at Vernalis (described above). If that condition were to occur, flows would still be within the operating parameters of the RPA of the NMFS BO. The results of modeling showing the potential for flow decreases in March are due to the fact that modeling was performed prior to the development of RPAs as part of the BO for the long-term coordinated operations for the CVP and SWP that were designed to provide fishery protection on the Stanislaus River.

The modeled change in the tributary flows is small relative to the magnitude of the baseline flows under the No-Action Alternative. Additionally, the flows under the Proposed Action are within the same range of the monthly variation found in the No-Action Alternative. For further information refer to Section 4.10.

As a result of the Proposed Action, there would be a **less than significant** effect on fallrun Chinook salmon and other native fishes in the Merced, Tuolumne, and Stanislaus rivers.

## Summary of Species Effects

In summary, the effects of implementing the Proposed Action would generally be **less than significant** or **less than significant** but beneficial effects on all fish species.

Implementing the No-Action Alternative would result in **no impact**. Most adverse and beneficial effects on these species that were described for the Proposed Action would either not occur or be less under the No-Action Alternative than under the Proposed Action.

e) Conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance?

This question is addressed above under "Biological Resources - Terrestrial Species."

f) Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan?

This question is addressed above under "Biological Resources - Terrestrial Species."

## g) Reservoir Fisheries Effects

Minimal variation in the seasonal Millerton Lake water level fluctuation is expected under the Proposed Action. Spawning for both spotted and largemouth bass occurs between March and June. It is possible that both species would experience lower reservoir elevations in some months compared with the No-Action Alternative, which could reduce the amount of shallow water habitat available during those months. Both species may also experience a more rapid decrease in elevation during the spawning season for a period of time. However, it is not anticipated that this difference would result in a substantial reduction in the populations. This impact would be **less than significant**.

Predicted changes in reservoir surface levels are expected to reduce the surface area, in some months, of reservoir open water habitat for striped bass, and improve the quality of striped bass spawning habitat at the mouth of the San Joaquin River in upper Millerton Lake.

## 4.7 Cultural Resources

En	vironmental Issues	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact						
V. Cultural Resources. Would the project:											
a)	Cause a substantial adverse change in the significance of a historical resource as defined in Section 15064.5?										
b)	Cause a substantial adverse change in the significance of an archaeological resource pursuant to Section 15064.5?										
c)	Directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?										
d)	Disturb any human remains, including those interred outside of formal cemeteries?			$\boxtimes$							

## a) Cause a substantial adverse change in the significance of a historical resource as defined in Section 15064.5?

Ground-disturbing activities (performed with hand tools) to control the spread of invasive species have only very limited potential to adversely affect cultural resources. Nonetheless, the Section 106 process would be completed for all areas identified as needing substantial ground-disturbing activities for invasive species control. This would include taking into consideration potential impacts to buried cultural resources. In general, all efforts would be made to avoid cultural resources. Therefore, the impact on cultural resources would be **less than significant** with implementation of the Proposed Action. Because it would not involve the use of construction equipment, implementing the No-Action Alternative would result in no impact.
# b) Cause a substantial adverse change in the significance of an archaeological resource pursuant to Section 15064.5?

A number of archaeological sites are situated within the existing Millerton Lake fluctuation zone. Minimal variations in seasonal Millerton Lake water level fluctuation expected under the Proposed Action would alter the timing and magnitude of reservoir elevation fluctuations in Millerton Lake, although the range of elevations would remain within the historical range. Based on the geological/soils evaluation presented Section 4.8, variation in reservoir levels under the No-Action Alternative may result in localized erosion of soils and loss of soil horizons down to bedrock along the reservoir shore in the zone of water elevation variation. Under the Proposed Action, the variation in Millerton Lake water elevations is not expected to change substantially from current operating conditions (where there is considerable interannual variation). For this reason, the impact on archaeological sites attributable to fluctuations in the height of the reservoir under the Proposed Action would be **less than significant** and slightly greater than under the No-Action Alternative.

Archaeological sites are also present along the banks of the San Joaquin River. Grounddisturbing activities to control the spread of invasive species have the potential to adversely impact cultural resources. As described above for Cultural Resources checklist question a), the impact on cultural resources would be **less than significant** with implementation of the Proposed Action. Because it would not involve the use of construction equipment, implementing the No-Action Alternative would have no impact.

Based on geological/soils studies (see "4.8 Geology and Soils"), alterations to river flows through release of WY 2010 Interim Flows could potentially change downstream stream erosion characteristics, particularly during spring months. However, the magnitude and duration of flows resulting from the Proposed Action are not expected to substantially alter erosion characteristics under current operating conditions in most of the Restoration Area. Effects on the San Joaquin River downstream from the Merced River would be less than in the Restoration Area because this area is already permanently watered and subject to episodic high flows during significant storm events. This impact would be **less than significant** and slightly greater than under the No-Action Alternative because under the No-Action Alternative, operating conditions would not change.

# c) Directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?

Paleontological resources are generally buried several feet beneath the surface of the ground. Adverse impacts on unique paleontological resources could occur if ground-disturbing equipment, such as bulldozers or excavators, were to unearth and crush resources during Proposed Action activities. Because vegetation removal activities associated with the Proposed Action would only disturb between 4 and 8 inches of the top soil surface, and no ground-disturbing equipment would be used, there would be **no impact** on unique paleontological resources with implementation of the Proposed Action. Because it would not involve the use of construction equipment, implementing the No-Action Alternative also would have no impact.

## d) Disturb any human remains, including those interred outside of formal cemeteries?

As mentioned, ground-disturbing activities to control the spread of invasive species have the potential to adversely impact cultural resources. As described above for Cultural Resources checklist questions a) and b), the impact on cultural resources would be **less than significant** with implementation of the Proposed Action. Because it would not involve the use of construction equipment, implementing the No-Action Alternative would have no impact.

The magnitude and duration of flows under the Proposed Action are not expected to substantially alter those under current operating conditions in most of the Restoration Area and downstream on the San Joaquin River to the Delta. For this reason, the potential to disturb human remains by alterations to river flows through release of WY 2010 Interim Flows would be **less than significant**. Because the magnitude and duration of flows under the No-Action Alternative would not differ from current conditions, there would be no impact under the No-Action Alternative. Therefore, the impact of the Proposed Action would be greater.

## 4.8 Geology and Soils

Environmental Issues	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
VI. Geol	ogy and Soils.	Would the project	::	
<ul> <li>a) Expose people or structures to potential substantial adverse effects, including the risk of loss, injury, or death involving:</li> </ul>				
<ul> <li>Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault? (Refer to California Geological Survey Special Publication 42.)</li> </ul>				
ii) Strong seismic ground shaking?				$\boxtimes$
iii) Seismic-related ground failure, including liquefaction?				$\boxtimes$
iv) Landslides?				$\boxtimes$
<ul> <li>b) Result in substantial soil erosion or the loss of topsoil?</li> </ul>			$\boxtimes$	
c) Be located on a geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off- site landslide, lateral spreading, subsidence, liquefaction, or collapse?				
<ul> <li>d) Be located on expansive soil, as defined in Table 18-1-B of the Uniform Building Code (1994, as updated), creating substantial risks to life or property?</li> </ul>				
e) Have soils incapable of adequately supporting the use of septic tanks or alternative waste water disposal systems where sewers are not available for the disposal of waste water?				

## a) Expose people or structures to potential substantial adverse effects, including the risk of loss, injury, or death involving:

- i. Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault? (Refer to California Geological Survey Special Publication 42.)
- ii. Strong seismic ground shaking?
- iii. Seismic-related ground failure, including liquefaction?
- iv. Landslides?

The release of WY 2010 Interim Flows would not involve conditions that could result in seismic activity or related ground failure or landslides. No WY 2010 Interim Flows would be released from Friant Dam under the No-Action Alternative. Water releases from the dam would continue to vary based on time of year, water year-type, and system conditions under the No-Action Alternative. Implementation of the No-Action Alternative would also not increase the risk of seismic activity or related ground failure or landslides. The Proposed Action and the No-Action Alternative would have **no impact**.

#### b) Result in substantial soil erosion or the loss of topsoil?

The potential for the Proposed Action to result in substantial soil erosion or loss of topsoil is addressed below for three geographic subareas, including the San Joaquin River upstream from Friant Dam, the San Joaquin River from Friant Dam to the Merced River, and the San Joaquin River from the Merced River to the Delta.

#### San Joaquin River Upstream from Friant Dam

Reoperation of Friant Dam under the Proposed Action would alter the timing and magnitude of reservoir elevation fluctuations in Millerton Lake, although the range of elevations would remain within the historical range. Variation in reservoir levels under the No-Action Alternative may result in localized erosion of soils and loss of soil horizons down to bedrock along the reservoir shore in the zone of water elevation variation. Under the Proposed Action, the variation in Millerton Lake water elevations is not expected to change substantially from current operating conditions. This impact would be **less than significant**.

#### San Joaquin River from Friant Dam to Merced River

Alterations to river flows through release of WY 2010 Interim Flows under the Proposed Action could potentially change downstream stream erosion characteristics and result in localized changes in downstream geomorphologic characteristics. However, the frequency and duration of flows under the Proposed Action are not expected to substantially alter flows under current operating conditions in the Restoration Area. This impact would be **less than significant**.

Release of WY 2010 Interim Flows from Friant Dam to Reach 2 could result in localized bed load movement during spring flows in 2010 if that year is relatively Wet, similar to existing conditions. Under existing conditions, Reach 2A experiences net erosion, and Reach 2B experiences net deposition. Sediment mobilization under the Proposed Action would be localized within these reaches, and would not be anticipated to change the overall bottom elevation of any given reach. This impact would be **less than significant**.

#### San Joaquin River from the Merced River to the Delta

Alterations to river flows by release of WY 2010 Interim Flows could potentially change downstream stream erosion characteristics and result in localized changes downstream geomorphologic characteristics. However, the frequency and duration of flows under the Proposed Action are not expected to substantially alter flows under current operating conditions from the Merced River confluence to the Delta. This impact would be **less than significant**.

No WY 2010 Interim Flows would be released from Friant Dam under the No-Action Alternative. Water releases from the dam would continue to vary based on time of year, water year types, and system conditions. The No-Action Alternative would result in no change in the current rates of stream channel erosion and meander migration, soil erosion along the reservoir shore, or the current rate of soil erosion along the banks of the San Joaquin River. Therefore, there would be no impact under the No-Action Alternative. Thus, the Proposed Action would have a greater impact than the No-Action Alternative.

#### c) Be located on a geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, liquefaction, or collapse?

The release of WY 2010 Interim Flows would not induce landslide, lateral spreading, liquefaction, or collapse. Subsidence is known to be occurring in the Central Valley because of aquifer compaction caused by pumping-related reduction of groundwater levels. A decrease in deliveries to CVP contractors due to the Proposed Action could result in a temporary increase in groundwater pumping and a related increase in aquifer compaction. The Proposed Action includes a measure consistent with the Settlement to monitor and record reductions (as a direct result of WY 2010 Interim Flows) in surface water deliveries to Friant Division long-term contractors. This impact would be **less than significant**, and greater than the No-Action Alternative because implementation of the No-Action Alternative would not affect water deliveries that would result in increased pumping and aquifer compaction. Therefore, the Proposed Action would have a greater impact on instability than the No-Action Alternative.

#### d) Be located on expansive soil, as defined in Table 18-1-B of the Uniform Building Code (1994, as updated), creating substantial risks to life or property?

Reoperation of Friant Dam to release WY 2010 Interim Flows under the Proposed Action would be within the range of normal operations; therefore, risks to life or property due to the presence of expansive soils within the region would not increase over the No-Action Alternative. There would be **no impact**.

# e) Have soils incapable of adequately supporting the use of septic tanks or alternative waste water disposal systems where sewers are not available for the disposal of waste water?

The reoperation of Friant Dam to release WY 2010 Interim Flows under the Proposed Action would not involve temporary or long-term installation or use of wastewater disposal systems, and the demand for wastewater disposal would be the same as under the No-Action Alternative. There would be **no impact**.

## 4.9 Hazards and Hazardous Materials

E	nvironmental Issues	Potentially Significant Adverse Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
	VII. Hazards and	Hazardous Mate	erials. Would the	project:	
a)	Create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials?				
b)	Create a significant hazard to the public or the environment through reasonably foreseeable upset and/or accident conditions involving the release of hazardous materials into the environment?			$\boxtimes$	
C)	Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school?				
d)	Be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, would it create a significant hazard to the public or the environment?				
e)	For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project result in a safety hazard for people residing or working in the project area?				
f)	For a project within the vicinity of a private airstrip, would the project result in a safety hazard for people residing or working in the project area?				
g)	Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?				

Environmental Issues	Potentially Significant Adverse Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact		
VII. Hazards and Hazardous Materials. Would the project:						
<ul> <li>h) Expose people or structures to a significant risk of loss, injury, or death involving wildland fires, including where wildlands are adjacent to urbanized areas or where residences are intermixed with wildlands?</li> </ul>						

## a) Create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials?

Neither the Proposed Action nor the No-Action Alternative would involve any construction nor the routine transport or disposal of any hazardous materials, with the exception of herbicides applied by hand during invasive plant species control (see item b) below). The chance of a spill is very low, and the small quantities that could be applied would not create a significant hazard to the public or the environment through the routine transport, use, or disposal of these chemicals. Therefore, the effect of the Proposed Action would be **less than significant**. The No-Action Alternative would have no impact.

#### b) Create a significant hazard to the public or the environment through reasonably foreseeable upset and/or accident conditions involving the release of hazardous materials into the environment?

All counties in the study area have reported cases of WNV (CDPH et al. 2009), and habitat for all mosquito species' life cycles is located in this geographic region within several miles of wetted portions of the San Joaquin River, bypasses, and tributaries. Implementing the Proposed Action would introduce flows to some river reaches in the Restoration Area that have typically been dry. This would likely create new pools and other new areas of standing water that could contribute to the spread of, and/or increase, mosquito populations. At the same time, however, more continuous and/or higher-thanexisting flow velocities would occur in other reaches of the Restoration Area and in the San Joaquin River below the Merced River confluence to the Delta that currently contribute to mosquito populations. In such reaches, mosquito breeding would likely decrease because conditions would no longer be suitable. Implementing the Proposed Action, therefore, is not expected to result in the need for increased mosquito control efforts by public agencies, including mosquito abatement districts and mosquito and vector control districts, or private businesses that currently conduct mosquito control efforts. The impact of the Proposed Action on public health hazards would be less than significant associated with mosquito vectors.

Hand application of chemical treatment with herbicides could be necessary to control and manage nonnative invasive plant species if their presence increased under the Proposed Action. Some herbicides have been shown to be hazardous to human health, wildlife, and/or aquatic organisms. However, handling and use of the chemicals, including formulation and application rate, would be conducted in compliance with the registered label(s) and all applicable laws and regulations. Moreover, applications would be by hand (compared to broadcast or aerial spraying), and the herbicides proposed for use (e.g., glyphosate, imazapyr) are regarded as posing relatively low risk for use in natural areas because they are not likely to contaminate groundwater, have limited persistence in the environment, and are of low toxicity to animals (TNC 2001, 2003, 2004). Therefore, potential impacts from chemical eradication of nonnative invasive plant species would be **less than significant**.

Furthermore, although *Coccidioidomycosis*, the fungus that causes Valley Fever, is likely present in the Restoration Area, and there may be other anthropogenic sources of hazardous substances (e.g., LUST sites) in the vicinity of the Restoration Area, such hazardous substances existing naturally (e.g., *Coccidioidomycosis* spores) or originating from anthropogenic sources would not likely be emitted as a result of implementing the Proposed Action because no ground-disturbing activities would occur.

For the reasons discussed above, the potential for the Proposed Action to create a hazard to the public or the environment through the release of hazardous materials would be **less than significant**.

Because no WY 2010 Interim Flows would be released from Friant Dam under the No-Action Alternative, and water releases from the dam would continue to vary based on time of year, water year-type, and system conditions, implementing the No-Action Alternative would not affect public health or existing public services. Implementing the No-Action Alternative would not alter the existing transport, use, or disposal of hazardous materials or create a significant hazard to the public or the environment through upset and/or accident conditions involving the release of hazardous materials. Therefore, impacts related to public health or public services would be greater under the Proposed Action than under the No-Action Alternative.

# c) Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school?

Implementing the Proposed Action would not involve any grading or earth-moving activities,, and chemicals that would be used to control and manage potential infestations of nonnative species pose a relatively low risk when applied in accordance with the registered label(s) and applicable laws and regulations. Hazardous substances existing naturally (e.g., *Coccidioidomycosis* spores) or from anthropogenic sources (e.g., herbicides, LUST sites) would not likely be emitted within a quarter-mile of a school as a result of implementing the Proposed Action. Therefore, the impact would be **less than significant**, and because the No-Action Alternative would not cause a new hazardous or

acutely hazardous material, substance, or waste to be handled within one-quarter mile of an existing or proposed school, the impact from the Proposed Action would be greater than from the No-Action Alternative.

#### d) Be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, would it create a significant hazard to the public or the environment?

Numerous hazardous waste sites have been identified in the vicinity of the study area based on a review of the California Department of Toxic Substances Control Cortese List, SWRCB Geotracker (SWRCB 2008), and USEPA Enviromapper (EPA 2008) databases. However, implementing the Proposed Action would not involve any construction; therefore none of the identified sites would be affected by grounddisturbing activities. Thus, implementing the Proposed Action would not create a significant hazard to the public or the environment. There would be **no impact** under either the Proposed Action or the No-Action Alternative.

#### e) For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project result in a safety hazard for people residing or working in the project area?

Three airports located within 2 miles of the Restoration Area (Sierra Sky Park Airport, Firebaugh Municipal Airport, and Mendota Municipal Airport) have adopted a comprehensive land use plan. Implementing the Proposed Action would not affect existing airport use or air traffic patterns. Release of WY 2010 Interim Flows could create additional foraging habitat that may be attractive to certain bird species. Because the Proposed Action is temporary, the likelihood is low that substantially more birds would be attracted to the area and would increase the risk for bird strikes with aircraft relative to existing conditions; therefore, implementing the Proposed Action would not result in a substantial safety hazard for people residing or working in the study area. This impact would be **less than significant**, and because there would be no land use changes within 2 miles of a public airport or public use airport under the No-Action Alternative, the impact of the Proposed Action would be greater.

#### f) For a project within the vicinity of a private airstrip, would the project result in a safety hazard for people residing or working in the project area?

Several private agricultural airstrips are present in the vicinity of the study area that operate seasonal flights for crop spraying. However, for the reasons discussed in item e), reoperating Friant Dam to deliver WY 2010 Interim Flows would not result in a significant safety hazard; therefore, the impact on people residing or working in the study area would be **less than significant** and greater than under the No-Action Alternative.

## g) Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?

California has developed an emergency response plan to coordinate emergency services provided by Federal, State, and local governments and private agencies. Response to hazardous material incidents is one part of this plan. The plan is managed by the Governor's OES, which coordinates the responses of other agencies, including Cal/EPA, CHP, DFG, and Central Valley RWQCB.

San Mateo Road (in Reach 2B) and Dan MacNamara Road (in the Eastside Bypass) could be temporarily inundated by the introduction of WY 2010 Interim Flows. This condition occurs at times under existing conditions. A number of crossings in this bypass area are unusable during high-flow conditions in winter and spring under existing conditions, including West El Nido Road, Headquarters Road, and several unnamed crossings. The roads are collectors and local roads, and appear to have generally moderate to light traffic. Under the Proposed Action, traffic would be redirected during the WY 2010 Interim Flow periods to maintain emergency access and to assist drivers with crossing the Eastside Bypass safely. With implementation of the detours, inundation of San Mateo Road and Dan MacNamara Road would not impair or interfere with implementation of adopted emergency response plans or emergency evaluation plans; therefore, this impact would be **less than significant**. Because the No-Action Alternative would not impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan, the impact of the Proposed Action would be greater than that of the No-Action Alternative.

# h) Expose people or structures to a significant risk of loss, injury, or death involving wildland fires, including where wildlands are adjacent to urbanized areas or where residences are intermixed with wildlands?

The Restoration Area is generally classified as an unzoned area for fire hazards (urban or nonflammable open space); however, portions of the area are located in a Moderate Fire Hazard Severity Zone (wildlands with low fire frequency or urbanized areas with high density of nonburnable surfaces) (CALFIRE 2009). Implementing the Proposed Action would not involve construction of any buildings or structures, would not require additional staffing, and would not contribute to any conditions that may foster wildland fires in the Restoration Area or elsewhere in the study area. This would also be the case under the No-Action Alternative. Therefore, the existing wildland fire risks along the San Joaquin River from Friant Dam to the Delta would be unchanged under both the Proposed Action and No-Action Alternative. There would be **no impact** in both cases because no people or structures would be exposed to a risk of loss, injury, or death involving wildland fires under either the Proposed Action or the No-Action Alternative.

## 4.10 Hydrology and Water Quality

	Environmental issues	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
	VIII. Hydrology an	d Water Quali	ty. Would the pro	oject:	
a)	Violate any water quality standards or waste discharge requirements?			$\boxtimes$	
b)	Substantially deplete groundwater supplies or interfere substantially with groundwater recharge such that there would be a net deficit in aquifer volume or a lowering of the local groundwater table level (e.g., the production rate of pre-existing nearby wells would drop to a level that would not support existing land uses or planned uses for which permits have been granted)?				
c)	Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river, in a manner which would result in substantial on- or off-site erosion or siltation?				
d)	Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river, or substantially increase the rate or amount of surface runoff in a manner which would result in on- or off-site flooding?				
e)	Create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff?				
f)	Otherwise substantially degrade water quality?			$\boxtimes$	
g)	Place housing within a 100-year flood hazard area as mapped on a federal Flood Hazard Boundary or Flood Insurance Rate Map or other flood hazard delineation map?				

	Environmental issues	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
h)	Place within a 100-year flood hazard area structures that would impede or redirect flood flows?				$\boxtimes$
i)	Expose people or structures to a significant risk of loss, injury, or death involving flooding, including flooding as a result of the failure of a levee or dam?			$\boxtimes$	
j)	Result in inundation by seiche, tsunami, or mudflow?				$\boxtimes$
k)	Result in substantial changes in water supply or flood management operations?			$\boxtimes$	

#### a) Violate any water quality standards or waste discharge requirements?

The potential for the Proposed Action or No-Action Alternative to violate any water quality standards or waste discharge requirements is addressed below for five geographic subareas, including the San Joaquin River upstream from Friant Dam, the San Joaquin River from Friant Dam to the Merced River, the San Joaquin River from the Merced River to the Delta, the Delta, and CVP/SWP water service areas.

#### San Joaquin River Upstream from Friant Dam

Reservoir fluctuations would be within normal annual reservoir water surface elevations, and would likely reflect water quality conditions similar to the No-Action Alternative. Any potential surface water quality effects are not likely to result in violations of existing water quality standards, or substantial water quality changes that adversely affect beneficial uses, or have substantive impacts on public health. These impacts would be **less than significant**.

#### San Joaquin River from Friant Dam to Merced River

With implementation of the Proposed Action, surface water quality conditions within Reach 1 would continue to reflect the generally high quality of water released at Friant Dam from Millerton Lake. Constituent concentrations within Reach 1 are likely to be similar or less than concentrations observed under the No-Action Alternative because of the increase in the proportion of high-quality water released at Friant Dam to the existing lower quality return flows within the other reaches. This impact would be **less than significant** and beneficial.

Water temperature conditions within upstream sections of Reach 1 under the Proposed Action are likely to be similar to conditions under the No-Action Alternative. The temperature of water released at Friant Dam and water temperature within Reach 1 could be higher in summer and fall 2010 if the increased release of WY 2010 Interim Flows to the San Joaquin River from the low-level river outlets at Friant Dam reduces the cold-water volume in Millerton Lake compared to the No-Action Alternative. Water temperature of releases from Friant Dam in fall 2009 would not exceed conditions expected under the No-Action Alternative, because the cold-water volume in Millerton Lake would be the same under both the No-Action Alternative and the Proposed Action during summer 2009. During spring 2010, water temperatures within Reach 1 are likely to be similar to conditions under the No-Action Alternative because WY 2010 Interim Flows are not likely to affect the cold-water volume at Millerton Lake until any flood releases from Friant Dam are completed. Increased river flow associated with WY 2010 Interim Flows would likely result in less thermal heating of San Joaquin River flows and cooler water temperatures within Reach 1 compared to the No-Action Alternative. This reduced thermal heating rate would tend to offset any increase in Millerton Lake release temperatures. These impacts would be **less than significant**.

Water temperatures within Reach 2 are likely to be similar to No-Action Alternative conditions during spring 2010, and may be lower during summer 2010. This impact would be **less than significant** and beneficial.

As detailed in the Draft Technical Memorandum: Monitoring Plan for Physical Parameters (SJRRP 2008a), continuous measurement of physical conditions would be recorded at eight stations using multiple parameter sondes connected to digital dataloggers. Parameters would include temperature, EC (salinity), pH, dissolved oxygen, turbidity, and chlorophyll. Each parameter would be measured every 15 minutes and sent via satellite to the Internet as preliminary data. In addition, samples would be collected for laboratory analysis, including selenium, mercury, boron, nutrients, and other compounds that cannot be measured with field sensors. The complete list of constituents to be measured at various sites along the Restoration Area would be determined according to the needs of the scientists handling the fish restoration. Water quality monitoring for WY 2010 Interim Flows would be conducted in conjunction with ongoing efforts to monitor water quality in the study area. Monitoring results would be provided to all the resource agencies annually.

Surface water quality conditions within Reach 2 are likely to be similar or less than conditions observed under the No-Action Alternative because of the increase in the proportion of high-quality water released at Friant Dam to the existing lower quality return flows within the reach. As described in Section 3, constituents associated with agricultural practices in the region may have accumulated in Reaches 2 and 4A because of the lack of continuous flows in these reaches. Both reaches are occasionally flushed during flood flows that occur approximately every 2 years (1997, 2001, 2005, 2006, and 2007). Water quality data collected by the Central Valley RWQCB (2009)suggest that EC, total organic carbon, turbidity, and TSS were influenced by storm events, especially during the first storm runoff. Concentrations of these constituents spiked during storm events, likely because of mobilization of existing constituents in the channels, and increased runoff over agricultural lands during storm events. Constituents not flushed during flood flows could be flushed by the Proposed Action sooner than under the No-Action Alternative.

Because no flushing flow has occurred since 2007, up to 3 years of materials have accumulated in the channel. The WY 2010 Interim Flows may flush out these materials from the San Joaquin riverbed, similar to what has occurred during recent flood events; however, this action does not include the additional flows from agricultural runoff that typically accompany a flood event. This mobilization of constituents could lead to short term increases in surface water contaminant loads during WY 2010 Interim Flows. However, concentrations of contaminants in Reaches 2 and 4A are likely to be similar to or less than current conditions because of the increase in the proportion of high-quality water released at Friant Dam to the existing lower quality return flows within Reaches 2 and 4A. Under the Proposed Action, San Joaquin River concentrations of ED and TDS within the Restoration Area are likely to be the same or less than significant and beneficial.

Below Sack Dam (Reach 4A), simulated monthly average EC would be less under the Proposed Action compared to the No-Action Alternative. Constituents, including pollutants associated with agricultural practices in the region that may have accumulated in dry segments of Reach 4A, would be flushed from sediments within the river channel through implementation of the Proposed Action, as described above. Surface water quality impacts within Reach 4A under the Proposed Action would be **less than significant**.

Based on simulated daily water temperatures aggregated to time intervals consistent with the WY 2010 Interim Flows schedule for all water year-types, San Joaquin River water temperatures below Mendota Dam to the Sand Slough Control Structure would be similar to the No-Action Alternative under the Proposed Action. Water temperatures would be less than the No-Action Alternative during March and April, and similar to the No-Action Alternative during January to February, May to October, and December. Monthly average water temperatures would increase by no more than 2 percent on an average annual basis during October to November. Overall, water temperature impacts within Reach 3 and Reach 4A would be **less than significant**.

Surface water quality conditions within Reach 4B would not be affected by the Proposed Action. Within the Eastside Bypass and Reach 5, surface water quality conditions would be similar to conditions under the No-Action Alternative during most periods. During instances when Eastside Bypass flows arrive at Reach 5, surface water quality conditions would be minimally affected by the Proposed Action through mixing of any remaining WY 2010 Interim Flows with Bear Creek inflows within the Eastside Bypass. On an average annual basis, monthly average water temperatures within the Eastside Bypass under the Proposed Action would be similar to the No-Action Alternative, with decreases in water temperature during March to April, and increases of up to 1 percent during February and November. Monthly average water temperatures within Reach 5 under the Proposed Action would be similar to the No-Action Alternative, with increases of up to 1 percent during February to May and October to November. Impacts to surface water quality within the Eastside Bypass and Reach 5 would be **less than significant**.

Water quality criteria applicable to beneficial uses are not currently met within Reaches 3, 4, and 5 because of constituent loading to and within the reaches. Under the Proposed Action, concentrations of these constituents may decrease, but it is not anticipated that water quality criteria would be met. This impact would be **less than significant** and beneficial.

These potential surface water quality effects within the San Joaquin River from Friant Dam to the Merced River would not result in any additional violations of existing water quality standards or substantial water quality changes that would adversely affect beneficial uses, or have substantive impacts on public health. These impacts would be **less than significant** and beneficial.

#### San Joaquin River from Merced River to the Delta

Surface water quality conditions within the San Joaquin River from Merced River to the Delta would be similar under the Proposed Action to the No-Action Alternative. On an average annual basis, mixing of any remaining WY 2010 Interim Flows with additional inflows to the San Joaquin River would reduce EC during most months at San Joaquin River sites below the Merced River and below the Tuolumne River. EC at these sites during December and January would increase by no more than 2 percent on an average annual basis (note that WY 2010 Interim Flows would not be released between November 21, 2009, and January 31, 2010). During most months, this impact would be **less than significant** and beneficial; during December and January, this impact would be **less than significant**.

Below the Merced River confluence, monthly average San Joaquin River water temperatures under the Proposed Action would be similar to the No-Action Alternative on an average annual basis, with increases of up to 1 percent during March to May and October to November. Impacts to water temperature within the San Joaquin River from Merced River to the Delta would be **less than significant**.

The Vernalis Water Quality Standard is an EC requirement of 700 and 1,000 micromhos/centimeter (µmho/cm) for the irrigation (April to August) and nonirrigation (September to March) seasons, respectively. This is modeled in CalSim by estimating the water quality at Vernalis using a link-node salinity algorithm, consisting of a series of EC mass balance equations, covering the San Joaquin River from Lander Avenue to Vernalis. The computed EC from an upstream node is used as the input EC of a downstream node. Flow-EC regressions are used for the San Joaquin River at Lander Avenue, Merced River near Stevinson, and Tuolumne River near Modesto. Mud and Salt sloughs, both return flow and accretion EC, use monthly average values. If the estimated EC does not meet the standard at Vernalis, higher quality releases are made from New Melones Reservoir on the Stanislaus River to mix with the San Joaquin River to meet the standard. On an average annual basis, EC at San Joaquin River at Vernalis would decrease during some months (February to June, October, and November) or remain the same during others (January, July to September, and December) through implementation

of the Proposed Action (note that WY 2010 Interim Flows would not be released between November 21, 2009, and January 31, 2010). During February through June, October, and November, this impact would be **less than significant** and beneficial. During January, July through September, and December, this impact would be **less than significant**.

These potential surface water quality effects within the San Joaquin River from the Merced River to the Delta would not result in any additional violations of existing water quality standards or substantial water quality changes that would adversely affect beneficial uses, or have substantive impacts on public health. Overall, surface water quality impacts in the San Joaquin River from the Merced River to the Delta under the Proposed Action would be **less than significant**.

#### Sacramento-San Joaquin Delta

Mixing of any remaining WY 2010 Interim Flows under the Proposed Action with additional inflows to the San Joaquin River and the Delta would result in impacts that would be less than significant to surface water quality in the Delta. On an average annual basis, simulated monthly average salinity values at sites evaluated in the Delta under the Proposed Action are similar to the No-Action Alternative. Simulated monthly average chloride concentrations at sites evaluated in the Delta under the Proposed Action are similar to the No-Action Alternative. The monthly average X2 positions simulated for the Proposed Action are similar to the No-Action Alternative on an average annual basis. Water temperature in the Delta would not be impacted by the Proposed Action.

These potential surface water quality effects within the Delta would not result in any additional violations of existing water quality standards or substantial water quality changes that would adversely affect beneficial uses, or have substantive impacts on public health. Overall, water quality impacts in the Delta under the Proposed Action would be **less than significant**.

#### Central Valley Project/State Water Project Water Service Areas

Water quality conditions for water delivered to Friant Division contractors via the Friant-Kern and Madera canals from Millerton Lake would not be adversely affected by the Proposed Action.

WY 2010 Interim Flows associated with the Proposed Action, and potential decreased deliveries of Delta water supplies to the Mendota Pool, are likely to reduce salinity concentrations in water supplies diverted at Mendota Dam, the Arroyo Canal, Lone Tree Unit, and East Bear Creek Unit diversions during the irrigation season.

Because simulated water quality impacts in the Delta under the Proposed Action would be less than significant, impacts to water quality in other CVP and SWP water service areas would be less than significant. The Proposed Action would not likely result in any violations of existing water quality standards or substantial water quality changes that adversely affect beneficial uses, or have substantive impacts on public health within the CVP or SWP water service areas. These impacts would be **less than significant**. Under the No-Action Alternative, existing water quality in the Restoration Area would remain comparable to existing conditions. Implementing the No-Action Alternative would not violate any water quality standards or waste discharge requirements along the San Joaquin River or in the bypass system. There would be **no impact** under the No-Action Alternative.

b) Substantially deplete groundwater supplies or interfere substantially with groundwater recharge such that there would be a net deficit in aquifer volume or a lowering of the local groundwater table level (e.g., the production rate of pre existing nearby wells would drop to a level that would not support existing land uses or planned uses for which permits have been granted)?

A decrease in deliveries to Friant Division long-term contractors due to the Proposed Action could result in a temporary increase in groundwater pumping to offset the reduction in surface water deliveries, and in a corresponding small decrease in groundwater levels. As stated in Section 2, recirculation of WY 2010 Interim Flow releases would be subject to available capacity within CVP/SWP storage and conveyance facilities. Recaptured water would be available to Friant Division long-term contractors, and would supplement actual delivery reductions that would otherwise potentially result in increased groundwater pumping. The technical analysis did not include estimates of recaptured and recirculated water to Friant Division long-term contractors. However, if the full quantity of recaptured WY 2010 Interim Flows is successfully recirculated to Friant Division long-term contractors, no increase in groundwater pumping would occur because of the Proposed Action. A simplified numerical tool developed by Schmidt (2005) was used to evaluate changes in groundwater conditions in the Friant Division water service area as part of the regional groundwater analysis. This regional groundwater tool estimates the depth to groundwater within the Friant Division water service areas according to relationships describing annual groundwater pumping and resulting depth-to-groundwater developed by Schmidt (2005). The results of the analysis indicate that the potential drawdown of groundwater levels in the Friant Division water service area resulting from a decrease in deliveries due to the Proposed Action would be within the range of groundwater level fluctuations historically exhibited within the groundwater basin (see Appendix G). Therefore, potential changes in groundwater pumping would not be expected to substantially deplete groundwater supplies. These impacts would be less than significant.

Under the No-Action Alternative, historical surface and groundwater management operations would continue unchanged. Accordingly, no change in surface flows down the San Joaquin River would occur that would increase or decrease groundwater levels. There would also be no change in surface water deliveries to CVP contractors that would change groundwater pumping levels. Therefore, the impact to groundwater supplies would be greater under the Proposed Action than under the No-Action Alternative.

# c) Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river, in a manner which would result in substantial on- or off-site erosion or siltation?

The frequency and duration of flows resulting from the Proposed Action are not expected to substantially alter flows under current operating conditions in the Restoration Area. However, WY 2010 Interim Flows would follow existing channels, but could potentially alter downstream stream erosion characteristics and result in localized changes in downstream geomorphologic characteristics, particularly during spring months. The Proposed Action would have a negligible effect on surface runoff or on- or off-site flooding. The impact of the Proposed Action would be **less than significant**, and the No-Action Alternative would have no impact.

# d) Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river, or substantially increase the rate or amount of surface runoff in a manner which would result in on- or off-site flooding?

WY 2010 Interim Flows would follow existing channels and would not increase the rate or amount of surface runoff. The Proposed Action would have a negligible effect on surface runoff or on- or off-site flooding. The impact of the Proposed Action would be **less than significant**, and the No-Action Alternative would have no impact.

# e) Create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff?

WY 2010 Interim Flows would follow existing channels and would have no effect on surface runoff or on- or off-site flooding. There would be no additional contribution to runoff water that would exceed the existing stormwater drainage systems. The Proposed Action and the No-Action Alternative would have **no impact**.

#### f) Otherwise substantially degrade water quality?

As previously discussed in item a), the release of WY 2010 Interim Flows would not degrade water quality. Concentrations of some pollutants could decrease under the Proposed Action. The Proposed Action would have a beneficial effect that would be considered **less than significant**.

#### g) Place housing within a 100-year flood hazard area as mapped on a federal Flood Hazard Boundary or Flood Insurance Rate Map or other flood hazard delineation map?

WY 2010 Interim Flows would not exceed existing channel capacity and would not include the release of flows in addition to flood flows. The Proposed Action would not involve construction of any new structures within the 100-year mapped hazard area or require new delineation maps of flood hazards. The Proposed Action and the No-Action Alternative would have **no impact**.

## h) Place within a 100-year flood hazard area structures that would impede or redirect flood flows?

WY 2010 Interim Flows would not involve construction of any new structures within the 100-year mapped hazard area. Under the No-Action Alternative, it is assumed that no new housing projects would involve construction within a 100-year flood hazard area, as mapped on a Federal Flood Hazard Boundary or Flood Insurance Rate Map. The Proposed Action and the No-Action Alternative would have **no impact**.

# i) Expose people or structures to a significant risk of loss, injury, or death involving flooding, including flooding as a result of the failure of a levee or dam?

While only minimal variation in the seasonal Millerton Lake water level fluctuation is expected under the Proposed Action, on average it is likely that the change in facilities operations would lower water levels at the start of the flood control season, potentially allowing more capture of flood inflows under the Proposed Action than under the No-Action Alternative (depending on hydrologic conditions in WY 2010). This additional capture has the potential to slightly reduce the magnitude and duration of any potential flood peaks occurring in WY 2010. By the end of WY 2010, Millerton Lake water storage and water levels would be expected to be similar. Therefore, changes in risk of dam failure would be **less than significant** and potentially beneficial.

The Proposed Action would increase flows in the San Joaquin River and Eastside Bypass between Friant Dam and the Merced River relative to the No-Action Alternative. The Proposed Action does not include physical changes to the levees or flood control structures within the study area. The estimated maximum flows released under the Proposed Action in the San Joaquin River and Eastside Bypass would not exceed existing channel capacity or the range of historical flows, and no new structures would be exposed to increased flood risk within the floodplain. Under the Proposed Action, no changes would be made to the existing floodplain that could expose any existing structures to increased flood risk.

Existing channel capacities in the Restoration Area exceed potential flows included in the Proposed Action. As described in Section 2, maximum WY 2010 Interim Flows would be constrained by the existing channel capacity in Reach 2B. Although Reach 2B design capacity is 2,500 cfs, operational experience has demonstrated that seepage problems occur under both irrigation and flood control operations at lower flows. Mendota Dam, at the downstream end of Reach 2B, raises the water surface level in the Mendota Pool and backs water up the San Joaquin River and Fresno Slough (RMC 2007). During irrigation seasons when the Mendota Pool is in operation, 1,300 cfs may be conveyed through Reach 2B without causing seepage problems on adjacent lands. During the nonirrigation season when the boards can be pulled from Mendota Dam, 2,500 cfs may pass through the Reach 2B portion of the Chowchilla Bifurcation Structure with minor amounts of seepage problems (McBain and Trush 2002). Mendota Pool surface water elevation is held a fairly constant, between elevation 14.2 feet and 14.5, to maintain water deliveries to water users in the upper end of the Mendota Pool/Fresno Slough areas. To maintain

this constant elevation, releases from Mendota Dam are made thru the dam gates with the boards at the dam in place. Under the Proposed Action, flows would increase thru Mendota Pool and Mendota Dam; however, water levels within Mendota Pool would be within existing operational ranges. The Proposed Action does not include removing the boards from Mendota Dam and, therefore, would limit maximum flows through Reach 2B to the reported flow capacity of 1,300 cfs. Therefore, the change in risk of levee failure under the Proposed Action compared to the No-Action Alternative is **less than significant**. The No-Action Alternative would have no impact.

The Proposed Action would not result in any significant impacts to flood management. Although no specific mitigation measures are required, Reclamation would use all available information, including any monitoring programs established for the SJRRP, feedback from landowners, and feedback from the LSJLD, to monitor levee conditions within the study area. In addition, the Proposed Action includes visual inspection for early indicators of levee seepage and attendant flow reductions in response to observed conditions, as described in the Seepage Monitoring and Management Plan (see Appendix D).

#### j) Result in inundation by seiche, tsunami, or mudflow?

Reoperation of Friant Dam to release WY 2010 Interim Flows would not involve conditions that could result in seiche, tsunami, or mudflow. The Proposed Action and the No-Action Alternative would have **no impact**.

# k) Result in substantial changes in water supply or flood management operations?

The potential for the Proposed Action or the No-Action Alternative to result in substantial changes in water supply or flood management is addressed below for five geographic subareas, including the San Joaquin River upstream from Friant Dam, the San Joaquin River from Friant Dam to the Merced River, the San Joaquin River from the Merced River to the Delta, the Delta, and CVP/SWP water service areas.

#### San Joaquin River Upstream from Friant Dam

Millerton Lake is operated as a single-year reservoir, with no annual carryover, and is fully exercised (i.e., full to minimum storage) in virtually all years; this operational scenario would not change under the Proposed Action. While only minimal variation in seasonal Millerton Lake water level fluctuations is expected under the Proposed Action, it is likely that the change in facilities operations would change water levels on specific dates. During spring flood operations, the reservoir is operated to specific storage targets and by late summer, the reservoir is typically drawn down as far as possible based on the physical diversion elevation. Since these limits would not be affected by the Proposed Action, fluctuations in reservoir levels would remain within historical operational scenarios.

Peak flood flows during spring could be reduced because of the increased capacity for Millerton Lake to capture more flood inflows because of the releases of WY 2010 Interim Flows early in the water year. No substantial changes to Millerton Lake flood releases are expected from the Proposed Action and, therefore, no substantial changes are expected in any downstream reach of the San Joaquin River during Millerton Lake flood operations and releases. These impacts would be **less than significant**.

#### San Joaquin River from Friant Dam to Merced River

Changes in Reach 1 flow under the Proposed Action from the No-Action Alternative are shown in Table 4-23. WY 2010 Interim Flows would result in an increase in monthly average flows in Reach 1 in minor or nonflood flow periods. Additional capture of flood flows would result in decreases in flows from the Proposed Action to the No-Action Alternative. During nonflood flow periods, flows in Reach 1 of the San Joaquin River would be maintained according to the WY 2010 Interim Flows schedule; these flows would be greater than flows expected under the No-Action Alternative. There are riparian diversions throughout portions of this reach of the San Joaquin River. Under existing conditions, releases from Millerton Lake are made to satisfy these diversions. The WY 2010 Interim Flows schedule would result in Millerton Lake releases greater than would be expected under the No-Action Alternative, which would provide adequate flows to satisfy these diversions. As described in Section 4.5, the Proposed Action could spread invasive species from Reach 1 to downstream reaches of the river, where propagules may enter water supply facilities through riparian diversions. However, the current vegetation management practices within water supply systems would be sufficient to inhibit establishment of invasive vegetation and prevent consequent impacts to water supply operations.

Detec of	Ave	rage of All Y	ears	Dry Years			
Dates of WY 2010 Interim Flow Release	No-Action Alternative (cfs)	Proposed Action (cfs)	Change from No-Action Alternative (cfs)	No-Action Alternative (cfs)	Proposed Action (cfs)	Change from No-Action Alternative (cfs)	
Mar 1-15	996	1,389	393 (39%)	124	857	733 (589%)	
Mar 16-31	915	1,521	607 (66%)	135	866	731 (543%)	
Apr 1-15	1,044	1,595	552 (53%)	145	510	365 (252%)	
Apr 16-30	1,160	1,527	367 (32%)	160	350	190 (119%)	
May 1-31	1,283	1,171	-112 (-9%)	186	350	164 (88%)	
Jun 1-30	1,306	1,305	-1 (0%)	195	350	155 (79%)	
Jul 1-31	910	1,019	109 (12%)	225	350	125 (55%)	
Aug 1-31	237	358	121 (51%)	227	350	123 (54%)	
Sep 1-30	207	350	143 (69%)	207	350	143 (69%)	
Oct 1-31	182	364	181 (99%)	161	364	202 (125%)	
Nov 1-11	143	431	288 (202%)	134	431	296 (221%)	
Nov 12-30	160	399	240 (150%)	123	399	277 (225%)	
Dec 1-31	454	325	-128 (-28%)	118	158	40 (34%)	
Jan 1-31	792	669	-123 (-16%)	161	140	-21 (-13%)	
Feb 1-28	1,085	937	-148 (-14%)	552	532	-20 (-4%)	

Table 4-23.Monthly Averages of Simulated Reach 1 Flow

Notes:

Summarized from SJR5Q flow and temperature model.

Simulation period: January 1980 – September 2003.

Year-type as defined by the Restoration year-types.

(%) indicates percent change from No-Action Alternative.

Key:

cfs = cubic feet per second

Estimated maximum spring and early summer flows of 1,500 cfs to 1,660 cfs that could occur in Reach 1 under the Proposed Action are within the range of, or are exceeded by, flows that occurred in the historical record. Recent examples include a 5-day period in late April 2005, when flows were approximately 2,000 cfs, and a 10-day period in late May of that year when flows exceeded 8,000 cfs. Flows also exceeded 4,000 cfs for nearly the entire 3-month period of April through June in 2006, when extensive flooding occurred throughout the San Joaquin River system. These impacts would be less than significant.

The changes in flow between the Proposed Action and the No-Action Alternative in Reach 2, as shown in Tables 4-24 and 4-25, are expected to be similar to Reach 1, as previously discussed. Currently, Reach 3 conveys releases of up to 600 cfs from Mendota Dam to satisfy diversion requirements at Sack Dam (under nonflood conditions). As shown in Table 4-26, Reach 3, under the Proposed Action, would convey up to an additional 100 cfs to Sack Dam. This additional flow is within the channel capacity of Reach 3 and is not expected to cause any substantial adverse effects.

Datas of	Ave	erage of All Ye	ars	Dry Years			
Dates of WY 2010 Interim Flow Release	No-Action Alternative (cfs)	Proposed Action (cfs)	Change from No-Action Alternative (cfs)	No-Action Alternative (cfs)	Proposed Action (cfs)	Change from No-Action Alternative (cfs)	
Mar 1-15	1,068	1,440	372 (35%)	53	767	715 (1,358%)	
Mar 16-31	980	1,583	603 (62%)	60	808	748 (1,247%)	
Apr 1-15	989	1,545	556 (56%)	38	423	385 (1,014%)	
Apr 16-30	1,042	1,426	384 (37%)	32	223	192 (608%)	
May 1-31	1,148	1,045	-103 (-9%)	39	204	165 (421%)	
Jun 1-30	1,109	1,103	-6 (-1%)	22	177	155 (705%)	
Jul 1-31	758	865	107 (14%)	26	152	125 (479%)	
Aug 1-31	51	171	120 (236%)	33	155	122 (369%)	
Sep 1-30	42	183	142 (338%)	38	180	142 (372%)	
Oct 1-31	49	229	180 (365%)	21	220	199 (965%)	
Nov 1-11	44	323	279 (636%)	25	317	292 (1,170%)	
Nov 12-30	60	315	255 (424%)	23	306	283 (1,243%)	
Dec 1-31	391	273	-118 (-30%)	36	81	45 (124%)	
Jan 1-31	831	703	-128 (-15%)	240	222	-19 (-8%)	
Feb 1-28	1,178	1,022	-156 (-13%)	540	509	-31 (-6%)	

Table 4-24.Monthly Averages of Simulated Reach 2A Flow

Notes:

Summarized from SJR5Q flow and temperature model.

Simulation period: January 1980 - September 2003.

Year-type as defined by the Restoration year-types.

(%) indicates percent change from No-Action Alternative.

Key:

Detec of	Av	erage of All Y	ears	Dry Years			
WY 2010 Interim Flow Release	No-Action Alternative (cfs)	Proposed Action (cfs)	Change from No-Action Alternative (cfs)	No-Action Alternativ e (cfs)	Proposed Action (cfs)	Change from No-Action Alternative (cfs)	
Mar 1-15	279	746	467 (167%)	8	705	697 (9,263%)	
Mar 16-31	206	812	606 (294%)	13	756	743 (5,810%)	
Apr 1-15	131	696	565 (431%)	6	374	368 (6,357%)	
Apr 16-30	119	573	454 (383%)	3	169	166 (6,051%)	
May 1-31	205	354	149 (73%)	4	149	146 (3,974%)	
Jun 1-30	297	387	91 (31%)	1	122	121 (19,608%)	
Jul 1-31	190	278	88 (46%)	1	97	96 (7,113%)	
Aug 1-31	22	117	95 (432%)	4	100	96 (2,164%)	
Sep 1-30	10	128	119 (1,227%)	5	125	120 (2,526%)	
Oct 1-31	17	172	154 (893%)	1	164	164 (20,921%)	
Nov 1-11	17	258	241 (1,435%)	1	260	259 (19,491%)	
Nov 12-30	5	242	236 (4,396%)	1	252	251 (20,048%)	
Dec 1-31	63	68	5 (7%)	3	38	35 (1,246%)	
Jan 1-31	143	118	-26 (-18%)	184	164	-20 (-11%)	
Feb 1-28	314	421	107 (34%)	357	431	73 (21%)	

Table 4-25.Monthly Averages of Simulated Reach 2B Flow

Notes:

Summarized from SJR5Q flow and temperature model.

Simulation period: January 1980 - September 2003.

Year-type as defined by the Restoration year-types.

(%) indicates percent change from No-Action Alternative.

Key:

Defect	Av	erage of All Ye	ears	Dry Years		
Dates of WY 2010 Interim Flow Release	No-Action Alternative (cfs)	Proposed Action (cfs)	Change from No-Action Alternative (cfs)	No-Action Alternative (cfs)	Proposed Action (cfs)	Change from No-Action Alternative (cfs)
Mar 1-15	906	1,355	449 (50%)	264	933	669 (254%)
Mar 16-31	857	1,427	570 (66%)	184	912	728 (396%)
Apr 1-15	840	1,402	562 (67%)	200	551	351 (175%)
Apr 16-30	919	1,358	439 (48%)	211	354	142 (67%)
May 1-31	832	974	142 (17%)	219	342	122 (56%)
Jun 1-30	818	892	75 (9%)	420	516	95 (23%)
Jul 1-31	697	766	69 (10%)	536	606	70 (13%)
Aug 1-31	464	538	74 (16%)	474	546	72 (15%)
Sep 1-30	293	388	94 (32%)	307	405	97 (32%)
Oct 1-31	281	413	132 (47%)	238	375	137 (57%)
Nov 1-11	218	434	216 (99%)	143	375	231 (162%)
Nov 12-30	266	481	215 (81%)	98	325	227 (230%)
Dec 1-31	489	487	-2 (0%)	165	191	26 (16%)
Jan 1-31	600	571	-29 (-5%)	188	164	-24 (-13%)
Feb 1-28	829	920	91 (11%)	450	504	54 (12%)

Table 4-26.Monthly Averages of Simulated Reach 3 Flow

Notes:

Summarized from SJR5Q flow and temperature model.

Simulation period: January 1980 – September 2003.

Year-type as defined by the Restoration year-types.

(%) indicates percent change from No-Action Alternative. Key:

Currently, a negligible amount of water leaks through Sack Dam and enters Reach 4A. Under the Proposed Action, the estimated maximum flow in Reach 4A (nonflood conditions) would be 1,300 cfs, because of upstream constraints described above in Reaches 2B and 3. This flow would then be diverted into the Eastside Bypass at the Sand Slough Control Structure. Reach 4A flow changes are shown in Table 4-27. Similar to other reaches, decreases in flows are due to additional capture of flood flows at Millerton Lake, and increases in flows are due to WY 2010 Interim Flows in minor or nonflood flow periods. These impacts would be **less than significant**.

Defended	Ave	erage of All Yo	ears	Dry Years			
Dates of WY 2010 Interim Flow Release	No-Action Alternative (cfs)	Proposed Action (cfs)	Change from No-Action Alternative (cfs)	No-Action Alternative (cfs)	Proposed Action (cfs)	Change from No-Action Alternative (cfs)	
Mar 1-15	693	1,113	421 (61%)	17	645	628 (3,732%)	
Mar 16-31	721	1,275	554 (77%)	31	778	746 (2,395%)	
Apr 1-15	674	1,217	543 (81%)	34	410	376 (1,102%)	
Apr 16-30	726	1,159	433 (60%)	34	177	143 (415%)	
May 1-31	635	786	151 (24%)	35	155	120 (340%)	
Jun 1-30	453	526	73 (16%)	73	168	95 (131%)	
Jul 1-31	313	377	65 (21%)	124	195	71 (57%)	
Aug 1-31	152	224	73 (48%)	153	225	72 (47%)	
Sep 1-30	145	238	93 (64%)	135	231	96 (71%)	
Oct 1-31	133	264	131 (98%)	88	222	134 (153%)	
Nov 1-11	98	300	202 (206%)	20	244	224 (1,115%)	
Nov 12-30	189	410	221 (117%)	24	258	234 (968%)	
Dec 1-31	357	361	4 (1%)	37	68	31 (86%)	
Jan 1-31	561	534	-27 (-5%)	143	123	-20 (-14%)	
Feb 1-28	696	767	71 (10%)	325	358	33 (10%)	

 Table 4-27.

 Monthly Averages of Simulated Reach 4A Flow

Notes:

Summarized from SJR5Q flow and temperature model.

Simulation period: January 1980 - September 2003.

Year-type as defined by the Restoration year-types.

(%) indicates percent change from No-Action Alternative. Key:

Tables 4-28 and 4-29 show changes in flow in the Sand Slough and Eastside bypasses. As discussed in Section 2, WY 2010 Interim Flows would be conveyed through the bypasses to Reaches 4B2 and 5, unless downstream considerations (such as channel capacity or potential significant impacts) require that less (or no) flow enter downstream reaches. Therefore, these impacts would be **less than significant**.

Dates of	Av	erage of All Y	ears	Dry Years			
WY 2010 Interim Flow Release	No-Action Alternative (cfs)	Proposed Action (cfs)	Change from No-Action (cfs)	No-Action Alternative Alternative (cfs)	Proposed Action (cfs)	Change from No-Action Alternative (cfs)	
Mar 1-15	691	1,095	403 (58%)	18	622	604 (3,385%)	
Mar 16-31	724	1,275	551 (76%)	31	789	758 (2,443%)	
Apr 1-15	672	1,219	547 (81%)	31	431	400 (1,295%)	
Apr 16-30	725	1,166	442 (61%)	36	183	147 (403%)	
May 1-31	640	801	161 (25%)	34	154	120 (358%)	
Jun 1-30	450	525	74 (17%)	70	165	95 (137%)	
Jul 1-31	326	388	62 (19%)	124	195	72 (58%)	
Aug 1-31	150	222	72 (48%)	151	222	71 (47%)	
Sep 1-30	145	237	92 (63%)	135	230	95 (70%)	
Oct 1-31	133	262	129 (98%)	90	221	132 (147%)	
Nov 1-11	101	293	193 (192%)	23	240	217 (958%)	
Nov 12-30	178	404	226 (127%)	23	261	238 (1,020%)	
Dec 1-31	353	363	9 (3%)	37	73	36 (98%)	
Jan 1-31	555	530	-25 (-5%)	136	119	-17 (-13%)	
Feb 1-28	692	750	58 (8%)	321	339	18 (6%)	

Table 4-28.Monthly Averages of Simulated Sand Slough Bypass Flow

Notes:

 $\label{eq:summarized from SJR5Q flow and temperature model.$ 

Simulation period: January 1980 - September 2003.

Year-type as defined by the Restoration year-types.

(%) indicates percent change from No-Action Alternative.

Key:

Dates of	Av	erage of All Ye	ars	Dry Years			
WY 2010 Interim Flow Release	No-Action Alternative (cfs)	Proposed Action (cfs)	Change from No-Action (cfs)	No-Action Alternative Alternative (cfs)	Proposed Action (cfs)	Change from No-Action Alternative (cfs)	
Mar 1-15	691	1,095	403 (58%)	18	622	604 (3,385%)	
Mar 16-31	724	1,275	551 (76%)	31	789	758 (2,443%)	
Apr 1-15	672	1,219	547 (81%)	31	431	400 (1,295%)	
Apr 16-30	725	1,166	442 (61%)	36	183	147 (403%)	
May 1-31	640	801	161 (25%)	34	154	120 (358%)	
Jun 1-30	450	525	74 (17%)	70	165	95 (137%)	
Jul 1-31	326	388	62 (19%)	124	195	72 (58%)	
Aug 1-31	150	222	72 (48%)	151	222	71 (47%)	
Sep 1-30	145	237	92 (63%)	135	230	95 (70%)	
Oct 1-31	133	262	129 (98%)	90	221	132 (147%)	
Nov 1-11	101	293	193 (192%)	23	240	217 (958%)	
Nov 12-30	178	404	226 (127%)	23	261	238 (1,020%)	
Dec 1-31	353	363	9 (3%)	37	73	36 (98%)	
Jan 1-31	555	530	-25 (-5%)	136	119	-17 (-13%)	
Feb 1-28	692	750	58 (8%)	321	339	18 (6%)	

# Table 4-29. Monthly Averages of Simulated Eastside Bypass Flow Below Sand Slough Control Structure

Notes:

 $\label{eq:summarized from SJR5Q flow and temperature model.$ 

Simulation period: January 1980 - September 2003.

Year-type as defined by the Restoration year-types.

(%) indicates percent change from No-Action Alternative.

Key:

The changes in flows between the Proposed Action and the No-Action Alternative in Reach 5 are shown in Table 4-30. As noted above, decreases in flows are due to additional capture of flood flows at Millerton Lake, and increases in flows are due to WY 2010 Interim Flows in minor or nonflood flow periods. These impacts are attributable to full WY 2010 Interim Flows entering Reach 5. If biological considerations restrict WY 2010 Interim Flows in the bypasses, any impacts would be less than those shown in Table 4-30. These impacts would be **less than significant**.

Detec of	Ave	erage of All Ye	ars		Dry Years	
Dates of WY 2010 Interim Flow Release	No-Action Alternative (cfs)	Proposed Action (cfs)	Change from No-Action (cfs)	No-Action Alternative Alternative (cfs)	Proposed Action (cfs)	Change from No-Action Alternative (cfs)
Mar 1-15	1,711	1,949	238 (14%)	116	695	579 (499%)
Mar 16-31	1,782	2,308	525 (29%)	110	883	774 (706%)
Apr 1-15	1,650	2,182	533 (32%)	83	519	436 (527%)
Apr 16-30	1,675	2,075	399 (24%)	104	261	157 (152%)
May 1-31	1,635	1,555	-80 (-5%)	67	190	123 (183%)
Jun 1-30	1,245	1,211	-35 (-3%)	109	206	97 (89%)
Jul 1-31	1,081	1,111	30 (3%)	164	238	74 (45%)
Aug 1-31	246	318	72 (29%)	198	269	71 (36%)
Sep 1-30	245	336	91 (37%)	175	269	94 (54%)
Oct 1-31	234	362	128 (54%)	121	252	130 (107%)
Nov 1-11	195	369	175 (90%)	48	259	211 (436%)
Nov 12-30	246	480	234 (95%)	47	293	246 (518%)
Dec 1-31	690	599	-91 (-13%)	68	112	44 (64%)
Jan 1-31	1,406	1,279	-128 (-9%)	348	334	-14 (-4%)
Feb 1-28	1,818	1,613	-204 (-11%)	547	442	-104 (-19%)

Table 4-30. Monthly Averages of Simulated Reach 5 Flow

Notes:

Summarized from SJR5Q flow and temperature model.

Simulation period: January 1980 - September 2003.

Year-type as defined by the Restoration year-types.

(%) indicates percent change from No-Action Alternative.

Key:

#### San Joaquin River from Merced River to the Delta

Flows in the San Joaquin River below the Restoration Area would increase slightly overall because of WY 2010 Interim Flows leaving Reach 5 (Table 4-30). CalSim modeling was completed to assess potential impacts of WY 2010 Interim Flows on corresponding tributary flows. Based on results of this modeling analysis, WY 2010 Interim Flows would result in changes in tributary river flows to the lower San Joaquin River, Stanislaus River, Tuolumne River, and Merced River, in response to three operational objectives:

- VAMP
- Vernalis Water Quality Standard
- Local tributary operations

Based on the analysis, WY 2010 Interim Flows may reduce tributary releases required for VAMP in late April and early May. WY 2010 Interim Flows may also result in either reductions or increases in tributary releases to meet the Vernalis WQ standard during any month in the year. These changes in releases result in changes in tributary reservoir storages that may impact local operations on the tributaries at a later time in the year.

Flows for both VAMP and the SJRRP would occur during similar times of the year and have potential to overlap in time. The Settlement does not provide guidance on coordination with VAMP flows. For WY 2010 Interim Flows, the SJRRP considered two possible approaches to VAMP:

- Change VAMP targets at Vernalis This approach would require renegotiation with all parties involved in the VAMP agreement, including SWRCB and SJRGA. Because the existing VAMP agreement would expire soon, SWRCB is addressing the responsibilities for meeting the Vernalis flow standard, and both Reclamation and NMFS are participating in these negotiations. Under the current San Joaquin River Agreement, VAMP operations for WY 2010 and 2011 are still being developed, and both flow targets and tributary contributions may change. Because of this uncertainty, operational standards are unknown for the 2010 VAMP period. In addition, any revised targets would need to be approved by SJRGA and SWRCB. Therefore, it was not considered feasible to develop revised VAMP targets at Vernalis that could be implemented with WY 2010 Interim Flows.
- 2. Meet flow targets at Vernalis under the existing VAMP agreement Under this approach, WY 2010 Interim Flows would contribute to the baseline that determines tributary contributions. Tributary releases to meet VAMP and water quality objectives at Vernalis would be affected by this approach in one of two ways. In conditions when WY 2010 Interim Flows contribute toward meeting the same VAMP flow threshold that would have otherwise been in place, required releases from tributary reservoirs could be reduced. In conditions when WY 2010 Interim Flows threshold than would have otherwise been in place, required releases from tributary reservoirs would be made to achieve the higher threshold. As a result, tributary flows would increase

in some years and decrease in other years. Changes in VAMP contribution releases from tributary reservoirs would not affect the ability to meet instream fish and water quality minimum flow requirements in the Merced, Tuolumne, Stanislaus, or mainstem San Joaquin rivers. However, it is possible that flows in the tributaries could be less because of VAMP operations with WY 2010 Interim Flows than they would be without the WY 2010 Interim Flows.

Approach 2 was considered the best method for assessing of the potential impacts of the Proposed Action.

Given the lack of specific information on how VAMP would be implemented in WY 2010, the analysis applied the current VAMP framework, which is considered the most conservative representation for CalSim model evaluations (i.e., this approach would indicate the greatest level of potential change to instream flows in the tributaries). The analysis was also based on the inflexible application of the VAMP operating rules. Real-time operations under VAMP are based on the professional judgment of VAMP participants and, thus, are not easily represented or simulated in a modeling framework.

VAMP specifies a 31-day pulse flow during the 61-day window of April and May to coincide with fish movement in the area. Since CalSim cannot predict fish movements, VAMP flows are modeled as occurring for 16 days in April and 15 days in May, the usual assumption for planning purposes. The basic process followed in CalSim is to first allow the San Joaquin River and its tributaries to operate without considering VAMP requirements to compute a base flow, then to compute any additional release required to meet the VAMP requirements, and finally to assign this release to the various tributaries and CVP Exchange Contractors.

The VAMP requirement is assigned based on increasing the base flow to a specific step function (Table 4-31). For example, if the base flow is less than 2,000 cfs, the VAMP requirement is 2,000 cfs. If the current year plus last year's water types are wet enough, the requirement may be increased to the next higher step (double step) – in this example, 3,200 cfs. There is also a provision that if the current year plus the last 2 years are dry enough, there is a Dry year relaxation and no VAMP requirement (i.e., no tributary release to meet VAMP flows). The modeling procedure used for these analyses follows the procedure described in Appendix B of the San Joaquin River Agreement (SJRGA 1998).

	Vamp Re	equirement cfs)
Base Flow (cfs)	Step	Double Step
0	2,000	3,200
1,999	2,000	3,200
3,199	3,200	4,450
4,449	4,450	5,700
5,699	5,700	7,000
99,999	7,000	7,000

## Table 4-31.Vamp Flow Step Requirements

Key:

cfs = cubic feet per second

VAMP = Vernalis Adaptive Management Program

In CalSim, these flows are converted to the volume of water required to raise the base flow to the VAMP requirement for 16 days in April and 15 days in May. These volumes are then distributed to the following SJRGA members as reservoir releases and/or reductions in demands:

- Merced Irrigation District Lake McClure on the Merced River
- Oakdale Irrigation District New Melones on the Stanislaus River
- Mendota Pool Exchange Contractors Mendota Pool Delta Mendota Canal deliveries
- Modesto Irrigation District and Turlock Irrigation District Don Pedro on the Tuolumne River

The VAMP deficiency is met by alternating releases from each source based on several different steps (i.e., the first 25 TAF are shared between the four SJRGA members according to a step function, with one SJRGA member releasing first, then the next 11.5 TAF are distributed among the remaining SJRGA members, and so on). Table 4-32 shows the steps used in this process. CalSim also allows "trading" between New Melones and Don Pedro reservoirs (e.g., Don Pedro may make a portion of the New Melones VAMP requirement to help protect New Melones storage for other uses such as the Vernalis Water Quality Standard).

	Distributi	on of VAMP Req	uirements	
Volume	MID	OID	Exchange	MID/TID
(TAF)	(TAF)	(TAF)	(TAF)	(TAF)
0.0	0.0	0.0	0.0	0.0
25.0	25.0	0.0	0.0	0.0
35.0	25.0	10.0	0.0	0.0
40.0	25.0	10.0	5.0	0.0
50.0	25.0	10.0	5.0	10.0
61.5	36.5	10.0	5.0	10.0
66.1	36.5	14.6	5.0	10.0
68.4	36.5	14.6	7.3	10.0
73.0	36.5	14.6	7.3	14.6
81.5	45.0	14.6	7.3	14.6
84.9	45.0	18.0	7.3	14.6
86.6	45.0	18.0	9.0	14.6
90.0	45.0	18.0	9.0	18.0
100.0	55.0	18.0	9.0	18.0
104.0	55.0	22.0	9.0	18.0
106.0	55.0	22.0	11.0	18.0
110.0	55.0	22.0	11.0	22.0
9999.0	55.0	22.0	11.0	22.0

Table 4-32. Distribution of VAMP Requirements

Key:

Exchange = Mendota Pool Exchange Contractors

MID = Merced Irrigation District

MID/TID = Modesto and Turlock irrigation districts

OID = Oakdale Irrigation District

TAF = thousand acre-feet

VAMP = Vernalis Adaptive Management Program

Simulated changes in tributary flows under the Proposed Action include both increases and decreases from the No-Action Alternative. Generally, tributary flows shift to later in the year with a decrease during the WY 2010 Interim Flow spring period (February 1 through May 28) of Wet years, because the additional San Joaquin River flow would allow a reduction in releases from the tributary reservoirs. Water stored in tributaries during the spring period is then released at a later date to meet water supply demands, causing tributary flow increases during those periods. The magnitude of the changes is different between tributaries because of the sharing agreement for meeting VAMP requirements. Tables 4-33 through 4-35 contain mean monthly tributary flows, by D-1641 San Joaquin Valley Water Supply Index, and the change in these flows due to WY 2010 Interim Flows.

Merced River Mean Monthly Inflows to San Joaquin River, with WY 2010 Interim Flows Table 4-33.

		ŀ						ŀ		ŀ				ŀ		ŀ								
	ő	÷	Ń	`	Dec		Jan		Feb	_	Mai	_ _	Ч	-	Maj	Y	۱n	ç	۱n	_	Aug		Sep	
Type	avg.		avg.		avg.		avg.		avg.		avg.		avg.											
	cfs	Diff	cfs	Diff	cfs	Diff	cfs	Diff	cfs	Diff	cfs	Diff	cfs	Diff										
	484	0%	479	0%	783	%0	1698	1%	2290	%0	1853	0%	1078	-4%	2017	1%	2631	0%	2001	0%	1188	0%	668	3%
Normal	483	%0	497	0%	807	-2%	958	%0	1378	2%	609	0%	478	-29%	777	11%	296	1%	272	4%	377	%0	262	79
Normal	378	%0	429	0%	420	%0	499	%0	497	%0	389	0%	700	-4%	455	11%	280	0%	172	%0	128	%0	76	6
	521	6%	407	7%	431	0%	435	%0	473	0%	343	0%	649	2%	398	2%	184	0%	126	0%	115	%0	63	6
	408	%0	348	%0	357	%0	363	%0	360	%0	295	0%	342	-3%	218	-1%	139	0%	83	%0	74	%0	54	60

~

cfs = cubic feet per second Diff = difference Avg = average

Table 4-34.

# Tuolumne River Mean Monthly Inflows to San Joaquin River, with WY 2010 Interim Flows

								•						•										
	Ö	÷	Nov		Dec		Jan		Feb		Mar		Apr		May	,	nn	_	luل		Aug		Sep	
Year Type	avg.		avg.	10	.bv		avg.		avg.		avg.		avg.		avg.		avg.		avg.		avg.		avg.	
	cfs	Diff	cfs D	Diff	cfs L	Diff	cfs E	Эiff	cfs	Diff	cfs	)iff												
Wet	654	%0	596 (	· %C	1049	%0	2396	%0	3460	1%	4512	%0	3747	-1%	3486	-1%	3894	1%	2857	%0	669	%0	727	%0
Above-Normal	617	%0	797 (	· %C	1440	%0	1620	%0	2080	%0	2385	%0	2097	0%	1806	%0	646	%0	549	%0	548	0%	548	%0
<b>Below-Normal</b>	550	%0	458 (	%С	585	%0	548	%0	969	%0	847	%0	1495	0%	1413	%0	413	%0	374	%0	371	0%	360	%0
Dry	639	%0	528 (	%С	500	%0	547	%0	543	%0	753	%0	917	0%	953	%0	348	%0	329	%0	343	0%	344	0%
Critical	494	%0	453 (	%С	378	%0	381	0%	419	%0	430	0%	538	0%	571	0%	257	0%	247	0%	261	0%	261	0%
Key:																								
Of a his fact as		-																						

Cfs = cubic feet per second

Diff = difference Avg = average

#### Water Year 2010 Interim Flows Project Environmental Assessment/Initial Study

#### 4.0 Environmental Consequences

Final 4-107 - September 2009

				ЩЩ П	2%	%0	%0	0%	%0	
		Sep	avg.	cfs	1184	473	408	387	338	
		6		Diff	%0	0%0	%0	0%	%0	
		hQ	avg.	cfs	1043	444	407	371	340	
	ows	_		Diff	1%	0%	0%	%0	0%	
	ш Ш	٦L	avg.	cfs	1160	451	425	345	313	
	Interi	۲		Diff	%0	0%	0%	3%	10%	
	2010	ηη	avg.	cfs	2016	944	540	338	328	
	ž	y		Diff	%0	2%	4%	1%	4%	
	, with	Ma	avg.	cfs	1559	1344	1124	956	614	
	River,	r	1	Diff	%0	1%	0%	-4%	-1%	
	quin f	Ч	avg.	cfs	1652	1404	1114	937	584	
4-35.	Joa	ır		Diff	1%	-5%	-11%	-25%	-54%	
able	ws to Sal	Мŝ	avg.	cfs	1601	597	418	347	240	
-		0		Diff	3%	0%	-7%	-8%	-2%	
	/ Inflo	Fet	avg.	cfs	1648	951	463	507	371	
	lthly	c		Diff	%0	0%	1%	1%	0%	
	n Mol	Jar	avg.	cfs	1015	932	425	443	281	
	Mea	с		Diff	1%	4%	1%	2%	2%	
	us River	De	avg.	cfs	691	899	465	463	383	
		Nov		Diff	1%	0%	1%	1%	0%	
	nisla		avg.	cfs	558	652	476	490	419	
	Stal	ct		Diff	1%	0%	. 0%	0%	0%	
		0	avg.	cfs	732	805	674	800	562	
			Year Type		Wet	Above-Normal	<b>Below-Normal</b>	Dry	Critical	Key:

Cfs = cubic feet per second Diff = difference Avg = average

San Joaquin River Restoration Program
Figures 4-4 through 4-18 show the minimum and maximum flows for the No–Action Alternative and the mean flow for both the No–Action Alternative and Proposed Action for tributaries for different year-types. The bars for minimum and maximum identify the historical range of flows. The columns for the means show a comparison between the two alternatives.

The figures show that the change in flows is small relative to the magnitude of the flows. They also show that flow under the Proposed Action is within the same range of the monthly variation found under the No–Action Alternative.



Final 4-110 – September 2009









Final 4-114 – September 2009



Final 4-115 – September 2009



Final 4-116 – September 2009





Final 4-118 – September 2009











Final 4-122 – September 2009





Tables 4-36 through 4-45 contain the monthly tributary flows and change between the No–Action Alternative and the Proposed Action.

Table 4-45 presents a comparison between the SJRRP year-types and D-1641 San Joaquin Valley Water Supply Index water year-types for informational purposes.

INIG	Ceu Ki	Verr		nito e	pall J	uayu		vei (i	noue	ing	pasei	me, c	13)
WY	Year Type	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1922	Wet	292	368	486	482	879	748	28	1251	3357	1387	867	453
1923	Above-Normal	469	304	962	1270	1017	261	305	586	582	159	762	598
192/	Critical	593	385	382	396	320	273	272	201	29	51	36	/19
1024	Bolow Normal	282	410	425	428	620	421	022	533	214	116	77	-45 54
1020	Der	202	413	425	420	226	921	522	401	214	F1	27	54
1027	Above Normel	200	200	212	201	441	2/1	590	401	100	126	31	00
1927	Above-Normal	214	322	313	301	441	200	505	207	074	130	04	09
1920	Delow-Ivormal	420	302	309	301	493	341	090	420	2/1	1/9	00	00
1929	Critical	290	307	307	400	435	320	654	113	129	49	54	92
1930	Critical	276	367	359	361	375	303	558	244	31	35	35	93
1931	Critical	276	385	372	382	408	292	86	98	82	86	40	75
1932	Above-Normal	266	363	475	469	691	383	432	20	94	109	57	58
1933	Dry	310	386	383	426	371	337	512	214	78	60	41	30
1934	Critical	298	383	405	466	469	311	437	231	113	84	35	29
1935	Above-Normal	282	389	409	580	428	587	698	364	230	182	100	55
1936	Above-Normal	368	410	385	428	2906	665	811	1468	132	134	820	441
1937	Wet	707	424	417	416	4208	1251	311	2281	562	597	812	446
1938	Wet	442	401	2035	1341	4928	4767	1521	3341	4530	2238	1159	596
1939	Dry	833	397	383	443	509	453	849	488	135	67	73	68
1940	Above-Normal	331	424	418	573	489	280	419	1409	236	145	240	416
1941	Wet	459	427	1286	1340	3119	1858	842	3103	2347	1749	1069	508
1942	Wet	718	447	1183	1528	1720	517	522	1180	2978	1651	1021	509
1943	Wet	494	549	783	2172	1974	3163	910	1070	435	510	941	490
1944	Below-Normal	475	459	436	414	532	345	926	320	391	172	136	88
1945	Above-Normal	357	489	446	441	2769	834	677	561	170	934	937	421
1946	Above-Normal	840	640	1862	1067	829	469	689	597	303	170	129	81
1947	Dry	592	532	963	621	869	323	205	122	147	65	80	76
1948	Below-Normal	319	397	398	388	299	313	594	125	197	182	100	97
1949	Below-Normal	348	404	386	402	394	359	518	218	263	121	121	70
1950	Below-Normal	326	394	394	428	403	390	650	321	329	162	130	77
1951	Above-Normal	329	402	2100	1733	1641	454	703	213	308	186	116	63
1952	Wet	347	417	460	1941	1317	1922	1245	3703	3081	1943	1231	621
1953	Below-Normal	450	428	334	1080	727	358	729	537	190	140	126	55
1954	Below-Normal	360	405	403	406	439	277	423	252	277	167	131	81
1955	Drv	314	392	409	537	442	338	358	327	146	120	113	55
1956	Wet	311	386	133	3245	1983	498	793	1195	2336	1954	1152	610
1957	Below-Normal	580	422	409	411	406	364	694	520	332	195	154	81
1958	Wet	424	381	405	481	721	1286	2986	3555	2730	1720	1123	675
1959	Drv	483	395	382	395	564	335	875	547	172	107	116	94
1960	Critical	307	374	383	397	451	343	635	325	164	101	127	49
1961	Critical	286	365	387	372	395	321	166	200	143	70	55	40
1962	Below-Normal	264	341	359	360	681	975	755	346	446	253	182	78
1963	Above-Normal	346	362	376	376	410	467	882	758	454	277	194	158
1964	Dry	411	397	398	404	316	320	569	292	197	163	114	77
1965	Wet	346	356	528	1780	497	355	527	773	444	285	1448	634
1966	Below-Normal	474	866	812	1055	724	346	885	611	257	206	165	79
1967	Wet	293	366	400	408	424	746	1756	2666	4147	4063	1494	797
1968	Dry	747	411	330	382	500	358	936	605	249	196	177	130
1969	Wet	275	431	434	903	4093	1534	2098	5555	4141	2433	1233	711
1970	Above-Normal	825	320	444	2940	1265	917	986	657	329	256	222	150
1971	Below-Normal	383	375	359	425	384	331	907	661	314	256	188	102
1972	Dry	359	386	423	270	340	263	726	472	281	240	222	18
1973	Above-Normal	309	412	432	474	889	652	373	1106	476	600	1038	574
1974	Wet	815	776	1095	1690	870	1126	666	1563	594	841	1054	586
1975	Wet	667	350	409	307	2026	1073	793	680	2074	1163	1062	533
1976	Critical	1107	357	362	392	370	291	502	477	255	175	205	136
1977	Critical	354	311	322	373	253	234	531	311	173	106	81	44
1978	Wet	268	282	350	516	824	582	219	566	4016	2613	1294	1369
1979	Above-Normal	509	579	441	1541	1932	1485	901	973	355	262	731	443
1980	Wet	698	374	392	3976	4525	1490	621	961	1997	2284	1248	583
1981	Dry	629	398	444	479	452	479	945	596	240	168	168	97
1982	Wet	401	405	414	484	1795	2297	4921	3385	1922	2249	1390	1170
1983	Wet	1344	1754	2298	3657	4416	6069	1408	2947	7343	5943	2444	1100
1984	Above-Normal	1196	1802	3551	1903	1596	512	782	591	328	291	277	217
1985	Dry	537	338	334	488	759	371	607	382	274	236	206	100
1986	Wet	405	395	408	380	3446	4143	921	1748	1415	946	1113	737
1987	Critical	558	416	418	381	380	393	508	354	183	130	135	87
1988	Critical	356	340	375	377	305	246	297	300	201	97	.50	52
1989	Critical	256	274	322	304	310	339	165	41	142	68	62	67
1990	Critical	305	303	327	310	346	205	110	181	146	72	68	26
1991	Critical	248	258	274	292	205	359	200	168	146	91	54	10
1992	Critical	270	289	297	291	352	298	201	139	139	76	55	11
1993	Wet	206	313	350	684	449	438	18	63	1693	1492	1085	640
1994	Critical	739	369	334	315	381	186	337	131	142	43	54	2
1995	Wet	239	327	317	611	386	3584	1035	3031	5130	4891	1700	509
1996	Wet	474	379	365	844	3009	1633	817	1696	290	374	903	480
1997	Wet	613	845	3494	9912	2144	1191	782	686	240	149	114	84
1998	Wet	369	336	356	1396	5205	2115	1235	1064	5045	4614	1499	759
1999	Above-Normal	741	382	296	820	2026	362	765	779	292	174	196	100
2000	Above-Normal	285	345	318	325	2186	1137	807	851	242	175	112	59
2001	Dry	668	496	392	389	391	365	617	394	244	74	84	25
2002	Dry	239	403	390	449	307	249	517	219	172	90	61	2
2003	Below-Normal	227	316	353	327	287	241	568	449	160	80	66	41
	Year Type	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
	Wet	484	479	783	1687	2290	1849	1124	2003	2619	2004	1186	650
	Above-Normal	483	497	827	958	1345	609	676	700	294	262	376	245
	Below-Normal	378	429	420	499	497	389	728	409	280	172	128	76
	Dry	491	407	431	435	473	343	633	389	184	126	115	63
	Unitical	408	348	357	363	1 360	295	354	220	i 139	1 83	ı (4	54

Table 4-36.Merced River Flow into San Joaquin River (modeling baseline, cfs)

werce	α κινε	er Fio	w int	o Sal	n Joa	quin	Rive	r (wii	in Pro	pose	εα Ας	tion,	CTS)
WY	Year Type	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1922	Wet	292	368	486	482	879	748	28	1251	3357	1387	867	453
1923	Above-Normal	469	304	962	1270	1017	261	209	679	582	159	762	598
1924	Critical	593	385	382	396	320	273	265	195	29	54	36	49
1925	Below-Normal	282	419	425	428	689	421	813	602	214	116	11	54
1926	Dry Above Normal	200	354	3/5	3/5	336	2/1	4/6	3/3	100	51	3/	51
1928	Below-Normal	426	352	389	361	441	341	867	455	271	179	88	80
1929	Critical	296	387	387	408	435	328	618	148	129	49	54	92
1930	Critical	276	367	359	361	375	303	558	168	31	35	35	93
1931	Critical	276	385	372	382	408	292	89	98	82	86	41	75
1932	Above-Normal	266	363	475	469	691	383	456	106	94	109	57	58
1933	Dry	310	386	383	426	371	337	469	256	78	60	41	30
1934	Critical	298	383	405	466	469	311	389	279	113	78	29	29
1935	Above-Normal	262	389	409	580	428	587	344	515	230	162	100	55
1930	Wet	707	410	417	420	4208	1251	311	2281	562	203	812	44
1938	Wet	442	401	2035	1341	4928	4767	1521	3341	4530	2238	1159	596
1939	Dry	833	397	383	443	509	453	849	488	135	67	73	68
1940	Above-Normal	331	424	418	573	489	280	419	1387	236	145	262	416
1941	Wet	459	427	1286	1340	3119	1858	842	3103	2347	1749	1069	508
1942	Wet	718	447	1183	1528	1720	517	522	1180	2978	1651	1021	509
1943	Wet	494	549	783	2172	1974	3163	910	1154	435	427	941	490
1944	Below-Normal	4/5	459	436	414	532	345	895	350	391	1/2	136	88
1945	Above-Normal	357	469	1862	441	2/69	034	450	505	392	934	937	42
1940	Drv	713	532	963	621	869	323	622	290	147	65	80	20
1948	Below-Normal	319	397	398	388	299	313	514	203	197	182	100	9
1949	Below-Normal	348	404	386	402	394	359	479	190	263	121	121	70
1950	Below-Normal	326	394	394	428	403	390	650	187	329	162	130	71
1951	Above-Normal	329	402	1777	1733	1641	454	282	486	308	186	116	63
1952	Wet	347	417	460	2071	1317	1922	1245	3703	3081	1943	1231	621
1953	Below-Normal	450	428	334	1080	121	358	698	567	190	140	126	55
1954	Delow-Ivormal	360	405	403	406	439	211	392	252	2//	107	131	6
1956	Wet	314	386	403	3365	1983	498	582	1354	2383	1954	1152	610
1957	Below-Normal	580	422	409	411	406	364	674	501	332	195	154	8
1958	Wet	424	381	405	481	721	1322	2986	3555	2730	1720	1123	67
1959	Dry	483	395	382	395	564	335	875	547	172	107	116	94
1960	Critical	307	374	383	397	451	343	635	273	164	101	127	49
1961	Critical	286	365	387	372	395	321	166	200	143	70	55	40
1962	Below-Normal	264	341	359	360	681	975	788	640	446	253	182	78
1963	Above-Normal	346	362	3/6	3/6	410	467	540	/8/	454	2//	194	158
1965	Wet	3/6	356	528	1780	497	355	527	751	444	291	1//48	63/
1966	Below-Normal	474	866	812	1055	724	346	885	611	257	206	165	79
1967	Wet	293	366	400	408	424	746	1756	2666	4147	4063	1494	797
1968	Dry	747	411	330	382	500	358	927	614	249	196	177	130
1969	Wet	275	431	434	903	4093	1534	2098	5555	4141	2433	1233	711
1970	Above-Normal	825	320	444	2940	1265	917	986	657	329	256	222	150
1971	Below-Ivormal	303	3/5	359	425	384	331	8/6	274	314	255	100	102
1973	Above-Normal	309	412	423	474	889	652	435	1326	286	600	1038	574
1974	Wet	815	776	1095	1690	870	1126	325	2091	390	841	1054	586
1975	Wet	667	350	409	307	2026	1073	423	776	2343	1163	1062	533
1976	Critical	1107	357	362	392	370	291	509	483	255	175	205	136
1977	Critical	354	311	322	373	253	234	528	313	173	106	81	44
1978	Wet	268	282	350	516	824	582	219	566	4016	2613	1294	136
1979	Above-Normal	509	5/9	441	1541	1932	1485	531	1330	355	262	/31	44
1980	Dry	629	308	352	/79	4525	/79	9/5	596	2/10	2204	1240	90
1982	Wet	401	405	414	475	1795	2297	4921	3385	1922	2249	1390	1170
1983	Wet	1344	1754	2298	3657	4416	6069	1408	2947	7343	5943	2444	110
1984	Above-Normal	1196	1802	3551	1903	1596	512	362	748	328	291	277	21
1985	Dry	779	338	334	488	759	371	577	412	274	236	206	100
1986	Wet	405	395	408	380	3446	4143	921	1748	1415	946	1113	731
1987	Critical	558	416	418	381	380	393	476	385	183	130	135	8
1968	Critical	356	340	3/5	3//	305	246	204	219	201	50	92	67
1909	Critical	305	303	322	304	346	205	110	181	142	72	68	26
1991	Critical	248	258	274	292	205	359	200	168	146	91	54	10
1992	Critical	270	289	297	291	352	298	201	139	139	76	55	11
1993	Wet	206	313	350	684	449	438	44	63	1667	1492	1085	640
1994	Critical	739	369	334	315	381	186	293	131	142	41	54	1
1995	Wet	239	327	317	611	386	3626	1035	3031	5130	4891	1700	509
1996	vvet	474	379	365	844	3009	1633	673	1834	290	374	903	480
1997	Wet	613	845	3494	9912	2144	1191	589	385	240	149	157	512
1998	Above-Normal	309	330	200	820	205	2115	1235	682	2045	4014	1499	100
2000	Above-Normal	285	345	318	325	2500	1137	614	923	232	174	112	150
2000	Dry	692	496	392	389	391	365	617	394	244	74	84	2
2002	Dry	239	403	390	449	307	249	517	219	172	90	61	
2003	Below-Normal	227	316	353	327	287	241	568	664	160	80	66	4
				-				_					_
	Year Type	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
	vvet	484	479	783	1698	2290	1853	1078	2017	2631	2001	1188	668
	Below-Normal	403	497	420	300	13/8	320	4/8	111 AFE	290	170	129	202
	Drv	521	429	420	435	437	343	649	398	184	126	115	67
	Critical	408	348	357	363	360	295	342	218	139	83	74	54

Table 4-37.Merced River Flow into San Joaquin River (with Proposed Action, cfs)

	r	୍ୱାପ୍ତା	ange	, 110	pose			- มื่ออ	CIIIIC	, 613			
WY	Year Type	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1922	Wet	0	0	0	0	0	0	0	0	0	0	0	0
1923	Above-Normal	0	0	0	0	0	0	-96	93	0	0	0	0
1924	Critical	0	0	0	0	0	0	-7	-6	0	3	0	0
1925	Below-Normal	0	0	0	0	0	0	-109	69	0	0	0	0
1926	Dry	0	0	0	0	0	0	-38	-28	0	0	0	0
1927	Above-Normal	0	0	0	0	0	0	-420	172	0	0	0	0
1928	Below-Normal	0	0	0	0	0	0	-31	30	0	0	0	0
1929	Critical	0	0	0	0	0	0	-36	34	0	0	0	0
1930	Critical	0	0	0	0	0	0	0	-77	0	0	0	0
1931	Critical	0	0	0	0	0	0	3	0	0	0	0	0
1932	Above-Normal	0	0	0	0	0	0	24	86	0	0	0	0
1933	Dry	0	0	0	0	0	0	-43	41	0	0	0	0
1934	Critical	0	0	0	0	0	0	-49	47	0	-6	-6	0
1935	Above-Normal	0	0	0	0	0	0	-354	151	0	0	0	0
1936	Above-Normal	0	0	0	0	217	0	0	-157	0	155	0	0
1937	Wet	0	0	0	0	0	0	0	0	0	0	0	0
1938	Wet	0	0	0	0	0	0	0	0	0	0	0	0
1939	Dry	0	0	0	0	0	0	0	0	0	0	0	0
1940	Above-Normal	0	0	0	0	0	0	0	-23	0	0	22	0
1941	Wet	0	0	0	0	0	0	0	0	0	0	0	0
1942	VVet	U	0	0	0		0	0	0	0	0	0	0
1943	VVet	0	0	0	0	0	0	0	84	0	-83	0	0
1944	Below-Normal	U	0	0	0		0	-31	30	000	0	0	0
1945	Above-Normal	0	0	0	0		0	-228	4	222	0	0	100
1946	Above-Ivormai	101	0	0	0		0	-206	-108	0	0	0	166
1947	Dry Relew Normal	121	0	0	0		0	41/	100	0	0	0	0
1940	Below Normal	0	0	0	0		0	-00	10	0	0	0	0
1949	Below-Normal	0	0	0	0		0	-30	-20	0	0	0	0
1951	Above-Normal	0	0	-323			0	-120	273	0		0	0
1952	Wet	0	0	-525	130		0	-420	0	0	0	0	0
1953	Below-Normal	0	0	0	130		0	-31	30	0		0	0
1954	Below-Normal	0	0	0	0		0	-31	0	0	0	0	0
1955	Drv	0	0	0	0	0	0	-54	-42	0	0	0	0
1956	Wet	0	0	0	120	0	0	-211	159	47	0	0	0
1957	Below-Normal	0	0	0	0	0	0	-19	-18	0	0	0	0
1958	Wet	0	0	0	0	0	36	0	0	0	0	0	0
1959	Drv	0	0	0	0	0	0	0	0	0	0	0	0
1960	Critical	0	0	0	0	0	0	0	-53	0	0	0	0
1961	Critical	0	0	0	0	0	0	0	0	0	0	0	0
1962	Below-Normal	0	0	0	0	0	0	32	294	0	0	0	0
1963	Above-Normal	0	0	0	0	0	0	-341	29	0	0	0	0
1964	Dry	0	0	0	0	0	0	-37	35	0	0	0	0
1965	Wet	0	0	0	0	0	0	0	-22	0	6	0	0
1966	Below-Normal	0	0	0	0	0	0	0	0	0	0	0	0
1967	Wet	0	0	0	0	0	0	0	0	0	0	0	0
1968	Dry	0	0	0	0	0	0	-9	9	0	0	0	0
1969	Wet	0	0	0	0	0	0	0	0	0	0	0	0
1970	Above-Normal	0	0	0	0	0	0	0	0	0	0	0	0
1971	Below-Normal	0	0	0	0	0	0	-31	30	0	0	0	0
1972	Dry	0	0	0	0	0	0	0	-98	0	0	0	0
1973	Above-Normal	0	0	0	0	0	0	62	220	-190	0	0	0
1974	VVet	0	0	0	0	0	0	-341	528	-204	0	0	0
1975	VVet	U	0	0	0		0	-3/0	96	2/0	0	0	0
1976	Critical	0	0	0	0		0	/	1	0	0	0	0
1977	Critical	0	0	0	0		0	-2	2	0	0	0	0
1970	Above Marmal	0	0	0	0		0	270	257	0	0	0	0
10/9	Mot	0					0	-3/0	30/	224		0	
1001	Dry	0		0	0		0	131	-344	224		0	0
1001	Wet	0		0			0	0	0	0		0	0
1983	Wet	0	0	0	0	1 0	0	1 0	0	- 0	0	0	0
1984	Above-Normal	0	0	0	0	0	0	-420	157	0	0	0	0
1985	Dry	242	0	0	0	0	0	-31	30	0	0	0	0
1986	Wet	0	0	0	0	0	0	0	0	0	0	0	0
1987	Critical	0	0	0	0	0	0	-33	32	0	0	0	0
1988	Critical	0	0	0	0	0	0	-33	-21	0	0	0	0
1989	Critical	0	0	0	0	0	0	0	0	0	0	0	0
1990	Critical	0	0	0	0	0	0	0	0	0	0	0	0
1991	Critical	0	0	0	0	0	0	0	0	0	0	0	0
1992	Critical	0	0	0	0	C	0	0	0	0	0	0	0
1993	Wet	0	0	0	0	C	0	26	0	-26	0	0	0
1994	Critical	0	0	0	0	0	0	-45	0	0	-2	0	0
1995	Wet	0	0	0	0	0	42	0	0	0	0	0	0
1996	Wet	0	0	0	0	0	0	-144	139	0	0	0	0
1997	Wet	0	0	0	0	0	0	-193	-301	0	0	43	428
1998	Wet	20	0	0	0	0	0	0	0	0	0	0	0
1999	Above-Normal	0	0	0	0	0	0	-211	-96	0	0	0	0
2000	Above-Normal	0	0	0	0	314	0	-193	73	0	0	0	91
2001	Dry	24	0	0	0	0	0	0	0	0	0	0	0
2002	Ury	0	0	0	0	0	0	0	0	0	0	0	0
2003	Below-Normal	0	0	0	0	L 0	0	0 1	215	0	0	0	0
	Voor Turn-	Oct	Nov	Doc	lan	Eab	Mar	Apr	Mar	lun	lut	Aug	Sor
	Tear Type Wet	JCI	1100	Dec	Jan	r'eb	iviar o	Apr 40	way 44	300 40	JUI	Aug	Sep 40
	Above-Normal	1		20	10	20	3	-46	77	13	-3	2	18
	Below-Normal	0		-20	0	33	0	-198	11	2	10	1	1/
	Dry	30		0	0		0	-28	40			0	0
	Critical	30	0	0	0		0	_10	3	0	0	0	0
		U U		U U	U U		U U	-12	-2	. V	. V	, V	, V

## Table 4-38.Merced River Flow into San Joaquin River(change, Proposed Action– baseline, cfs)

Tuol	umne R	iver l	Flow	into	San .	Joaq	uin R	liver	(mod	leling	bas	eline	, cfs)
WY	Year Type	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1922	Wet	719	602	597	603	683	631	3297	1667	8518	1913	566	579
1923	Above-Normal	719	595	823	1978	1957	841	2985	1501	608	575	566	587
1924	Critical	732	605	580	579	606	584	527	523	342	331	342	353
1925	Below-Normal	428	442	440	427	454	4/3	1642	1621	4/0	380	389	408
1926	Abovo Normal	547	500	4/6	464	404	402	900	1011	591	579	569	405
1927	Below-Normal	733	615	452	450	621	2864	1738	1178	404	378	388	410
1929	Critical	547	495	477	468	498	474	742	837	349	333	341	363
1930	Critical	459	466	438	436	473	448	743	876	372	344	351	368
1931	Critical	457	453	449	437	465	440	532	527	345	334	344	354
1932	Above-Normal	424	437	430	427	525	463	1424	1417	697	577	568	578
1933	Dry	/ 36	630	591	582	612	599	906	8/1	425	384	393	414
1934	Above-Normal	402	4/1	451	434	461	442	1544	1665	707	562	565	587
1936	Above-Normal	733	609	597	593	674	3508	3274	1433	660	611	565	582
1937	Wet	732	621	600	590	3782	4503	3444	1476	640	555	566	586
1938	Wet	732	618	1922	1613	7111	7817	5429	5416	4410	3684	572	597
1939	Dry	931	650	602	593	874	1397	1194	1086	394	384	397	412
1940	Above-Normal	482	4/0	440	434	519	3547	3/92	1118	1076	625	514	528
1941	Wet	689	520	648	3278	3/13/	4925	4499	/351	2608	2040	735	547
1943	Wet	814	641	627	3422	3255	6231	3720	1494	1999	1073	501	436
1944	Below-Normal	753	584	626	650	763	983	1764	1401	490	414	405	359
1945	Above-Normal	526	453	389	529	2124	3969	2586	1587	536	688	634	572
1946	Above-Normal	684	466	3760	2702	3020	3174	2237	1849	782	637	600	580
1947	Dry Balaw Narmal	660	5/6	6/5	615	606	625	/96	/ 38	357	322	352	345
1940	Below-Normal	400	454	390 412	595	415	420	952	896	384	409	359	344
1950	Below-Normal	525	475	463	686	407	519	1463	1391	559	395	379	370
1951	Above-Normal	513	206	4271	3760	3719	2865	2503	1780	364	422	399	370
1952	Wet	461	400	475	846	644	3807	4598	5070	4408	3733	617	591
1953	Below-Normal	680	479	517	734	1275	642	2118	1849	334	519	433	400
1954	Below-Normal	460	400	391	397	383	459	1097	1064	439	3/3	3/9	369
1955	Wet	395	372	420	6940	4167	3171	2417	1459	3312	2933	681	574
1957	Below-Normal	697	478	491	518	551	712	2141	1942	393	399	408	405
1958	Wet	489	380	432	561	844	3499	6198	4879	5075	2724	672	646
1959	Dry	753	519	581	624	964	1299	1250	1055	362	349	333	366
1960	Critical	461	364	307	362	519	435	686	807	282	275	295	321
1961	Critical Releve Normal	310	330	282	337	346	385	465	436	246	236	256	235
1963	Above-Normal	464	273	315	425	493	245	1542	1369	485	527	500	515
1964	Dry	548	381	400	518	493	516	721	645	275	256	268	280
1965	Wet	343	266	234	2977	3543	3038	3135	1477	361	543	565	718
1966	Below-Normal	585	491	2109	1104	2041	1097	1183	1003	251	246	242	242
1967	Wet	389	267	318	582	285	1216	4504	3901	6478	6518	589	6/4
1968	Dry	645	449	485	515	484	3013	1182	1149	347	350	338	330
1970	Above-Normal	1216	761	1146	5995	2584	3073	1764	1584	296	432	360	426
1971	Below-Normal	673	503	532	524	456	1067	1801	1739	367	333	350	358
1972	Dry	515	322	524	367	345	387	883	910	284	276	286	284
1973	Above-Normal	315	451	522	524	826	593	1555	1279	1024	484	509	512
1974	Wet	560	745	2027	2864	1754	3806	2617	1674	3033	1039	475	657
1975	Critical	1352	812	709 584	643	2442	5000	2453	10/5	2433	2/5	278	280
1977	Critical	284	309	322	295	303	305	383	398	176	170	167	153
1978	Wet	217	243	251	432	550	578	1424	1394	3048	415	446	436
1979	Above-Normal	393	710	611	1045	3655	4273	2210	5496	490	547	625	516
1980	Wet	609	813	877	3183	6760	3798	2383	2097	5065	3500	567	697
1981	Dry	743	775	519	693	579	779	1288	1091	316	321	348	341
1902	Wet	3175	3152	5340	5281	6724	16125	5060	7883	4030	6266	2862	2081
1984	Above-Normal	941	5485	7476	4168	3409	3125	1679	1789	598	558	597	599
1985	Dry	743	974	430	489	609	658	865	1020	408	340	367	359
1986	Wet	334	363	356	284	2427	8056	2904	3247	3686	648	541	662
1987	Critical	1169	1300	566	596	523	708	620	614	276	256	265	253
1988	Critical	242	259	254	305	265	293	455	462	184	175	190	177
1909	Critical	215	220	240	244	243	271	3/3	5/4	100	107	203	212
1991	Critical	213	243	223	208	213	449	491	600	170	183	201	188
1992	Critical	210	239	217	224	485	307	381	450	178	169	175	175
1993	Wet	213	208	217	781	481	305	1126	1329	4074	2059	326	404
1994	Critical	581	448	413	399	490	410	522	503	207	188	201	186
1995	Wet	230	218	223	518	152	7988	4702	9501	5103	8341	1781	792
1996	Wet	/58	451	430	538	2710	4888	2802	2648	3078	/94	483	533
1997	Wet	693	337	431	900	6922	5108	3854	5548	6995	499	400	400
1999	Above-Normal	962	506	695	2008	4999	3672	2172	1515	498	497	501	506
2000	Above-Normal	591	442	344	433	3609	3718	2462	1692	1295	488	691	721
2001	Dry	692	465	418	518	400	1393	916	894	326	293	314	300
2002	Dry	322	243	383	427	242	325	630	834	276	279	326	296
2003	Delow-Normal	315	247	294	264	241	297	1069	1225	244	228	283	269
	Year Type	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
	Wet	654	591	1049	2396	3437	4509	3782	3510	3866	2857	699	727
	Above-Normal	617	797	1419	1620	2069	2376	2211	1798	655	549	548	548
	Below-Normal	550	458	585	548	696	830	1520	1398	413	374	371	360
	Ury Critica I	639	528	500	547	543	757	952	930	348	329	343	344
	Unitical	1 494	453	J/8	1 381	ı 419	ı 430	1 543	5/4	25/	247	261	261

Table 4-39. Tuolumne River Flow into San Joaquin River (modeling baseline, cfs)

uoiur	nne Riv		ow in	10 25	in Jo	aquii	1 KIV	er (w		ropos	sea A	Ctior	n, cis
WY 1922	Year Type	Oct 719	Nov 602	Dec 597	Jan 603	Feb 683	Mar 631	Apr 3207	May 1667	Jun 8518	Jul 1013	Aug	Sep 679
1922	Abava Namaal	713	502	000	1070	1057	031	3237	1007	0010	1913	500	575
1923	Above-Ivormal	719	595	620	1970	1957	684	2900	523	342	331	342	363
1924	Below-Normal	428	442	440	427	454	473	1599	1621	470	380	389	408
1926	Dry	547	500	476	464	484	482	861	1011	391	379	389	405
1927	Above-Normal	479	449	452	456	519	517	1479	1542	697	556	568	582
1928	Below-Normal	733	615	613	601	621	3174	1701	1178	404	378	388	410
1929	Critical	547	495	477	468	498	474	742	779	349	333	341	363
1930	Critical	459	466	438	436	4/3	448	/43	8/6	3/2	344	351	368
1931	Critical Above Normal	457	453	449	437	465	440	532	527	345	534	544	554
1932	Drv	736	630	430	582	612	599	858	871	425	384	393	414
1934	Critical	482	471	451	434	461	442	530	523	347	331	341	353
1935	Above-Normal	435	445	437	436	468	429	1544	1590	707	562	565	587
1936	Above-Normal	733	609	597	593	674	3654	3274	1433	660	611	565	582
1937	Wet	732	621	600	590	3782	4503	3444	1476	640	555	566	586
1938	Vvet	031	610	1922	1613	/111	/81/	5429	5416	4410	3684	5/2	597
1933	Above-Normal	482	470	440	434	519	3547	3792	1118	744	625	514	528
1941	Wet	640	526	755	1268	5011	4925	4499	1205	1276	2545	618	547
1942	Wet	689	574	648	3278	3434	2720	4174	4351	2608	3292	735	704
1943	Wet	814	641	627	3422	3255	6231	3720	1494	1999	1073	501	436
1944	Below-Normal	753	584	626	650	763	983	1/24	1401	490	414	405	359
1945	Above-Normal	526	453	389	2702	2166	3969	2267	1584	536	637	600	572
1940	Drv	660	576	675	615	606	625	856	988	357	322	352	345
1948	Below-Normal	480	454	398	393	415	428	909	1004	663	489	407	344
1949	Below-Normal	519	468	412	519	487	742	814	896	384	354	359	343
1950	Below-Normal	525	475	463	686	427	519	1463	1357	559	395	379	370
1951	Above-Normal	513	206	4370	3760	3719	2865	2454	1567	364	422	399	370
1952	Relow-Normal	461	400	4/5	734	1275	5007	4590	1805	4400	5/33	/133	400
1954	Below-Normal	460	400	391	397	383	459	1097	1003	439	373	379	369
1955	Dry	468	385	420	702	365	481	803	794	368	338	352	341
1956	Wet	395	372	441	6978	4167	3171	2081	1427	3578	2933	681	574
1957	Below-Normal	697	478	491	518	551	616	2092	1939	393	399	408	405
1958	Wet	489	380	432	561	844	3547	6198	4879	5075	2724	672	646
1959	Dry	/53	364	581	624	964	1299	686	1084	362	349	333	300
1961	Critical	310	330	282	302	346	385	465	436	246	236	255	235
1962	Below-Normal	298	314	323	314	941	510	1942	2006	370	358	396	408
1963	Above-Normal	464	273	315	425	493	245	1457	1286	485	527	500	515
1964	Dry	548	381	400	518	493	516	721	643	275	256	268	280
1965	Wet	343	266	234	3025	3543	3038	3135	1477	361	543	565	718
1965	Below-Ivormal	389	267	2109	582	2041	1097	4504	3901	6478	6518	242	674
1968	Drv	645	449	485	515	484	894	1158	1171	347	350	338	330
1969	Wet	398	367	288	1109	5455	3913	5096	6796	7535	3812	459	508
1970	Above-Normal	1216	761	1146	5995	2584	3073	1751	1597	296	432	360	426
1971	Below-Normal	673	503	532	524	456	1067	1763	1739	367	333	350	358
1972	Dry Above Nermal	515	322	524	367	345	387	815	987	284	276	286	284
1973	Above-Normal	560	451	2027	2864	1754	3806	2617	1004	3316	404	509	512
1975	Wet	1068	1088	789	643	2318	3655	2017	1805	2631	1262	558	621
1976	Critical	1352	812	584	543	516	584	613	557	260	245	278	280
1977	Critical	284	309	322	295	303	305	383	398	176	170	167	153
1978	Wet	217	243	251	432	550	578	1424	1394	2979	415	446	436
1979	Above-Normal	393	710	611	1045	3655	4273	2032	5620	490	547	625	516
1980	Vvet	7/3	813	610	3071	6/60	3/98	2383	2097	5065	3500	348	697 341
1982	Wet	439	421	600	595	6677	5622	9196	6364	4838	3679	592	2367
1983	Wet	3175	3152	5340	5281	6724	16125	5060	7883	4323	6266	2862	2081
1984	Above-Normal	941	5485	7476	4168	3409	3125	1600	1648	598	558	597	599
1985	Dry	743	974	430	489	609	658	827	968	408	340	367	359
1986	Wet	334	363	356	284	2614	8056	2904	3247	3686	648	541	662
1987	Critical	1169	1300	254	596	523	708	620	614	2/6	256	265	253
1900	Critical	242	255	204	244	200	293	400	402	104	1/5	203	212
1990	Critical	215	245	232	236	275	271	431	502	195	199	221	212
1991	Critical	214	239	223	208	232	449	447	600	170	183	201	188
1992	Critical	210	239	217	224	485	307	381	450	178	169	175	175
1993	Wet	213	208	217	781	481	305	1126	1324	4069	2059	326	404
1994	Critical	581	448	413	399	490	410	522	503	207	188	201	186
1995	Wet	230	210	430	510	5666	/ 900	2802	2648	3078	0341	//01	79Z 533
1997	Wet	592	525	6295	17735	3718	2811	1414	1320	482	499	403	486
1998	Wet	693	337	431	900	7243	5095	3854	5548	6995	6737	517	560
1999	Above-Normal	962	506	695	2008	4999	3672	1836	1578	498	497	501	506
2000	Above-Normal	591	442	344	433	3755	3718	2146	1894	1400	488	691	721
2001	Dry	692	465	418	518	400	1345	864	875	326	293	314	300
2002	Dry Rolow Marmal	322	243	383	427	242	325	605	763	276	279	326	296
2003	Delow-Normal	1 315	247	294	264	1 241	297	1069	1355	244	228	203	269
	Year Type	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
	Wet	654	596	1049	2396	3460	4512	3747	3486	3894	2857	699	727
	Above-Normal	617	797	1440	1620	2080	2385	2097	1806	646	549	548	548
	Below-Normal	550	458	585	548	696	847	1495	1413	413	374	371	360
	Ury	639	528	500	547	543	753	917	953	348	329	343	344
	Jonucai	494	1 453	y 3/8	J 301	419	430	1 538	u 5/1	I 257	1 247	201	201

Table 4-40. Tuolumne River Flow into San Joaquin River (with Proposed Action, cfs)

UV         Vest Type         Det         No.         Part         Mat         Apr         Sep           1521 Accord         0        <			(Cha	ange	, Pro	pose	d Ac	tion–	base	eline,	cts)			
HEP/ New         0        0         0         0 </th <th>WY</th> <th>Year Type</th> <th>Oct</th> <th>Nov</th> <th>Dec</th> <th>Jan</th> <th>Feb</th> <th>Mar</th> <th>Apr</th> <th>May</th> <th>Jun</th> <th>Jul</th> <th>Aug</th> <th>Sep</th>	WY	Year Type	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1152         Abox-Namal         0        0 <t< td=""><td>1922</td><td>Wet</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>C</td><td>0</td><td>0</td></t<>	1922	Wet	0	0	0	0	0	0	0	0	0	C	0	0
1920         Cincal         0         0         0         0         0         0         0         0         0         42         0        0         0         0	1923	Above-Normal	0	0	0	0	0	0	0	-113	0	0	0	0
1929         Balanchoma         0         <	1924	Critical	0	0	0	0	0	0	0	0	0	C	0	0
1980         Dy         0 <td>1925</td> <td>Below-Normal</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>-42</td> <td>0</td> <td>0</td> <td>C</td> <td>0</td> <td>0</td>	1925	Below-Normal	0	0	0	0	0	0	-42	0	0	C	0	0
1328       desk-famal       0       0       0       1488       1498       0	1926	Dry	0	0	0	0	0	0	-45	0	0	C	0	0
1928       December and the second seco	1927	Above-Normal	0	0	0	0	0	0	-168	-150	0	C	0	0
9192       Citcad       0	1928	Below-Normal	0	0	0	0	0	309	-37	0	0	C	0	0
1930         Citical on mal         0	1929	Critical	0	0	0	0	0	0	0	-58	0	C	0	0
1931       Contrait       0 <td< td=""><td>1930</td><td>Critical</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>C</td><td>0</td><td>0</td></td<>	1930	Critical	0	0	0	0	0	0	0	0	0	C	0	0
1922       Above-Normal       0       0       0       0       133       0	1931	Critical	0	0	0	0	0	0	0	0	0	C	0	0
1932       Or.       0 <td>1932</td> <td>Above-Normal</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>133</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td>	1932	Above-Normal	0	0	0	0	0	0	0	133	0	0	0	0
1938 Draced       0 <th< td=""><td>1933</td><td>Dry</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>-48</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td></th<>	1933	Dry	0	0	0	0	0	0	-48	0	0	0	0	0
1935       Debus       Debus <thdebus< th=""> <thdebus< th=""> <thdeb< td=""><td>1934</td><td>Critical</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>C</td><td>0</td><td>0</td></thdeb<></thdebus<></thdebus<>	1934	Critical	0	0	0	0	0	0	0	0	0	C	0	0
1935       Observational       0	1935	Above-Normal	0	0	0	0	0	0	0	-75	0	0	0	0
1330 (New         0	1936	Above-Normal	0	0	0	0	0	146	0	0	0	0	0	0
335         1         0	1937	Wet	0	0	0	0	0	0	0	0	0		0	0
130 (Croce formal         0	1938	Vvet	0	0	0	0	0	0	0	0	0		0	0
Heat View         O <tho< th=""> <tho< th=""> <tho< td="" th<=""><td>1939</td><td>Above Normal</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>-33</td><td>32</td><td>0</td><td></td><td>0</td><td>0</td></tho<></tho<></tho<>	1939	Above Normal	0	0	0	0	0	0	-33	32	0		0	0
1942 Web         0        0         0         0 </td <td>1940</td> <td>Wot</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td></td> <td>0</td> <td>0</td>	1940	Wot	0	0	0	0	0	0	0	0	0		0	0
1943         Wei         0 <td>1942</td> <td>Wet</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td></td> <td></td> <td>0</td> <td>0</td>	1942	Wet	0	0	0	0	0	0	0	0			0	0
1944         Decomborna         0         0         0         1         0         <	1943	Wet	0	0	0	0	0	0	0	0	0	C C	0	0
1945         Above Normat         0         0         0         1         0	1944	Below-Normal	0	0	0	0	0	0	-41	0	0	0	0	0
1944 Above-Normal         0         0         2321         0         0         0         2321         0	1945	Above-Normal	0	0	0	0	43	0	-320	-3	0	0	0	0
1947 Dry         0<	1946	Above-Normal	0	0	231	0	0	0	-323	52	0	C	0	0
1948         Below-Normal         0         0         0         0         137         0         0         0         0           1949         Below-Normal         0 <t< td=""><td>1947</td><td>Dry</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>59</td><td>250</td><td>0</td><td>C</td><td>0</td><td>0</td></t<>	1947	Dry	0	0	0	0	0	0	59	250	0	C	0	0
1949         Below-Hormal         0	1948	Below-Normal	0	0	0	0	0	0	-43	-48	0	C	0	0
1950 Below-Normal         0         0         0         0         332         0         0         0         0           1951 Above-Normal         0         0         0         1650 Below-Normal         0         <	1949	Below-Normal	0	0	0	0	0	0	-37	0	0	C	0	0
1951  Abore-Normal       0       0       99       0       0       169       0	1950	Below-Normal	0	0	0	0	0	0	0	-33	0	C	0	0
1952 [Viet         0	1951	Above-Normal	0	0	99	0	0	0	-50	-213	0	C	0	0
1155; Below-Normal       0	1952	Wet	0	0	0	0	169	0	0	0	0	C	0	0
1955, Below-Normal       0	1953	Below-Normal	0	0	0	0	0	0	0	-44	0	C	0	0
1955 Dy/ 1956 Wet       0       0       0       0       -33       -32       266       0       0         1955 Below-Normal       0       0       0       0       -36       -48       -3       0 <t< td=""><td>1954</td><td>Below-Normal</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>C</td><td>0</td><td>0</td></t<>	1954	Below-Normal	0	0	0	0	0	0	0	0	0	C	0	0
1959         Viet         0         0         336         -32         266         0         0         0           1959         Viet         0         0         0         0         48         0	1955	Dry	0	0	0	0	0	0	-42	0	0	0	0	0
1957       Pelocw-Normal       0       0       0       365       -48       -3       0       0       0         11950       Virt       0       <	1956	Wet	0	0	0	39	0	0	-336	-32	266	C	0	0
1959 Wet         0         0         0         0         4         0<	1957	Below-Normal	0	0	0	0	0	-96	-48	-3	0	0	0	0
1999 (ry.         0         0         0         0         -72         29         0 <t< td=""><td>1958</td><td>Wet</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>48</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td></t<>	1958	Wet	0	0	0	0	0	48	0	0	0	0	0	0
1990 Critical         0         <	1959	Dry	0	0	0	0	0	0	-72	29	0	0	0	0
japi Litticat         0         <	1960	Critical	0	0	0	0	0	0	0	0	0		0	0
1952         Deponventant         0	1961	Critical	0	0	0	0	0	0	0	0	0		0	0
1952         Divervinitiat         0	1962	Below-Inormal	0	0	0	0	0	0	0	166	0		0	0
1982 (Mat         0	1903	Above-Infinal	0	0	0	0	0	0	-00	-03	0		0	0
1966         Description         Description <thdescription< th=""> <thde< td=""><td>1964</td><td>Wot</td><td>0</td><td>0</td><td>0</td><td>48</td><td>0</td><td>0</td><td>0</td><td>-1</td><td>0</td><td></td><td>0</td><td>0</td></thde<></thdescription<>	1964	Wot	0	0	0	48	0	0	0	-1	0		0	0
1957 Wet         0<	1965	Below-Normal	0	0	0	-10	0	0	-43	6	0		0	0
issip         Dy         0 <td>1967</td> <td>Wet</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>35</td> <td>-40</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td>	1967	Wet	0	0	0	0	0	35	-40	0	0	0	0	0
1959         Viet         0 </td <td>1968</td> <td>Dry</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>-23</td> <td>23</td> <td>0</td> <td>Č</td> <td>0</td> <td>0</td>	1968	Dry	0	0	0	0	0	0	-23	23	0	Č	0	0
1970         Above-Normal         0         0         0         0         13         13         0         0         0         0           1970         Above-Normal         0 <t< td=""><td>1969</td><td>Wet</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td></t<>	1969	Wet	0	0	0	0	0	0	0	0	0	0	0	0
1971         Below-Normal         0	1970	Above-Normal	0	0	0	0	0	0	-13	13	0	C	0	0
1972         Dry         0 <td>1971</td> <td>Below-Normal</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>-38</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td>	1971	Below-Normal	0	0	0	0	0	0	-38	0	0	0	0	0
1973         Above-Normal         0         0         0         0         134         325         245         0         0         0           1975         Wet         0         115         0         0         0         297         283         0         <	1972	Dry	0	0	0	0	0	0	-68	77	0	C	0	0
1974         Wet         0         115         0         0         0         -297         283         0         0         0           1975         Vet         0         0         0         0         -177         -69         197         0 <td>1973</td> <td>Above-Normal</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>34</td> <td>325</td> <td>-245</td> <td>C</td> <td>0</td> <td>0</td>	1973	Above-Normal	0	0	0	0	0	0	34	325	-245	C	0	0
1975         Wet         0         0         0         -177         -69         197         0         0         0           1976         Critical         0	1974	Wet	0	115	0	0	0	0	0	-297	283	C	0	0
1976 Critical         0         <	1975	Wet	0	0	0	0	-124	0	-177	-69	197	0	0	0
1977 [Critical         0	1976	Critical	0	0	0	0	0	0	0	0	0	0	0	0
1978         Wet         0 <td>1977</td> <td>Critical</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>C</td> <td>0</td> <td>0</td>	1977	Critical	0	0	0	0	0	0	0	0	0	C	0	0
19/19 (Above-Normal         0         0         0         0         178         123         0	1978	Wet	0	0	0	0	0	0	0	0	-69	C	0	0
19bu (vvet         0	1979	Above-Normal	0	0	0	0	0	0	-178	123	0		0	0
1991 [Jry         U	1980	vvet	0	0	0	-112	0	0	0	0	0		0	0
i doc, ivret.         0         <	1981	UIY	0	0		0	0	0	-68	30	0		0	0
isoury res         0	1962	Wot	0	0		35	0	0		0			0	0
1985         Dry         0 <td>1003</td> <td>Above-Normal</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>70</td> <td>.1/1</td> <td>0</td> <td></td> <td>0</td> <td>0</td>	1003	Above-Normal	0	0	0	0	0	0	70	.1/1	0		0	0
1316         1         1         1         1         0	1985	Drv	0	0	- 0	۰ ۱	0		-19	-141			0	0
1987         Critical         0 <th< td=""><td>1986</td><td>Wet</td><td>0</td><td>0</td><td>0</td><td>0</td><td>187</td><td>0</td><td>0</td><td>0</td><td>0</td><td>1 C</td><td>0</td><td>0</td></th<>	1986	Wet	0	0	0	0	187	0	0	0	0	1 C	0	0
1988 Critical         0         <	1987	Critical	0	0	Ő	0	0	0	Ő	0	Ö	Ċ	Ő	Ő
1989         Critical         0         0         0         0         0         41         0         0         0         0           1990         Critical         0	1988	Critical	0	0	0	0	0	0	Ő	0	0	Ċ	0	0
1990         Critical         0 <th< td=""><td>1989</td><td>Critical</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>-41</td><td>0</td><td>0</td><td>C</td><td>0</td><td>0</td></th<>	1989	Critical	0	0	0	0	0	0	-41	0	0	C	0	0
1991         Critical         0         0         0         0         0         -45         0         0         0         0           1992         Critical         0	1990	Critical	0	0	0	0	0	0	0	0	0	C	0	0
1992         Critical         0 <th< td=""><td>1991</td><td>Critical</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>-45</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td></th<>	1991	Critical	0	0	0	0	0	0	-45	0	0	0	0	0
1993  Wet         0         0         0         0         0         -5         -5         0         0         0           1994  Critical         0 <td>1992</td> <td>Critical</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>C</td> <td>0</td> <td>0</td>	1992	Critical	0	0	0	0	0	0	0	0	0	C	0	0
1994 [Critical         0	1993	Wet	0	0	0	0	0	0	0	-5	-5	C	0	0
1995/Wet         0<	1994	Critical	0	0	0	0	0	0	0	0	0	0	0	0
1995 vvet         0	1995	Wet	0	0	0	0	0	0	0	0	0	L (	0	0
1337 (viet         0         0         0         0         -720         -174         0	1996	vvet	0	0	0	0	0	0	0	0	0	0	0	0
I 3330 rviet         U         U         U         U         3222         1-31         O <tho< th="">         O         O</tho<>	1997	vvet	0	0	0	0	0	0	-320	-174	0		0	0
Issistry work-reformation         v <td>1998</td> <td>Above News</td> <td>0</td> <td>0</td> <td></td> <td>0</td> <td>322</td> <td>-13</td> <td>0</td> <td>0</td> <td></td> <td>+ C</td> <td>0</td> <td>0</td>	1998	Above News	0	0		0	322	-13	0	0		+ C	0	0
Zood Proversionnal         0         0         0         0         146         0         -316         Zood         105         0	1999	Above-Normal	0	0		0	0	0	-336	63	405		0	0
Zovi Dry         0<	2000	Apove-Inormal	0	0	0	0	146	0	-316	202	105		0	0
Zovz_Dry         0<	2001	Dev	0	0		0	0	-48	-52	-18			0	0
Year Type         Oct         Nov         Dec         Jan         Feb         Mar         Apr         May         Jun         Jul         Aug         Sep           Wet         0         5         0         0         23         3         -35         -24         28         0	2002	Below-Normal	0	0	0	0	0	0	-20	-/1	0		0	0
Year Type         Oct         Nov         Dec         Jan         Feb         Mar         Apr         May         Jun         Jul         Aug         Sep           Wet         0         5         0         0         23         3         -35         -24         28         0         0         0           Above-Normal         0         0         21         0         12         9         -115         8         -9         0	2003	Dolow-ryoffiai	U	U	. 0	0	U U	U U	. 0	130	U U	. U	. 0	, U
Wet         0         5         0         0         23         3         -35         -24         28         0		Year Type	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Above-Normal         0         0         21         0         12         9         -115         8         -9         0		Wet	0	5	0	0	23		-35	-24	28	0	0	0
Below-Normal         0         0         0         0         16         -25         15         0		Above-Normal	0	0	21	0	12	9	-115	8	-9	Ċ	0	0
Dry         0         0         0         0         -4         -35         23         0         0         0         0           Critical         0         0         0         0         0         0         -5         -4         0		Below-Normal	0	0	0	0	0	16	-25	15	0	C	0	0
Critical         0         0         0         0         0         -4         0		Dry	0	0	0	0	0	-4	-35	23	0	C	0	0
		Critical	0	0	0	0	0	0	-5	-4	0	C	0	0

## Table 4-41. Tuolumne River Flow into San Joaquin River (change, Proposed Action– baseline, cfs)

Stan	iisiaus r	tiver	FIOW	Into	San	Juaq		Iver	(inou	enng	Dase	inne,	613)
WY 1022	Year Type	Oct 210	Nov	Dec	Jan 251	Feb	Mar	Apr 1059	May 1069	Jun	Jul	Aug	Sep
1922	Above-Normal	683	269	569	251	290	457	1250	1/132	307	480	422	426
1924	Critical	832	490	435	367	422	535	543	520	308	365	420	403
1925	Below-Normal	552	444	400	224	188	279	1112	976	387	376	422	426
1926	Drv	601	403	345	257	314	440	592	630	314	376	422	426
1927	Above-Normal	555	513	346	246	179	407	1438	1121	391	376	422	426
1928	Below-Normal	690	466	422	364	293	571	1271	1119	342	376	422	426
1929	Critical	674	392	370	366	350	469	625	698	337	365	411	415
1930	Critical	539	320	257	239	366	472	627	573	318	365	411	415
1931	Critical	537	302	255	199	439	577	465	455	312	365	411	415
1932	Above-Normal	523	329	464	235	131	174	436	494	334	376	422	426
1933	Dry	546	361	296	232	383	414	512	/05	334	376	422	426
1934	Critical	538	314	361	230	333	528	412	564	330	365	411	415
1935	Above-Normal	551	201	256	257	103	205	793	F05	709	553	422	420
1930	Mot Mot	668	201	250	251	255	295	12/19	10/2	624	474	422	429
1938	Wet	680	482	505	380	494	1533	1811	2029	5122	2000	1855	1993
1939	Drv	1313	647	571	462	403	320	1020	1001	305	376	422	439
1940	Above-Normal	680	348	307	427	295	592	1779	1525	1009	502	447	477
1941	Wet	795	616	600	562	537	801	1875	2310	1806	632	469	469
1942	Wet	825	851	646	1247	1956	682	1637	1644	1695	784	1721	1905
1943	Wet	1052	688	825	2482	2353	3395	1500	1648	1828	486	493	529
1944	Below-Normal	872	672	685	586	624	559	1399	1101	494	455	444	431
1945	Above-Normal	/00	469	4//	456	463	493	1421	1/50	1235	554	503	508
1946	Above-Ivormai	761	495	300	655	594	407	1477	1654	1017	247	4//	493
1947	Below-Normal	576	474	425	372	400	402	727	816	559	50/	423	395
1949	Below-Normal	563	414	402	300	452	262	599	522	488	377	393	372
1950	Below-Normal	502	419	429	271	218	413	909	892	773	390	389	401
1951	Above-Normal	542	465	2051	2243	2323	904	1533	1732	998	403	408	403
1952	Wet	664	472	414	403	341	845	1500	1564	4291	2614	1977	1847
1953	Below-Normal	856	625	614	1046	1153	658	1451	1879	1011	607	442	471
1954	Below-Normal	775	483	474	460	512	395	1187	1207	394	369	377	351
1955	Dry	611	457	490	552	395	500	/82	633	334	326	340	351
1956	VVet	509	397	369	/61	506	597	1/53	1592	1921	613	484	1023
1957	Delow-Ivormal	765	505	523	509	660	497	2123	1495	2024	1806	1960	407
1950	Dry	867	651	694	602	964	565	1260	1193	335	346	384	425
1960	Critical	638	428	407	408	465	561	730	722	328	320	345	333
1961	Critical	468	363	365	259	472	591	573	555	310	281	302	303
1962	Below-Normal	425	375	379	212	248	304	547	779	278	411	395	394
1963	Above-Normal	529	397	357	268	376	325	990	808	735	496	435	428
1964	Dry	597	372	310	319	478	558	676	785	319	338	363	374
1965	Wet	510	396	258	369	162	462	1650	1864	1350	467	528	528
1966	Below-Normal	821	523	499	509	587	468	1169	10/4	329	331	345	342
1967	Dry	1010	552	580	548	1223	501	1020	1200	348	2209	370	2020
1969	Wet	673	417	438	416	2701	2006	1937	1230	3968	2089	1843	1745
1970	Above-Normal	1332	637	926	4827	2908	1283	1801	1509	1181	462	474	553
1971	Below-Normal	803	414	425	448	492	626	1704	1626	824	549	473	517
1972	Dry	954	379	331	447	584	598	1157	1023	329	342	362	359
1973	Above-Normal	549	396	402	325	482	420	1716	1419	1235	432	445	530
1974	Wet	741	451	440	369	570	1287	1895	1606	1958	557	500	790
1975	VVet	1344	587	694	608	1383	1441	1896	1552	1937	589	582	603
1970	Critical	502	405	402	200	504	534	991	900	265	265	259	220
1978	Wet	364	280	293	250	188	245	956	862	597	544	442	471
1979	Above-Normal	679	517	459	245	291	360	1645	1328	1663	426	439	452
1980	Wet	722	494	372	322	3280	1060	1952	1920	2016	561	546	656
1981	Dry	1063	676	596	583	512	460	1246	1292	306	404	356	384
1982	Wet	671	355	384	454	5140	3466	2882	1586	1703	1432	1967	3096
1983	Wet	2228	2550	3187	4117	5160	6162	1577	1690	5557	4507	2694	3113
1984	Above-Normal	1830	3321	5140	2078	2245	1097	1865	1800	1065	499	568	712
1985	Wet	926	521	405	453	2462	502	1225	1236	1610	006	364	452
1900	Critical	709	601	702	525	2403	3074	000	981	322	31/	333	497
1988	Critical	501	347	379	289	533	589	601	559	305	270	260	295
1989	Critical	406	343	362	198	165	551	603	566	302	349	361	402
1990	Critical	440	352	341	180	193	591	516	550	287	285	321	314
1991	Critical	530	540	320	142	156	229	455	505	291	276	306	286
1992	Critical	422	411	271	116	220	504	404	212	222	252	267	249
1993	Wet	313	213	223	337	160	164	471	456	354	286	352	426
1994	Critical	356	331	316	141	368	571	428	452	214	254	277	292
1995	vvet Wet	330	2/6	289	529	202	514	1395	1431	619	386	387	366
1996	Wet	700	460	401	429 9177	420	2/21	1621	16/8	1595	399	442	442
1997	Wet	767	105	301	440	2623	2061	1554	15/1	032	2706	2230	410 2231
1999	Above-Normal	1717	923	987	1520	3434	1253	1500	1547	1451	366	418	444
2000	Above-Normal	686	420	411	465	451	692	1549	1507	825	371	374	390
2001	Dry	632	403	382	415	418	350	995	952	308	305	285	304
2002	Dry	475	299	365	333	436	395	712	678	308	301	349	335
2003	Below-Normal	421	294	323	185	476	496	792	582	309	335	321	299
	× -	10.		-									-
	Year Type	Uct 707	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
	Apove-Normal	121	55U 647	663	1013	1603	1581	1548	1553	2012	114/	1042	1161
	Below-Normal	671	472	462	422	330 499	468	1394	1082	530	451	444	412
	Drv	797	472	402	422	439	460	972	948	329	344	371	387
	Critical	560	412	376	279	376	517	591	591	298	312	339	338

 Table 4-42.

 Stanislaus River Flow into San Joaquin River (modeling baseline, cfs)

Stanis	laus Riv	/er Fl	ow ir	nto Sa	an Jo	aqui	n Riv	er (w	ith P	ropos	sed A	ctior	ı, cfs)
WY	Year Type	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1922	Wet	310	269	320	251	296	457	1258	1068	387	376	422	426
1923	Above-Inormal Critical	832	520	463	406	203	360	549	526	308	480	425	463
1925	Below-Normal	553	445	401	225	188	302	1194	930	387	376	422	426
1926	Dry	618	454	396	280	243	147	600	637	344	376	422	426
1927	Above-Normal	556	514	347	248	179	419	1563	1260	413	376	422	434
1920	Critical	690	490	452	375	299	177	638	716	364	365	422	427
1930	Critical	540	321	257	239	276	316	600	640	383	366	411	415
1931	Critical	538	303	255	201	439	154	472	462	311	365	411	415
1932	Above-Normal	526	334	469	239	135	177	446	666	334	376	422	426
1933	Critical	540	332	200	234	275	104	402	547	365	365	422	420
1935	Above-Normal	517	337	324	244	111	268	812	730	384	553	422	426
1936	Above-Normal	553	311	277	255	636	330	957	738	709	474	422	429
1937	Wet	594	383	380	294	252	577	1367	1173	630	474	422	426
1930	Drv	1313	647	571	462	494	320	1020	1001	321	376	422	439
1940	Above-Normal	680	348	307	427	295	592	1779	1524	961	501	446	476
1941	Wet	794	616	599	562	537	802	1875	2310	1812	632	469	469
1942	Wet	825	851	647	1271	1956	682	1637	1644	1695	784	1721	1905
1943	Below-Normal	872	672	685	586	624	559	1399	11040	494	400	495	431
1945	Above-Normal	700	469	477	456	463	493	1421	1750	981	554	503	508
1946	Above-Normal	781	514	386	655	594	489	1487	1665	1037	443	479	494
1947	Dry Bolow Normal	/61	541	544	519	488	2/3	988	995	385	347	3//	386
1948	Below-Normal	573	410	411	311	373	263	485	530	488	304	393	372
1950	Below-Normal	503	420	430	273	210	429	889	993	773	390	389	401
1951	Above-Normal	554	472	2537	2242	2322	904	1533	1730	954	403	408	403
1952	Wet Bolow Normal	664	497	438	403	341	898	1500	1564	4291	2614	1977	1847
1953	Below-Normal	775	494	485	460	412	398	1187	1247	407	369	377	358
1955	Dry	612	461	493	556	333	335	719	650	345	330	340	351
1956	Wet	512	399	369	760	511	597	1753	1592	1921	613	484	1483
1957	Below-Normal Wot	894	585	5/2	509	560	45/	1556	1495	824	447	441	467
1959	Dry	867	651	694	602	964	565	1260	1193	335	346	384	425
1960	Critical	638	428	407	408	465	258	703	759	351	320	345	333
1961	Critical	468	363	365	259	536	245	575	557	310	281	302	303
1962	Below-Normal	426	3/5	380	212	248	305	873	869	2/8	411	395	394
1964	Dry	605	407	345	330	388	296	682	790	329	338	363	374
1965	Wet	511	396	258	369	163	469	1659	1873	1302	468	530	529
1966	Below-Normal	824	529	506	516	594	475	1246	1158	337	331	345	342
1967	Dry	1019	552	580	544	1223	444	1447	1290	348	2565	370	2020
1969	Wet	673	417	438	416	2701	2006	1937	1974	3968	2089	1843	1745
1970	Above-Normal	1332	637	926	4827	2908	1283	1733	1509	1138	462	474	553
1971	Below-Normal	803	414	425	448	492	627	1708	1631	778	550	474	518
1972	Above-Normal	553	398	404	331	433	403	1731	1435	1627	434	448	533
1974	Wet	746	412	401	371	573	1175	1895	1606	1958	557	500	864
1975	Wet	1392	621	728	555	1383	1441	1896	1552	1937	589	582	603
1976	Critical	501	404	393	288	534	576	984	634	325	255	259	320
1978	Wet	364	281	294	263	189	250	976	880	597	544	442	471
1979	Above-Normal	682	518	461	250	295	361	1650	1333	1663	427	440	453
1980	Wet	723	536	414	323	3383	1060	1952	1920	2016	561	546	656
1981	Ury Wet	671	355	384	583	512	3466	2882	1292	1703	404	356	3096
1983	Wet	2228	2550	3187	4117	5160	6162	1577	1690	5557	4507	2694	3113
1984	Above-Normal	1830	3321	5140	2078	2245	1097	1865	1800	1065	499	568	712
1985	Dry	926	540	424	453	555	502	1225	1236	358	302	364	452
1966	Critical	861	546	702	525	2464	390	1000	936	342	318	300	497
1988	Critical	501	360	393	289	445	208	612	571	336	278	286	295
1989	Critical	422	343	362	198	216	138	505	592	334	349	361	402
1990	Critical	440	353	342	180	410	238	562	566	323	285	321	314
1991	Critical	532	544 418	277	145	224	233	432	425	261	276	267	200
1993	Wet	316	220	229	337	165	169	384	371	354	286	352	426
1994	Critical	360	338	323	145	264	219	474	477	333	254	277	292
1995	Wet	335	285	299	529	208	523	1443	1485	715	395	395	375
1996	Wet	623	488	3595	438	6243	1409	1621	1678	1595	399	442	442
1998	Wet	757	455	444	440	2649	2064	1565	1518	1553	2706	2230	2231
1999	Above-Normal	1717	923	987	1520	3434	1253	1542	1547	1407	366	418	444
2000	Above-Normal	686	451	442	465	451	750	1551	1510	830	372	375	391
2001	Dry	473	434	413	416	418	348	937	931	316	311	265	304
2003	Below-Normal	424	296	325	188	375	218	751	743	325	335	321	299
	× -					-							
	Year lype Wet	Uct 722	Nov	Dec 601	Jan 1015	Feb 1649	Mar 1601	Apr 1650	May 1660	Jun	Jul 1160	Aug 1042	Sep 1194
	Above-Normal	805	652	899	932	951	597	1404	1344	944	451	444	473
	Below-Normal	674	476	465	425	463	418	1114	1124	540	425	407	408
	Dry	800	490	463	443	507	347	937	956	338	345	371	387
	Uritical	562	419	1 383	281	3/1	240	1 584	i 614	328	313	340	338

Table 4-43. Stanislaus River Flow into San Joaquin River (with Proposed Action, cfs)

WY	Year Type	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1922	Wet	0	0	0	0	0	0	0	0	0	0	0	0
1923	Above-Normal	0	0	0	0	0	-662	0	0	0	0	0	0
1924	Critical Bolow Normal	1	29	29	2	0	-394	83	6	0	0	0	0
1926	Drv	17	51	51	23	-71	-294	8	-40	30	0	0	0
1927	Above-Normal	1	1	1	2	0	11	125	139	22	0	0	8
1928	Below-Normal	0	30	30	11	11	6	63	69	11	0	0	1
1929	Critical	0	6	6	6	-52	-292	13	19	27	0	0	0
1930	Critical	0	0	0	1	-89	-156	-27	67	65	1	0	0
1931	Above-Normal	3	5	5	3	3	-423	10	172	0	0	0	0
1933	Drv	2	-40	-40	2	-104	-250	-110	-53	11	0	0	0
1934	Critical	2	18	18	2	-97	-415	53	-17	36	0	0	0
1935	Above-Normal	7	24	24	8	8	4	19	-59	0	0	0	0
1936	Above-Normal	3	21	21	4	0	35	156	143	0	0	0	0
1937	Wet	25	14	14	35	-3	11	118	131	6	0	0	0
1930	Dry	0	11	0	0	0	4/4	0	0	17	0	0	0
1940	Above-Normal	0	0	0	0	0	0	-1	-1	-48	0	0	0
1941	Wet	0	0	0	0	0	0	0	0	6	0	0	0
1942	Wet	0	0	0	25	0	0	0	0	0	0	0	0
1943	Wet	0	0	0	0	0	0	0	0	0	0	0	0
1944	Above-Normal	0	0	0	0	0	0	0	0	-253	0	0	0
1946	Above-Normal	0	19	19	0	0	2	10	11	200	2	2	2
1947	Dry	4	35	35	2	2	-209	-28	86	0	0	0	0
1948	Below-Normal	3	-59	-59	4	-83	-227	16	32	0	0	0	0
1949	Below-Normal	8	8	8	12	-/9	1	-114	100		0		0
1950	Above-Normal	12	7	486	-1	-9	0	-20	-2	-44	0	0	0
1952	Wet	0	25	25	0	Ö	53	0	0	0	0	0	0
1953	Below-Normal	0	0	0	0	0	-166	-37	0	0	0	0	0
1954	Below-Normal	0	11	11	0	-100	4	-1	40	12	0	0	6
1955	Dry	1	4	4	4	-62	-164	-63	18	11	3	0	160
1957	Below-Normal	24	50	50	0	-108	-40	0	0	0	0	0	400
1958	Wet	0	0	0	0	0	0	0	0	41	0	0	0
1959	Dry	0	0	0	0	0	0	0	0	0	0	0	0
1960	Critical	0	0	0	0	0	-303	-27	36	23	0	0	0
1961	Critical Bolow Normal	0	0	0	0	64	-345	2	2	0	0	0	0
1963	Above-Normal	1	-27	-27	1	1	12	-117	62	0	0	0	0
1964	Dry	8	35	35	12	-90	-263	6	5	10	0	0	0
1965	Wet	1	0	0	0	1	7	9	10	-47	2	2	2
1966	Below-Normal	3	7	7	7	7	7	77	85	8	0	0	0
1967	VVet Dry	0	/	/	/	/	0	0	0	0	294	0	0
1969	Wet	0	0	0	0	0	0	0	0	0	0	0	0
1970	Above-Normal	0	0	0	0	0	0	-68	0	-42	0	0	0
1971	Below-Normal	0	0	0	0	0	1	4	5	-46	1	1	1
1972	Dry Above Manual	2	1	1	1	-132	-135	-77	-1	5	0	0	0
1973	Mote-Normal	4	-39	-39	0	0	-112	15	10	392	3	0	74
1975	Wet	48	34	34	-53	0	0	0	0	0	0	0	0
1976	Critical	0	31	31	0	0	-185	-7	-7	0	0	0	0
1977	Critical	-1	-1	-1	-2	0	0	2	-2	0	0	0	0
1978	Wet Above Normal	0	1	1	0	0	5	20	19	0	0	0	0
1979	Wet	2	42	42	1	103	0	0	0	0	0	0	0
1981	Dry	0	0	0	0	0	0	0	Ő	5	0	0	0
1982	Wet	0	0	0	0	-5	0	0	0	0	0	0	0
1983	Wet	0	0	0	0	0	0	0	0	0	0	0	0
1984	Above-Normal	0	19	19	0	0		0			1		0
1986	Wet	0	13	13	0	1	0	0	0	0	0	0	0
1987	Critical	0	0	0	0	0	0	6	-45	21	5	0	0
1988	Critical	0	13	13	0	-88	-381	11	11	30	8	26	0
1989	Critical	16	0	0	0	52	-413	-98	26	32	0	0	0
1990	Critical	2	U 	/	1	21/	-353	-173	21	<u>36</u> <u>41</u>	0	0	0
1992	Critical	3	6	6	4	4	-424	28	212	39	0	0	0
1993	Wet	4	7	7	0	4	4	-87	-84	0	0	0	0
1994	Critical	4	7	7	4	-104	-352	45	24	119	0	0	0
1995	Wet	17	9	9	0	6	9	49	54	96	9	9	9
1997	Wet	0	0	0	0	520	0	-12	0	0	0	0	0
1998	Wet	0	50	50	0	27	13	0	0	0	0	0	0
1999	Above-Normal	0	0	0	0	0	0	0	0	-44	0	0	0
2000	Above-Normal	0	31	31	0	0	58	2	3	5	0	0	0
2001	Dry	1	31	31	0	101	-2	-58	-21	8	5		0
2002	Below-Normal	-1	0	1	-2	-101	-200	- 142	161	16	0	0	0
2150													
	Year Type	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
	Wet	5	8	8	2	45	19	4	5	4	13	0	23
	Above-Normal Below-Normal	2	5	35	2	-36	-53	10	<u></u>		0		1
	Dry	3	11	11	3	-30	-117	-36	- +2	9	1	0	0
	Critical	2	7	7	1	-6	-277	-7	24	29	1	2	0

## Table 4-44.Stanislaus River Flow into San Joaquin River<br/>(change, Proposed Action- baseline, cfs)

	October-through-September				1					
Watas Yaas	San Joaquin River	Restoration	San Joaquin Valley				San J	oaquin	/alley	
Water Tear	Unimpaired Flow at Friant	Year Type*	Water Year Types*				Wate	er Year T	ypes	
	Dam (TAF)									
1922	2.355.1	Normal-Wet	Wet							
1923	1,654,3	Normal-Wet	Above Normal			Wet	Above	Below	Drv	Critical
1924	444 1	Critical High	Critical				Normal	Normal		
1925	1 438 7	Normal-Dry	Below Normal							
1926	1 161 4	Normal-Dry	Dry		Wet	16				
1927	2 001 3	Normal-Wet	Above Normal		wet					
1928	1 153 7	Normal-Dry	Below Normal							
1020	962.4	Dec	Critical	- Te	Normal-	•	15	2		
1020	950.4	Day	Critical	Ēg	Wet	v	15	2		
1930	039.1	Oritical Uliah	Critical	- # Z						
1931	480.2	Critical High	Critical	- 25	Normal-					
1932	2,047.4	Normal-vvet	Above Normai	e a	Drv		1	- 11	- 11	2
1933	1,111.4	Normal-Dry	Dry	ž ~	,					
1934	691.5	Dry	Critical	<u> ~ ē</u>	_					
1935	1,923.2	Normal-Wet	Above Normal	it ji	Dry				3	9
1936	1,853.3	Normal-Wet	Above Normal	불운						
1937	2,208.0	Normal-Wet	Wet	۾ ۾	Critical					
1938	3,688.4	Wet	Wet	é "	High					4
1939	920.8	Dry	Dry	s	riign					
1940	1,880.6	Normal-Wet	Above Normal		Critical					
1941	2,652.5	Wet	Wet		Childan					1
1942	2,254.0	Normal-Wet	Wet		LOW					
1943	2.053.7	Normal-Wet	Wet							
1944	1.265.4	Normal-Drv	Below Normal							
1945	2 138 1	Normal-Wet	Above Normal							
1946	1 729 6	Normal-Wet	Above Normal							
1947	1 125.5	Normal-Dry	Dry	San Jo	aquin Rive	r Resto	ration Ye	ar Type	s.	
10/19	1,120.0	Normal-Dry	Below Normal	Sunot	aquin nive		auton 10	a . The		
1040	1,214.0	Normal Dr.	Below Normal	The to	tal annual u	nimnaire	d runoff	at Eriant I	Dam for	the
1949	1,104.1	Normal-Dry	Below Normal	water	ear (Octob	or throw	nh Senter	nhor) is t	he index	r hv
1950	1,310.5	Normal-Dry	Delow Normal	which	the water ve	ar type	is determ	ined	ine index	( Dy
1951	1,859.0	Normal-vvet	Above Normai	Which	ine water ye	a type	io determ	incu.		
1952	2,840.1	VVet	VVet	In orde	r of descen	ding we	tnoce the	wattast	20 nerce	ant of the
1953	1,226.7	Normal-Dry	Below Normal	Veare	aro classifio	d as Wo	t the nev	t 30 parc	ant of th	
1954	1,313.8	Normal-Dry	Below Normal	are cla	eeified as N	lormal-M	lot the ne	vt 30 no	rcent of	the year
1955	1,161.0	Normal-Dry	Dry	are cla	seified as N	lormal D	ny tho no	vt 15 po	cont of	the year
1956	2,960.1	Wet	Wet	are cla	esified as N	onnai-D	the remain	ning 5 pe	rcent of	the years
1957	1,326.6	Normal-Dry	Below Normal	are cla	esified as D	ritical A	A subset	of the Crit	tial year	e those
1958	2,631.0	Wet	Wet	with los	se than 400	TAE of	unimpario	d runoff	aroidor	atified as
1959	949.3	Normal-Dry	Dry	Critica	SS trian 400	TAI UI	unimpane	a funori,	are luei	inneu as
1960	828.6	Dry	Critical	Cilica	LOW.					
1961	646.9	Critical High	Critical							
1962	1,923.6	Normal-Wet	Below Normal							
1963	1.944.9	Normal-Wet	Above Normal							
1964	922.2	Drv	Drv	San Jo	aquin Vall	ev Wate	r Year Ty	/pes:		
1965	2 272 2	Normal-Wet	Wet			.,				
1966	1 298 6	Normal-Dry	Below Normal	The Sa	an Joaquin V	Vallev W	/ater Year	Type is	determir	ned
1967	3 232 2	Wet	Wot	throug	h the use of	an inde	x The in	dex is ba	sed upo	n
1068	862.1	Dec	Dec	Stanis	laus River in	flows to	New Mel	ones Lak	e Tuoli	imne
1060	4.040.2	Wet	Wet	River i	nflows to Ne	w Don	Pedro Re	servoir N	Aerced F	River
1905	1 445 6	Normal Day	Abovo Normal	inflows	to Lake Mo	Clure a	nd San J	oaquin R	iver inflo	owsto
1071	1,443.0	Normal Dr.	Rolew Normal	Millerto	on Lake, in r	nillion a	cre-feet (I	MAF).		
1971	1,417.5	Normal-Dry	Delow Normal							
1972	1,039.0	Normal-Dry	Dry	San Jo	aquin Valle	v Water	Year Inde	ex		
1973	2,047.0	Normal-vvet	Above Normai	= 0.6 *	Current Ap	r-Jul Ru	noff Fore	cast (MA	F)	
1974	2,190.5	Normal-VVet	VVet	+02*	Current Oc	t-Mar Ri	unoff in (N	AF)	·	
1975	1,795.7	Normal-Wet	Wet	+02*	Previous W	ater Ye	ar's Index	(if the P	revious	Water
1976	629.2	Critical High	Critical	Year's	Index excer	eds 4 5	then 4.5	is used)		
1977	361.6	Critical Low	Critical					,		
1978	3,401.9	Wet	Wet	Wet	Equal to or	areater t	than 3.8 M	/AF:		
1979	1,830.3	Normal-Wet	Above Normal	Above	-Normal Gr	eater th	an 3.1. an	d less th	an 3.8:	
1980	2,972.7	Wet	Wet	Below	Normal Gr	eater that	an 2.5, an	d equal t	o or less	s than
1981	1,068.0	Normal-Dry	Dry	3.1:			-,			
1982	3,316.1	Wet	Wet	Drv (	Greater than	2.1. an	d equal to	o or less t	than 2.5	and
1983	4,641.9	Wet	Wet	Critica	Equal to a	or less th	nan 2.1			
1984	2,048.9	Normal-Wet	Above Normal							
1985	1,129,0	Normal-Dry	Drv	This in	dex origina	llv speci	ified in the	1995 SI	NRCB V	Nater
1986	3.031.4	Wet	Wet	Quality	Control Pla	an, is u	sed to de	termine t	he San	Joaquin
1987	757.6	Dry	Critical	Valley	water year	vpe as i	implemen	ted in SV	VRCB D	-1641
1988	862 1	Dry	Critical	Water	vear types	are set h	v first of	month fo	recasts	
1989	939.2	Normal-Dov	Critical	beginn	ing in Febr	ary. Fir	al determ	nination f	or San	loaquin
1990	742.5	Dry	Critical	River f	low objectiv	es is ba	sed on th	e May 1s	t 75%	
1001	1 03/ 1	Normal-Dov	Critical	exceed	lence forec	ast.				
1000	808 5	Dev	Critical							
1002	2 672 0	L/IY M/ot								
1333	2,012.3	vvet	vvel							
1994	020.4	DIY								
1995	3,877.7	vvet	VVet							
1996	2,202.8	Normal-Wet	VVet				-			
1997	2,781.5	vVet	VVet							
1998	3,159.8	Wet	Wet							
1999	1,527.1	Normal-Wet	Above Normal							
2000	1,741.9	Normal-Wet	Above Normal							
2001	1,065.1	Normal-Dry	Dry							
2002	1,170.9	Normal-Dry	Dry							
2003	1,449.9	Normal-Wet	Below Normal							
2004	1,130.7	Normal-Dry	Dry							
*Based on D-1641	-	,								

Table 4-45.Restoration Water Year-Type (1922 through 2004)

Figures 4-19 through 4-27 show the modeled change in tributary inflow to the San Joaquin River for March, April, and May with the WY 2010 Interim Flows. These figures illustrate the percent chance of a specific change in tributary flow occurring from the release of Interim Flows during the WY 2010 Interim Flows period.

Figures 4-25 through 4-27 show the percent exceedence of changes on the Merced River. As shown in Figure 4-25, in March, there is about a 95 percent chance that the WY 2010 Interim Flows would not reduce Merced River flows. Because the Merced River does not operate to meet the Vernalis Water Quality Standard, this reduction is likely due to changes in local operations because of changes in reservoir storage from previous actions. In April, there is about a 60 percent chance of no reduction in Merced River flows, and an 80 to 90 percent chance that only minor reductions in flows would occur (see Figure 4-26). In May, there is about an 80 to 90 percent chance that Merced River flows would not be reduced (see Figure 4-27). There is also about a 10 to 25 percent chance that flows on the Merced River may actually be higher with WY 2010 Interim Flows.



Figure 4-19. Percent Exceedence of Changes in Stanislaus River Flows in March with WY 2010 Interim Flows



Figure 4-20.





Figure 4-21. Percent Exceedence of Changes in Stanislaus River Flows in May with WY 2010 Interim Flows



## Figure 4-22.









Figure 4-24. Percent Exceedence of Changes in Tuolumne River Flows in May with WY 2010 Interim Flows



Figure 4-25. Percent Exceedence of Changes in Merced River Flows in March with WY 2010 Interim Flows



Figure 4-26.





Figure 4-27. Percent Exceedence of Changes in Merced River Flows in May with WY 2010 Interim Flows

Figures 4-22 through 4-24 show the percent exceedence of changes on the Tuolumne River. As shown in Figure 4-22, in March, there is about a 95 percent chance that WY 2010 Interim Flows would not reduce Tuolumne River flows. Because the Tuolumne River does not operate to meet the Vernalis Water Quality Standard requirement, this reduction is likely due to changes in local operations because of changes in reservoir storage from previous actions. In April, there is about a 60 percent chance of no reduction in Tuolumne River flows, and an 80 to 90 percent chance that only minor reductions in flows would occur (see Figure 4-23). As shown in Figure 4-24, in May there is about an 80 to 90 percent chance that Tuolumne River flows would not decrease. There is also about a 10 to 20 percent chance that the flows may actually be higher with WY 2010 Interim Flows.

Figures 4-19 through 4-21 show the percent exceedence in changes in Stanislaus River flows. As shown in Figure 4-19, in March there is about a 70 percent chance that WY 2010 Interim Flows would not reduce Stanislaus River flows, but a 30 percent chance that flows would be reduced. Potential reductions in Stanislaus River flow in March are due to a reduction in water required to meet the Vernalis Water Quality Standard as a result of additional flow provided by WY 2010 Interim Flows. As shown in Figure 4-20, in April, there is about an 80 to 90 percent chance that Stanislaus River flows would not be reduced and about a 10 to 20 percent chance that flows on the Stanislaus River may actually be higher with WY 2010 Interim Flows. Similar changes are seen in Stanislaus River flows in May (see Figure 4-21). The computed additional water required to meet VAMP flow targets is provided in Table 4-46. In is important to note that these volumes would be different for different 31 day-periods during the allowable 61 day-period of April 1 to May 31. These volumes of water were then split between the tributary rivers and CVP Exchange Contractors for system operation purposes.

			Base Flow	N		Interim Flo	w
		April	Мау	Total	April	Мау	Total
Year	Water Year-Type	TAF	TAF	TAF	TAF	TAF	TAF
1922	Wet	0	0	0	0	0	0
1923	Above-Normal	3	13	16	0	14	14
1924	Critical	5	5	10	5	5	10
1925	Below-Normal	14	5	20	10	2	12
1926	Dry	10	16	26	9	17	26
1927	Above-Normal	19	20	39	0	21	21
1928	Below-Normal	41	15	57	40	18	58
1929	Critical	12	12	25	11	13	24
1930	Critical	16	12	29	15	13	27
1931	Critical	0	0	0	0	0	0
1932	Above-Normal	10	0	10	11	15	26
1933	Dry	11	7	18	10	6	16
1934	Critical	11	8	19	10	8	17
1935	Above-Normal	12	25	37	0	26	26
1936	Above-Normal	0	11	11	0	7	7
1937	Wet	0	0	0	0	0	0
1938	Wet	0	0	0	0	0	0
1939	Dry	36	21	58	35	25	60
1940	Above-Normal	0	6	6	0	6	6
1941	Wet	0	0	0	0	0	0
1942	Wet	0	0	0	0	0	0
1943	Wet	0	1	1	0	4	4
1944	Below-Normal	42	16	58	41	19	60
1945	Above-Normal	26	13	39	6	13	19
1946	Above-Normal	41	12	53	20	13	33
1947	Dry	0	1	1	20	19	38
1948	Below-Normal	12	10	22	10	9	19
1949	Below-Normal	8	3	12	7	3	10
1950	Below-Normal	20	20	39	16	19	35
1951	Above-Normal	15	15	30	0	15	15
1952	Wet	0	0	0	0	0	0
1953	Below-Normal	29	15	45	28	16	45
1954	Below-Normal	2	0	2	1	0	1
1955	Dry	4	3	6	2	1	4
1956	Wet	32	2	35	12	0	12
1957	Below-Normal	27	19	47	26	21	47
1958	Wet	0	0	0	0	0	0
1959	Dry	38	19	56	37	21	58
1960	Critical	16	13	29	15	13	28
1961	Critical	0	0	0	0	0	0
1962	Below-Normal	11	9	20	13	28	41
1963	Above-Normal	25	31	56	3	33	36

 Table 4-46.

 Additional Water Required to Meet VAMP Flow Targets

			Base			Interim	
		April	Мау	April	Мау	April	Мау
Year	Water Year-Type	TAF	TAF	TAF	TAF	TAF	TAF
1964	Dry	11	9	20	10	9	19
1965	Wet	0	26	26	0	28	28
1966	Below-Normal	36	20	56	35	23	58
1967	Wet	0	0	0	0	0	0
1968	Dry	35	23	57	34	26	60
1969	Wet	0	0	0	0	0	0
1970	Above-Normal	37	21	58	36	24	60
1971	Below-Normal	32	23	55	31	26	58
1972	Dry	18	14	32	16	14	30
1973	Above-Normal	1	8	9	4	28	31
1974	Wet	10	17	27	0	13	13
1975	Wet	22	34	56	2	38	40
1976	Critical	6	6	12	6	6	13
1977	Critical	12	5	17	12	5	17
1978	Wet	0	0	0	0	0	0
1979	Above-Normal	22	0	22	2	0	2
1980	Wet	0	6	6	4	0	4
1981	Dry	34	21	56	33	25	58
1982	Wet	0	0	0	0	0	0
1983	Wet	0	0	0	0	0	0
1984	Above-Normal	16	23	39	0	24	24
1985	Dry	10	6	16	9	6	15
1986	Wet	0	0	0	0	0	0
1987	Critical	9	7	15	8	7	14
1988	Critical	2	2	4	0	2	2
1989	Critical	0	0	0	0	0	0
1990	Critical	0	0	0	0	0	0
1991	Critical	0	0	0	0	0	0
1992	Critical	0	0	0	0	0	0
1993	Wet	0	0	0	1	0	1
1994	Critical	8	0	8	6	0	6
1995	Wet	0	0	0	0	0	0
1996	Wet	5	0	5	0	0	0
1997	Wet	40	18	58	19	5	24
1998	Wet	0	0	0	0	0	0
1999	Above-Normal	30	25	55	9	27	36
2000	Above-Normal	37	19	56	17	21	38
2001	Dry	20	14	34	19	15	34
2002	Dry	17	6	23	15	6	21
2003	Below-Normal	21	11	33	21	30	51

 Table 4-46.

 Additional Water Required to Meet VAMP Flow Targets (contd.)

Key:

TAF = thousand acre-feet

VAMP = Vernalis Adaptive Management Program

Water Year 2010 Interim Flows Project Environmental Assessment/Initial Study The simulated differences between existing conditions and potential conditions with WY 2010 Interim Flows can be compared with historical patterns and variability. Table 4-47 shows the mean and standard deviation for critical year mean monthly flows for the Merced, Tuolumne, and Stanislaus rivers.

	Merced River				Tuolumne River				Stanislaus River			
	Base Flow		Interim Flow		Base Flow		Interim Flow		Base Flow		Interim Flow	
Month	Mean	Std Dev	Mean	Std Dev	Mean	Std Dev	Mean	Std Dev	Mean	Std Dev	Mean	Std Dev
October	277	38	277	38	302	102	302	102	460	77	463	76
November	333	46	333	46	317	98	317	98	351	76	355	75
December	357	50	357	50	312	94	312	94	331	65	335	65
January	419	120	419	120	378	143	378	143	247	93	248	93
February	443	179	443	179	416	186	416	186	273	157	284	152
March	498	818	601	829	874	1,899	874	1,899	414	168	261	130
April	400	316	374	295	1,141	1,088	1,133	1,090	653	278	648	311
Мау	413	716	444	718	1,473	2,202	1,488	2,204	650	277	682	267
June	814	1,532	812	1,531	1,033	1,565	1,028	1,558	348	110	369	120
July	647	1,328	647	1,328	918	2,031	918	2,031	352	93	353	93
August	315	532	315	532	411	388	411	388	359	64	361	62
September	199	361	199	361	355	182	355	182	365	74	366	74

 Table 4-47.

 Merced, Tuolumne, and Stanislaus River Mean Monthly Flow and Standard

 Deviation for Critical Years

The data in Table 4-47 show little or no change in overall distribution of Merced, Tuolumne, and Stanislaus river flows as a result of WY 2010 Interim Flows because nearly all potential changes in flow are within one standard deviation of the base flow. This is also seen in Figures 4-19 through 4-27, which show both flow increases and decreases, with approximately an overall balancing of potential changes in flows.

Potential changes in flows in the tributaries as a result of WY 2010 Interim Flows vary by hydrologic conditions and time of year, and include potential increases and decreases in flows in the same tributary. While this approach results in changes to water supply and habitat conditions related to flow in the tributaries, these changes are within the simulated historical range of variability in flows in the tributaries. Overall, there is a 60 to 90 percent chance that flows would not be reduced in the tributaries as a result of the Proposed Action during the VAMP period.

Potential changes in flows in the tributaries as a result of WY 2010 Interim Flows range from flow increases as high as 6 percent and flow decreases as high as 11 percent during the VAMP period. Note that model results indicate a potential decrease in flow on the Stanislaus River of up to 37 percent during March. This is due to the potential that less flow may be needed from the Stanislaus River to maintain water quality at Vernalis (described above). The results of modeling showing the potential for flow decreases in
March are because modeling was performed before development of the RPAs as part of the 2008 USFWS and 2009 NMFS CVP/SWP Operations BO that were designed to provide fishery protection on the Stanislaus River. Thus, it is highly likely that the modeled decreases would not occur, and that the RPAs would avoid jeopardy of protected species on the Stanislaus River.

Percent changes are small because the basis-of-comparison flow in the San Joaquin River increases considerably as it nears the Delta (Table 4-48). As shown in Table 4-48, decreases in flows upstream from Vernalis in December, January, and February are due to decreases in flood flows from Millerton Lake. WY 2010 Interim Flows are assumed to be recognized under VAMP as part of the baseline conditions used to estimate unimpaired flow conditions, and affect the operations of reservoirs on tributary rivers and water quality operating requirements for New Melones Reservoir. New Melones Reservoir storage changes are shown in Table 4-49. Impacts as a result of the Proposed Action would be **less than significant**.

	Ave	erage of All Ye	ears	Dry and Critical Years			
Month	No-Action Alternative (cfs)	Proposed Action (cfs)	Change from No-Action Alternative (cfs)	No-Action Alternative (cfs)	Proposed Action (cfs)	Change from No-Action Alternative (cfs)	
Oct	2,498	2,575	76 (3%)	2,310	2,386	76 (3%)	
Nov	2,556	2,746	190 (7%)	2,198	2,388	190 (9%)	
Dec	3,366	3,275	-90 (-3%)	2,025	2,034	9 (0%)	
Jan	4,793	4,667	-126 (-3%)	1,900	1,903	3 (0%)	
Feb	6,459	6,324	-135 (-2%)	2,318	2,413	95 (4%)	
Mar	6,343	6,838	495 (8%)	2,148	2,661	513 (24%)	
Apr	6,101	6,559	457 (7%)	2,569	2,893	324 (13%)	
May	6,076	6,120	43 (1%)	2,508	2,585	77 (3%)	
Jun	4,696	4,786	90 (2%)	1,367	1,423	57 (4%)	
Jul	3,349	3,360	11 (0%)	1,213	1,220	7 (1%)	
Aug	2,198	2,205	8 (0%)	1,306	1,313	7 (1%)	
Sep	2,412	2,451	39 (2%)	1,654	1,675	21 (1%)	

Table 4-48. Monthly Averages of Simulated Flow Upstream from Vernalis

Notes:

Summarized from CalSim-II operations model.

Simulation period: October 1921 – September 2003.

Year-type as defined by the Sacramento Valley Index year-type.

(%) indicates percent change from No-Action Alternative.

Key:

cfs = cubic feet per second

	Average of All Years			Dry and Critical Years		
Month	No-Action Alternative (TAF)	Proposed Action (TAF)	Change from No-Action Alternative (TAF)	No-Action Alternative (TAF)	Proposed Action (TAF)	Change from No-Action Alternative (TAF)
Oct	1,445	1,467	21 (1%)	1,344	1,370	26 (2%)
Nov	1,450	1,471	21 (1%)	1,341	1,366	25 (2%)
Dec	1,476	1,496	20 (1%)	1,350	1,374	25 (2%)
Jan	1,524	1,544	20 (1%)	1,361	1,386	24 (2%)
Feb	1,574	1,593	20 (1%)	1,379	1,404	26 (2%)
Mar	1,618	1,643	25 (2%)	1,378	1,415	37 (3%)
Apr	1,615	1,640	25 (2%)	1,334	1,373	38 (3%)
May	1,654	1,678	24 (1%)	1,285	1,322	37 (3%)
Jun	1,668	1,691	23 (1%)	1,254	1,290	36 (3%)
Jul	1,600	1,623	23 (1%)	1,192	1,228	35 (3%)
Aug	1,516	1,539	23 (1%)	1,129	1,164	35 (3%)
Sep	1,471	1,492	22 (1%)	1,099	1,134	35 (3%)

 Table 4-49.

 Monthly Averages of Simulated End-of-Month Storage in New Melones Reservoir

Notes:

Summarized from CalSim-II operations model.

Simulation period: October 1921 – September 2003.

Year-type as defined by the Sacramento Valley Index year-type.

(%) indicates percent change from No-Action Alternative.

Key:

TAF = thousand acre-feet

#### Sacramento-San Joaquin Delta

WY 2010 Interim Flows reaching the Delta, which would not exceed 1,300 cfs, could be diverted at existing CVP and SWP export facilities, as discussed in Section 2. Any additional diversion would be subject to existing regulatory requirements and institutional agreements, including water service contracts, VAMP, and D-1641. WY 2010 Interim Flows would not be released during December and January, but Banks and Jones pumping plants would still experience a change in exports during these months due to changes in operations resulting from a change in the previous month's flows. Table 4-50 shows potential changes in Delta pumping. Impacts as a result of the Proposed Action would be **less than significant**.

Table 4-50.
Monthly Averages of Simulated Exports Through Banks and Jones Pumping
Plants

	Average of All Years			Dry and Critical Years			
Month	No-Action Alternative (cfs)	Proposed Action (cfs)	Change from No-Action Alternative (cfs)	No-Action Alternative (cfs)	Proposed Action (cfs)	Change from No-Action Alternative (cfs)	
Oct	8,546	8,618	72 (1%)	7,738	7,788	50 (1%)	
Nov	8,863	8,986	123 (1%)	7,378	7,556	177 (2%)	
Dec	9,987	10,054	67 (1%)	8,917	8,962	45 (1%)	
Jan	10,563	10,577	14 (0%)	9,547	9,537	-10 (0%)	
Feb	9,078	9,302	224 (2%)	7,202	7,498	296 (4%)	
Mar	7,950	8,253	302 (4%)	6,041	6,247	206 (3%)	
Apr	5,278	5,549	271 (5%)	2,727	2,863	136 (5%)	
Мау	5,098	5,125	27 (1%)	2,914	2,938	24 (1%)	
Jun	6,250	6,257	8 (0%)	4,046	4,039	-7 (0%)	
Jul	8,927	8,956	29 (0%)	7,655	7,685	31 (0%)	
Aug	8,765	8,752	-13 (0%)	5,733	5,738	5 (0%)	
Sep	9,055	9,054	0 (0%)	6,427	6,429	2 (0%)	

Notes:

Summarized from CalSim-II operations model.

Simulation period: October 1921 - September 2003.

Year-type as defined by the Sacramento Valley Index year-type.

(%) indicates percent change from No-Action Alternative.

Key:

cfs = cubic feet per second

#### Central Valley Project/State Water Project Water Service Areas

Table 4-51 shows changes in diversions from Millerton Lake between the Proposed Action and the No-Action Alternative. The diversion losses in Table 4-51 are averaged over the simulation record, whereas actual delivery decreases to Friant Division longterm contractors during the WY 2010 Interim Flows period would depend on year-type (e.g., up to 384 TAF in a Wet year if Friant Division long-term contractors do not develop exchange agreements to recapture diverted WY 2010 Interim Flows). Modeling results are based on 82 years of historical hydrology, and indicate that total annual deliveries to the Friant Division water service area would be reduced by 78 TAF on average, which corresponds to an approximate 9 percent reduction in annual deliveries. The maximum reduction estimated for 1 year in the 82-year simulation period is 234 TAF, which corresponds to a reduction of 28 percent. These results demonstrate that during wetter years (Wet and Normal-Wet), reductions in deliveries would result in changes in delivery of Section 215 water supplies, of which only a portion have historically been available to long-term contractors. These results support a finding that reductions in deliveries due to WY 2010 Interim Flows would result in less-thansignificant impacts.

WY 2010 Interim Flows, however, could potentially be recaptured by CVP users downstream from Friant Dam, allowing for a possible exchange of water to the Friant Division. Available capacity within CVP storage and conveyance facilities could be used to facilitate exchanges and conveyance of water to the Friant Division, as discussed in Section 2. Recaptured water available to Friant Division long-term contractors would range from zero to the total amount of recaptured WY 2010 Interim Flows. Supplemental transfer, exchange, and conveyance agreements between Friant Division long-term contractors and south-of-Delta export water users would be required to convey recaptured water to the Friant Division. Reclamation would assist Friant Division long-term contractors in arranging agreements for the transfer or exchange of flows recaptured at these locations. As mentioned previously, a decrease in deliveries to Friant Division long-term contractors due to the Proposed Action could also result in an increase in groundwater pumping to offset any reductions. These impacts would be **less than significant.** 

	Average of All Years			Dry and Critical Years			
Month	No-Action Alternative (cfs)	Proposed Action (cfs)	Change from No-Action Alternative (cfs)	No-Action Alternative (cfs)	Proposed Action (cfs)	Change from No-Action Alternative (cfs)	
Mar	1,143	990	-153 (-13%)	613	385	-227 (-37%)	
Apr	1,979	1,649	-331 (-17%)	858	550	-308 (-36%)	
May	2,860	2,611	-249 (-9%)	1,241	921	-320 (-26%)	
Jun	3,999	3,744	-255 (-6%)	2,301	1,940	-361 (-16%)	
Jul	4,024	3,849	-175 (-4%)	2,647	2,338	-309 (-12%)	
Aug	3,401	3,213	-189 (-6%)	1,987	1,564	-424 (-21%)	
Sep	1,780	1,695	-85 (-5%)	922	748	-174 (-19%)	
Oct	696	710	15 (2%)	417	432	15 (4%)	
Nov	230	246	16 (7%)	156	164	9 (6%)	
Dec	223	240	17 (8%)	43	25	-18 (-42%)	
Jan	407	409	2 (1%)	190	231	41 (21%)	
Feb	1,024	1,059	35 (3%)	540	622	82 (15%)	

 Table 4-51.

 Monthly Averages of Simulated Friant-Kern Canal and Madera Canal Diversions

Notes:

Summarized from CalSim-II operations model.

Simulation period: October 1921 – September 2003.

Year-type as defined by the Restoration year-type.

(%) indicates percent change from No-Action Alternative.

Key:

cfs = cubic feet per second

WY 2010 Interim Flows diverted at existing CVP and SWP export facilities would be routed through San Luis Reservoir. Table 4-52 shows San Luis Reservoir storage changes if Delta diversion changes, shown in Table 4-50, are delivered to south-of-Delta CVP and SWP contractors. San Luis Reservoir changes, however, would be different under any potential water recapture scenario that returns water to the Friant Division. Impacts as a result of the Proposed Action would be **less than significant**.

	Ave	Average of All Years			Dry and Critical Years		
Month	No-Action Alternative (TAF)	Proposed Action (TAF)	Change from No-Action Alternative (TAF)	No-Action Alternative (TAF)	Proposed Action (TAF)	Change from No-Action Alternative (TAF)	
Oct	885	876	-8 (-1%)	812	818	6 (1%)	
Nov	1,104	1,102	-2 (0%)	992	1,008	16 (2%)	
Dec	1,419	1,417	-2 (0%)	1,306	1,323	17 (1%)	
Jan	1,732	1,723	-9 (-1%)	1,634	1,642	8 (1%)	
Feb	1,876	1,872	-4 (0%)	1,753	1,773	20 (1%)	
Mar	1,940	1,947	7 (0%)	1,829	1,851	22 (1%)	
Apr	1,846	1,868	22 (1%)	1,672	1,705	33 (2%)	
May	1,621	1,633	12 (1%)	1,405	1,435	31 (2%)	
Jun	1,257	1,257	0 (0%)	1,042	1,066	25 (2%)	
Jul	981	977	-4 (0%)	850	869	20 (2%)	
Aug	750	741	-9 (-1%)	608	620	12 (2%)	
Sep	771	761	-9 (-1%)	591	602	11 (2%)	

Table 4-52. Monthly Averages of Simulated End-of-Month San Luis Reservoir Storage

Notes:

Summarized from CalSim-II operations model.

Simulation period: October 1921 – September 2003.

Year-type as defined by the Sacramento Valley Index year-type.

(%) indicates percent change from No-Action Alternative.

Key:

TAF = thousand acre-feet

Environmental Issues		Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
	IX. Land	Use and Plann	ing. Would the p	roject:	
a)	Physically divide an established community?			$\boxtimes$	
b)	Conflict with any applicable land use plan, policy, or regulation of an agency with jurisdiction over the project (including, but not limited to, a general plan, specific plan, local coastal program, or zoning ordinance) adopted for the purpose of avoiding or mitigating an environmental effect?				
c)	Conflict with any applicable habitat conservation plan or natural community conservation plan?				

#### a) Physically divide an established community?

San Mateo Road and Dan MacNamara Road could be temporarily inundated with water with implementation of the Proposed Action. These roads are collectors and local roads and generally have light to moderate traffic. Although these roads are not important transportation corridors, WY 2010 Interim Flows could temporarily affect local circulation. To minimize disruption of local circulation, the Proposed Action includes preparing and implementing a detour plan that would provide convenient and parallel roadway access. Implementing the Proposed Action would not physically divide an established community and the impact on circulation would be **less than significant** because of the detour plan. This impact would be greater under the Proposed Action than under the No-Action Alternative because no WY 2010 Interim Flows would be released from Friant Dam under the No-Action Alternative; water releases from the dam would continue to vary based on time of year, water year-type, and system conditions as they currently do under existing conditions, and no changes to facilities connecting established communities would occur.

b) Conflict with any applicable land use plan, policy, or regulation of an agency with jurisdiction over the project (including, but not limited to, a general plan, specific plan, local coastal program, or zoning ordinance) adopted for the purpose of avoiding or mitigating an environmental effect?

Implementing the Proposed Action would not conflict with any agency's land plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect. No physical changes to land or right-of-way acquisition would occur with the Proposed Action or interfere with property rights or long-term land use plans. Because WY 2010 Interim Flows would be temporary and periodic, and no physical changes to land would occur, implementing the Proposed Action would have **no impact**. Because implementing the No-Action Alternative also would not affect land use plans, policies, or regulations, there would be no impact under the No-Action Alternative.

## c) Conflict with any applicable habitat conservation plan or natural community conservation plan?

There are no habitat conservation plans or natural community conservation plans in any of the geographic subareas of the study area. Therefore, both the Proposed Action and the No-Action Alternative would have **no impact**.

#### 4.12 Mineral Resources

Environmental issues	Potentially Significant Adverse Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
Х. Мі	ineral Resource	es. Would the pro	ject:	
<ul> <li>a) Result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state?</li> </ul>				
<ul> <li>b) Result in the loss of availability of a locally important mineral resource recovery site delineated on a local general plan, specific plan, or other land use plan?</li> </ul>				

# a) Result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state?

Flows released under the Proposed Action would not be of a sufficient quantity to affect mining operations and reclamation activities. No change in flow releases would occur under the No-Action Alternative. Excavation in the Chowchilla Bypass sediment detention basin would not be impeded under the Proposed Action because WY 2010 Interim Flows would not be routed through this reach. No Conditional Use Permits for mining activities in Reach 2A or in Eastside Bypass Reach 2 are on record with the appropriate counties or Department of Fish and Game. Therefore, both the Proposed Action and the No-Action Alternative would have **no impact**.

#### b) Result in the loss of availability of a locally important mineral resource recovery site delineated on a local general plan, specific plan, or other land use plan?

For the same reasons presented in item a), the Proposed Action and the No-Action Alternative would have **no impact**.

### 4.13 Noise

Environmental Issues		Potentially Significant Adverse Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
	XI.	Noise. Would	the project result in	n:	
a)	Exposure of persons to or generation of noise levels in excess of standards established in the local general plan or noise ordinance, or in other applicable local, state, or federal standards?				
b)	Exposure of persons to or generation of excessive groundborne vibration or groundborne noise levels?				
c)	A substantial permanent increase in ambient noise levels in the project vicinity above levels existing without the project?				
d)	A substantial temporary or periodic increase in ambient noise levels in the project vicinity above levels existing without the project?				
e)	For a project located within an airport land use plan or, where such a plan has not been adopted, within 2 miles of a public airport or public use airport, would the project expose people residing or working in the project area to excessive noise levels?				
f)	For a project within the vicinity of a private airstrip, would the project expose people residing or working in the project area to excessive noise levels?				

# a) Exposure of persons to or generation of noise levels in excess of standards established in the local general plan or noise ordinance, or in other applicable local, state, or federal standards?

Noise sources related to implementing the Proposed Action would be from plant survey and removal activities that are scheduled to begin in spring and fall 2011, respectively. Survey crews would consist of two to three workers and would create approximately one trip per day per surveying crew. The survey period is unknown at this time, but could last several months. Vegetation-removal crews would consist of six to seven workers with one heavy piece of equipment per crew (i.e., bobcat or backhoe). Other crew members would use hand tools, chainsaws, and weed whackers. Vegetation removal would result in approximately one haul truck trip per day per crew to move vegetation to an as-yetundetermined waste or composting facility. Vegetation-removal activities are expected to last approximately 3 months and could occur for up to 3 consecutive years (2011–2013). Typically, traffic levels would need to be doubled to create a noticeable increase in noise (Caltrans 1998). The maximum of eight daily trips from the Proposed Action would not double traffic levels on any affected roadways (affected roadways have levels ranging from 1,900 to 67,000 average daily trips (Caltrans 2007) and therefore would not create an increase in existing noise levels).

As stated above, a doubling of traffic levels is required to create a noticeable increase in traffic noise. It is not anticipated that the increased activity resulting from additional recreationists would double existing traffic levels on roadways that access the study area. Because a doubling of traffic would not occur as a result of Proposed Action implementation, no increase in noise or violation of noise standards would occur.

Sources of noise emanating from vegetation-removal activities could include use of one bobcat or backhoe and hand-held power tools. Noise from backhoes and other equipment could reach 74 A-weighted decibels (dBA) at the nearest sensitive receptor, approximately 100 feet away (FTA 2006). Thus, noise levels resulting from these pieces of equipment could exceed applicable local noise standards at nearby sensitive receptors. However, construction equipment and activities are typically exempt when activities occur during daylight hours. Proposed Action activities would be limited to hours normally exempted for these types of activities; therefore, noise-related vegetation removal would not expose sensitive receptors to noise levels that exceed applicable noise standards. Increased recreation and vegetation surveys would not result in noise levels in excess of applicable standards; therefore, these impacts would be **less than significant**. Under the No-Action Alternative, no vegetation removal or increased recreation would occur. Therefore, noise-related impacts resulting from the Proposed Action would be greater than under the No-Action Alternative.

## b) Exposure of persons to or generation of excessive groundborne vibration or groundborne noise levels?

Implementing the Proposed Action would not involve construction activities, transportation activities, or nontransportation activities that would generate groundborne vibration or noise levels. The No-Action Alternative also would not involve such activities. However, under the Proposed Action, vibration resulting from the operation of the bobcat or backhoe (48 vibration decibels (VdB) at 100 feet) and haul trucks during vegetation removal (67 VdB at 100 feet) could occur. Because these levels would be less than levels recommended by the Federal Transit Administration and California Department of Transportation for human annoyance and building destruction (FTA 2006), implementing the Proposed Action would not result in exposure of persons to or generation of excessive groundborne vibration or groundborne noise levels. This impact would be **less than significant** and greater than under the No-Action Alternative.

### c) A substantial permanent increase in ambient noise levels in the project vicinity above levels existing without the project?

The Proposed Action is temporary in nature and would not result in any changes to transportation- or nontransportation-related noise sources. Noise resulting from vegetation removal, vegetation surveys, and minor increases in the number of recreationists under the Proposed Action would not result in a substantial permanent increase in noise levels (see item a) above). Thus, implementing the Proposed Action would not create a substantial permanent increase in ambient noise levels. This impact would be **less than significant.** Under the No-Action Alternative, existing noise levels would not change and would be less than under the Proposed Action.

## d) A substantial temporary or periodic increase in ambient noise levels in the project vicinity above levels existing without the project?

As discussed in item a), no noise sources related to construction and stationary source activities would be created under the Proposed Action or under the No-Action Alternative. Noise resulting from vegetation removal, vegetation surveys, and recreationists under the Proposed Action could result in a substantial increase in noise levels (see item a) above), but minimization commitments as part of the Proposed Action would reduce noise levels below applicable standards and limit noise to daylight hours. Thus, construction-, stationary-, and operational-source noise would not result in a temporary or periodic increase in noise levels in the Proposed Action vicinity above levels existing without the Proposed Action. This impact would be **less than significant** and greater than under the No-Action Alternative.

e) For a project located within an airport land use plan or, where such a plan has not been adopted, within 2 miles of a public airport or public use airport, would the project expose people residing or working in the project area to excessive noise levels?

Three airports located in or immediately adjacent to the Restoration Area have adopted an airport comprehensive land use plan. The Sierra Sky Park Airport, Firebaugh Municipal Airport, and Mendota Municipal Airport contribute to the background noise environment in Reaches 1A, 2B, and 3. Implementing the Proposed Action would not affect existing airport use or air traffic patterns. Therefore, implementing the Proposed Action would not result in the exposure of people residing or working in the study area to excessive airport- or air-traffic-related noise levels. These facilities and existing air traffic patterns also would not be affected under the No-Action Alternative. Both the Proposed Action and the No-Action Alternative would have **no impact**.

#### f) For a project within the vicinity of a private airstrip, would the project expose people residing or working in the project area to excessive noise levels?

Several private agricultural airstrips in the vicinity of the study area operate seasonal flights for crop spraying. Implementing the Proposed Action would not affect the use of these airstrips or crop-spraying operations. Therefore, implementing the Proposed Action would not result in the exposure of people residing or working in the study area to private-airstrip-related excessive noise levels. The No-Action Alternative also would not affect these activities. Both the No-Action Alternative and the Proposed Action would have **no impact**.

### 4.14 Population and Housing

Environmental Issues		Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
	XII. Popul	lation and Hous	sing. Would the p	oroject:	
a)	Induce substantial population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)?				
b)	Displace substantial numbers of existing homes, necessitating the construction of replacement housing elsewhere?				
c)	Displace substantial numbers of people, necessitating the construction of replacement housing elsewhere?				

#### a) Induce substantial population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)?

Implementing the Proposed Action would not induce direct or indirect population growth. No new housing or businesses and no new utilities infrastructure or roads are proposed. Under the No-Action Alternative, projected population growth would not change. Therefore, implementing either the Proposed Action or the No-Action Alternative would not be growth inducing and would not remove an existing impediment to growth. The Proposed Action and the No-Action Alternative would have **no impact**.

# b) Displace substantial numbers of existing homes, necessitating the construction of replacement housing elsewhere?

Implementing the Proposed Action or the No-Action Alternative would not displace existing homes. Therefore, the Proposed Action and the No-Action Alternative would not require the construction of replacement housing and there would be **no impact**.

# c) Displace substantial numbers of people, necessitating the construction of replacement housing elsewhere?

Implementing the Proposed Action or the No-Action Alternative would not displace any people. Therefore, the Proposed Action and the No-Action Alternative would not require the construction of replacement housing, and would have **no impact**.

#### 4.15 Public Services

Environmental Issues		Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
XIII. P	ublic Services. Would the service of	he project:			
a) Ro ac pr pr go th pr go cc ca er or ac re po ar	esult in substantial dverse physical impacts ssociated with the rovision of new or hysically altered overnmental facilities, or he need for new or hysically altered overnmental facilities, the onstruction of which could ause significant nvironmental impacts, in rder to maintain cceptable service ratios, esponse times, or other erformance objectives for ny of the public services:				
Fire protec	ction?			$\boxtimes$	
Police prot	tection?			$\square$	
Schools?					$\boxtimes$
Parks?				$\boxtimes$	
Other publi	ic facilities?			$\boxtimes$	

- a) Result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, or the need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times, or other performance objectives for any of the public services:
  - Fire protection?
  - Police protection?
  - Schools?
  - Parks?
  - Other public facilities?

Implementing the Proposed Action has the potential for a negligible and temporary indirect effect on emergency rescue services by increasing recreation opportunities along the length of the San Joaquin River from Friant Dam to the Delta, and by lengthening the period in which people would use the river for recreation. The potential minor increase in the number of people using the river for recreation could in turn increase the number of accidents and emergencies in this area. The increased demand for emergency services resulting from increased recreational use would not result in the need to construct new emergency responder facilities or improve existing facilities to maintain an acceptable level of service. Although additional instream flows can attract recreationists, a substantial amount of the Restoration Area is privately owned, and river access is extremely limited. Reach 1, which has the greatest existing public access and instream flows, is not expected to experience significantly increased recreational use from WY 2010 Interim Flows. Similarly, the downstream reaches, some of which only have flows during limited high-flow periods, and all with limited or no public access, are not expected to experience significantly increased recreational use from WY 2010 Interim Flows. Consequently, additional fire protection services would not be needed. This impact would be less than significant.

The discussion for fire protection above also applies to Proposed Action effects on police protection. This impact would be **less than significant**.

Because the Proposed Action does not involve housing or indirectly cause housing to be built, implementing the Proposed Action would not change demands on schools. The Proposed Action would have **no impact**.

Reaches 1 and 2 provide substantial recreational opportunities, including several parks. Because these areas already receive instream flows, it is not expected that additional WY 2010 Interim Flows released as part of the Proposed Action would substantially increase the demands on parks. Only a small increase in recreational use would be expected. The impact would be **less than significant**.

Implementing the Proposed Action would not adversely affect other public facilities. A public boat launch is located near Friant Dam to provide boaters walk-in access to the San Joaquin River. The launch is designed to withstand flood flows that exceed potential WY 2010 Interim Flow releases. Because the boat launch would remain in place, no environmental effects would result from relocating a boat launch. The use of public facilities along the San Joaquin River is not expected to substantially change with the release of Interim Flows because the river already has flow at areas where public facilities exist. Only a small increase in recreational use would be expected. The impact would be **less than significant**.

The No-Action Alternative would not involve releases of WY 2010 Interim Flows; therefore, recreation use would not be affected. This alternative also would not involve housing or increase the demand for housing, schools, parks or other public facilities. Thus, the impacts on public services resulting from the Proposed Action would be greater than under the No-Action Alternative.

### 4.16 Recreation

Environmental Issues	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact	
XIV. Recreation. Would the project:					
<ul> <li>a) Increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated?</li> </ul>					
<ul> <li>b) Include recreational facilities or require the construction or expansion of recreational facilities that might have an adverse physical effect on the environment?</li> </ul>					

# a) Increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated?

Under Proposed Action, there would be an effect on recreation physical, social, and managerial settings of the downstream reaches. This would occur through direct inundation, increased flows for fish, and/or by displacement of users or the environment. Increased flows under the Proposed Action would enhance the use of the river by boaters (primarily canoers and kayakers in Reach 1 by potentially increasing the time that flow would be in the ideal range of 200 to 1,000 cfs. With the exception of flood events that could occur, San Joaquin River flows at the head of Reach 1 would provide good flows for boating throughout Reach 1 between February 1 and March 15, 2010, and between July 1 and November 20, 2010. These flow increases would be considered beneficial because the flows would enhance boating conditions throughout those periods, totaling about 6 months.

Increased river flow during these fall, spring, and summer periods also could enhance use of the river by boaters through extending boatable flows in Reach 1B and into Reach 2A. Lack of flows below Gravelly Ford, at the end of Reach 1, currently prevents boating beyond Reach 1. Although some flow would be lost to infiltration, it is expected that boatable flows resulting from implementation of the Proposed Action could occur in Reach 2A. Some boaters likely would respond to the availability of increased flows in the river by continuing their boat outings in Reach 1B, beyond the most downstream takeout at SR 145, or launching from that location and possibly boating down Reach 2A beyond Gravelly Ford and to the Chowchilla Bypass Bifurcation Structure, at the end of Reach 2A. However, the lack of public lands and river access below Gravelly Ford provides few opportunities for boaters to retrieve their boats from the river. As a result, it is anticipated that few boaters would attempt to use Reach 2 because of the flow provided by the Proposed Action. Similarly, the lack of public access to Reach 3 below Firebaugh and to Reach 4 is anticipated to prevent additional or new boating use from occurring.

The Chowchilla Bypass Bifurcation Structure would present a barrier to boat traffic, and there is no provision for boat passage or portaging of boats around the structure. Further, access to Reach 2B is minimal until the Mendota Pool, at the end of the reach. Therefore, it is not expected that many boaters would attempt to continue boating beyond Reach 2A.

Except during flood periods, flows in Reach 1 from mid-March through June typically are in the range of 100 to 300 cfs, at the lower end of the ideal range for boating. However, as recently as 2003 and 2005, spring and early summer flows in the range of 1,000 to 1,500 cfs have occurred in Reach 1. More experienced and skilled kayakers may be comfortable boating on the river at those flows and, indeed, may be attracted by increased flows. However, spring and early summer flows that could result under the Proposed Action would preclude nearly all boat use on the river; as described above, the river would become more hazardous because of the strength of the current and flows moving through brushy and wooded areas and through "strainers" created by standing and downed trees in the channel. For this reason, increased flows could reduce boating opportunities during spring and early summer. However, this reduction of boating opportunities, which could occur for up to a 3<sup>1</sup>/<sub>2</sub>-month period between mid-March and June, would be compensated for by enhanced boating that would occur during fall, early spring, and midsummer through late summer. In addition, boaters who could be displaced from the San Joaquin River because of high flows also would have available to them similar boating opportunities on the lower Kings River below Pine Flat Reservoir, approximately 20 miles east of Fresno. Increased recreation on the lower Kings River would not be substantial enough to have an impact on current recreational opportunities. Therefore, the overall effect of implementing the Proposed Action on the availability of boating opportunities of the type currently available in Reach 1 would be minimal and less than significant.

Although local boaters, swimmers, waders, and anglers are likely to be familiar with the occurrence of high flows in Reach 1 because of their natural occurrence, as described above, the increase in spring and early summer flows that could occur in Reach 1 under the Proposed Action could pose a hazard to unwary or uninformed recreationists. For this reason, the Proposed Action includes a commitment to implement an outreach program, the purpose of which would be to make the public aware of the increased flows and boating, swimming, and wading hazards that may result from WY 2010 Interim Flows. Given the active role of the San Joaquin River Parkway and Conservation Trust, the San Joaquin River Conservancy, and the Fresno County Parks Department in providing recreation facilities and services in Reach 1, cooperation with those organizations would be a priority for coordinated outreach efforts contained in the outreach program. Outreach would also extend to emergency response and law enforcement agencies to maintain

public safety in response to new hazards and new recreation use patterns that may result from the Proposed Action.

The potential flow increases in Reach 1 from mid-March through June under the Proposed Action also would have impacts on angling opportunities. These increased flows would reduce the type of angling opportunities that currently exist by increasing the time that flow in the main channel would be above the range conducive to fishing. Fishing currently occurs year-round (except during flood periods) in Reach 1, where flow is generally between 100 and 300 cfs. In addition to the resident warm-water fishery, a particular attraction for anglers is weekly releases of catchable-size hatchery trout below Friant Dam by DFG. Anglers fish from the riverbank, wade into the river to fish, and fish from canoes and kayaks. The proposed flows above 1,500 cfs would be too high to allow most boat use on the river and wade fishing, and would eliminate access to portions of the riverbank used by anglers during low flows.

However, a large increase in inundated area would occur in Reaches 1A and 1B at flows above 1,500 cfs. Calculations indicate that flows greater than 1,500 cfs would result in an increase in river stage in Reach 1, which would increase the inundated area, and flow-through and connection of isolated gravel pit ponds and side channels with the main channel. This would provide new, accessible fishing opportunities at numerous locations at the margins of Reach 1. Therefore, the temporary reduction in angling opportunities on the main channel would be offset by increased opportunities in newly inundated areas at the margins of the main channel. Thus, the overall effect on angling opportunities would be minimal.

Enhanced use of the San Joaquin River at Millerton Lake, the San Joaquin River, and downstream areas at times as a result of the release of WY 2010 Interim Flows at Friant Dam under the Proposed Action would be adequately served by existing facilities. Fisheries data provided subsequent to preparation of this section indicated relatively small increases in habitat for black bass with changes at Millerton Lake resulting from Restoration Flows. However, it is not anticipated that WY 2010 Interim Flows would have a significant impact. For this reason and the reasons described above, this impact would be **less than significant**, and greater than under the No-Action Alternative, because recreational opportunities and annual use levels at Millerton Lake, the San Joaquin River, and downstream areas would not change from existing conditions under the No-Action Alternative.

# b) Include recreational facilities or require the construction or expansion of recreational facilities that might have an adverse physical effect on the environment?

No recreational facilities are included as part of the Proposed Action. The Proposed Action is only temporary and, as discussed in item a) above, would not result in, or require the construction or expansion of, recreational facilities. There would be **no impact** because no construction or expansion of recreational facilities would occur under either the Proposed Action or the No-Action Alternative.

### 4.17 Transportation/Traffic

E	invironmental Issues	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact		
	XV. Transportation/Traffic. Would the project:						
a)	Cause an increase in traffic which is substantial in relation to the existing traffic load and capacity of the street system (i.e., result in a substantial increase in either the number of vehicle trips, the volume to capacity ratio on roads, or congestion at intersections)?						
b)	Exceed, individually or cumulatively, a level of service standard established by the county congestion management agency for designated roads or highways?						
c)	Result in a change in air traffic patterns, including either an increase in traffic levels or a change in location that results in substantial safety risks?						
d)	Substantially increase hazards due to a design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)?						
e)	Result in inadequate emergency access?						
f)	Result in inadequate parking capacity?				$\boxtimes$		
g)	Conflict with adopted policies, plans, or programs supporting alternative transportation (e.g., bus turnouts, bicycle racks)?						

a) Cause an increase in traffic which is substantial in relation to the existing traffic load and capacity of the street system (i.e., result in a substantial increase in either the number of vehicle trips, the volume to capacity ratio on roads, or congestion at intersections)?

The existing traffic capacity of the street systems in the study area is adequate to accommodate the light-to-medium existing traffic. Under the Proposed Action and the No-Action Alternative, existing traffic loads would increase similarly as land use plans are implemented and subsequently built. The potentially increased recreation opportunities that would result with implementation of the Proposed Action from flows that would extend longer down the river for a longer period could bring more people to the Restoration Area, but most of the San Joaquin River is located on private lands and is not accessible. For these reasons, and because the potential increase in the number of people visiting the area by car is not expected to be substantially more than the number visiting the area now, the impact on traffic resulting from implementing the Proposed Action would be **less than significant**. The No-Action Alternative would cause no change in the rate at which traffic is added as a result of development. Therefore, traffic impacts under the Proposed Action would be greater than under the No-Action Alternative.

#### b) Exceed, individually or cumulatively, a level of service standard established by the county congestion management agency for designated roads or highways?

The discussion of traffic load and capacity above also is applicable to levels of service. The Proposed Action is short term and would not involve additional residential or commercial development that would increase traffic beyond that which is already planned. However, more people could be attracted to the area because of increased recreational opportunities. Therefore, impacts on the levels of service for roads, highways, and intersections would be **less than significant**. The No-Action Alternative would add no additional trips that would affect levels of service. Therefore, the Proposed Action would have slightly greater impacts than under the No-Action Alternative.

# c) Result in a change in air traffic patterns, including either an increase in traffic levels or a change in location that results in substantial safety risks?

Implementing the Proposed Action or the No-Action Alternative would not change air traffic patterns; therefore, both would have **no impact.** 

# d) Substantially increase hazards due to a design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)?

The Proposed Action would not involve any changes to transportation infrastructure, the design of which would substantially increase hazards. The San Joaquin River is a compatible use with the existing transportation infrastructure. Therefore, implementing the Proposed Action would not increase road hazards, and there would be **no impact**. Implementing the No-Action Alternative would have no impact for the same reasons.

#### e) Result in inadequate emergency access?

San Mateo Road and Dan McNamara Road could be temporarily inundated by the introduction of WY 2010 Interim Flows with implementation of the Proposed Action. This condition is not substantially different from existing conditions. A number of crossings in the flood bypass system are unusable during high-flow conditions, including West El Nido Road, Headquarters Road, and several unnamed crossings. These roads are collectors and local roads and generally have light-to-moderate traffic. Under the Proposed Action, traffic could be redirected during WY 2010 Interim Flow periods to assist drivers with crossing the bypasses safely and to maintain emergency access. With implementation of the detours, inundation of San Mateo Road and Dan McNamara Road would not result in inadequate emergency access. The impact would be **less than significant** and similar to that of the No-Action Alternative.

#### f) Result in inadequate parking capacity?

Implementing the Proposed Action would not remove any existing parking facilities, and no construction is proposed that would introduce more parking demand. Parking conditions and demand would be the same as under the No-Action Alternative, and there would be **no impact**.

# g) Conflict with adopted policies, plans, or programs supporting alternative transportation (e.g., bus turnouts, bicycle racks)?

Implementing the Proposed Action would not conflict with adopted policies, plans, or programs supporting alternative transportation. Adopted policies, plans, or programs supporting alternative transportation would be the same under the No-Action Alternative There would be **no impact** in either case.

### 4.18 Utilities and Service Systems

Environmental Issue	\$	Potentially Significant Adverse Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
XVI. U	tilities	s and Service Syst	ems. Would the	project:	
<ul> <li>a) Exceed wastewater treatment requirement the applicable Region Water Quality Contro Board?</li> </ul>	าts of าal ป				$\boxtimes$
<ul> <li>b) Require or result in the construction of new way or wastewater treatment facilities or expansion existing facilities, the construction of which could cause significate environmental effects</li> </ul>	ne vater ent n of nt s?				
<ul> <li>c) Require or result in the construction of new sever drainage facilities expansion of existing facilities, the construction of which could cause significant environme effects?</li> </ul>	ies or ction				$\boxtimes$
<ul> <li>d) Have sufficient water supplies available to serve the project fror existing entitlements resources, or are new expanded entitlement needed?</li> </ul>	n and v or ts				
<ul> <li>e) Result in a determinative by the wastewater treatment provider the serves or may serve project that it has adequate capacity to serve the project's projected demand, in addition to the provide existing commitment</li> </ul>	ition at the er's s?				
<ul> <li>f) Be served by a landf with sufficient permits capacity to accommon the project's solid wa disposal needs?</li> </ul>	ll ed date ste				
<ul> <li>g) Comply with federal, state, and local statu and regulations relate solid waste?</li> </ul>	tes ed to				

#### a) Exceed wastewater treatment requirements of the applicable Regional Water Quality Control Board?

Implementing the Proposed Action would not involve generation or reuse of wastewater and would not require modifications to existing wastewater treatment facilities in the study area that would result in exceedence of applicable wastewater treatment requirements. Wastewater conditions would be the same as under the No-Action Alternative, and there would be **no impact**.

# b) Require or result in the construction of new water or wastewater treatment facilities or expansion of existing facilities, the construction of which could cause significant environmental effects?

Release of WY 2010 Interim Flows would not result in the need for water treatment or wastewater treatment facilities. Therefore, implementing the Proposed Action would not require construction of new water or wastewater treatment facilities or expansion of existing facilities. Demand for water and wastewater treatment facilities would be the same as under the No-Action Alternative. There would be **no impact**.

#### c) Require or result in the construction of new storm water drainage facilities or expansion of existing facilities, the construction of which could cause significant environmental effects?

Flood flows during storms would not be affected by release of WY 2010 Interim Flows. WY 2010 Interim Flows would be temporary and periodic, beginning on October 1, 2009, and ending on September 30, 2010, and the volume and timing of WY 2010 Interim Flow releases would be constrained by existing channel capacity. Therefore, WY 2010 Interim Flows would not substantially affect stormwater drainage facilities in the vicinity of the Restoration Area or along the San Joaquin River downstream from the Merced River confluence to the Delta. Further, no physical changes to land or rights-of-way would be required with implementation of the Proposed Action that would interfere with existing storm drainage facilities. Because WY 2010 Interim Flows are temporary and periodic and no physical changes to land or rights-of-way would occur, implementing the Proposed Action would not require construction of new stormwater drainage facilities or expansion of existing facilities beyond that which would occur under existing conditions. Impacts related to construction of new stormwater drainage facilities would be the same as under the No-Action Alternative, and there would be **no impact**.

# d) Have sufficient water supplies available to serve the project from existing entitlements and resources, or are new or expanded entitlements needed?

The Proposed Action is not a development project that increases demands on water supplies or requires new or expanded entitlements. Implementing the Proposed Action would involve reoperation of Friant Dam to release flows down the San Joaquin River that would otherwise be sent directly through canals at Friant Dam to Friant Division long-term contractors. The Proposed Action would not affect water delivery quantities to

contractors and refuges outside the Friant Division, including the San Joaquin River Exchange Contractors. Millerton Lake water supply decisions consider available supply, downstream requirements, and Friant Division long-term contractor demands for water supply. For most hydrologic year-types that could occur in WY 2010, the Proposed Action would decrease deliveries to Friant Division contractors up to WY 2010 Interim Flow volumes (i.e., 384 TAF if no flood spills are captured and Friant Division long-term contractors do not develop exchange agreements to recapture diverted WY 2010 Interim Flows). WY 2010 Interim Flows, however, could potentially be recaptured by CVP users downstream from Friant Dam, allowing for a possible exchange of water to the Friant Division. Available capacity within CVP storage and conveyance facilities could be used to facilitate exchanges and conveyance of water to the Friant Division, as discussed in Section 2. Recaptured water available to Friant Division long-term contractors would range from zero to the total amount of recaptured WY 2010 Interim Flows. Supplemental transfer, exchange, and conveyance agreements between Friant Division long-term contractors and south-of-Delta export water users would be required to convey recaptured water to the Friant Division. Reclamation would assist Friant Division long-term contractors in arranging agreements for the transfer or exchange of flows recaptured at these locations. The potential reduction in water deliveries to the Friant Division longterm contractors from the Proposed Action would be limited to the 1-year duration of the Proposed Action. This impact would be less than significant, but greater than the No-Action Alternative, because reoperation of Friant Dam would not occur and water deliveries would not be affected under the No-Action Alternative.

#### e) Result in a determination by the wastewater treatment provider that serves or may serve the project that it has adequate capacity to serve the project's projected demand, in addition to the provider's existing commitments?

Implementation of the Proposed Action or the No-Action Alternative would not involve generation of or an increased demand for treatment of wastewater. Therefore, implementing the Proposed Action or the No-Action Alternative would not affect wastewater treatment providers, and there would be **no impact**.

# f) Be served by a landfill with sufficient permitted capacity to accommodate the project's solid waste disposal needs?

Release of Interim Flows would not generate any solid waste. Therefore, implementation of the Proposed Action would not result in an increase in the generation of solid waste above the level that would be projected to occur with planned growth; this would be the same as under the No-Action Alternative. Therefore, implementing either the Proposed Action or the No-Action Alternative would not affect solid waste disposal needs, and there would be **no impact**.

# g) Comply with federal, state, and local statutes and regulations related to solid waste?

Federal, State, and local statutes and regulations related to solid waste would not apply to the Proposed Action because no solid waste would be generated by the release of WY 2010 Interim Flows and no additional disposal capacity would be required. Solid waste generation under the Proposed Action and the No-Action Alternative would be the same, and there would be **no impact**.

### 4.19 Mandatory Findings of Significance

E	Environmental Issues	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
	XVII. Man	datory Finding	s of Significance		
a)	Does the project have the potential to substantially degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, reduce the number or restrict the range of an endangered, rare, or threatened species, or eliminate important examples of the major periods of California history or prehistory?				
b)	Does the project have impacts that are individually limited, but cumulatively considerable? ("Cumulatively considerable" means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects.)				
c)	Does the project have environmental effects that will cause substantial adverse effects on human beings, either directly or indirectly?				

Authority: Public Resources Code Sections 21083 and 21087.

Reference: Public Resources Code Sections 21080(c), 21080.1, 21080.3, 21082.1, 21083, 21083.3, 21093, 21094, 21151; *Sundstrom v. County of Mendocino*, 202 Cal.App.3d 296 (1988); *Leonoff v. Monterey Board of Supervisors*, 222 Cal.App.3d 1337 (1990).

a) Does the project have the potential to substantially degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, reduce the number or restrict the range of an endangered, rare, or threatened species, or eliminate important examples of the major periods of California history or prehistory?

As presented above in the "Biological Resources – Terrestrial Species" and "Biological Resources – Fish" sections, implementing the Proposed Action would not substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, or reduce the number or restrict the range of an endangered, rare, or threatened species. The impact would be **less than significant.** The Proposed Action would cause a significant adverse effect by accelerating the spread of several invasive plant species already present along the San Joaquin River, but this effect would be less than significant with mitigation.

b) Does the project have impacts that are individually limited, but cumulatively considerable? ("Cumulatively considerable" means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects.)

CEQ regulations that implement NEPA provisions define "cumulative effects" as "the impact on the environment which results from the incremental impact of the action when added to other past, present, and reasonably foreseeable future actions regardless of what agency (Federal or non-Federal) or person undertakes such other actions" (40 CFR 1508.7). Cumulative effects can result from individually minor, but collectively significant, actions over time, and can differ from indirect impacts (40 CFR 1508.8). Cumulative effects are caused by the incremental increase in total environmental effects when an evaluated project is added to other past, present, and reasonably foreseeable future actions. Cumulative effects can thus arise from causes that are totally unrelated to the project being evaluated, and the analysis of cumulative effects considers the life cycle of the effects, not the project at issue. These effects can be either adverse or beneficial.

Cumulative impacts are defined in the State CEQA Guidelines (14 CCR Section 15355) as "two or more individual effects which, when considered together, are considerable or which compound or increase other environmental impacts." A cumulative impact occurs from "the change in the environment which results from the incremental impact of the project when added to other closely related past, present, and reasonably foreseeable probable future projects. Cumulative impacts can result from individually minor but collectively significant projects taking place over a period of time" (14 CCR Section 15355(b)). Consistent with the State CEQA Guidelines (14 CCR Section 15130(a)), the discussion of cumulative impacts in the PEIS/R will focus on significant and potentially significant cumulative impacts.

No past, current, or probable future projects were identified in the project vicinity that, when added to project-related impacts, would result in a significant cumulative impact, and that would be cumulatively considerable. Two future projects were considered herein: the Friant-Kern and Madera Canals Capacity Correction Project (FKMCCCP) and other components of the SJRRP.

The FKMCCCP involves removing conveyance restrictions so that the canals can carry water equal to their original design capacity. It would not overlap with the Proposed Action spatially or temporally. The only potential for cumulative effects is that the FKMCCCP, when completed, would increase diversions from Millerton Lake. However, the FKMCCCP would not be completed until after the Proposed Action is implemented. The Proposed Action would result in no net change in Millerton Lake water storage; therefore, there would be no cumulative effects between the Proposed Action and the FKMCCCP.

The Settlement and SJRRP are summarized in Section 1, "Introduction and Statement of Purpose and Need." The Settlement describes several physical and operational activities that would affect environmental conditions in Millerton Lake, the San Joaquin River, and the Friant Division. The SJRRP PEIS/R will evaluate the program-level and cumulative effects of the future potential implementation of the SJRRP, including the project-level and cumulative effects of both Interim Flows (beginning in WY 2011) and Restoration Flows. The PEIS/R is being developed and is not yet available; therefore, it would be speculative at present to identify the environmental impacts, and their significance, that will be addressed in the PEIS/R. The only resource area with the potential for cumulative effects would be Friant Division water supplies, but one of the SJRRP's two primary goals is "to reduce or avoid adverse water supply impacts on all of the Friant Division long-term contractors that may result from the Interim Flows and Restoration Flows provided for in the Settlement." Again, it would be speculative to conclude that the Proposed Action, WY 2010 Interim Flows, would have a cumulatively considerable significant effect with other elements of the SJRRP.

The SJRRP PEIS/R should be completed before any other components of the SJRRP are implemented. Consequently, the PEIS/R is the appropriate document to evaluate the cumulative effects of the Proposed Action, along with all other SJRRP components, at either a program or project level. Any significant cumulative effects of the Proposed Action and other SJRRP components can be identified, addressed, and mitigated with the PEIS/R without the degree of speculation that would be required in this environmental document. The impact would be **less than significant**.

## c) Does the project have environmental effects that will cause substantial adverse effects on human beings, either directly or indirectly?

No project-related environmental effects were identified that would cause substantial adverse effects on human beings, either directly or indirectly. The impact would be **less than significant**.

#### 4.20 Indian Trust Assets

Evaluation of Indian Trust Assets is a NEPA requirement. The Proposed Action does not affect Indian Trust Assets. The nearest Indian Trust Asset is Table Mountain Rancheria, which is approximately 3 miles east-southeast of the Restoration Area at its closest point.

### 4.21 Socioeconomic Effects and Environmental Justice

Evaluation of socioeconomic effects is a NEPA requirement. Existing population and housing trends, employment and labor force trends, prominent business and industry types, and government and finance conditions within the study area would not be affected by the Proposed Action. As discussed above in the "Agricultural Resources," "Hydrology and Water Quality," and "Population and Housing" sections, the Proposed Action would have limited socioeconomic effects. Water supply availability to Friant Water Users is highly variable on an annual basis, and the amount of water used as WY 2010 Interim Flows is within this range of annual variability.

Executive Order 12898 requires Federal agencies to determine if the significant adverse effects of a Federal action under consideration would disproportionately burden minority groups, low-income populations, or Native American Tribes. Because of the limited duration (1 year) and extent of the Proposed Action, and the findings that all impacts to related resources areas are less than significant or have no effect whatsoever, it is concluded that the Federal action under consideration would not disproportionately burden minority groups, low-income populations, or Native American Tribes.

This page left blank intentionally.

### 5.0 Consultation and Coordination

This section reviews agency consultation and coordination that occurred before and during preparation of this EA/IS, and reviews the steps in the NEPA/CEQA review process that follow release of this EA/IS.

### 5.1 Past Efforts

The SJRRP Web site at www.restoresjr.net provides numerous opportunities for public involvement and information updates. Public outreach technical feedback meeting agendas and summaries are also posted on the SJRRP Web site. A public involvement/public outreach plan, adopted in April 2007, guides SJRRP public outreach using a single multiagency effort managed by the SJRRP Public Affairs Team (SJRRP 2007b). Comprising staff from each of the five SJRRP Implementing Agencies (Reclamation, USFWS, NMFS, DWR, and DFG) and consultant staff, the SJRRP Public Affairs Team coordinates consistent public outreach and involvement.

Public and agency consultation and coordination relating to the broader SJRRP have been extensive since mid-2007, and WY 2010 Interim Flows have been discussed as a component of the SJRRP. Reclamation published a Notice of Intent (NOI) to prepare the SJRRP PEIS in the Federal Register on August 2, 2007. DWR filed an NOP of the PEIR on August 22, 2007. Public scoping meetings for the SJRRP PEIS/R were held in 2007 on August 28 in Tulare, August 29 in Fresno, August 30 in Los Banos, and September 10 in Sacramento. A scoping report for the PEIS/R was published on December 14, 2007 (SJRRP 2007a). Local Native American interests were contacted early in the SJRRP scoping process. All input and feedback on implementing the Settlement was taken into consideration in preparing this EA/IS.

To implement the Settlement as specified, the Settling Parties established the TAC and conducted stakeholder meetings to discuss SJRRP objectives and listen to and consider public concerns in 2007. Technical Work Groups were established to share technical input and receive feedback from stakeholders. Seven stakeholder meetings were held in 2008 as part of the SJRRP Water Management Technical Work Group, and this group continues to meet regularly.

The Implementing Agencies initiated meetings in 2008 with the LSJLD, the Central Valley Flood Protection Board, USACE, SWRCB, and the San Joaquin River Exchange Contractors Water Authority to discuss WY 2010 Interim Flow releases. Representatives of The Bay Institute of San Francisco and Revive the San Joaquin have provided input on WY 2010 Interim Flow releases. Since mid-2008, representatives from all five Implementing Agencies and USACE have been attending or invited to attend regularly scheduled monthly meetings to discuss the EA/IS and other related issues involving SJRRP environmental compliance efforts. Additional planning activities, including

ongoing stakeholder and landowner outreach, continue in 2009. Reclamation, USFWS, NMFS, USACE, DWR, and DFG staff have all been involved in preparing this EA/IS. No Federal cooperating agencies have been identified for this EA/IS.

As a stipulation to the Settlement, a Memorandum of Understanding (MOU) was entered into by Reclamation with several water districts, water authorities, and canal companies, all of which are organized water users under applicable Federal and State laws and regulations. These entities, while not parties to the Settlement, cooperate with Reclamation in implementing the Settlement as "third parties," and include the following:

- San Joaquin River Exchange Contractors Water Authority
- Central California Irrigation District
- Firebaugh Canal Water District
- San Luis Canal Company
- Columbia Canal Company
- Merced Irrigation District
- Turlock Irrigation District
- Modesto Irrigation District
- Oakdale Irrigation District
- South San Joaquin Irrigation District
- San Joaquin Tributaries Association
- Westlands Water District
- San Luis & Delta-Mendota Water Authority

The input and feedback of the above entities on implementing the Settlement was taken into consideration in preparing this EA/IS.

In accordance with NEPA/CEQA review requirements, the Draft EA/IS was distributed for agency and public review and written comment for a 30-day period, as specified in the NOI and the Notice of Availability at the beginning of this document. At the request of reviewers, the review period was extended to 44 days. Notice of release of the Draft EA/IS was provided to all individuals on the SJRRP public notification mailing list, which is updated automatically when individuals access the public Web site (sjrrp@restoresjr.net) and place themselves on the mailing list. The Draft EA/IS distribution provided interested parties with an opportunity to express their views regarding the significant environmental effects and other aspects of the Proposed Action, and also provided information pertinent to permits and approvals to decision makers at Reclamation, DWR, other Implementing Agencies, and CEQA responsible and trustee agencies. As required by Sections 15072 and 15073 in the CEQA Guidelines, the lead agency under CEQA, DWR, is performed the following public notifications regarding the Draft IS and the associated MND:

- Provided an NOI to adopt an MND to the public, responsible and trustee agencies, and the county clerk of each county within which the proposed project is located, sufficiently before adoption by the lead agency of the MND to allow the public and agencies a 30-day review period.
- Mailed an NOI to adopt an MND to the last known name and address of all organizations and individuals who had previously requested such notice in writing (the SJRRP mailing list, which is kept current, will be used for this noticing).
- Published an NOI at least one time in a newspaper of general circulation in the area affected by the Proposed Action (if more than one area is affected, the notice shall be published in the newspaper of largest circulation from among the newspapers of general circulation in those areas).
- Submitted the IS and associated MND to the State Clearinghouse for distribution to applicable State agencies.

### 5.2 Current Steps in the NEPA and CEQA Review Process

After the public comment period closed, Reclamation and DWR prepared written responses to comments, and these comment letters and responses are provided as Appendix I, "Responses to Comments." Based on the Final EA and all public comments, Reclamation has determined that the impacts of the Proposed Action do not warrant preparation of an EIS, as documented in the FONSI. DWR considers the Final IS and associated MND and all comments received during the public review process, and responses to those comments, in making its decision on the project. DWR found, on the basis of the whole record before it (including the IS and any comments received), that there is no substantial evidence that the Proposed Action will have a significant effect on the environment, and that the MND reflects DWR's independent judgment and analysis. Accordingly, DWR will issue a Notice of Determination and adopt the IS and associated MND.

Additional information related to compliance with specific regulatory requirements is presented in Section 6.0.

This page left blank intentionally.
## 6.0 Compliance with Environmental Statutes, and Other Relevant Laws, Programs, and Agreements

The following sections describe relevant environmental statutes (environmental laws, executive orders, and plans that apply to the Proposed Action) and compliance of the Proposed Action with those statutes. Consultation that has occurred to date to achieve compliance is also described, where applicable. Environmental statutes that are not relevant to the Proposed Action are not discussed herein.

## 6.1 National Environmental Policy Act

This EA/IS has been prepared pursuant to NEPA, which was signed into law in 1969 (42 United States Code (USC) Section 4321 et seq.). In addition, it was prepared in accordance with CEQ regulations for implementing NEPA, 40 CFR Parts 1500–1508, and General Services Administration (GSA) Order ADM 1095.1F. NEPA provides a commitment that Federal agencies will consider the environmental effects of their proposed actions and adhere to regulations, policies, and programs to the fullest extent possible, in accordance with NEPA's policies of environmental protection. This EA/IS assesses whether the proposed WY 2010 Interim Flows would cause any significant environmental effects. If it is determined that the Proposed Action would have no significant environmental effects, a FONSI will be signed by Reclamation and filed with USEPA.

## 6.2 Endangered Species Act of 1973, as Amended

The Federal ESA of 1973, as amended (16 USC 1531 et seq.), establishes a National program for the conservation of threatened and endangered species of fish, wildlife, and plants, and preservation of the ecosystems on which they depend. Section 7(a) of the ESA requires Federal agencies or Federally funded actions to consult with USFWS and NMFS on any activities that may affect any species under their jurisdiction that are listed as threatened or endangered, are proposed for listing, or for which designated critical habitat occurs.

As part of the ESA Section 7 requirements for the Proposed Action, a list of Federal threatened and endangered species, species proposed for listing, and species that potentially occur within the study area was obtained from USFWS and NMFS. Reclamation is engaging in informal consultation with USFWS and NMFS on the WY 2010 Interim Flows. A Biological Assessment was prepared by Reclamation and delivered to USFWS and NMFS on May 22, 2009.

## 6.3 Fish and Wildlife Coordination Act of 1934, as Amended

The Fish and Wildlife Coordination Act (FWCA) (16, USC 661 et seq.) provides for the equal consideration and coordination of wildlife conservation with other project features of Federally funded or permitted water resource development projects. Whenever any water body is proposed to be controlled or modified "for any purpose whatever" by a Federal agency or by any "public or private agency" under a Federal permit or license, that agency is required first to consult with the appropriate wildlife agencies with a view to the conservation of fish and wildlife resources in connection with the project. For the Proposed Action, Reclamation is required to fully consider recommendations made by USFWS, NMFS, and DFG in project reports, and include in project plans measures to reduce impacts on fish and wildlife. Reclamation has been meeting regularly with these three resource agencies to comply with FWCA requirements.

#### 6.4 Bald and Golden Eagle Protection Act of 1940, as Amended

The Bald and Golden Eagle Protection Act (Eagle Act), first enacted in 1940 and amended several times since, prohibits the taking or possession of, and commerce in, bald and golden eagles, including their parts, nests, or eggs, with limited exceptions. The Eagle Act defines "take" as "pursue, shoot, shoot at, poison, wound, kill, capture, trap, collect, molest or disturb" (16 USC 668–668d). USFWS has defined "disturb" under the Eagle Act as follows (72 Federal Register (FR) 31132–31140, June 5, 2007):

Disturb means to agitate or bother a bald or golden eagle to a degree that causes, or is likely to cause, based on the best scientific information available, (1) injury to an eagle; (2) a decrease in its productivity, by substantially interfering with normal breeding, feeding, or sheltering behavior; or (3) nest abandonment, by substantially interfering with normal breeding, feeding, or sheltering behavior.

In addition to immediate impacts, this definition also covers impacts that result from human-induced alterations initiated around a previously used nest site during a time when eagles are not present if, on the eagle's return, such alterations agitate or bother an eagle to a degree that injures the eagle or substantially interferes with normal breeding, feeding, or sheltering habits, and causes, or is likely to cause, a loss of productivity or nest abandonment. USFWS has proposed new permit regulations to authorize the take of bald and golden eagles under the Eagle Act, generally when the take to be authorized is associated with otherwise lawful activities (72 FR 31141–31155, June 5, 2007). With delisting of the bald eagle in 2007, the Eagle Act is the primary law protecting bald eagles, as well as golden eagles. The Proposed Action would not adversely affect or disturb bald or golden eagles.

### 6.5 Magnuson-Stevens Fishery Conservation and Management Act

The Magnuson-Stevens Fishery Conservation and Management Act is designed for taking immediate action to conserve and manage the fishery resources found off the coasts of the United States, and the anadromous species and continental shelf fishery resources of the United States. Consultation with NMFS is required when any action authorized, funded, or undertaken, or proposed to be authorized, funded, or undertaken, may adversely affect any essential fish habitat (EFH). Within the study area, EFH is found in the San Joaquin River downstream from the Merced River confluence, in three major San Joaquin River tributaries (Merced, Tuolumne, and Stanislaus rivers), and in the Delta. A Biological Assessment that incorporates the EFH assessment was submitted by Reclamation to NMFS on May 22, 2009 and consultation is ongoing.

## 6.6 Migratory Bird Treaty Act of 1918

The Migratory Bird Treaty Act of 1918 (MBTA) is the domestic law that affirms, or implements, the United States' commitment to four international conventions (with Canada, Japan, Mexico, and Russia) for protecting shared migratory bird resources. Each of the conventions protects selected species of birds that are common to both countries (i.e., the birds occur in both the United States and Canada, Japan, Mexico, or Russia at some point during their annual life cycle). The Proposed Action would have no adverse effect on migratory birds. Therefore, the Proposed Action would be in compliance with the MBTA.

#### 6.7 Comprehensive Conservation Plans for National Wildlife Refuges

USFWS is directed to develop comprehensive conservation plans (CCP) to guide the management and resource use for each refuge of the National Wildlife Refuge System under requirements of the National Wildlife Refuge Improvement Act of 1997. Refuge planning policy also directs the process and development of CCPs. A CCP describes the desired future conditions and long-range guidance necessary to meet refuge purposes. It also guides management decisions and sets forth strategies for achieving refuge goals and objectives within a 15-year time frame. Reclamation is partnering with the San Luis and Merced NWRs, and are actively involved in the CCP process for these refuges. Several important NWRs, described below, are present along the San Joaquin River.

#### 6.7.1 San Luis National Wildlife Refuge

The San Luis NWR does not have an approved CCP; however, planning was initiated in 2002 (USFWS 2009). Primary goals of the refuge are as follows:

- Provide feeding and resting habitat for migrating and wintering waterfowl and other waterbirds
- Provide habitat and manage for endangered species, threatened species, and/or species of special concern
- Preserve the natural diversity of the flora and fauna representative of the lower San Joaquin Valley, and the natural processes that maintain that diversity
- Provide high-quality wildlife-dependent recreation and environmental education programs

#### 6.7.2 Merced National Wildlife Refuge

The Merced NWR does not have an approved CCP; however, planning was initiated in 2002 (USFWS 2009). Primary goals of the refuge are the same four goals described for the San Luis NWR, along with an additional goal of alleviating crop depredation.

#### 6.7.3 San Joaquin River National Wildlife Refuge

The San Joaquin River NWR has prepared a final CCP (USFWS 2006). The primary goals of the refuge are as follows:

- Conserve and protect the natural diversity of migratory birds, resident wildlife, fish, and plants through restoration and management of riparian, upland, and wetland habitats on refuge lands
- Contribute to the recovery of threatened and endangered species, as well as the protection of populations of special-status wildlife and plant species and their habitats
- Provide optimum wintering habitat for Aleutian Canada geese for their continued recovery from threatened and endangered species status
- Coordinate the natural resource management of the San Joaquin River NWR in the context of the larger Central Valley/San Francisco ecoregion
- Provide the public with opportunities for compatible, wildlife-dependent visitor services to enhance understanding, appreciation, and enjoyment of natural resources at the San Joaquin River NWR

### 6.8 National Historic Preservation Act

The NHPA of 1966, as amended (16 USC 470 et seq.), is the primary Federal legislation that outlines the Federal Government's responsibility for preservation of cultural resources. Section 106 of the NHPA requires the Federal Government to take into consideration the effects of an undertaking on historic properties. Historic properties are defined as those cultural resources listed, or eligible for listing, on the National Register of Historic Places. Section 106 compliance is triggered by Federal undertakings, as defined at 36 CFR Part 800.16(y). Federal undertakings that trigger the need to satisfy Section 106 include, but are not necessarily limited to, Reclamation's release of WY 2010 Interim Flows (the Proposed Action), permitting for the Proposed Action under Section 7 of the Federal ESA, and authorization under Section 10 of the Rivers and Harbors Act.

Compliance with Section 106, outlined in 36 CFR Part 800, follows a series of steps designed to identify interested parties, determine the area of potential effect (APE), conduct cultural resource inventories, determine if historic properties are present within the APE, and assess effects on any identified historic properties. As part of compliance with 36 CFR Part 800, Reclamation conducted a records search for the APE to assess which portions of the study area have been previously inventoried, and to identify all previously recorded cultural resources. Although only a small portion of the study area has been inventoried, numerous cultural resources have been previously documented.

Native American tribes were invited to participate in the Section 106 process for the SJRRP. Regulations require Federal agencies to consult with Federally recognized tribes to determine if sites of religious or cultural significance are present within the APE for a specific action. Non-Federally recognized tribes may also have concerns, and Reclamation involves such tribes as interested members of the public pursuant to 36 CFR Part 800.2(d).

The State Historic Preservation Officer (SHPO) is also consulted, pursuant to 36 CFR Part 800.4(d)(1). Federal agencies are required to seek the SHPO's concurrence that historic properties are taken into consideration at all levels of project planning and development. The Native American Heritage Commission, in an August 2008 letter, stated that it has no listing of sacred lands in the study area, as described. Native American experts who supplied information for the Proposed Action were generally unwilling to provide precise locations of traditional cultural properties/areas of concern within the study area for the Proposed Action.

## 6.9 Clean Water Act (Section 404)

Section 404 of the Clean Water Act (33 USC 1344) requires that a permit from USACE be obtained for the discharge of dredged or fill material into "waters of the United States," including wetlands that have a "significant nexus" with a water of the United States. This EA/IS describes the potential temporary hydrological effects of the Proposed Action on wetlands and other waters. The Proposed Action would release flows from Millerton Lake through Friant Dam to the San Joaquin River and would result in the release and transport of a *de minimis* quantity of sediment for the reasons described below.

Under wet hydrologic conditions, releases from Friant Dam for flood control purposes would exceed the Interim Flows included in the Proposed Action, and would be exempt from Section 404 permit requirements. During drier hydrologic conditions, the Proposed Action would include releases of up to 1,660 cfs for a duration of up to 4 weeks. The magnitude and duration of these releases is substantially less than recent operational actions at Friant Dam. For example, in 2005, flood control releases up to 8,000 cfs were made over a 1-month period. In 2006, continuous releases of greater than 5,000 cfs (maximum of 9,000 cfs) were made from Friant Dam over a 3-month period.

In addition, the watershed upstream from Friant Dam has been highly developed for hydropower generation since the early 1900s. Currently, a series of dams is located upstream from Friant Dam on the mainstem San Joaquin River and all major tributaries, that includes Kerckhoff, Redinger, Florence, Huntington, Shaver, Thomas Edison, and Mammoth Pool dams. Most of these dams and corresponding reservoirs were constructed before Friant Dam and limit sediment transport downstream into Millerton Lake.

The combined effect of reduced sediment inflow into Millerton Lake due to upstream reservoirs and regular and recent flood releases through the outlet works substantially reduce the potential for the presence of sediment that could be mobilized by the Proposed Action. Therefore, WY 2010 Interim Flow releases are expected to result in the transport of a *de minimis* quantity of sediment from Friant Dam to the San Joaquin River.

In addition, release of WY 2010 Interim Flows from Friant Dam to Reach 2 could result in localized bedload movement during spring flows in WY 2010 if that year is relatively wet, similar to the existing conditions. Under existing conditions, Reach 2A experiences net erosion, and Reach 2B experiences net deposition. Sediment mobilization under the Proposed Action would be localized within these reaches, and would not be anticipated to change the overall bottom elevation of any given reach; therefore, the Proposed Action would only result in the movement of a *de minimis* quantity of sediment.

USACE has determined that the Proposed Action would not result in the discharge of dredge or fill material and thus, no Section 404 is needed for the Proposed Action.

# 6.10 Rivers and Harbors Act of 1899, as Amended (Sections 14 and 10)

Under Section 10 of the Rivers and Harbors Act of 1899 (33 USC 403), USACE regulates work in, over, or under, excavation of material from, or deposition of material into, navigable waters. Navigable waters of the United States are defined as those waters subject to the ebb and flow of the tide shoreward to the mean high-water mark, and those that are currently used, have been used in the past, or may be susceptible to use, to transport interstate or foreign commerce. The Proposed Action does not propose any discharge of dredged or fill material into any navigable waters of the United States. No further compliance with this section of the act is required; no permit is needed from USACE.

Under Section 14 of the Rivers and Harbors Act of 1899 (33 USC 408), referred to as Section 408, the Secretary of the Army, on the recommendation of the Chief of Engineers, may grant permission for the alteration, temporary occupation, or use of any seawall, bulkhead jetty, dike, levee, wharf, pier, or other work built by the United States. Reclamation has consulted with USACE, and USACE has determined that Section 408 does not apply to the WY 2010 Interim Flows.

## 6.11 CALFED Bay-Delta Program

The CALFED Bay-Delta Program (CALFED) is a cooperative effort of more than 24 Federal and State agencies with regulatory and management responsibilities in the San Francisco Bay/Sacramento-San Joaquin Delta (Bay-Delta) to develop and implement a long-term comprehensive plan to restore ecological health and improve water management for beneficial uses of the Bay-Delta system. The Federal agencies involved in the program are Reclamation, USFWS, NMFS, USACE, and USEPA. State agencies involved in the program are DWR, DFG, and SWRCB.

CALFED will develop long-term measures to address problems affecting the Bay-Delta estuary. The program focuses on four objectives:

- Provide optimal water quality (water quality objective)
- Improve and increase aquatic and terrestrial habitats, and improve ecological functions in the Bay-Delta estuary to support sustainable populations of diverse plant and animal species (ecosystem restoration objective)
- Reduce shortages between water supplies and current and projected demands on the system (water supply reliability objective)
- Reduce the risk of failure of levees that protect land use and associated economic activities, water supply, and other infrastructure and ecosystems (Delta levee system reliability objective)

On the upper portion of the San Joaquin River, from Friant Dam to the Merced River, CALFED sponsors the San Joaquin River Riparian Habitat Restoration Program Pilot Project. The purpose of this project is to establish and maintain riparian habitat along the river where little or none existed before, using releases from Friant Dam to disperse and germinate native tree seed in spring. The Proposed Action is consistent with CALFED, but CALFED is not a regulatory entity over any aspect of the Proposed Action or the SJRRP.

## 6.12 Central Valley Flood Control Act of 2008

In 2007, the Governor signed five interrelated bills (flood legislation) aimed at addressing the problems of flood protection and liability and helping to direct use of the voter-approved bond funds provided by 2006 Propositions 1E and 84. These included Senate Bills (SB) 5 and 17, and AB 5, 70, and 156. A sixth bill passed in 2007, AB 162, required additional consideration of flood risk in local land use planning throughout California. These bills, effective January 1, 2008, collectively added or amended sections in the California Government Code, Health and Safety Code, Public Resources Code, and Water Code. Together, these bills outline a comprehensive approach to improving flood management at the State and local levels, with elements to address both the chance of flooding and the consequences when flooding does occur.

The major piece of the flood legislation is the Central Valley Flood Protection Act of 2008, introduced as SB 5. This legislation seeks to address flood management problems in the Sacramento and San Joaquin valleys by directing DWR to prepare for the Central Valley Flood Protection Board to adopt a Central Valley Flood Protection Plan (CVFPP) by mid-2012. The CVFPP is to establish a system-wide approach to improving flood management in areas currently receiving some amount of flood protection from existing facilities of the Federal-State flood management system. This flood legislation also establishes the 200-year flood event (flood with a 1-in-200 chance of occurring in any year) as the minimum level of flood protection to be provided in urban and urbanizing areas in the Sacramento and San Joaquin valleys.

The flood legislation also requires DWR and the Central Valley Flood Protection Board to adopt a schedule for mapping flood risk areas in the Central Valley, and sets deadlines for cities and counties in the Central Valley to amend their general plans and zoning ordinances to conform to the CVFPP within 24 months and 36 months, respectively, of its adoption by the Central Valley Flood Protection Board. Once the general plan and zoning ordinance amendments are enacted, the approval of development agreements and subdivision maps is subject to restrictions in flood hazard zones. Central Valley counties are obligated to develop flood emergency plans within 24 months of Central Valley Flood Protection Board adoption.

Reclamation and DWR have jointly developed the Proposed Action in a manner that is consistent with the Central Valley Flood Control Act, and which would not inhibit development of the CVFPP.

#### 6.13 Central Valley Flood Protection Board Encroachment Permit

The California Central Valley Flood Protection Board (formerly The Reclamation Board) requires an encroachment permit for any non-Federal activity along or near Federal flood damage reduction project levees and floodways or in Central Valley Flood Protection Board-designated floodways, to prevent proposed local actions or projects from impairing the integrity of existing flood damage reduction systems to withstand flood conditions. Reclamation and DWR have met with the Central Valley Flood Protection Board regarding the Proposed Action.

#### 6.14 State Water Resources Control Board Temporary Water Transfer Approval

Pursuant to Section 1725 et seq. of the California State Water Code, a permittee or licensee who proposes a temporary transfer of water (less than 1 year) shall submit to the SWRCB a petition to change the terms of the permit or license, as required, to accomplish the proposed temporary change. Such a petition will be filed, with a petition pursuant to Section 1707, to add a purpose of use, to add points of rediversion, and to add the San Joaquin River for the place of use for instream flows. SWRCB requires approval of a petition for the purpose of use due to a transfer or exchange of water, and will approve a petition under section 1725-only rights if the transfer would only involve the amount of water that would have been consumptively used or stored by the permittee or licensee in the absence of the proposed temporary change; would not injure any legal user of the water; and would not unreasonably affect fish, wildlife, or other instream beneficial uses. Reclamation submitted a petition to SWRCB for the temporary transfer of water to add a purpose of use; to add points of rediversion; and to add the San Joaquin River for the place of use; to add points of rediversion; and to add the San Joaquin River for the place of use; to add points of rediversion; and to add the San Joaquin River for the place of use for instream flows for the WY 2010 Interim Flows.

## 6.15 Central Valley Project Improvement Act

Reclamation's evolving mission was written into law on October 30, 1992, in the form of Public Law 102-575, the Reclamation Projects Authorization and Adjustment Act of 1992. Included in the law was Title 34, the CVPIA. The CVPIA amended previous authorizations of the CVP to include fish and wildlife protection, restoration, and mitigation as project purposes having equal priority with irrigation and domestic water supply uses, and fish and wildlife enhancement as having equal priority with power generation. Section 3406(c)1 of the CVPIA authorized planning and environmental review for the SJRRP. The Proposed Action is consistent with the CVPIA.

#### 6.16 Central Valley Project Long-Term Water Service Contracts

In accordance with CVPIA Section 3404c, Reclamation is renegotiating long-term water service contracts. As many as 113 CVP water service contracts located within the Central Valley of California may be renewed during this process. The Proposed Action is consistent with CVP long-term water service contracts.

## 6.17 San Joaquin River Agreement

The SJRA, adopted in 2000, is a water supply program to provide increased instream flows in the San Joaquin River. Parties to the agreement include Reclamation, USFWS, DWR, DFG, SJRGA, and CVP/SWP export interests. The increased instream flow provides protective measures for fall-run Chinook salmon in the San Joaquin River under VAMP. In response to WY 2010 Interim Flows, tributary releases to meet VAMP water quality objectives at Vernalis would be affected in one of two ways. In conditions when WY 2010 Interim Flows contribute toward meeting the same VAMP flow threshold that would have been in place in the No-Action Alterative, required releases from tributary reservoirs could be reduced. In conditions when WY 2010 Interim Flows cause a higher VAMP flow target than would have been in place in the No-Action Alterative, required releases from tributary reservoirs would be made to achieve the higher threshold. Changes in VAMP contribution releases from tributary reservoirs would not affect the ability to meet instream fish and water quality flow requirements in the Merced, Tuolumne, or Stanislaus rivers.

## 6.18 Executive Order 11988 – Floodplain Management

Executive Order 11988 requires that all Federal agencies take action to reduce the risk of flood loss, to restore and preserve the natural and beneficial values served by floodplains, and to minimize the impact of floods on human safety, health, and welfare. Constraints of the amount of flows that may be released from Friant Dam reoperation under WY 2010 Interim Flows include existing floodplain structures such as levees, diversion structures, and bypass canals. The existing floodplain management program supersedes flow requirements identified in the Settlement. The Proposed Action would not impede or redirect flood flows. Therefore, the Proposed Action is in compliance with this executive order.

## 6.19 Executive Order 11990 – Protection of Wetlands

Executive Order 11990 requires Federal agencies to follow avoidance, mitigation, and preservation procedures with public input before proposing new construction in wetlands. As described in this EA/IS, the Proposed Action would not result in the permanent net loss of any wetlands; therefore, Reclamation is in compliance with this executive order.

#### 6.20 Executive Order 11312 – National Invasive Species Management Plan

Executive Order 11312 directs all Federal agencies to prevent and control introduction of invasive nonnative species in a cost-effective and environmentally sound manner to minimize their economic, ecological, and human health impacts. Executive Order 11312 established a National Invasive Species Council made up of Federal agencies and departments and a supporting Invasive Species Advisory Committee composed of State, local, and private entities. The National Invasive Species Council and the Invasive Species Advisory Committee oversee and facilitate implementation of the executive order, including preparation of a National Invasive Species Management Plan. The Proposed Action includes an Invasive Species Monitoring and Management Plan for WY 2010 Interim Flows (Appendix F) as mitigation to minimize the introduction and further spread of five invasive plant species that could result from WY 2010 Interim Flows. Preparation, adoption, and implementation of the Invasive Species Monitoring and Management Plan for WY 2010 Interim Flows (2010 Interim Flows demonstrates compliance with this executive order.

#### 6.21 Executive Order 13186 – Responsibilities of Federal Agencies to Protect Migratory Birds

Executive Order 13186 (January 10, 2001) directs Federal agencies that have, or are likely to have, a measurable negative effect on migratory bird populations to develop and implement an MOU with USFWS promoting the conservation of migratory bird populations. Implementation actions and reporting procedures identified in the MOU should be included in each agency's formal planning process, such as resource management plans and fisheries management plans. The Proposed Action would not adversely affect migratory birds; therefore, Reclamation is in compliance with this executive order.

#### 6.22 Executive Order 13443 – Facilitation of Hunting Heritage and Wildlife Conservation

The purpose of Executive Order 13443 (August 16, 2007) is to direct Federal agencies that have programs and activities with a measurable effect on public land management, outdoor recreation, and wildlife management to facilitate the expansion and enhancement of hunting opportunities and the management of game species and their habitat. The Proposed Action would benefit outdoor recreation and wildlife habitat; therefore, Reclamation is in compliance with this executive order.

#### 6.23 Executive Order 12898 – Environmental Justice in Minority and Low-Income Populations

Executive Order 12898 requires Federal agencies to identify and address disproportionately high and adverse human health and environmental effects of Federal programs, policies, and activities on minority and low-income populations. The Proposed Action has been assessed for potential environmental, social, and economic impacts on minority and low-income populations. No significant adverse human health effects were identified. Minority and low-income populations would not be disproportionately exposed to adverse effects relative to the benefits of the action. No further compliance with this executive order is required.

#### 6.24 Executive Order 113007 and American Indian Religious Freedom Act of 1978 – Indian Trust Assets and Sacred Sites on Federal Lands

Executive Order 113007 and the American Indian Religious Freedom Act of 1978 are designed to protect Indian Trust Assets, accommodate access and ceremonial use of Native American sacred sites by Native American religious practitioners, avoid adversely affecting the physical integrity of such sacred sites, and protect and preserve the observance of traditional Native American religions. The Proposed Action would not violate these protections.

## 6.25 Clean Air Act of 1963, as Amended

The Federal Clean Air Act required USEPA to establish National Ambient Air Quality Standards (NAAQS). USEPA has established primary and secondary NAAQSs for the following criteria air pollutants: ozone,  $PM_{10}$ ,  $PM_{2.5}$ , CO, NO<sub>2</sub>, SO<sub>2</sub>, and lead. The primary standards protect public health, and the secondary standards protect public welfare. The Clean Air Act also requires each state to prepare an air quality control plan referred to as a State Implementation Plan.

Under the Clean Air Act, the primary responsibility for planning to attain and maintain the NAAQSs rests with the State and local agencies. Accordingly, State and local air quality agencies are also designated as the primary permitting and enforcement authorities for most Clean Air Act requirements. The portion of the study area where air quality could be adversely affected by the Proposed Action is under SJVAPCD's jurisdiction. As described in the Air Quality Modeling Attachment in Appendix G, the Proposed Action (including implementation of environmental commitments), would not exceed USEPA's general conformity *de minimis* thresholds or hinder the attainment of air quality objectives in the local air basin.

## 6.26 Farmland Protection Policy Act

NRCS is the agency primarily responsible for implementing the Federal Farmland Protection Policy Act (FPPA). The purpose of the FPPA is to minimize Federal contributions to the conversion of farmland to nonagricultural uses by causing Federal programs to be administered in a manner compatible with State government, local government, and private programs designed to protect farmland. The Proposed Action does not convert agricultural land to nonagricultural uses and, therefore, complies with the FPPA.

#### 6.27 Resource Conservation and Recovery Act and Federal Emergency Planning and Community Rightto-Know Act of 1986

Hazardous substances may exist within the study area or may be brought in and used for chemical treatment of invasive nonnative plant species. At the Federal level, the principal agency regulating the generation, transport, and disposal of hazardous substances is the USEPA, under the authority of the Resource Conservation and Recovery Act (RCRA). RCRA established an all-encompassing Federal regulatory program for hazardous substances that is administered in California by the Department of Toxic Substances Control (DTSC). Under RCRA, DTSC regulates the generation, transportation, treatment, storage, and disposal of hazardous substances. RCRA was amended in 1984 by the Hazardous and Solid Waste Amendments of 1984, which specifically prohibit the use of certain techniques for disposing of various hazardous substances. The Federal Emergency Planning and Community Right-to-Know Act of 1986 imposes hazardous materials planning requirements to help protect local communities in the event of accidental release. Reclamation would comply with these acts in implementing the Proposed Action.

## 6.28 San Joaquin River Restoration Settlement Act

The Act (Appendix B) authorizes and directs the Secretary of the Interior to implement the Settlement, including implementation of the Proposed Action. Sections of the Act are described below with a focus on their relation, where applicable, to the Proposed Action:

- Section 10001. Short title
- Section 10002. Purpose
- Section 10003. Definitions
- Section 10004. Implementation of Settlement
- Section 10005. Acquisition and disposal of property; title to facilities
- Section 10006. Compliance with applicable law
- Section 10007. Compliance with CVPIA
- Section 10008. No private right of action

- Section 10009. Appropriations; Settlement Fund
- Section 10010. Repayment contracts and acceleration of repayment of construction
- Section 10011. California Central Valley spring-run Chinook salmon

#### Section 10001 – Short Title

This section is administrative in nature and does not apply to implementation of the Proposed Action.

#### Section 10002 – Purpose

This section states that the purpose of the Act is to authorize implementation of the Settlement.

#### Section 10003 – Definitions

This section is administrative in nature and does not apply to implementation of the Proposed Action.

#### Section 10004 – Implementation of Settlement

This section addresses agreements between the Secretary of the Interior and other parties; funding, mitigation of impacts, design and engineering studies: water contracts, including the San Joaquin River Exchange Contract; water contract allocations, and study of Interim Flows. Specific subsections are described below.

Section 10004(a). Section 10004(a) authorizes and directs the Secretary of the Interior to implement the terms of the Settlement. Section 10004(a)(1) authorizes the design and construction of high-priority channel and structural improvement actions outlined in Paragraph 11 of the Settlement. The Paragraph 11 actions are outside the scope of the Proposed Action, and will be addressed in the PEIS/R.

Section 10004(a)(2) authorizes and directs the reoperation of Friant Dam for release of Interim Flows. This is the main component of the Proposed Action, as described in Section 2 of this EA/IS. Section 10004(a)(3) authorizes and directs the acquisition of water, as described in Paragraph 13 of the Settlement; however, the acquisition of water is not necessary to implement WY 2010 Interim Flows, and therefore Section 10004(a)(3) does not apply to the Proposed Action.

Section 10004(a)(4) authorizes and directs implementation of Paragraph 16 of the Settlement related to recirculation, recapture, reuse, exchange or transfer of Interim and Restoration flows for accomplishing the Water Management goal in the Settlement. Consistent with Paragraph 16 and in compliance with the Act, the Proposed Action includes the recapture of WY 2010 Interim Flows consistent with applicable laws, including California water law and federal Reclamation Law, and applicable agreements with downstream agencies, entities, and landowners. This would include the use of CVP facilities to deliver CVP water (other than Interim or Restoration flows) or CVP transfers to existing south-of-Delta CVP contractors, and the Secretary's ability to fulfill the conditions of the Agreement of November 24, 1986, between the United States of America and DWR for the coordinated operation of CVP and SWP Coordinated Operation Agreement (COA), as authorized by Congress in Section 2(d) of the Act of August 26, 1937 (50 Statute 850, 100 Statute 3051).

Section 10004(a)(5) authorizes and directs the Secretary to develop and implement the Recovered Water Account (RWA). Reclamation, in consultation with the Settling Parties, is developing and will implement the RWA. This process is not part of the Proposed Action and is not described in detail in this EA/IS.

**Section 10004(b).** Section 10004(b) authorizes and directs the Secretary to enter into any agreements with State, tribal, or local governments, or private parties deemed necessary to achieve the Settlement. Such agreements could include contracts, memoranda of understanding, financial assistance agreements, cost sharing agreements, or other appropriate agreements. The Proposed Action may require one or more such agreements, as described in Section 2 of the EA/IS.

**Section 10004(c).** This section authorizes the Secretary to accept and expend non-Federal funds to facilitate implementation of the Settlement. No non-federal funds are being accepted or expended to implement the Proposed Action.

**Section 10004(d).** This section states that the Secretary shall identify the impacts associated with actions to construct, improve, operate, or maintain facilities to implement the Settlement. This section also states that the Secretary shall identify the measures necessary to mitigate impacts on adjacent and downstream water users and landowners. The EA/IS identifies all impacts associated with the Proposed Action, and presents mitigation measures where appropriate. This information is presented in Section 4 of the EA/IS. The FONSI will identify the mitigation measures which shall be implemented as part of the Proposed Action.

**Section 10004(e).** This section authorizes the Secretary to conduct any design or engineering studies that are necessary to implement the Settlement. No such studies are necessary to implement the Proposed Action; therefore, this section does not apply to the Proposed Action.

**Sections 10004(f) and 10004(g).** These sections prohibit involuntary reduction in water contract allocations to CVP long-term contractors other than Friant Division long-term contractors, as well as modification or amendment of water rights and obligations to any existing water service, repayment, purchase, or exchange contract, except as provided in the Settlement or in other sections of the Act. Specifically, as described in Section 2 of the EA/IS, release, recapture, and recirculation of WY 2010 Interim Flows would be subject to available capacity within CVP/SWP storage and conveyance facilities; available capacity is defined as capacity that is available after all statutory and contractual obligations are satisfied to existing water service or supply contracts, exchange contracts, settlement contracts, transfers, or other agreements involving or intended to benefit CVP/SWP contractors served water through CVP/SWP facilities. All other provisions of the Proposed Action are consistent with this section of the Act.

Section 10004(h). This section requires the Secretary to conduct an analysis consistent with NEPA, and discusses actions associated with seepage impacts and the Hills Ferry Barrier for the release of WY 2010 Interim Flows. This section also includes several subsections discussed below: Required Studies, Conditions for Interim Flow Release, Seepage Impacts, and Temporary Fish Barrier Program.

*Required Studies.* The EA is prepared consistent with NEPA and this section of the Act. Section 10004(h) requires several elements be included in the EA, including the following:

- Analysis of channel conveyance capacities and potential for levee or groundwater seepage Channel conveyance capacities and the potential for levee or groundwater seepage have been estimated for each reach based on analytical modeling, review of previous studies, and/or landowner feedback. The sources used to identify channel capacity by reach are identified in Section 2 of this EA/IS.
- **Description of the seepage monitoring program** The Seepage Monitoring and Management Plan for WY 2010 Interim Flows is summarized in Section 2 of this EA/IS and provided in its entirety in Appendix D.
- Evaluation of possible impacts associated with release of Interim Flows and mitigation measures for impacts determined to be significant Section 4 of this EA/IS describes potential impacts of release of WY 2010 Interim Flows, and presents mitigation measures for significant impacts such that those impacts would be reduced to less than significant.
- **Description of the flow monitoring program** The Flow Monitoring and Management Plan for WY 2010 Interim Flows is provided in its entirety in Appendix E to this EA/IS.
- Analysis of the Federal costs of any fish screens, fish bypass facilities, fish salvage facilities, and related operations on the San Joaquin River south of the confluence with the Merced River required under the Federal ESA (16 USC 1531 et seq.) as a result of the Interim Flows Except with respect to operations related to the Hills Ferry Barrier, described below under *Temporary Fish Barrier Program*, the Proposed Action does not include any fish screens, fish bypass facilities, fish salvage facilities, or related operations on the San Joaquin River south of the confluence with the Merced River. Therefore, no Federal cost expenditures for these purposes are proposed. Although no fish screens, fish bypass facilities, or fish salvage facilities are anticipated to be necessary at this time, if such facilities are determined to be necessary under the Endangered Species Act of 1973 (16 U.S.C. 1531 et seq.) as a result of the Proposed Action, Reclamation would comply with the terms of the Act, including those terms in Section 10004(h)(4), *Temporary Fish Barrier Program*, described below.

*Conditions for Interim Flow Release.* This section of the Act authorizes the Secretary to release Interim Flows to the extent that flows would not impede or delay completion of Paragraph 11 actions or exceed existing downstream channel capacities. The Proposed Action is designed to comply with this section of the Act and related sections of the Settlement, as described in Section 2 of this EA/IS. The quantity of water to be released from Friant Dam as WY 2010 Interim Flows in the Proposed Action is defined by the hydrologic year type classifications provided in Exhibit B, consistent with the Restoration Flow Guidelines (see Appendix C), and reduced, as appropriate, within the limits of channel capacity, anticipated infiltration losses, and diversion capacities. Additional reductions in flow could be made, in consideration of water supply demands, presence of special-status species, and potential seepage effects, as described in Sections 2.2.2 and 2.2.3 and in the Seepage Monitoring and Management Plan (Appendix D), or to accommodate completion of Paragraph 11 actions not included in the Proposed Action.

*Seepage Impact.* This section of the Act states that the Secretary shall reduce Interim Flows to address material seepage impacts as identified through the monitoring program. As described in Section 2 and Appendix D of this EA/IS, WY 2010 Interim Flows would be reduced to avoid seepage impacts as necessary.

*Temporary Fish Barrier Program.* This section of the Act states that the Secretary, in consultation with DFG, shall evaluate the effectiveness of the Hills Ferry Barrier in preventing unintended upstream migration of anadromous fish in the San Joaquin River and any false migratory pathways. This section further authorizes the Secretary to assist DFG in making any improvements to the Hills Ferry Barrier, if necessary to avoid imposing additional regulatory actions against third parties. In addition, if third parties are required to install fish screens or bypass facilities to comply with the Federal ESA (16 USC 1531 et seq.), this section states that the Federal Government shall bear the costs of installing such screens or facilities, except to the extent that such costs are already or willingly borne by others.

Reclamation has consulted with DFG and NMFS on the use of the Hills Ferry Barrier and potential need for other temporary barriers. The Proposed Action includes measures to be consistent with this section of the Act, as described in Section 2 of the EA/IS. Fall WY 2010 Interim Flows would not affect the operation of the Hills Ferry Barrier for fall-run Chinook salmon. Reclamation and DWR are developing a plan to evaluate the effectiveness of the Hills Ferry Barrier. No additional screens or facilities were found necessary for implementation of the Proposed Action.

Consistent with this section of the Act (10004(h)(4)), if it is determined that any unintended upstream migration of anadromous fish upstream from the Merced River confluence occurs and is caused by the WY 2010 Interim Flows, and such migration would result in regulatory action against third parties, the Secretary would comply with the conditions of the Act including assisting DFG in making any necessary improvements to the Hills Ferry Barrier, and bearing the costs of installing any fish screens or fish facilities necessary to comply with the Endangered Species Act of 1973 (16 U.S.C. 1531 et seq.), except to the extent that such costs are already or willingly borne by others.

**Section 10004(i).** This section describes the availability of funding for the purpose of implementing the Settlement and the Act. This section applies to implementation of the Proposed Action and to development of the EA/IS, but is not specifically addressed through this EA/IS.

**Section 10004(j).** This section clarifies that nothing in the Act "...shall modify or amend the rights and obligations under the Purchase Contract between Miller and Lux and the United States and the Second Amended Exchange Contract between the United States, Department of the Interior, Bureau of Reclamation and Central California Irrigation District, San Luis Canal Company, Firebaugh Canal Water District and Columbia Canal Company." As described in Section 2 of this EA/IS, implementation of the Proposed Action would be consistent with existing operating criteria, and prevailing and relevant laws, regulations, BOs, and court orders in place at the time of implementation. Specifically, if Reclamation must make deliveries to the San Joaquin River Exchange Contractors via the San Joaquin River, these water deliveries would have a higher priority to channel capacity over WY 2010 Interim Flows, as described in Section 2 of this EA/IS. Therefore WY 2010 Interim Flows would be reduced, if necessary to provide channel capacity for water delivery to the San Joaquin River Exchange Contractors via the San Joaquin River.

#### Section 10005 – Acquisition and Disposal of Property; Title to Facilities

This section addresses the acquisition and disposal of properties or title to facilities modified or improved by implementation of the Settlement, along with the operation of any groundwater bank along or adjacent to the San Joaquin River upstream from the confluence of the Merced River. Potential modifications to facilities, such as installing seals on the Chowchilla Bypass Bifurcation Structure, are described in Section 2 of this EA/IS. The Proposed Action does not include a change in ownership of any facilities, in compliance with Section 10005(a) of the Act. No acquisition of property or operation of a groundwater bank is included in the Proposed Action; therefore, Sections 10005(a), 10005(b), 10005(c), and 10006(d) of the Act do not apply to the Proposed Action.

#### Section 10006 – Compliance with Applicable Law

This section describes implementation of the Settlement in compliance with existing Federal and State laws, rules, and regulations, and describes the use of funds to complete environmental reviews or otherwise implement the Act. As described in Section 2 of this EA/IS, implementation of the Proposed Action would be conducted in a manner that is consistent with existing operating criteria, and prevailing and relevant laws, regulations, BOs, and court orders in place at the time of implementation.

#### Section 10007 – Compliance with Central Valley Project Improvement Act

This section describes implementation of the Settlement in compliance with the CVPIA, including the collection and use of certain funds. No provisions in the Proposed Action would impede the obligations of the Secretary contained in Section 3406(c)(1) of the Reclamation Projects Authorization and Adjustment Act of 1992 (Public Law 102–575; 106 Stat. 4721).

#### Section 10008 – No Private Right of Action

This section is administrative in nature and does not apply to implementation of the Proposed Action.

#### Section 10009 – Appropriations; Settlement Fund

This section describes and limits sources of funds to implement the Settlement, authorizes appropriation of funds to implement the Settlement, establishes the San Joaquin River Restoration Fund, and directs the Secretary of the Interior to conduct a study of modifications to Reach 4B, as described in the Settlement. This section applies to the implementation of the Proposed Action, but addresses administrative and funding considerations that are outside of the scope of this EA/IS.

## Section 10010 – Repayment Contracts and Acceleration of Repayment of Construction

This section describes the conversion and alteration of CVP contracts; the provisions for arranging transfers or exchanges to reduce, avoid, or mitigate impacts to water deliveries caused by Interim or Restoration Flows; the accounting of such transfers or exchanges; and State law regarding place of use of transferred or exchanged water. As described in Section 2 of this EA/IS, recirculation of recaptured water to the Friant Division could require mutual agreements between Reclamation, DWR, Friant Division long-term contractors, and other south-of-Delta CVP/SWP contractors. Reclamation would assist in developing these agreements; however, the Proposed Action does not address the recirculation (e.g. conveyance, storage, or transfer or exchange agreements after recapture) of WY 2010 Interim Flows because the specific recirculation actions are not known at this time. Specific recirculation activities will be the subject of subsequent, separate NEPA analysis, as needed, once the specific actions have been identified.

In particular, Section 10010(e) states that, pursuant to Paragraphs 13 or 15 of the Settlement, any short- or long-term agreement, to which one or more long-term Friant Division, Hidden Unit, or Buchanan Unit contractors enters into for the purpose of recirculation, "...shall be deemed to satisfy the provisions of subsection 3405(a)(1)(A) and (I) of the Reclamation Projects Authorization and Adjustment Act of 1992 (Public Law 102–575) without the further concurrence of the Secretary as to compliance with said subsections if the contractor provides... not later than 30 days before commencement of any proposed transfer or exchange with duration of less than 1 year, written notice to the Secretary stating how the proposed transfer or exchange is intended to reduce, avoid, or mitigate impacts to water deliveries caused by the Interim Flows or Restoration Flows or is intended to otherwise facilitate the Water Management Goal, as described in the Settlement. The Secretary shall promptly make such notice publicly available." No such short- or long-term agreements are included under the Proposed Action; however, the Proposed Action would not impede actions under this section of the Act.

#### Section 10011 – California Central Valley Spring Run Chinook Salmon

This section addresses the reintroduction of spring-run Chinook salmon consistent with the Settlement. The Proposed Action does not include the reintroduction of spring-run Chinook salmon; therefore, this section does not apply to the Proposed Action. This page left blank intentionally.

## 7.0 List of Preparers

## Lead Agency and Staff

## United States Department of the Interior, Bureau of Reclamation Mid-Pacific Regional Office – NEPA Lead Agency

Jason Phillips, Program Manager Alicia Gasdick, Project Manager Brad Hubbard, Natural Resource Specialist Michelle Banonis, Natural Resource Specialist David Mooney, Ph.D., Program Engineer Laura Myers, Chief, Resource Management Division

2800 Cottage Way, MP-170 Sacramento, CA 95825 (916) 978-5457

#### California Department of Water Resources – CEQA Lead Agency

Kevin Faulkenberry, P.E, DWR Program Manager Karen Dulik, Senior Environmental Scientist Laurence Kerckhoff, Senior Staff Counsel

3374 East Shields Avenue Fresno, CA 93726 (559) 230-3320

## **Consultant Staff**

#### MWH

Project Manager	William Swanson, P.E.
Technical Coordinator	Mary Paasch, P.E.
Water Resources Planner	Jill Chomycia
	Jeffrey Payne, P.E.
Regulatory Specialist	Meredith Parkin
Surface Water	William Smith, P.E.
	Joshua Cowden, Ph.D.
	Shankar Parvathinathan, Ph.D.
Surface Water Quality	William Smith, P.E.
	Jamil Ibrahim, P.H.
Groundwater	Roger Putty, P.E.
	Heather Shannon
Geology and Soils	Christian Petersen, P.G., C.HG.
	Suzanne Mills
Flood Management	Eric Clyde, P.E.
	Jeff Weaver, P.E.
	Iris Ponsano
Biological Resources (Fish)	Stephanie Theis
Editor	Emily McAlister
	Mary Pat Smith
Compliance with Applicable Federal Laws,	
Policies, and Plans	Meredith Parkin

#### EDAW

Principal-in-Charge	Phil Dunn
Project Manager/Senior Ecologist	John Hunter, Ph.D.
Assistant Project Manager/Environmental and Regulatory Specialist	Andrew Bayne
Aesthetics	Andrea Shephard, Ph.D.
Agricultural	Andrew Bayne
Air Quality	Honey Walters
	Jake Weirich
Biological Resources (Terrestrial)	Angie Harbin-Ireland
	John Hunter, Ph.D.
	Linda Leeman
Hazards and Hazardous Materials	Andrea Shephard, Ph.D.
Land Use/Planning	Andrew Bayne
Mineral Resources	Andrea Shephard, Ph.D.
Noise	Honey Walters
	Jake Weirich
Population/Housing	Andrew Bayne
Public Services	Andrew Bayne
Recreation	Jim Vogel
Transportation/Traffic	Andrew Bayne
Utilities/Service Systems	Andrew Bayne
Mandatory Findings of Significance	Andrew Bayne
	Phil Dunn
Environmental Justice	Andrew Bayne
Consultation and Coordination	Rhea Graham
Editor	Jim Merk
Compliance with Applicable Federal Laws, Policies, and Plans	Andrew Bayne
WaterWise	
Biological Resources (Fish)	Sophia Unger

#### Far Western Anthropological Research Services

Cultural Resources

Brian Byrd, Ph.D.

This page left blank intentionally.

## 8.0 References

- Ahrens, D.C. 2003. Meteorology Today An Introduction to Weather, Climate, and the Environment. Brooks/Cole Thomson Learning, Inc. Pacific Grove, California. 544 pp.
- Allen, R.G., L.S. Pereira, D. Raes, M. Smith. 1998. Crop evapotranspiration Guidelines for computing crop water requirements. FAO Irrig. And Drain. Paper 56, Food and Agric. Organ. United Nations, Rome, Italy.
- American Whitewater. 2007. Friant Dam to Skaggs Bridge Park. Available at <<u>http://www.americanwhitewater.org/content/River\_detail\_id\_4632></u>. Last updated March 21, 2007. Accessed October 2007.
- ARB. See California Air Resources Board.
- Audubon Society. 2004a. Site Profile: Grasslands Ecological Area. Available at <a href="http://iba.audubon.org/iba/viewSiteProfile.do?siteId=173&navSite=state">http://iba.audubon.org/iba/viewSiteProfile.do?siteId=173&navSite=state</a>. Last updated December 2004. Accessed October 2007.
  - ———. 2004b. Site Profile: Lone Willow Slough. Available at <http://iba.audubon.org/iba/viewSiteProfile.do?siteId=178&navSite=state>. Last updated December 2004. Accessed October 2007.
- Baskerville-Bridges, B., J.C. Lindberg, and S.I. Doroshov. 2004. The effect of light intensity, alga concentration, and prey density on the feeding behavior of delta smelt larvae. Pages 219-228 in F. Feyrer, L.R. Brown, R.L. Brown, and J.J. Orsi, eds. Early life history of fishes in the San Francisco Estuary and watershed. American. Fisheries Society Symposium 39, Bethesda, Maryland, USA.
- Braendle, R., and R.M.M. Crawford. 1999. Plants As Amphibians. Perspectives in Plant Ecology, Evolution and Systematics 2:56–78.
- Brown, L.R., and J.T. 2006. May. Variation in spring nearshore resident fish species composition and life histories in the lower Sacramento San Joaquin watershed and Delta (California). San Francisco Estuary and Watershed Science 4: 2, Article 1.
- Brown, L.R., and P.B. Moyle. 1993. Distribution, Ecology, and Status of the Fishes of the San Joaquin River Drainage, California. California Fish and Game 79: 96-114.

Byrd, B., and S. Wee. 2008. Cultural Resources Alternatives Assessment for the Plan Formulation Phase of the Upper San Joaquin River Basin Storage Investigation, Fresno and Madera Counties, California. Far Western Anthropological Research Group, Inc., Davis, California. Submitted to MWH Americas, Inc., and U.S. Department of the Interior, Bureau of Reclamation. Sacramento, California.

CALFIRE. See California Department of Forestry and Fire Protection.

- California Air Resources Board (ARB). 2005. Air Quality and Land Use Handbook: A Community Health Perspective. Sacramento, California. March.
- ———. 2007. The California Almanac of Emissions and Air Quality 2006 Edition. Sacramento, California.

California Department of Conservation. 2004a. (Williamson Act acres)

———. 2004b. A Guide to the Farmland Mapping and Monitoring Program. Available at <http://www.conservation.ca.gov/dlrp/ fmmp/pubs/Documents/ fmmp\_guide\_2004.pdf>. Accessed October 30, 2007.

——. 2005. (Williamson Act acres)

- \_\_\_\_\_. 2006. (Williamson Act acres)
- California Department of Conservation, California Geologic Survey (CGS). 2002a. California Geologic Survey Note 36: California Geomorphic Provinces.

———. 2002b. Geologic Map of California. Available at <http://www.conservation.ca.gov/cgs/information/geologic\_mapping/Pages/Index .aspx#Geomaps>. Accessed March 4, 2008.

California Department of Conservation, Division of Oil, Gas, and Geothermal Resources (DOGGR). 2007. California Oil and Gas Field Rules. Publication No.PRC05. 262 pp.

2008. Division of Oil, Gas, and Geothermal Resources. Publication No. PR2S.
 26 pp.

California Department of Finance (CDF). 2007. Population Projections by Race/Ethnicity, Gender and Age for California and its Counties 2000–2050. July. Available at <http://www.dof.ca.gov/HTML/DEMOGRAP/ReportsPapers/Projections/P3/P3.p hp>.

- California Department of Fish and Game (DFG). 1991. San Joaquin River Chinook salmon enhancement project annual report fiscal year 1989–1990: California Department of Fish and Game, Project F-51-R1, Sub Project Number IX, Study Number 5, Jobs1–7. 81 pp.
  - ------. 1998. Bay and Delta Region, Chinese Mitten Crab Life History: Life History and Background Information on Chinese Mitten Crab. Available at <a href="http://www.delta.dfg.ca.gov/mittencrab/life\_hist.asp">http://www.delta.dfg.ca.gov/mittencrab/life\_hist.asp</a>. Accessed April 3, 2008.
  - ------. 2005. The Status of Rare, Threatened, and Endangered Plants and Animals in California 2000–2004. Sacramento, California.

—. 2007. Wildlife Areas: Central Region Web site. Available at <http://www.dfg.ca.gov/lands/wa/region4/index.html>. Last updated 2007. Accessed October 2007.

- —. 2008a. (October) State and Federally Listed Endangered, Threatened, and Rare Plants of California. Natural Diversity Database. Available at <http://www.dfg.ca.gov/biogeodata/cnddb/pdfs/ TEPlants.pdf>.

- ———. 2008d. Grand Tab. Updated 20 February 2008. Native Anadromous Fish and Watershed Branch.
  - ——. 2009. West Hilmar Wildlife Area webpage. Available at http://www.dfg.ca.gov/lands/wa/region4/westhilmar.html. Accessed Feb. 2009.
- California Department of Food and Agriculture (CDFA). 2007. Noxious Weed Pest Ratings. Available at <a href="http://www.cdfa.ca.gov/phpps/ipc/weedinfo/winfo\_list-pestrating.htm">http://www.cdfa.ca.gov/phpps/ipc/weedinfo/winfo\_list-pestrating.htm</a>.
- California Department of Forestry and Fire Protection. 2009. CALFIRE Fire Hazard Severity Zone Maps Web page. Available at <http://www.fire.ca.gov/fire\_prevention/fire\_prevention\_wildland\_zones.php>. Accessed March 4, 2009.California Department of Parks and Recreation (State Parks). 2006. California State Park System Statistical Report: 2005/2006. Available at <http://www.parks.ca.gov/?page\_id=23308>. Last updated 2007. Accessed October 2007.
  - . 2007a. Millerton Lake SRA Calendar Year Attendance, 1996–2006.

- ——. 2007b. Millerton Lake SRA Monthly Attendance, July 2001–February 2007.
- ———. 2007c. Millerton Lake State Recreation Area Web site. Available at <a href="http://www.parks.ca.gov/?page\_id=587">http://www.parks.ca.gov/?page\_id=587</a>>. Last updated 2007. Accessed October 2007.
  - 2007d. Great Valley Grasslands State Park Web site. Available at <a href="http://www.parks.ca.gov/?page\_id=559">http://www.parks.ca.gov/?page\_id=559</a>>. Last updated 2007. Accessed October 2007.
- California Department of Public Health (CDPH), University of California, Davis Center for Vectorborne Diseases, California Department of Food and Agriculture, and Mosquito and Vector Control Association of California. 2009. California West Nile Virus Web site. Available at <a href="http://www.westnile.ca.gov">http://www.westnile.ca.gov</a>. Last updated March 4, 2009. Accessed March 4, 2009.
- California Department of Transportation. 1998. Technical Noise Supplement. October. Available at <www.dot.ca.gov/hq/env/noise/pub/Technical%20Noise%20Supplement.pdf>.
- California Department of Transportation (Caltrans). 2007. 2006 Annual Average Daily Truck Traffic on the California State Highway System. Sacramento, California. December.
- California Department of Water Resources (DWR). 1965. California State Water Project Water Supply Contracts. Bulletin No 141. November.
- ———.1994. The California Water Plan Update, Bulletin 160-93: Sacramento, California.
- ——. 1995. San Joaquin River Management Plan.
- ———. 1998. The California Water Plan Update, Bulletin 160-98: Sacramento, California.
- ——. 1999. California State Water Project Atlas.
- ———. 2001. Methodology for Flow and Salinity Estimates in the Sacramento-San Joaquin Delta and Suisun March 22. Annual Progress Report to the State Water Resources Control Board. June.
  - -. 2002. Riparian Vegetation of the San Joaquin River. Technical Information Record SJD-02-1. California Department of Water Resources, San Joaquin District, Environmental Services Section. Fresno, California. Prepared for San Joaquin River Riparian Habitat Restoration Program. U.S. Department of the Interior, Bureau of Reclamation. Fresno, California. May.
- . 2003. California's Water. Bulletin 118-Updated 2003. October.

------. 2005. The California Water Plan Update, Bulletin 160-05: Sacramento, California.

- ——. 2008. Groundwater Basin Contour Maps. Available at <<u>http://www.sjd.water.ca.gov/groundwater/basin\_maps/index.cfm</u>>. Accessed January 2009
- . 2009. Water Conditions in California, Bulletin 120.
- ———. In preparation. Evaluation of Potential Future Riparian Vegetation Impacts on the San Joaquin River under Proposed Restoration Program. Draft prepared March 11, 2009, by Mussetter Engineers, Inc., Fort Collins, Colorado, for the California Department of Water Resources.
- California Department of Water Resources, California Data Exchange Center (CDEC). 2008. River Stages and Flow Data. Available at <a href="http://cdec.water.ca.gov/riv\_flows.html">http://cdec.water.ca.gov/riv\_flows.html</a>. Accessed June 2008.
- California Employment Development Department (EDD). 2008. Employment by Industry Data. Available at <http://www.labormarketinfo.edd.ca.gov/?PAGEID=166>. Accessed March 2008.
- California Energy Commission (CEC). 2006. Inventory of California Greenhouse Gas Emissions and Sinks: 1990 to 2004. (Staff Final Report). Publication CEC-600-2006-013-SF. Available at <a href="http://www.energy.ca.gov/2006publications/CEC-600-2006-013/CEC-600-2006-013-SF.PDF">http://www.energy.ca.gov/2006publications/CEC-600-2006-013/CEC-600-2006-013-SF.PDF</a> .
- California Highway Patrol (CHP). 2008. Central Division Quick Facts. Available at < http://www.chp.ca.gov/depts\_divs\_offs/401.html> Last updated 2009. Accessed April 7, 2009.
- California Invasive Plant Council (CalIPC). 2006. California Invasive Plant Inventory. CalIPC Publication 2006-02. Berkeley, California. February. Available at <www.cal-ipc.org>. Accessed December 6, 2007.
- California Native Plant Society (CNPS). 2009. Electronic Inventory of Rare and Endangered Vascular Plants of California. Version 7-09a. Available at <a href="http://cnps.web.aplus.net/cgi-bin/inv/inventory.cgi">http://cnps.web.aplus.net/cgi-bin/inv/inventory.cgi</a>. Accessed January 9, 2009.
- California Natural Diversity Database (CNDDB). 2007. Rarefind: A Database Application for the Use of the California Department of Fish and Game's Natural Diversity Database. California Natural Heritage Division, California Department of Fish and Game. Sacramento, California.

- —. 2008. Rarefind: A Database Application for the Use of the California Department of Fish and Game's Natural Diversity Database. California Natural Heritage Division, California Department of Fish and Game. Sacramento, California.
- —. 2009. Rarefind: A Database Application for the Use of the California Department of Fish and Game's Natural Diversity Database. California Natural Heritage Division, California Department of Fish and Game. Sacramento, California.
- California Office of Planning and Research. 2009. CEQA Guidelines: Sections Proposed to be Added or Amended. July.
- California Resources Agency (CRA). 1976. Report on flood control operation and maintenance alternatives: San Joaquin River, Friant Dam to Stockton in accordance with Assembly Concurrent resolution no. 123.
- California Seismic Safety Commission (CSSC). 2003. Earthquake Shaking Potential for California. Publication No. 03-02. Available at <a href="http://www.seismic.ca.gov/pub/shaking\_18x23.pdf">http://www.seismic.ca.gov/pub/shaking\_18x23.pdf</a>. Accessed March 11, 2008.
- California Striped Bass Association. 2006. Presentation with input obtained from the group. May 10.
- CalIPC. See California Invasive Plant Council.
- Caltrans. See California Department of Transportation.
- CDC. See Centers for Disease Control and Prevention
- CDEC. See California Data Exchange Center.
- CDF. See California Department of Finance.
- CDFA. See California Department of Food and Agriculture.
- CDPH et al. *See* California Department of Public Health, University of California, Davis Center for Vectorborne Diseases, California Department of Food and Agriculture, and Mosquito and Vector Control Association of California.
- CEC. See California Energy Commission.
- Centers for Disease Control and Prevention (CDC). 2008. Coccidioidomycosis. Available at <http://www.cdc.gov/nczved/dfbmd/disease\_listing/coccidioidomycosis\_gi.html> Last updated March 27, 2008. Accessed on April 1, 2009.

- Central Valley Regional Water Quality Control Board (RWQCB). 1998. Water Quality Control Plan for the Sacramento and San Joaquin river basins. Fourth Edition. Sacramento, California.
- . 2009. Water Quality of the San Joaquin River and Major Drainage Basins, October 2000 – September 2005, Draft Technical Report. May.
- CGS. See California Department of Conservation, California Geologic Survey.
- CHP. See California Highway Patrol.
- City of Fresno. 2008. Parks, After School, Recreation and Community Services. Available at <http://www.fresno.gov/DiscoverFresno/ParksRecreationandCommunityServices/ default.htm>. Last updated 2008. Accessed April 1, 2008.
- City of Mendota. 2007. Welcome to Mendota! Available at <http://thecityofmendota.com/index.php?option=com\_content&task=view&id=1 &Itemid=2&date=2008-01-01>. Last updated June 25, 2007. Accessed March 2008.
- CNDDB. See California Natural Diversity Database.
- CNPS. See California Native Plant Society.
- Coops, H., F.W.B. van den Brink, and G. van der Velde. 1996. Growth and Morphological Responses of Four Helopyhte Species in an Experimental Water-Depth Gradient. Aquatic Botany 54:11–24.
- Council of Fresno County Governments. 2004 (March). Fresno Regional Traffic Monitoring Report: 1998 – 2002. Fresno, California.
- CRA. See California Resources Agency.
- CSSC. See California Seismic Safety Commission.
- Davis, M.A., and K. Thompson. 2000. Eight Ways to Be a Colonizer; Two Ways to Be an Invader: A Proposed Nomenclature Scheme for Invasion Ecology. Bulletin of the Ecological Society of America 81:226–230.
- DFG. See California Department of Fish and Game.

- DOGGR. See California Department of Conservation, Division of Oil, Gas, and Geothermal Resources
- DWR. See California Department of Water Resources.
- EDAW. 2007. Temperance Flat Reservoir Botanical Resources Baseline Report. Prepared for U.S. Department of the Interior, Bureau of Reclamation, and California Department of Water Resources. September.
  - ———. 2008. Potential Future Vegetation Conditions on San Joaquin River (memorandum). November 24. Written by Steve Chainey and sent to Bob Mussetter, Mussetter Engineering.
- EDD. See California Employment Development Department
- Endangered Species Recovery Program (ESRP). 2004. Terrestrial Biological Surveys Supporting the Restoration Planning for the San Joaquin River, California.
  Summary report. Prepared for U.S. Bureau of Reclamation, Fresno, California.
  Prepared by P. Kelly and T. Kucera, California State University, Stanislaus, California. May 7.
  - 2006. Draft Valley Elderberry Longhorn Beetle Surveys, San Joaquin River, 2004–2005. Prepared for U.S. Bureau of Reclamation, Fresno, California. Prepared by T. Kucera, G. Basso, S. Phillips, and P. Kelly, California State University, Stanislaus, California. November 6.
- ESRP. See Endangered Species Recovery Program.
- FAA. See Federal Aviation Administration.
- Federal Aviation Administration (FAA). 2007. Advisory Circular 150.5200-33B: Hazardous Wildlife Attractant on or Near Airports. August 8. Available at <www.faa.gov/airports\_airtraffic/airports/resources/advisory\_circulars/media/150 -5200-33B/150\_5200\_33b.pdf>.
- Federal Transit Administration (FTA). 2006. Transit Noise and Vibration Impact Assessment. Washington, DC. May.
- Feyrer, F., M.L. Nobriga, and T.R. Sommer. 2007. Multidecadal trends for three declining fish species: habitat patterns and mechanisms in the San Francisco Estuary, California, USA. Canadian Journal of Fisheries and Aquatic Sciences 64: 723-734.
- Forrest, Kim. Wildlife Refuge Manager, U.S. Fish and Wildlife Service. 2009. Personal communication March 11.

Fresno County. 2000. Fresno County General Plan. 2000. Fresno, California. October 3.

——. 2009. Parks and Reservation Information webpage. Available at <http://www2.co.fresno.ca.us/4510/4360/Parks/parksresvinfo.htm>. Accessed February 2009.

- Fresno County Fire Protection District. 2009. Operations Division. Available at <a href="http://fresnocountyfire.org/OperationsBureau-i-26-26-s-main.html">http://fresnocountyfire.org/OperationsBureau-i-26-26-s-main.html</a>. Accessed January.
- Fresno County Sheriff's Department. 2008. Areas. December. Available: <a href="http://www.fresnosheriff.org/Index.htm">http://www.fresnosheriff.org/Index.htm</a> Accessed January 2009.
- Fresno Fire Department. 2009. Suppression and Emergency Response Division. Available at <a href="http://www.fresno.gov/Government/DepartmentDirectory/Fire/FireSuppression/default.htm">http://www.fresno.gov/Government/DepartmentDirectory/Fire/FireSuppression/default.htm</a> Accessed January 2009.
- Fresno Police Department. 2007. Fresno Police Department 2007 Annual Report. Available at <a href="http://www.fresno.gov/NR/rdonlyres/859B8FCF-A0EB-4DD2-AF51-513B9DBEF284/8695/FresnoPD2007AnnualreportVer2.pdf">http://www.fresno.gov/NR/rdonlyres/859B8FCF-A0EB-4DD2-AF51-513B9DBEF284/8695/FresnoPD2007AnnualreportVer2.pdf</a>. Accessed January 2009.
- Friedman, J.M., and G.T. Auble. 1999. Mortality of Riparian Box Elder from Sediment Mobilization and Extended Inundation. Regulated Rivers: Research & Management 15:463–476.
- FTA. See Federal Transit Administration
- Gaines, D. 1974. A New Look at the Nesting Riparian Avifauna of the Sacramento Valley, California. Western Birds 15:61–80.
- Garza, V., P. Graney, and D. Sperling. 1997. University of California, Davis (UC Davis) Institute of Transportation Studies (ITS) Transportation Project-Level Carbon Monoxide Protocol. California Department of Transportation. Davis, California.
- Giovannini, P. 2005. Dissolved oxygen and flow in the Stockton Ship Channel in Fall 2003. IEP Newsletter, 18(1): 14-20.
- Grace, J.B., and J.S. Harrison. 1986. The Biology of Canadian Weeds. 73. Typha latifolia L., Typha angustifolia L. and Typha xglauca Godr. Canadian Journal of Plant Science 66:361–379.
- Grassland Water District. 2001. Land Use and Economics Study, Grasslands Ecological Area, Merced County, California. Available <a href="http://www.traenviro.com/cgwd/geastudy.htm">http://www.traenviro.com/cgwd/geastudy.htm</a>. Accessed March 11, 2009.
- Greiner, T., M. Fish, S. Slater, K. Hieb, J. Budrick, J. DuBois, and D. Contreras. 2007. 2006 fishes annual status and trends report for the San Francisco Estuary. Interagency Ecological Program Newsletter 20: 22-40.

- Hewes, Gordon W. 1941. Reconnaissance of the Central San Joaquin Valley. American Antiquity 7(1): 123-133.
- Hines, Philip. 1988. CA-MAD-98: Excavation of a Prehistoric Site at Millerton Lake State Recreation Area. Report MA-0244 on file, Southern San Joaquin Valley Information Center.
- Intergovernmental Panel on Climate Change (IPCC). 2007. Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the IPCC. Geneva, Switzerland. February.
- IPCC. See Intergovernmental Panel on Climate Change.
- Ireland, R.L. 1986. Land Subsidence in the San Joaquin Valley, California as of 1983, U.S. Geological Survey Water Resources Investigations Report 85-4196.
- Ireland, R.L., J.F. Poland, and F.S. Riley. 1982. Land Subsidence in the San Joaquin Valley as of 1980, U.S. Geological Survey Professional Paper 437-1.
- Jones and Stokes Associates, Inc. 1998a. Historical Riparian Habitat Conditions of the San Joaquin River—Friant Dam to the Merced River. Prepared for Reclamation, Fresno, California. April.
- 2002. Draft San Joaquin River Restoration Plan Background Report.
   Sacramento, California. Prepared for Friant Water Users Group, Lindsay,
   California, and Natural Resources Defense Council. San Francisco, California.
- Karrenberg, S., P.J. Edwards, and J. Kollmann. 2002. The Life History of Salicaceae Living in Active Floodplains. Freshwater Biology 47:733–748.
- Keddy, P.A. 2000. Wetland Ecology: Principles and Conservation. Cambridge University Press. New York, New York.
- Kohler, Susan. 2006. California non-fuel minerals 2006. California Geological Survey.
- Kozlowski, T.T, P.J. Kramer, and S.G. Pallardy. 1991. The Physiological Ecology of Woody Plants. Academic Press. San Diego, California.
- Madera County. 1995. General Plan Policy Document Adopted October 24, 1995. Madera, California.
  - ------. 2008. Madera County General Plan. Available at <a href="http://www.madera-county.com/rma/planningdept/planning\_dept\_docs.html">http://www.madera-county.com/rma/planningdept/planning\_dept\_docs.html</a>.

- Madera County Fire Department. 2008 (December). Fire Prevention and Suppression.. Available at <a href="http://www.madera-county.com/firedepartment">http://www.madera-county.com/firedepartment</a>>. Accessed January 2009.
- Madera County Sheriff's Department. 2008. Sheriff's Department. April. Available at <a href="http://www.madera-county.com/sheriff/index.html">http://www.madera-county.com/sheriff/index.html</a>. Accessed January 2009.
- Madera County Transportation Commission. 2007 (September). Madera County Traffic Monitoring Program 2007 Traffic Volumes Report. Prepared by TPG Consulting.
- Mahoney, J.M., and S.B. Rood. 1998. Streamflow Requirements for Cottonwood Seedling Recruitment: An Integrative Model. Wetlands 18:634–645.
- McBain and Trush (eds). 2002. San Joaquin River Restoration Study Background Report. Prepared for Friant Water Users Authority and Natural Resources Defense Council.
- McEwan, D. 2001. Central Valley steelhead. Pages 1 44 in R. L. Brown, editor. Contributions to the biology of Central Valley salmonids. Fish Bulletin No.179. California Department of Fish and Game. Sacramento, California.
- Merced County. 2000. Merced County General Plan. Merced County, California. Merced, California.
- . 2007. Merced County General Plan Public Review Draft Background Report. June. Available at <a href="http://www.co.merced.ca.us/index.asp?NID=1170">http://www.co.merced.ca.us/index.asp?NID=1170</a>>. Accessed January 2.
- Merced County Association of Governments. 2007. 2007 Regional Transportation Plan for Merced County. Adopted May 17, 2007. Merced County, California. Merced, California.
- Mesick, C. 2001. The effects of San Joaquin River Flows and Delta export rates during October on the number of adult San Joaquin Chinook salmon that stray. Contributions to the Biology of Central Valley Salmonids, Volume 2. Fish Bulletin 179: 139-161.
- Michailides, T. J. 2009. Personal Communication, February 28 2009, Themis J.
  Michailides, Plant Pathologist, University of California Kearney Agricultural Center, Parlier, California. Cited in: San Joaquin River Resource Management Coalition (RMC) 2009, Comments on the Draft Environmental Assessment/Proposed Finding of No Significant Impact under NEPA and Notice of Availability and Intent to Adopt an Initial Study/Draft Mitigated Negative Declaration under CEQA for the Water Year 2010 Interim Flows Project, Dated June 3, 2009, Submitted by the San Joaquin River Resource Management Coalition, San Joaquin River Exchange Contractors Water Authority, and Respective Members. Los Banos, California.

- Michailides, T. J., D. P. Morgan, and Z. Ma. 2003. New Findings on Band Canker of Almond Caused by Botryospheria dothidea. UC Plant Protection Quarterly 14(3):1–6.
- Micke, W. C. (Tech. Ed.). 1996. Almond Production Manual. Publication 3364. Division of Agriculture and Natural Resources, University of California, Oakland, California.
- Mintier and Associates. 2007. Merced County General Plan Background Report.
- Mitchell, D.F. 1982. Effects of Water Level Fluctuation on Reproduction of Largemouth Bass, Micropterus Salmoides, at Millerton Lake, California, in 1973. California Department of Fish and Game 68(2): 68-77.
- Mitten, H.T., R.A. LeBlanc, and G.L. Bertoldi. 1970. Geology, Hydrology, and Quality of Water in the Madera Area, San Joaquin Valley, California. U.S. Geological Survey Water Resources Division Open-File Report. 49 pp.
- Moss, Richard M. 2002. Opportunities and Constraints Analysis Report, Refuge Flow Delivery Study (Pilot Flows below Sack Dam on the San Joaquin River). Prepared for Friant Water Users Authority and Natural Resources Defense Council.
- Moyle, P.B. 2002. Inland Fishes of California. Revised edition. University of California Press, Berkeley, California.
- Moyle, P.B., R.D. Baxter, T. Sommer, T.C. Foin, and S.A. Matern. 2004. Biology and population dynamics of Sacramento splittail (*Pogonichthys macrolepidotus*) in the San Francisco Estuary: a review. San Francisco Estuary and Watershed Science (online serial). Vol. 2, Issue 2, Article 3. May. Available at <a href="http://repositories.cdlib.org/jmie/sfews/vol2/iss2/art3">http://repositories.cdlib.org/jmie/sfews/vol2/iss2/art3</a>.
- Mussetter Engineering, Inc. 2000a. Hydraulic and Sediment Continuity Modeling of the San Joaquin River From Mendota Dam to the Merced River. Prepared for the U.S. Department of the Interior, Bureau of Reclamation, Contract No. 98-CP-20-2080.
  - —.2000b. Hydraulic and Sediment Continuity Modeling of the San Joaquin River From Friant Dam to Mendota Dam. Prepared for the United States Department of the Interior, Bureau of Reclamation, Contract No. 98-CP-20-20060.

National Marine fisheries Service (NMFS). 2009. OCAP Biological Opinion. June.

NMFS. See National Marine fisheries Service.

Nobriga, M.L., F. Feyrer, R. Baxter, and M. Chotkowski. 2005. Fish community ecology in an altered river delta: species composition, life history strategies and biomass. Estuaries 28:776-785.
- Nobriga, M.L., T.R. Sommer, F. Feyrer, and K. Fleming. 2008. Long-term trends in summertime habitat suitability for Delta smelt (*Hypomesus transpacificus*). San Francisco Estuary and Watershed Science. Vol. 6, Issue 1, Article 1. February.
- Ogawa, J. M. and H. English. 1991. Diseases of Temperate Zone Tree Fruit and Nut Crops. Publication 3345. Division of Agriculture and Natural Resources, University of California, Oakland, California.
- Page, R.W. 1986. Geology of the Fresh Groundwater Basin of the Central Valley, California, with Texture maps and sections, U.S. Geological Survey Professional Paper 1401-C. 54 pp.
- Reclamation. See U.S. Department of the Interior, Bureau of Reclamation.
- Reclamation and DWR. *See* U.S. Department of the Interior, Bureau of Reclamation, and California Department of Water Resources.
- Reclamation and State Parks. *See* U.S. Department of the Interior, Bureau of Reclamation, and California Department of Parks and Recreation.
- RMC. See Resources Management Coalition.
- Resources Management Coalition (RMC). 2003. Upper San Joaquin River Conceptual Restoration Phase 1 Planning Document. August.
- ———. 2005. Upper San Joaquin River Conceptual Restoration Plan Phase 2 Report. December.
- ———. 2007. San Joaquin River Settlement Agreement and Legislation Appraisal Report.
- RWQCB. See Central Valley Regional Water Quality Control Board.
- Saiki, M.K. 1984. Environmental Conditions and Fish Faunas in Low Elevation Rivers on the Irrigated San Joaquin Valley floor, California. California Fish and Game 70: 145-157.
- Salinas, Julio. Staff toxicologist. Office of Health Hazard Assessment, Sacramento, California. August 3, 2004—telephone conversation with Kurt Legleiter of EDAW regarding exposure period for determining heath risk.
- San Francisco Bay RWQCB 2003. 2002 Clean Water Act Section 303(d) List of Water Quality Limited Segments. July 25. Available at < http://www.waterboards.ca.gov/water\_issues/programs/tmdl/303d\_lists.shtml>. Accessed April 7 2009.

San Joaquin River Conservancy (SJRC). 2000. Recompiled San Joaquin River Parkway Master Plan. Adopted July 20, 2000. Available at <a href="http://www.riverparkway.org/pdf/SJRCMASTERPLAN.pdf">http://www.riverparkway.org/pdf/SJRCMASTERPLAN.pdf</a>>. Accessed October 2007.

San Joaquin River Group Authority (SJRGA). 1998. The San Joaquin River Agreement.

- ——. 2001. Annual Technical Report: On implementation and Monitoring of the San Joaquin River Agreement and the Vernalis Adaptive Management Plan.
- ———. 2002. Annual Technical Report: On implementation and Monitoring of the San Joaquin River Agreement and the Vernalis Adaptive Management Plan.
- ———. 2003. Annual Technical Report: On implementation and Monitoring of the San Joaquin River Agreement and the Vernalis Adaptive Management Plan.
- ------. 2004. Annual Technical Report: On implementation and Monitoring of the San Joaquin River Agreement and the Vernalis Adaptive Management Plan.
- ------. 2005. Annual Technical Report: On implementation and Monitoring of the San Joaquin River Agreement and the Vernalis Adaptive Management Plan.
- ——. 2006. Annual Technical Report: On implementation and Monitoring of the San Joaquin River Agreement and the Vernalis Adaptive Management Plan.
- ------. 2007. Annual Technical Report: On implementation and Monitoring of the San Joaquin River Agreement and the Vernalis Adaptive Management Plan.
- ------. 2008. Annual Technical Report: On implementation and Monitoring of the San Joaquin River Agreement and the Vernalis Adaptive Management Plan.
  - ——. 2009. Annual Technical Report: On implementation and Monitoring of the San Joaquin River Agreement and the Vernalis Adaptive Management Plan.
- San Joaquin River Restoration Program (SJRRP). 2007a. Public Scoping Report, San Joaquin Restoration Program. December.
- . 2007b. Public Involvement/Public Outreach Plan. May.
- 2008a. Draft Technical Memorandum: Monitoring Plan for Physical Parameters.
  Prepared for United States Bureau of Reclamation, Mid-Pacific Region.
  http://www.restoresjr.net/program\_library/03-Tech\_Memoranda/index.html
- ------. 2008b. Operation Guidelines for Implementing Restoration Flows Draft Technical Memorandum. April.
- San Joaquin Valley Air Pollution Control District (SJVAPCD). 2002. Guide for Assessing and Mitigating Air Quality Impacts. Fresno, California. January.

------. 2008a. EPA finds District (SJVAPCD) in attainment for major pollutant. Available at <a href="http://www.valleyair.org/index.htm">http://www.valleyair.org/index.htm</a>. Accessed February 2008.

------. 2008b. Ambient Air Quality Standards & Valley Attainment Status. Available at <a href="http://www.valleyair.org/aqinfo/attainment.htm">http://www.valleyair.org/aqinfo/attainment.htm</a>. Accessed February 2008.

- Schmidt, K.D. 2005. Expert Report of Dr. Kenneth D. Schmidt on Potential Impacts of Reduced Friant Water Deliveries on Groundwater. August.
- Simberloff, D., D.C. Schmitz, and T.C. Brown. 1997. Strangers in Paradise: Impact and Management of Non-Indigenous Species in Florida. Island Press. Washington, D.C.
- SJRC. See San Joaquin River Conservancy.
- SJRGA. See San Joaquin River Group Authority.
- SJRRP. See San Joaquin River Restoration Program.
- SJVAPCD. See San Joaquin Valley Air Pollution Control District.
- Soil Survey Staff, Natural Resources Conservation Service (NRCS), U.S. Department of Agriculture. 2008. Web Soil Survey. Available at <a href="http://websoilsurvey.nrcs.usda.gov">http://websoilsurvey.nrcs.usda.gov</a>. Accessed April 30, 2008.

Stanislaus County. Stanislaus County General Plan. 1994.

——. 2009a. Parks and Recreation Department, River and Fishing Access brochure. Available at <http://www.co.stanislaus.ca.us/ER/Parks/pdf/RiverFishingAccesses.pdf>.

Accessed February 2009.

— 2009b. Parks and Recreation Department, Community Parks brochure. Available at <a href="http://www.co.stanislaus.ca.us/ER/Parks/pdf/community-parks-brochure.pdf">http://www.co.stanislaus.ca.us/ER/Parks/pdf/community-parks-brochure.pdf</a>>. Accessed February 2009.

State Parks. See California Department of Parks and Recreation.

State Water Resources Control Board (SWRCB). 1995. Water Quality Control Plan.

—. 2008. Geotracker. Results of electronic records search. Sacramento, California. Available at <a href="http://geotracker.swrcb.ca.gov">http://geotracker.swrcb.ca.gov</a>. Last updated 2008. Accessed January 2009.

Steele, Al. Engineering Geologist, California Department of Water Resources, San Joaquin District. 2008. Personal communication – February 27.

- Stefani, Rose. 2008. Natural resources specialist. U.S. Department of the Interior, Bureau of Reclamation, Sacramento, California. October 3, 2008—e-mail message to Gerrit Platenkamp of EDAW, regarding preliminary results of 2008 invasive plant mapping effort.
- Stillwater Sciences. 2003. Draft Restoration Strategies Report. Prepared for Friant Water Users Authority and Natural Resources Defense Council.
- ———. 2007. The Merced River Alliance Project: Interim Biological Monitoring and Assessment Report. Berkeley, California.
- SWRCB. See State Water Resources Control Board.
- The Nature Conservancy (TNC). 2001. Section 7E, Glyphosate. Weed Control Methods Handbook: Tools &Techniques for Use in Natural Areas. November. Available at <http://www.invasive.org/gist/products/handbook/14.Glyphosate.pdf>. Accessed March 5, 2009.
- . 2003. Section 5, Guidelines for Herbicide Use. June. Weed Control Methods Handbook: Tools & Techniques for Use in Natural Areas. Available at <a href="http://www.invasive.org/gist/products/handbook/07.HerbicideGuidelines.pdf">http://www.invasive.org/gist/products/handbook/07.HerbicideGuidelines.pdf</a>>. Accessed March 5, 2009.
  - ———. 2004. Section 7H, Imazapyr. Weed Control Methods Handbook: Tools & Techniques for Use in Natural Areas. June. Available at < http://www.invasive.org/gist/products/handbook/17.Imazapyr.pdf >. Accessed March 5, 2009.
- Theodoratus, Dorothea J., and Jay Crain. 1962. Reconnaissance Survey of Millerton Lake State Park. Report FR-0741 (MA-0117). On file, Central California Information Center, California State University, Stanislaus. Turlock, California.
- TNC. See The Nature Conservancy.
- Upper San Joaquin River Water and Power Authority (USJRWPA). 1982. Exhibit E: Environmental Report for the Granite Hydroelectric Project, Federal Energy Regulatory Commission License Application (FERC Project 2906-CA). Prepared by Ecological Analysts, Inc., Concord, California, for Tudor Engineering Company, San Francisco, California. February.
- USACE. See U.S. Army Corps of Engineers.
- U.S. Army Corps of Engineers (USACE). 1955. Report on Reservoir Regulation for Flood Control, Friant Dam and Millerton Lake, San Joaquin River, California. Revised August 1980. December.
- ------. 1993. San Joaquin River Mainstem, California Reconnaissance Report. Sacramento District, South Pacific Division. Sacramento, California.

——. 1999. Sacramento and San Joaquin River Basins Comprehensive Study, Phase I Documentation Report. Sacramento District. March.

U.S. Census Bureau. 2000. Decennial Census of Population – Summary File 1 (SF1) and Summary File 3 (SF3) Datasets. Available at <www.census.gov>.

-. 2007. Census 2000 Gateway Internet Site: Fact Sheet, Fresno City, California. Available at <a href="http://factfinder.census.gov/home/saff/main.html?\_lang=en>">http://factfinder.census.gov/home/saff/main.html?\_lang=en>"

- USAD. See U.S. Department of Agriculture.
- U.S. Department of Agriculture (USDA). 2006. Federal Noxious Weed List. June 30. Available at < http://www.aphis.usda.gov/plant\_health/plant\_pest\_info/weeds/downloads/weedli st2006.pdf >.
  - —.2007. California State and County Data. Volume 1. Geographic Area Series.
    Part 5. Issued February 2009.
- U.S. Department of the Interior, Bureau of Reclamation (Reclamation). 1997. Central Valley Project Improvement Act, Draft Programmatic Environmental Impact Statement. September.
- ———. 2003. Upper San Joaquin River Basin Storage Investigation, Phase 1 Investigation Report. Mid-Pacific Region. Sacramento, California. October.
- \_\_\_\_\_. 2007. Report of Operations. Central Valley Operations Office. December.
- ———. 2008. Biological Assessment on the Continued Long-term Operations of the Central Valley Project and the State Water Project. Sacramento, California. August.
- U.S. Department of the Interior, Bureau of Reclamation, and California Department of Parks and Recreation (Reclamation and State Parks). 2005. Millerton Lake State Recreation Area Joint Resources Management Plan and General Plan. Unpublished draft. Oakland, California.
  - ——. 2008. Millerton Lake Draft Resource Management Plan/General Plan Environmental Impact Statement/Environmental Impact Statement. Available <a href="http://www.parks.ca.gov/?page\_id=25488">http://www.parks.ca.gov/?page\_id=25488</a>>. Accessed March 11, 2009.
- U.S. Department of the Interior, Bureau of Reclamation, and California Department of Water Resources (Reclamation and DWR). 2005. Upper San Joaquin River Basin Storage Investigation, Initial Alternatives Information Report. Sacramento, California. In coordination with CALFED Bay – Delta Program. June.

- U.S. Environmental Protection Agency (USEPA). 2003. EPA Region 10 Guidance for Pacific Northwest State and Tribal Temperature Water Quality Standards.EPA 910-B-03-002.
- 2008. EnviroMapper StoreFront. Results of electronic records search.
  Washington, D.C. Available at <a href="http://www.epa.gov/enviro/html/em">http://www.epa.gov/enviro/html/em</a>. Last updated 2008. Accessed January 2009.
- USEPA. See U.S. Environmental Protection Agency
- U.S. Fish and Wildlife Service (USFWS). 1998. Recovery Plan for Upland Species of the San Joaquin Valley, California. Portland, Oregon.
- . 2006. Federal Register/Vol. 71, No.120/Thursday, June 22, 2006/Notices.
- -------. 2007. San Luis National Wildlife Refuge Complex Web site. Available at <a href="http://www.fws.gov/sanluis/sanluis\_info.htm">http://www.fws.gov/sanluis/sanluis\_info.htm</a>. Accessed October 2007.
- . 2008a. San Luis National Wildlife Refuge Complex. Available at <a href="http://www.fws.gov/sanluis/sanluis\_info.htm">http://www.fws.gov/sanluis/sanluis\_info.htm</a>. Last updated March 31, 2008. Accessed March 31, 2008.
- . 2008b. Long-Term Operations Biological Opinion. December.

— 2009. Federal Endangered and Threatened Species That Occur in or May Be Affected by Projects in the Counties and/or U.S.G.S. 7 1/2 Minute Quads You Requested (Arena, Biola, Bliss Ranch, Delta Ranch, Firebaugh, Firebaugh Northeast, Fresno North, Friant, Gravelly Ford, Gregg, Gustine, Herndon, Lanes Bridge, Mendota Dam, Millerton Lake West, Newman, Oxalis, Poso Farm, San Luis Ranch, Sandy Mush, Santa Rita Bridge, Stevinson, Tranquility, and Turner Ranch 7-<sup>1</sup>/<sub>2</sub> minute Quads). Updated December 24, 2008.

USFWS. See U.S. Fish and Wildlife Service.

- U.S. Geological Survey (USGS). 2001. Nonindigenous Species Information Bulletin: Asian clam, *Corbicula fluminea* (Müller, 1774) (Mollusca: Corbiculidae). (#2001-001.) Gainsville, Florida. Available at <a href="http://cars.er.usgs.gov/corbicula4.pdf">http://cars.er.usgs.gov/corbicula4.pdf</a>-Last updated May 5, 2001.
- -------. 2007. The San Francisco Bay and Delta an estuary undergoing change. Available at <a href="http://sfbay.wr.usgs.gov/general\_factsheets/change.html">http://sfbay.wr.usgs.gov/general\_factsheets/change.html</a>.
- ———. 2008. USGS Real-Time Water Data For the Nation. Available at < <u>http://waterdata.usgs.gov/nwis/rt</u>>. Accessed June 2008.

USGS. See U.S. Geological Survey.

USJRWPA. See Upper San Joaquin River Water and Power Authority.

- Vaghti, M.G., and S.E. Greco. 2007. Riparian Vegetation of the Great Valley. Pages 425– 455 in M. G. Barbour, T. Keeler-Wolf, and A. A. Schoenherr (eds.), Terrestrial Vegetation of California. University of California Press. Berkeley, California.
- Wang, J.C.S. 1986. Fishes of the Sacramento-San Joaquin Estuary and Adjacent Waters, California: a Guide to the Early Life Histories. (FS/10-4ATR86-9.) California Department of Water Resources. Sacramento, California. Prepared for Interagency Ecological Study Program for the Sacramento-San Joaquin Estuary, Sacramento, California.
- Warszawski, M. 2007. Area Has Just About Everything to Offer: Folks Can Camp, Hunt, Fish, Hike and Ride Bikes at the San Joaquin River Gorge. The Fresno Bee. January 31. Available at <a href="http://www.accessmylibrary.com/coms2/summary\_0286-29439708\_ITM">http://www.accessmylibrary.com/coms2/summary\_0286-29439708\_ITM</a> Accessed March 24 2008.
- Westlands Water District. 1995. Conveyance of Nonproject Groundwater from the Mendota Pool Area Using the California Aqueduct, Draft Environmental Impact Report, Westlands Water District, 303 p.
- Westlands Water District. 2009. Crop Characteristics. Available at http://www.westlandswater.org/wtrcon/handbook/crops/crops.htm. Accessed August 7, 2009.
- Williamson, A.K., D.E. Prudic, and L.A. Swain. 1989. Groundwater Flow in the Central Valley, California, U.S. Geological Survey Professional Paper 1401-D. 127 pp.
- Yoshiyama, R.M., F.W. Fisher, and P.B. Moyle. 1998. Historical Abundance and Decline of Chinook Salmon in the Central Valley Region of California. North American Journal of Fisheries Management 18: 487-521.
- Zhu, Y., W.C. Hinds, S. Kim, and S. Shen. 2002. Study of Ultrafine Particles Near a Major Highway with Heavy-Duty Diesel Traffic. *Atmospheric Environment* 36:4323-4335.
- Zimmerman, C.E., G.W. Edwards, and K. Perry. 2008. Maternal origin and migratory history of *Oncorhynchus mykiss* captured in rivers of the Central Valley, California. Final Report prepared for the California Department of Fish and Game. Contract PO385300.

This page left blank intentionally.