

# Index

## A

- abandoned mines, 13
- absorption, 87, 88, 195, 203, 205
- abutment contact slopes, 331
- abutment pads, 339
- accelerometers, 77
- acoustic
  - beams, 61
  - borehole imaging device, 61, 62
  - caliper, 75
  - energy, 57, 61, 91
  - energy (seismic waves), 57
  - imaging, 63, 64
  - imaging device, 64
  - logging, 19, 57, 58
  - logging devices, 57, 58
  - signal, 91
  - transducer, 74, 75
  - velocity devices, 61
  - velocity logger, 56
  - waves, 61
- active remote sensing, 90
- adjusting the blow control, 382
- adobe charge, 241, 264
- aerial photography, 85, 90, 92, 198
- aggregate, 184, 188, 203, 207, 240, 334, 335, 431
- air injection method, 166, 167
- air jetting, 332
- air/water jet, 348
- air-powered venturi pipe, 348
- alkali sensitive aggregates, reactive, 334, 335
- alteration of minerals, 195
- alternate delays, 233
- aluminum foil wrapping, 415
- American Society of Testing and Materials, 353
- amplitude-modulated devices, 58
- ANFO (ammonium nitrate/fuel oil mixture), 226
- angled cut, 239, 243, 244, 245, 247, 249

## FIELD MANUAL

angular-shaped rocks nested together, 189  
anti-spoofing, 442, 446, 447  
aperture, 67, 73  
apparent  
    attenuation, 66  
    resistance, 42  
    resistivity, 9, 45  
appraisal stage investigations, 435  
aquaclude delineation, 11  
aquifer, 2, 11, 108, 111, 115, 116, 166, 168, 171-173,  
    306, 308, 309,  
aquifer tests, 111, 116, 306, 309  
archaeological investigations, 14, 18, 19  
arch dam sites, 339, 340  
arching, 321  
arrival times, 31, 55, 60, 64, 66  
artesian conditions, 304, 313, 363  
artificial abutment, 340  
ASTM D 1586, 377  
ASTM D-5778, 397  
ASTM D 3550, 353  
atmospheric delay, 444-446  
atmospheric spectral features, 88  
automated spooling winch, 383  
automated water level monitoring system, 317  
automatic data logger, 167  
automatic hammer, 371, 373, 380, 382, 383, 385, 387  
axial dipole array, 11

## B

backfill concrete, 340, 342, 343, 347  
backflow, 104  
background potentials, 15, 16  
backhoe, 183, 348  
ball check housing, 364

## INDEX

- bar magnet, 17
- Barite, 363
- barring, 332, 348
- basement complex, 17
- basket type catcher, 378
- Becker Drills, Ltd. model AP-1000, 389
- Becker Penetration Test (BPT), 351
- bedding, riprap, 183, 190, 195
- bedding planes, 114, 210, 215, 254, 325, 333
- bedrock
  - delineation studies, 11
  - depths, 18
  - topography, 14
- Begemann friction cones, 395
- bench blasting, 219, 227, 233
- bench floor, 217
- benches, 234, 235, 257, 298, 330
- bentonite, 315, 338, 361-363, 369
- BIPS analysis, 73
- blanket grouting, 329
- blast and processing testing, 199
- blast hole size, 218, 221, 223
- blast tests, 199
- blasthole cutoffs, 217
- blasting procedures, techniques, 192, 207, 209, 218, 233, 253, 254, 259, 261, 264, 325, 331
- blotting with soil, 348
- blow count rate, 371, 372
- blow counts, 111, 306, 371, 375, 383, 388, 391
- blowout, 302, 313
- boils, 302
- bond, 325, 326, 328, 329, 334
- bonding of fill to concrete, 335
- borehole
  - caliper log, surveys, 74
  - deviation, 75
  - diameter, 49, 52, 57, 61, 74

## FIELD MANUAL

- effects, 74
- electric logs, 38
- film camera probe, 73
- film camera systems, 69
- fluid, 38, 39, 42, 45, 52, 57, 61, 77, 78, 81
  - acoustic velocity, 57
  - temperature, 77
- gravity log, 74, 78
- gravity logger, meter, 78, 79, 80
- imaging, 56, 61-63
  - device, 56, 61, 62
  - velocity devices, 56
- mapping, 69
- peculiarities, 38
- permeabilities, 112
- spacing (distance), 65
- television systems, 69
- temperature log, 74
- wireline surveying, 37
- bounce chamber, 390, 391
- bounce-chamber pressure, 390, 391
- bound water, 41
- boundary definition of thick strata, 45
- Bouwer slug test, 168
- box cut, 239
- brooming, 332, 336
- buckling of smaller AW rods, 384
- bulk and shear moduli, 60
- bulk density, 49, 51-53, 78, 80, 290
  - log, 52
- bulk density/porosity logging methods, 80
- bulk-loaded charges, 226
- burden-to-charge diameter ratio, 211
- buried
  - channels, 5, 333
  - manmade objects, 15
  - metallic waste, 14

## INDEX

pipelines, 14, 16, 18, 21  
stream channels, 13  
burning powder train, 237  
bypass line, 361, 362, 365, 367

## C

calcium chloride, 363  
calculated permeability values, 100, 114  
calibration  
chambers, 404  
for hole diameter, 52  
pits, 49  
caliper, 52, 61, 74-76  
caliper log, 52, 74  
camera, 32, 67-73, 75, 85, 395, 413  
canals (and distribution systems), 16, 431, 435, 437  
canyon profile for a damsite, 344  
capillary  
fringe, 115  
rise, 327  
system, 15, 16  
zone, 110, 175  
CAPWAP, 392  
carburizing, 377  
care of samples, 431  
cased boreholes, 37, 49, 50, 55  
casing advancer method, 369  
casing advancer systems, 385  
cat head, 353  
cathodic protection, 1, 10, 11, 21  
cavities, 15, 56, 62, 63, 66, 67, 69, 210, 211, 302,  
330, 332  
cement, 77, 96, 184, 206, 321, 325, 334, 335, 348  
cementation, 66, 74, 176, 195, 204, 206  
centrifugal mixer, 335

## FIELD MANUAL

- channels, 5, 13, 84, 87, 188, 325, 330, 333, 448
- channels in rock surfaces, 325
- cheese cloth, 415-417
- chemical and biologic
  - content of water, 316
  - quality of water discharged, 312
- chemical concentration cells, 15
- Cherenkov
  - light, 55
  - photons, 55
- chronology of dewatering, 319
- claims, 306, 312, 433, 436, 437
- clay plug, 257
- cleanout bit, 359
- cleanup procedures, 332
- clock errors, 440, 444, 445, 457, 458, 460
- closed-end diesel pile hammer, 390
- CME automatic hammer, 382
- coefficient of storage, 108
- cofferdams, 303, 304
- cold protection, 412
- collar distance, 222, 228-231, 271
- color of the borehole wall, 67
- commercial
  - quarry or pit deposits, 201
  - sources, 196
- compaction, 66, 140, 153, 321, 322, 326-329, 336, 337, 348, 389, 417
  - techniques, 329
- compass/clinometer, 68, 71
- compressed air or water cleaning (air jetting), 323, 332
- compression fracturing of core, 409
- compression packers, 118
- compressional
  - energy, 57
  - (P) wave velocity, 5
  - wave oscillations, 57

## INDEX

- wave velocities, 3, 5, 61
- waves, 5, 6, 57
- concrete, 66, 67, 69, 203, 207, 302, 313, 321, 323-325, 329-331, 333-343, 345-349, 351, 431
  - backfill, 342, 346
  - backfilled cutoff shafts, 346
  - cracking, 334, 335
  - grout caps, 323
  - joints, 69
  - modulus, 340
- conductive fluid in the borehole, 47
- conductivity, 13, 14, 32, 78, 107, 110, 132, 134, 146, 147, 317, 395
- cone tip resistance, 395
- connectivity, 96-98
- cone tip resistance, 395
- construction
  - specifications, 206, 306
  - traffic, 326
- contact log, 46
- contacts of rock or soil against concrete, 67
- contaminant plumes, 10, 14
- continuity of geologic strata, 38
- continuity of the bedding, 38
- continuous acoustic velocity (sonic) logger, 57
- continuously recorded hydrofracture/jacking test, 104
- contour blasting, 257
- contrasting lithologies, 63
- contractor compliance, 319
- contractual negotiations, 437
- control segment, 439, 446, 456-458, 460
- controlled blasting techniques, 233, 253, 254, 259, 325
- conventional flowmeters, 81
- conventionally excavated (drill-blast) tunnel, 106
- core
  - box, 411, 412, 413, 415, 416, 420-423, 434, 435, 437, 438

## FIELD MANUAL

- contact area, 336
- contact criteria, 322
- drilling, 199, 202
- materials, 329, 338
- storage facilities, 433
- core/foundation contact, 326, 338
- coring, 202, 377, 387
- corner cut, 239
- cornish cuts, 244
- correlate strata, 41, 45, 48, 51
- corrosion, 21, 302
- CPT, 351, 358, 363, 387, 388, 395, 397-401, 403, 405-407
- crack potential, 321
- cracks in the foundation, 325, 329, 335, 338
- cross-hole
  - geophones, 64
  - seismic tomography, 66
  - test(s), 64, 65
- crowd-out plugged bit, 390
- crown sheaves, 381, 382
- crypto keys, 447
- curing compound, 333, 335
- curve shapes, 45
- cushion blasting, 233, 259-262, 272-274
- cushion holes, 261, 273
- cushioning material, 416, 420
- cutoff
  - depths, 342, 346
  - facilities, 303
  - shafts, 342, 346
  - trench(s), 322, 327
  - wall, 323
- cutoffs, 217, 235-237, 274, 299, 300
- cylindrical and cube samples, 417-419



## INDEX

### D

- daily drill report, 423
- dam foundation, 95, 98, 106, 350
- dam height, 106
- damp sawdust, 419
- damsite foundation permeabilities, 96
- deck charge, 215, 230, 231
- deck of inert stemming material, 213
- deformation, 340-342, 345, 346, 357, 359
  - moduli, 340, 341, 345
- degree of compaction, 66
- delay
  - interval, 222
  - pattern, 210, 251, 252, 276
- delineating thin strata, 45
- densities of materials in the Earth, 18
- density
  - contrasts, 18, 19
  - logger, 49, 78
  - logging device, 51
- dental
  - concrete, 321, 324, 325, 330, 331, 333-338, 345
    - fillets, 334
  - treatment, 340, 341, 344-346
    - concrete, 341
  - work, 343, 347
- depth
  - of geologic materials, 38
  - of investigation, 11, 14, 47
  - of investigation for the microlog, 47
  - of penetration, 45
- design data, 304-306, 351, 431
  - collection program, 304
- Design Standards No. 13, Embankment Dams, 358
- detecting cavities, 15

## FIELD MANUAL

- determination, 18, 41, 52, 119, 133, 191, 203, 408, 417
  - of lithologies from SP logs, 41
  - of physical properties, 38, 203
  - of the relationship between weight and size, 191
  - of volumetric water content, 52
- detonating cord, 236, 242, 255, 272, 274-277, 282, 284,  
connectors, 236
- deviation surveys, 6, 65, 288, 297
- dewatering, 96, 198, 299, 300, 302-306, 309, 312,  
314-320
  - design, 306
  - facilities, 299, 304, 314-316
  - wells, 306
- diesel pile-driving hammer, 387
- differential GPS (DGPS), 449
- differential
  - movement, 343, 347
  - settlement, 324, 330, 331
- digital processing, 84, 87
- dilution, 302, 444, 450, 451, 462
  - factor, 450
  - of precision (DOP), 444
- direct (non-refracted) arrivals, 64
- directional
  - detectors, 64
  - surveys, 74, 75
- discontinuity (discontinuities), 20, 56, 62, 63, 67, 69, 71,  
190, 194-196, 200, 203, 204, 330, 340, 341, 345
- disk-type meter, 126, 141
- disks, 326, 418, 428
- disturbed zone, 106
- dispersive clays, 338
- dispersive
  - embankment materials, 327
  - material(s), 338
  - soil, 338
- dispersivity tests, 338

## INDEX

- disposal guidelines, 431
- disposing of samples, 432
- ditches, 198, 299
- double packers, 119
- down-hole probe, 67, 69
- drag force, 189
- drainage trenches, 323
- draining, 300, 302
  - surrounding surface water and groundwater, 302
- drawdown with time, 308
- draw cut, 243
- drill hole deviation surveys, 6
- drill jumbos, 244
- drill rod energy ratio, 356, 379
- drilling
  - fluid loss, 67
  - mud, 38, 39, 361, 362, 364, 372
  - mudcake, 45
- drive cap, 367
- drive shoe, 153
- driving friction, 392, 393
- drop pipe, 162-165
- drummy rock, 348
- dry boreholes, 47
- dual frequency receivers, 460
- durability tests, 204, 205
- durable rock types, 190
- dynamic elastic properties of rock, 60
- dynamites, 226, 227, 285, 294
- D-6067, 397

## E

- earthquake
  - design analysis, 8
  - liquefaction, 375

## FIELD MANUAL

- Earth's magnetic field, 80
- effective porosity, 50, 56, 61, 108, 308
- effects
  - of bed thickness, 45
  - of mud cake, 52
  - of traffic, 9
    - on sensitive equipment, 9
- EHE, 452-454
- electric
  - log, 37, 38
  - log correlation, 38
  - sounder (M-scope), 315
- electrical
  - current, 9, 26, 32, 77, 292, 293
  - field, 9
  - properties, 2, 10, 11, 13, 37, 38
  - resistivity, 1, 2, 9-11, 13
  - surveys, 38, 45
- electrode(s), 9-11, 23, 33, 37, 41, 43-45, 47
  - array, 11, 13, 42, 45
  - spacing, 10, 11, 43, 45
- electrolyte, 16
- electromagnetic (EM)
  - conductivity, 13, 14
    - profiling surveys, 10, 13, 14
  - induction, 13
  - radiation, 84
  - spectrum, 84, 86
  - surveying, 13
  - wave propagation, 13
- electromagnetically induced telluric, 16
  - (large scale flow in the earth's crust) currents, 16
- electron density, 51, 445
- electro-filtration, 16
- electro-mechanical pulse, 57
- embankment, 183, 188, 321-329, 333, 338, 349,  
350, 358

## INDEX

- embankment layer (lift), 326
- embankment zones, 321
- energy
  - losses in rods, 379
  - transfer effects, 387
- energy/count plot, 55
- EPE, 453-455, 461
- erodible
  - foundation materials, 322
  - nonplastic materials, 338
- erosion, 90, 183, 291, 307, 329, 330, 338
  - channels, 330
- erosional history, 96
- erosive
  - action of water, 189
  - water forces, 191
- erosion-resistant plastic materials, 338
- ETE, 455, 456, 461
- evaluating
  - an existing source, 197
  - subsurface conditions, 197
- excavated slopes, 302, 312
- excavating, 192, 200, 266, 321-323, 338
- excavation, 96, 211, 213-215, 217, 220, 229, 253, 254,  
257, 259, 260, 272, 280-282, 286, 289, 297, 299,  
300, 302, 303, 307, 313, 323, 329-333, 339-343,  
345, 347
- existing quarries, 197, 206
- expandable packers, 418, 426
- exploration program(s), 4, 17, 95, 99, 304, 306

## F

- fabricated well screens, 118
- falling head test(s), 112, 118, 120, 162
- false-color infrared images, 85

## FIELD MANUAL

- fault(s), 5, 23, 85, 96, 205, 210, 321, 330, 340-342, 344-347
  - investigations, 4
  - studies, 10, 14
- feasibility stage, 198, 200, 435
- feathering (edges), 334, 336, 337
- feathering of the earthfill lift, 337
- feeder canals, 437
- field
  - laboratory testing, 436
  - spectra, 88
  - spectrometer, 88
  - surface reconnaissance, 198
- fill material, 326, 328, 331
- fillet steep slopes, 325, 333
- film, 67, 69-73, 75, 83-85, 176, 412, 415, 417, 419, 427
- film-recording cameras, 67
- filter(s), 25, 85, 189, 322, 327-329, 331
  - criteria, 327
  - pack, 167
  - zone(s), 328, 338
- first lift, 326-328
- fishtail-type drag bit, 361
- flap valves, 368
- flooding, 302, 303
- flow in fractures, 103
- flow nets, 319, 342, 346
- flowing sands, 365
- flowmeter(s), 74, 81, 111
  - log, 74, 81
- fluff, 348
- fluid
  - content, 41, 53
  - density, 51, 78
  - flow, 81
  - temperature logging device, 77
  - velocity, 57

## INDEX

- fluid-filled borehole, 57, 64
- fluxgate compass, 77
- focused
  - device, 47
  - logs, 45
- focused-current, or guard, resistivity device, 43, 45
- foliation, 195, 205, 210, 215, 217
- FOM, 454, 455
- forced cooling, 343, 347
- Foremost Mobile Drilling Company hammer, 383
- formation water resistivities, 41
- foundation
  - and abutment excavations, 342, 346
  - contact surfaces, 328
  - data, 305
  - depth, 303
  - materials, 322, 326, 327, 332, 334, 335
  - modulus, 340
  - strength, 351
  - studies, 4
  - surface, 321, 322, 326, 329-331, 336, 337, 344
- fracture(s), 60, 62, 74, 78, 81, 97, 98, 100, 103, 106, 107, 113, 114, 120, 137-139, 190, 192, 199, 207, 236, 239, 260, 303, 321, 330, 332
  - changes, 96
  - orientations, 98
  - zones, 66
- fracturing, 66, 98, 104, 115, 190, 205, 229, 231, 278, 321, 335, 370, 409
  - the fill, 335
- fragmentation, 9, 206, 209, 212-214, 218-222, 226, 227, 230, 232, 234-236, 239, 241, 242, 249, 250, 278
- free face, 209, 218, 219, 223, 225, 226, 231, 235, 239, 243, 246, 251, 273, 276, 278, 282, 287, 294, 297

## FIELD MANUAL

- freeze-thaw
  - deterioration, 204
  - durability testing, 204
  - testing, 204, 205
- freezing, 195, 204, 299, 339, 343, 382, 420-422, 424, 426, 428, 434
- French satellite, 89
- frequency
  - (number per foot of borehole) of discontinuities, 67
- fresh water, 13, 39, 41
  - sands, 41
- friction
  - loss, 105, 115
  - ratio, Fr, 400
  - sleeve, 397, 398
- frozen rope, 382
- fs, 171, 400
- full column loading, 261
- fully penetrating wells, 173

## G

- gabions, 189
- gamma
  - radiation, 49-52
  - ray(s), 49, 50-52, 55, 61
- gamma borehole, 111
  - logging techniques, 37, 38, 47, 56, 78, 111
- gamma ray
  - count, 50, 52
  - detector, 50, 55
  - energy, 55
  - logs, 50
- gamma-gamma
  - density log(s), 49, 50



## INDEX

- density logger, 78
  - logs, 51, 52
- gelatin dynamite, 263, 280
- geologic photogrammetry, 85
- geologic structure, 31, 60, 100, 114, 209, 238
- Geometric Dilution of Precision (GDOP), 444
- geometric distortions, 86
- geophones, 20, 27, 32, 34, 64
- geophysical
  - surveys, 1-3, 14, 16, 56
  - tomography, 66
- geotechnical
  - exploration, 37
  - investigations, 1-3, 5, 8, 15-18, 38, 48, 56, 351
- geothermal
  - applications, 16
  - areas, 16
  - exploration, 4, 13
  - investigations, 11
- glacial or alluvial deposits, 189
- Global Positioning System (GPS), 91, 439-450, 452-455, 457, 458, 460-463
- GPR, 14
- gradation requirements, 205, 206
- grading for riprap, 192
- grain density, 18, 51
- graphite, 15
- gravel
  - deposits, 10, 14
  - sumps, 348
- gravimeter, 26, 78
- gravity
  - anomalies, 18, 80
  - effect, 18
  - meter, 78, 79
  - meter density, 78

## FIELD MANUAL

- permeability test, 112, 142, 147, 153, 157
- values, 80
- grizzly, 192
- ground
  - conditions, 95, 399
  - failure, 318
  - roll, 7, 34
  - support, 257, 300
  - surface electrode, 42
- groundwater
  - aquifers, 18
  - geophysics, 13
  - investigations, 11, 14
  - levels, 308, 312-315, 318
    - in excavations, 300, 313
  - maps, 198
  - monitoring, 313, 314
  - monitoring instrumentation, 313, 314
  - occurrence, 303
  - quality investigations, 55
  - withdrawal, 318
- ground-truth, 3
- grout
  - cap, 323
  - injection, 104, 114
  - nipples, 323
  - pipes, 335, 348
  - potential, 97
  - program, 95
  - travel, 98
- groutability, 95-98
- grouting, 19, 69, 95, 98, 99, 105, 106, 299, 300, 323,  
329, 335
  - depth, 106
  - in rock, 300
  - in tunnels, 106

## INDEX

- operations, 19, 69
- pressures, 98
- guard arrays, 47
- gyratory crushers, 194
- gyroscope, 77
- gyroscopic sensors, 77

## H

- hammer drop
  - friction, 379
  - height, 379, 382
- hammer type, 379
- hammers, 379
  - (casing type) hammers, 379
- hand
  - cleaning, 348
  - compaction, 328
  - tamper(tampering), 328, 336
  - tighten each joint, 384
- Harder-Seed method, 390, 391, 393
- harrows, 326
- haul distance, 197, 198
- hauling, 184, 205, 206, 208, 214, 220, 222, 223
- HAV-180 rig, 391
- hazardous materials (chemicals), 14, 275, 304, 315, 424
- hazardous waste studies (investigations), 10, 14, 17, 431
- HDOP, 444, 450-453, 457
- headache ball, 241, 276
- heading round, 243, 246, 248, 291
- heat pulse flowmeter, 81
- heavy grain detonating cord, 255
- high resolution seismic reflection, 5
- high-energy neutrinos, 55
- high-frequency acoustic energy, 61

## FIELD MANUAL

- hole wandering, 234
- hollow
  - AW drill rod, 381
  - guide rod safety hammer, 381
- hollow-stem, 356, 359, 360, 364-366, 372
  - augers (HSAs), 364, 365, 377, 385
- horizontal
  - displacement, 318
  - permeability, 111, 174
  - plane, 71, 452, 453
- hydraulic
  - conductivity, 107
  - excavator, 323, 348
  - fracturing, 321, 370
  - models, 98
  - wedging device, 241
- hydrofracture tests, 104
- hydrofractured rock, 100
- hydrofracturing, 98, 100, 104, 114
- hydrogen atoms (nuclei), 52
- hydrologic studies, 50
- hyperspectral data, 88
- hydrographs, 309, 319

## I

- igneous rock, 194
- Ilmenite additives, 363
- Imhoff cone, 316
- impact anvil, 356, 371, 379
- impeller-type meter, 126, 141
- impervious materials, 322
- impervious zone(s), 323, 324, 331, 336, 356
  - foundation contact, 323
- inclined core, 321
- inclinometer, 398

## INDEX

inert stemming materials, 213  
infiltration, 307  
inflatable (straddle) packers, 118, 119, 162  
initial lift, 328, 337  
inspection control, 206, 207  
investigations during the design stage, 199  
ionosphere, 445, 446, 460  
irregular rock surfaces, 328

### J

jacking, 97, 98, 100, 104, 114, 127, 335, 397, 399  
    tests, 100  
jetting and driving, 147  
joint  
    mortar, 325  
    sets, 210, 214, 340

### K

kerf, 246, 247, 282

### L

Landsat, 83, 89, 90  
lateral, 1, 10, 13, 16, 24, 43-45, 47, 303, 308  
    array (resistivity), 43, 44  
    array spacing, 43  
    device(s), 43, 45  
    logs, 45  
lava tubes, 302  
layer velocities, 4  
leakage paths, 16  
leather cups, 118  
left-hand polarized, 449

## FIELD MANUAL

- lifts, 328, 329, 336-338, 343, 347
- lime, 328, 338, 339
- line drilling, 254, 255, 257, 272, 282, 325
- linear features, 63
- lining design, 96
- liquefaction, 351, 356, 358, 359, 362, 375-378, 381, 383, 385, 388, 389, 394, 406-408
  - evaluation(s), 351, 362, 376, 378, 381, 389, 406
  - resistance, 356, 389, 406-408
  - resistance evaluations, 356
  - triggering, 406
- lithologic contacts, 60, 66
- lithology, 38, 39, 41, 48, 53, 74, 96
- litigation, 312
- load cells, 397, 398
- local differential base station, 463
- location
  - map of the core and samples, 435
  - of drill hole core, 438
  - of stratigraphic contacts, 67
- logging tools, 37, 49, 55
- long-normal, 43, 45
- loss of fines, 303
- low
  - permeabilities, 108, 302
  - plasticity, 338, 339
- low-alkali cement, 334, 335
- Lugeon value, 100

## M

- machine stripping, 348
- machine-bored tunnel, 106
- magnetic
  - features, 17
  - log, 74, 80

## INDEX

- materials, 17, 28
- north, 62
- surveys, 2, 13, 17, 18
- susceptibility, 80
- material properties for static and dynamic stress analysis, 65
- mechanical
  - breakdown, 195
  - calipers, 74, 75
  - penetrometers, 395
- metal expandable packers, 418
- methods for obtaining size and weight data, 191
- Michigan cuts, 244
- microlog, 46, 47
  - electrode spacings, 47
  - sonde, 47
  - survey, 47
- microsurvey, 46
- microwave bands, 84
- military GPS, 462
- millisecond delays, 235, 250
- mineral
  - composition, 38
  - deposits, 15, 16
  - exploration, 13, 17
  - textures, 67
- mineralogy, 38, 192, 194, 204, 405
- minilog, 47
- model input parameters, 99
- monitoring
  - during construction, 313
  - leakage, 17
  - of water control parameters, 312
  - well design, 317
  - wells, 116, 315, 317
- mortar, 295, 325, 335, 336, 338, 344
- movement by water, 189

## FIELD MANUAL

ms delays, 232, 233, 236  
MSS, 86, 89  
mud cake, 47, 52  
mud pumps, 121  
mud slab, 333  
mudcap, 241  
multiple  
    aquifers, 107  
    electrode arrays, 42, 43  
    pressure tests, 127, 136, 137  
multiple-arm calipers, 74  
multiple-electrode resistivity  
    arrays, 45  
    sonde, 38  
multispectral photographs, 85  
multi-beam sonar, 91  
multi-beam systems, 91  
muon, 55

## N

N value, 356, 364, 370, 371, 374, 375, 378, 379, 381,  
    385  
NAD27, 463  
NAD83, 463  
natural color images, 85  
natural electrical potential, 15  
natural gamma  
    log, 53  
    logger, 49  
    radiation, 49, 50, 52  
    ray detector, 50  
    ray logging, 61  
    ray logs, 50  
natural potential, 15, 33



## INDEX

- Navigation Satellite Time and Ranging (NAVSTAR), 439
- near infrared wavelengths, 83
- near-infrared spectrum, 85
- neat cement grout, 335
- needle valves, 141
- negative subdrill, 229
- nephelometric turbidity units (NTU), 316
- neutron
  - activation, 55
  - detectors, 52
  - devices (source), 49, 53, 55
  - log(s), 50, 52, 53
  - logger, 49
  - radiation, 52, 53
  - water content log, 49
- new quarry or pit investigation, 197
- Nk, 405
- nonconducting fluids, 47
- nondispersive earthfill (material), 327, 328, 338
- nonerodible embankment materials, 330
- normal
  - array(s), 43, 44
  - devices, 43, 45
  - resistivity arrays, 43
  - spacing devices, 47
- NTU, 316
- nuclear borehole measurements, 49
- nuclear logs, 49, 55
- nuclear radiation logging
  - systems, 49
  - tools, 49

## FIELD MANUAL

### O

- objectives of foundation surface treatment, 329
- observation well(s), 158, 160, 161, 172, 307, 308, 312, 314, 315, 317
- observed gravity, 18
- office responsible for the core or samples, 437
- oil exploration, 4, 7
- open discontinuities, 62, 67
- open holes, 37, 162
- open-ended diesel hammer, 390
- optical logging systems, 67
- optimum
  - drill hole orientations, 100
  - moisture content, 327, 328
- orange smoke, 264
- organic material, 322
- orientation of the drill hole relative to the fractures, 113
- outcrops, 198, 202
- overburden (depth), 98, 100, 114, 199, 202, 286, 321, 323, 358, 361, 375
- overexcavation, 331, 340
- overhangs, 323-325, 330, 331, 333, 334

### P

- packer, 105, 110, 112, 113, 115, 116, 118-120, 126, 128, 130, 138, 164, 165, 309
- packer(s), 74, 105, 115, 118-120, 128, 130, 162, 164, 418, 426
  - seal, 120
  - test(s), 110, 112, 113, 116, 309
- packing material, 189, 418, 421, 428
- pails, 417-419, 428
- panchromatic photography, 85
- parallel hole cuts, 243-245, 253
- partially penetrating wells, 173, 174

## INDEX

- PDA measurement, 392
- PDOP, 444, 445, 451, 452, 462
- peeling, 348
- penetration
  - per blow, 375, 376
  - resistance, 351, 356, 358, 385, 388, 397, 400, 408
- penetrometer, 387, 388, 395, 397, 399
  - tip, 387, 388
- perforated pipe, 140, 315
- performance, 188, 319, 388, 392
  - on existing structures, 189
- performing gradations on the blasted product, 207
- perimeter
  - blasting, 257
  - cracking, 253
  - holes of a blast, 214
- permafrost, 14
- permanent
  - labeling, 438
  - markers, 437
- permeabilities, 45, 95, 96, 99, 108, 111, 112, 114, 115, 147, 302, 306, 307
- permeabilities of strata, 45
- permeability, 39, 95-100, 103, 105, 106, 107-119, 121, 126, 128, 130, 131, 133, 136-139, 142-145, 147-149, 153, 154, 157, 159-161, 163, 164, 166, 168, 170, 171, 174, 177-179, 181, 182, 198, 300, 302, 306-308, 316, 330, 331, 347, 403, 412, 417, 419
  - coefficients, 143
  - of the soil, 306
  - test(s), 97, 112-116, 118, 121, 126, 128, 131, 138, 139, 142, 145, 147, 149, 153, 154, 157, 159, 160, 179, 306, 308

## FIELD MANUAL

- permeable, 38, 39, 41, 47, 81, 96, 106, 120, 137, 138, 150, 164, 307, 347
  - path, 347
  - sand bed, 41
- permeameter, 115, 182
- pervious rock, 106
- petrographic examination, 203, 205
- petroleum
  - exploration, 1, 17, 18
  - traps, 18
- pH, 194, 317
- photographs, 69, 71, 83, 85, 198, 201, 227, 435, 437
- photography, 83, 85, 90, 92, 411, 414
  - frame, 414
- photomultiplier tubes, 55
- physical properties, 2, 37, 38, 81, 203, 205, 340, 356, 431
- piezoelectric transducer, 61
- piezometer(s), 178, 306-308, 314, 315, 362, 363
  - permeability test, 179
- pile-driving analyzer, 392
- pilot bit, 359, 364, 365, 367, 368, 370
  - cutting teeth, 368
  - seat, 368
- pipable material, 342
- pipelines, 16, 18, 21, 67, 295
- pipng, 15, 105, 115, 327, 342, 346
- pit development, 199
- planar discontinuities, 63, 71
- plastic
  - bags, 298, 417, 419
  - material, 329
  - pails, 418, 428
- plasticity, 329, 337-339, 388, 415
- PLGR, 460-462
- PLGR+96 receivers, 460
- PMT, 55

## INDEX

- pneumatic instruments, 315
- pneumatic-tire(d)
  - equipment, 328, 337
  - roller, 328, 329
- points of high stress concentration, 343, 347
- Poisson's ratio, 24
- polar regions, 17
- polymer-enhanced drill fluid, 361
- (poly)urethane foam, 416
- pore
  - fluid content, 41
  - spaces, 9
  - water, 41, 341, 346, 395, 399, 400, 403
  - water stress, 395, 399
    - dissipation measurements, 399
- porosity, 9, 18, 38, 45, 49-53, 56, 61, 66, 67, 78, 80, 107, 108, 117, 192, 194, 195, 300, 302, 308
- porous
  - media, 16
  - permeable zones, 47
  - tube, 315
- position dilution of precision (PDOP), 462
- positive ions, 16
- potassium isotope K40, 50
- potential electrodes, 11, 43-45
- power conduits, 437
- powerplants, 431, 433, 437
- powder factor, 211, 213, 237-239, 251, 283, 289
- PPS accuracy, 447
- precipitation, 300, 303, 308, 317
- Precise Position (Positioning) Service (PPS), 440, 446, 460
- preferred site frequencies, 8
- presentation of information, 184
- preshearing, 255, 289
- presplitting, 254-258, 261, 272, 274, 289

## FIELD MANUAL

pressure

transducer, 130, 131, 162, 167, 398

versus flow curves, 100, 114

principal joint sets, 214

production blast, 256

progressive delays, 233, 234

propagation velocities, 57

protecting and shipping samples, 431

Protection against wetting and drying, 434

protective

filters, 329

outer box, 422

pseudorange, 444, 449

pseudo-random noise (PRN), 442

pump bypass line, 361

pumping caused by construction equipment travel, 327

pyramid cut, 243

pyrotechnic delay elements, 237

P- and S-wave energies, 57

P- and S-waves, 64

P-code, 440-442

P-wave, 56, 60, 66

## R

R95, 453

radar

interferometry, 90

remote sensing, 90

radiation

detector, 47

logging device, 61

logging systems, 49, 50

radioactive

isotopes, 50

## INDEX

- material, 53
  - source (material), 47, 49, 52
- ramping the fill, 329
- rapid freeze-thaw durability evaluation, 203
- real-time viewing, 67
- rebound, 336
- receiver measurement uncertainties, 457
- recharge conditions, 303
- record tests, 436
- rectangular pattern, 223
- reference electrode, 45
- reflectance spectra, 87
- reflected shock wave, 384
- refraction, 2-6, 21, 22, 25-28, 31-33, 35, 57, 64, 66, 201
- refusal rule, 375
- relationship between weight and size, 191
- relative
  - clay content, 49
  - density, 50, 226, 327, 357, 404, 417
- remote sensing, 83, 84, 89-93
  - interpretations, 83
- representative
  - permeabilities, 307
  - samples, 199, 202, 203, 205
- requirements
  - for length of storage, 436
  - for storage of core and samples, 432
- reservoir load, 344
- resistance
  - of a circuit, 41
  - of the conductor, 41
- resistivity, 1, 2, 9-11, 13, 32, 33, 38-48, 77, 395
  - deflection, 41
  - logs, 39, 43, 46, 77
  - measurements, 43
- revertible drilling fluids, 362
- RF Link signals, 439

## FIELD MANUAL

- right-hand polarized, 449
- rippers, 330
- rippability, 4
- riprap, 183-189, 191, 192, 194-197, 199-208, 261, 263,  
291, 298, 431
  - characteristics, 188
  - durability, 194
  - evaluation, production, and placement, 184
  - fragments, 189
  - quality, 188, 189, 199, 203
  - Quality Evaluation Report, 199, 203
  - quarries, 207
  - source(s), 184, 188, 189, 192, 194-196, 202
    - evaluation, 184
    - investigation, 195
- riser and hole diameter, 314
- rock
  - abutments, 328
  - breakage, 9, 200, 239
  - bucket, 192, 323
  - characteristics, 113, 184, 192
  - durability, 195
  - failure criterion, 204
  - foundation(s), 327, 328, 330, 339, 341, 344, 345,  
350
    - surfaces, 328
  - fragments, 183, 187, 189, 190, 192, 195, 203, 204,  
323, 330
- mass
  - design parameters, 97, 114
  - permeability, 97, 98, 113, 114
  - quarries, 189, 194
  - rake, 192, 193
- rockfill dams, 331, 349, 350
- roller, 326, 328, 329, 337
  - passes, 328



## INDEX

rotary

- casing advancers, 369
  - drilling, 356, 361-363, 369, 385, 389
- rounded stone assemblage, 189
- rover data, 463
- rubber-tired roller, 337

## S

SA, 444, 447, 449, 458, 462

Safety Driver, 383

safety

- hammer, 353, 373, 374, 380-382, 385
- of dams analysis, 437

saline water, 15

salinity, 9, 38, 39, 41, 46

- of pore fluids, 46

salt water intrusion, 14

saltwater/fresh water interfaces, 13

sample

- data sheets, 431
- retention (criteria), 431, 434
- selection, 434
- size, 95, 99, 202

sampler

- shoe, 377
- tip, 368

sand

- heave, 362, 363
  - pack, 110, 167, 317, 318
- sanding in (sandlocked), 142, 356
- sand-cement slurry, 335

satellite(s), 83, 89, 90, 215, 230, 231, 263, 317, 318,  
439-452, 456-458, 460-463

- differential correction signal, 463
- vehicle position, 457

## FIELD MANUAL

saturated

low-strength materials, 304

materials, 7, 52, 110, 115

sand, 10, 53

saturation, 38, 53, 66, 204, 325, 327

sawdust, 416, 419, 427

sawed kerf, 246, 247

sawteeth, 330, 333

scarification, 326, 328, 336, 337

scarifying the lift surfaces, 329

schistosity, 199, 205, 206, 210

screen slot size, 317

screening of wells, 322

screens of water wells, 69

sculpture blasting, 257

sealing samples, 415

secondary arrivals, 5

blasting, 214, 220, 229, 241, 242, 292

emission of neutrons and gamma rays, 52

fragmentation, 241, 242

fragmentation techniques, 241

sediment content, 312, 316, 317

seepage, 11, 16, 95-98, 148, 299, 304, 319, 321, 322,  
347, 403

control, 96, 304, 322

evaluation, 95

investigations, 11

potential, 95, 98

quantities, 96

seeps, 302, 348, 349

seismic

anomalies, 65

energy, 26, 28, 29, 35, 56, 66

pulse, 64

P-wave velocity, 66

refraction interpretation, 4

signal, 32, 66

## INDEX

- source, 6, 64
- stability, 325
- surveys, 3, 14, 60
- tomography, 66
- velocities, 6, 56, 57, 60, 61, 64
- wave(s), 6, 25, 27, 30, 31, 32, 34, 57, 64, 288
  - velocities, 64
- Seisviewer, 61
- Selective Availability (SA), 444, 446, 447, 462
- selective quarrying, 196
- self-potential surveys, 2, 11, 15, 16
- sequential timers, 236
- service history of material produced, 202
- settlement during dewatering activities, 318
- settlement of claims, 437
- shaft sinking cut, 239
- shale baseline (line), 38, 39
- shape of individual rock fragments, 189
- shatter cuts, 244
- shaving, 348
- shear wave velocity (velocities), 2, 5, 6, 57, 61, 64, 358
- shear waves, 6, 57
- shell zones, 327
- shipping containers, 420-422, 429
- shop vac, 348
- short normal array, 44
- short rods, 384
- shotcrete, 336
- shotpoint depth, 65
- shrinkage, 338, 342, 343, 347
- Side Scan Sonar (SSS), 91
- side-looking airborne radar (SLAR), 90
- single
  - column charge, 237
  - frequency receivers, 460
  - packer, 110, 119
- single-beam systems, 92

## FIELD MANUAL

- single-electrode array, 45
- single-point array, 43
- single-receiver devices, 57
- siting studies, 1, 4
- slab cut, 243
- slabbing, 259
- slake (slaking), 195, 323, 332, 333, 339, 343, 432
- slashing, 259
- slope
  - failure, 318
  - protection, 184, 187, 188
- sloughing, 139, 326
- slug tests, 112, 118, 166
- slush grout, 321, 325, 330, 335, 336, 338
  - mix, 335
- small-strain dynamic properties, 2
- smooth blasting, 233, 257-259, 272, 274, 294, 325, 331
- sodium sulfate soundness test, 204, 205
- soil
  - cement, 184
  - foundation compaction requirements, 327
  - infiltration data, 307
  - liquefaction criteria, 375
- solar flare(s) activity, 445, 460
- solid steel guide rod, 381
- solution
  - cavities, 56, 63, 66, 67, 210, 211, 302, 330
  - features, 60, 333
- sonde, 37, 38, 43, 45, 47, 49-53, 55-57, 61, 77
  - electrodes, 45
- sonic
  - energy, 56
  - vibrations, 9
- SP log (logging), 38, 41, 43, 50
- SP peak, 41
- space segment, 439

## INDEX

- spacer
  - blocks, 423
  - ring, 371
- spacing-to-burden ratio, 232, 233
- spalling, 194, 343, 347
- special purpose electric logging devices, 46
- specific gravity (gravities), 18, 78, 191, 204, 294, 297
- spectral
  - analyses, 55
  - bands, 87, 88
  - data, 83, 84
  - logging sonde, 55
  - logs, 55
  - ranges, 83
  - resolution, 83, 84, 87, 89
  - signatures, 84
- spectrometers, 84
- spontaneous potential, 15, 33, 38, 41
- spoofing, 441, 442, 446, 447
  - environment, 447
- spray coating, 333
- spring suspension system, 422
- springs, 74, 302, 342, 346, 439
- square drill pattern, 223
- SSGS, 205
- SSSG, 191, 192, 204
- stability requirements, 342, 346
- staggered pattern, 223, 224, 295
- Standard Penetration Test (SPT), 351
- Standard Position Service, 446
- standard surveying methods, 318
- standing water, 328
- standpipe, 165, 315
- Stanley waves, 6
- static
  - pore water pressures, 395
  - water levels, 308

## FIELD MANUAL

- Station Receiver, 449
- statistically significant sample size, 99
- steeply dipping plane, 71
- stemming, 213, 215, 222, 227-230, 239, 257, 260, 263,  
271, 274, 295, 296, 298
- stemming column, 222
- stepped
  - pressure tests (step test), 100, 104, 114
  - surfaces, 321, 324, 331
- stereo imaging, 89
- storage, 107-109, 128, 142, 167, 168, 265, 266, 281, 283,  
289, 295, 300, 307, 409, 410, 414, 415, 418, 420,  
424, 427, 431-436, 438
  - costs, 431
  - facility, 432-434
  - of core, 432, 434
  - periods, 431
- storativity, 108, 307
- stove to melt wax, 427
- straddle packer, 164
- strain gauges, 397
- strata boundaries, 39, 41, 45
- stratum boundary resolution, 45
- stream gravel, 183
- stress
  - anomalies, 321
  - caused by placing earthfill, 335
  - concentrations, 324, 331, 340
  - relief, 96
- strike and dip of planar features (strikes and dips), 63,  
73
- string loaded, 257
- stripping, 322, 325, 348
  - of pervious materials, 325
  - operations, 325
- structural concrete, 334, 336
- Su, 405

## INDEX

- subdrilling requirements, 217
- subsurface cutoffs, 300
- subsurface
  - geologic conditions, 37, 195, 305
  - hydraulic conditions, 303, 305
  - layer resistivities, 38
  - materials, 2, 10, 11, 13, 48, 107, 112, 115
- suitable riprap source, 196
- sulfates, 334, 335
- sulfide, 15
- sump pumps, 315
- sumps, 299, 300, 322, 323, 348
- sunspots, 445
- supplementary dewatering, 300
- surface
  - and subsurface data, 305
  - cracks, 329, 335
    - in the foundation, 329
  - drains, 299
  - electrical surveys, 38, 45
  - saturated dry specific gravity (SSSG), 191
  - water, 299, 300, 302, 303, 307, 309, 312, 318
  - wave(s), 5-8, 27, 34, 57, 60
    - surveying, 8
- survey control, 85, 318
- susceptibility logs, 80
- swelling rock, 103
- swivels, 126
- S-wave, 33, 57, 60, 64, 65
  - arrival, 64
  - cross-hole tests, 65
- Sy method, 390, 392, 393
- synthetic polymers, 362

### T

- talus, 7, 194, 198, 202
  - piles, 198, 202
- Televiwer, 61
- tamped cartridges, 226, 255
- tamping (tamper)
  - feet, 326, 328, 329
  - plug, 257
  - roller(s), 326, 328, 329
  - roller feet, 328
- TDOP, 444, 451
- television cameras, 67
- temperature
  - changes, 426, 434
  - device, 77
  - logging, 77, 78
  - probe, 78
  - variations in the fluid, 77
- temporary
  - labeling, 438
  - storage, 433
- tension zones, 321
- tensioned mechanical arms, 74
- test
  - blasting (blasts), 207, 263, 267, 281, 286, 297
  - grout section, 105
  - pressure(s), 96, 100, 103, 104, 113, 114, 119
  - wells, 110, 133, 134, 306-308
- testing subsurface samples, 197
- TFOM, 455, 456
- theoretical overburden stress, 114
- thermal
  - infrared, 84, 86, 87, 90
  - systems, 86
  - wavelengths, 87
  - properties of materials, 86



## INDEX

- thermistor (thermal resistor), 77
- thick-wall, 353
- thickness of the riprap, 184
- thrust blocks, 339
- tight, impermeable rock, 106
- timbers, 15
- time-varying, low frequency, electromagnetic fields, 13
- top of rock configuration, 19
- topographic maps, 198, 463
- total dissolved solids (TDS), 317
- total porosity, 108
- toxic waste studies, 11
- tracer elements, 50
- tracked equipment, 330
- tracking, 424, 460, 461
- transferring core, 432
- trapped water, 41
- travel times, 57
- trial blasts, 263
- triaxial arrays, 64
- tricone
  - bit, 370
  - rockbit, 361
- trimming, 259
- troposphere, 445, 446, 461
- true orientation (strike and dip), 67
- true P- and S-wave velocities, 65
- true velocities, 64
- tunnel alignments, 95
- tunnel delays, 250
- tunnel studies, 96
- tunnels, 67, 95, 98, 99, 106, 244, 273, 291, 431, 448
- turbidity, 116, 315-317
- turbulent flow, 103, 117, 127
- two-dimensional (2-D) projection, 73

## FIELD MANUAL

### U

- UERE, 456, 457
- ultraviolet radiation, 445
- uncased boreholes, 51
- unconfined compression, 358, 405
- underground blast rounds, 243
- underwater surveys, 91
- undisturbed soil samples, 436
- undrained strength in clays, 358
- uniformity of rock, 195
- unsaturated conductivity coefficient, 132, 146
- unsuitable subgrade, 302
- unsupervised storage, 432
- unwatering (methods), 198, 299, 300, 302, 317
- uplift of constructed features, 302
- URA, 452, 458, 459
- USBR 7020, 397
- user
  - equipment (UE) errors, 456
  - Equivalent Range Error (UERE), 456
  - Range Accuracy (URA), 452, 458
  - segment, 439, 440

### V

- vacuuming, 348
- vadose zone, 112, 115, 306
- vane shear, 358, 405
  - testing, 405
- variable head tests, 170
- variations in fluids, 45
- VDOP, 444, 450-453, 457
- velocity
  - contrast, 11, 66
  - reversal, 5

## INDEX

- vertical
  - electrical soundings, 11
  - hammer device, 64
  - surfaces, 330, 333, 334
- very high resolution mapping of near-surface geology,  
15
- vibration
  - damage, 9
  - levels, 9, 332
  - protection, 412
- vibratory compactors (rollers), 326
- videotaped, 69
- vinylidene chloride, 415, 427
- visible spectrum, 85
- void ratio, 53
- vugs, 63, 78

## W

- WAGE, 460
- wall
  - irregularity (irregularities), 52
  - of a borehole, 37
- washout zones, 74
- wastage, 196, 200, 201
- waste piles, 194
- water
  - action, 189, 205
  - content, 38, 46, 49, 52, 53, 358, 417
  - content (saturation), 38
    - by weight, 53
    - of strata, 46
  - control, 299, 303-306, 309, 312, 317, 319, 322, 347
  - data, 306, 309
  - facilities, 305, 306, 312, 319

## FIELD MANUAL

- investigations, 305, 317
- methods, 322
- energy, 183
- gel columns, 255
- jetting, 332
- level monitoring instrumentation, 313
- meters, 126, 141
- quality, 166, 308, 309, 316-318, 334, 336
  - analyses, 308
- removal, 300, 348
- salinity, 38
- table, 7, 15, 119, 127, 130, 144, 148, 150, 155, 157, 158, 164, 175, 299, 303, 356, 358, 359, 365, 385
- take(s), 96, 103, 105, 113, 127, 136
- test(s), 98, 100, 105, 114
  - calculation, 97
  - data, 96, 106, 113
  - information, 97
  - pressure, 103
  - results, 96, 97, 103
- washing, 332
- watertight riser, 315
- wavelength range, 84
- wavy core surfaces, 409
- wax, 412, 415-419, 427
- waxed wood disks, 418
- weight of the rock fragment, 191
- well(s), 67, 69, 109, 110, 116, 133, 134, 158, 160, 161, 173, 174, 299, 306-308, 312, 314-318, 322
  - collapse, 316
  - point systems, 315, 316
  - points, 322
  - screen(s), 64, 74, 118, 172, 315
- well-graded riprap, 194, 207
- wet
  - and dry density, 53

## INDEX

- foundations, 327
- rope, 382
- whipping, 384
- Wide Area GPS Enhancement (WAGE), 460
- wireline (wire line), 370
  - acoustic/seismic logging systems, 56
  - devices, 73
  - electrical systems, 42
  - nuclear radiation systems, 49
  - packers, 105, 115
- wood shipping containers, 422
- workability and nesting of the rock assemblage, 189

## Y

- Young's modulus, 24