

LITERATURE CITED

- Adolf, S.L. 1998. Distribution, productivity, and habitat use by interior least terns and piping plovers on the Niobrara River in northern Nebraska, 1996-1997. M.S. Thesis, South Dakota State University, Brookings.
- Akin, P.D., C.R. Murray, and C.V. Thesis. 1946. Five groundwater investigations for U.S. Army airfield near Fort Sumner, New Mexico. Pages 293-322 *in* Sixteenth and Seventeenth Biennial Reports of the State Engineer of New Mexico, Santa Fe.
- Allan, J.D. 1995. Stream ecology: structure and function of running waters. Chapman and Hall. New York.
- Allen, G.T. and S.H. Blackford. 1997. Arsenic, mercury, selenium and organochlorine compounds in interior least tern eggs in the Northern Plains States, 1992-1994. Contaminant Report R6/515M/97. U.S. Fish and Wildlife Service, Manhattan, Kansas. 48 pp.
- American Ornithologists' Union. 1957. Checklist of North American birds. Fifth edition. Baltimore, American Ornithologists' Union. 691 pp.
- American Ornithologists' Union. 1983. Checklist of North American birds. Sixth edition. American Ornithologists Union, Lawrence, Kansas. 877 pp.
- Anderson, D.P. 1990. Immunological indicators: effects of environmental stress on immune protection and disease outbreaks. Pages 38-50 *in* S. M. Adams (editor) Biological Indicators of Stress in Fish. American Fisheries Symposium 8. Bethesda, Maryland.
- Anderson, E.A. 1983. Nesting productivity of the interior least tern in Illinois. Unpublished report, Cooperative Wildlife Research Laboratory, Southern Illinois University, Carbondale, Illinois. 19 pp.
- Anderson, R. 1971. Nesting least terns. Audubon Bulletin 160:1718.
- Angradi, T.R. 1997. Hydrologic context and macroinvertebrate community response to floods in an Appalachian headwater stream. American Midland Naturalist 138:371-386.
- Anonymous. 1987. Endangered, threatened, and watch lists of vertebrates of Texas. Texas Organization for Endangered Species. Publication 4.
- Armbruster, M.J. 1986. A review of habitat criteria for least terns and piping plovers using the Platte River. Unpublished report. National Ecology Research Center, U.S. Fish and Wildlife Service, Fort Collins, Colorado.

- Ashworth, J.B. 1990. Evaluation of ground-water resources in parts of Loving, Pecos, Reeves, Ward, and Winkler Counties, Texas. Texas Water Development Board, Report 317. 50 pp.
- Bacon, L.M. 1996. Nesting ecology of the interior least tern on the Yellowstone River, Montana. M.S. Thesis, Montana State University, Bozeman.
- Balleau, W.P., Wolford, R.A., Romero, D.M., and S.E. Silver. 1999. Source-Water Protection Zones for Bitter Lake National Wildlife Refuge. U.S. Fish and Wildlife Service, Branch of Water Resources, Albuquerque, New Mexico.
- Barton, B. A., C.B. Schreck, and L.A. Sigismondi. 1986. Multiple acute disturbances evoke cumulative physiological stress responses in juvenile chinook salmon. Transactions of the American Fisheries Society 115:245-251.
- Bent, A. C. 1921. Life histories of North American gulls and terns. U.S. National Museum Bulletin 113:270-279.
- Bestgen, K.R., S.P. Platania, J.E. Brooks, and D.L. Propst. 1989. Dispersal and life history traits of *Notropis girardi* (Cypriniformes: Cyprinidae), introduced into the Pecos River, New Mexico. American Midland Naturalist 122:228-235.
- Bestgen, K.R. and S.P. Platania. 1990. Extirpation of *Notropis simus simus* (Cope) and *Notropis orca* Woolman (Pisces: Cyprinidae) from the Rio Grande in New Mexico, with notes on their life history. Occasional Papers of the Museum of Southwestern Biology 6:1-8.
- Bottrell, C.E., R.H. Ingersol, and R.W. Jones. 1964. Notes on the embryology, early development, and behavior of *Hybopsis aestivalis tetranemus* (Gilbert). Transactions of the American Microscopical Society 83: 391-399.
- Boulton, A.J., C.G. Peterson, N.B. Grimm, and S.G. Fisher. 1992. Stability of an aquatic macroinvertebrate community in a multiyear hydrologic disturbance regime. Ecology 73:2192-2207.
- Boyd, R.L. 1987. Habitat management and population ecology studies of the least tern in Kansas. Kansas Fish and Game Commission. Unpublished report.
- Brooks, J.E., S.P. Platania, and D.L. Propst. 1991. Effects of Pecos River reservoir operation on the distribution and status of Pecos bluntnose shiner (*Notropis simus pecosensis*): preliminary findings. Report to U.S. Fish and Wildlife Service and U.S. Bureau of Reclamation, Albuquerque, New Mexico. 14 pp.

- Brooks, J.E., M.R. Brown, and N.L. Allan. 1994. Pecos River fishery investigations: fish community structure, habitat use and water quality as a response to reservoir operations. 1992 Annual Report. Submitted to the U.S. Bureau of Reclamation, Albuquerque Projects Office. 60 pp.
- Brooks, J.E. and N.L. Allan. 1995. Pecos River fishery investigations: fish community structure and habitat use and availability as a response to reservoir operations. 1993 Annual Report. Submitted to the U.S. Bureau of Reclamation, Albuquerque Projects Office. 31 pp.
- Burger, J. 1981. Effects of human disturbance on colonial species, particularly gulls. *Colonial Waterbirds* 4:28-36.
- Burger, J. 1984. Colony stability in least terns. *Condor* 86:61-67.
- Burroughs, R.D., ed. 1961. The natural history of the Lewis and Clark expedition. Michigan State University Press. 340 pp.
- Campbell, L.S. 1958. Basic survey and inventory of species present in the Pecos River of Texas. Fisheries Investigations and Surveys of the Waters of Region 3-B, Dingell-Johnson Project F-5-R-5, job B-13. 31 pp.
- Chapman, D.W. and T.C. Bjornn. 1969. Distribution of salmonids in streams, with special reference to food and feeding. Pages 153-176 in T.G. Northcote (ed.). Symposium on salmon and trout in streams. Institute of Fisheries, University of British Columbia, Vancouver.
- Chase, C. and C. Loeffler. 1978. Arkansas valley shorebird inventory. Colorado Division of Wildlife.
- Chernoff, B., R.R. Miller, and C.R. Gilbert. 1982. *Notropis orca* and *Notropis simus*, cyprinid fishes from the American Southwest, with description of a new subspecies. *Occ. Papers Mus. Zool., Univ. Michigan* No. 698. 49 pp.
- Collier, M., R.H. Webb, and J.C. Schmidt. 1996. Dams and rivers, a primer on the downstream effects of dams. U.S. Geological Survey, Circular 1126:94 pp.
- Cope, E.D. and H.C. Yarrow. 1875. Report upon the collections of fishes made in portions of Nevada, Utah, California, Colorado, New Mexico, and Arizona during the years 1871, 1872, 1873, and 1874. Chapter 6, pages 635-703 in United States Army Engineers Department Report, in charge of George M. Wheeler. Geography and Geology of the Explorations and Surveys west of the 100th meridian, 5, 1-1021.

- Coues, E. 1874. Birds of the northwest: a handbook of the ornithology of the region drained by the Missouri River and its tributaries. U. S. Geological Survey of the Territories, Miscellaneous publication number 3. 791 pp.
- Cross, F.B. 1967. Handbook of fishes of Kansas. Museum of Natural History, University of Kansas, Lawrence. 355 pp.
- Cross, F.B., R.E. Moss, and J.T. Collins. 1985. Assessment of dewatering impacts on stream fisheries in the Arkansas and Cimarron Rivers.
- Currier, P.J., G.R. Lingle, and J.G. VanDerwalker. 1985. Migratory bird habitat on the Platte and North Platte Rivers in Nebraska. Platte River Whooping Crane Critical Habitat Maintenance Trust, Grand Island, Nebraska.
- Davenport, S. 2006a. February 6, 2006, electronic message receive at 3:40 pm.
- Davenport, S. 2006b. March 31, 2006, electronic message receive at 3:40 pm.
- Deacon, J.E., G. Kobetich, J.D. Williams, and S. Contreras. 1979. Fishes of North America endangered, threatened, or of special concern: 1979. Fisheries 4:30-44.
- Dearen, P. 1996. Crossing Rio Pecos. Texas Christian University Press, Fort Worth. 196 pp.
- Del Rosario, R.B. and V.H. Resh. 2000. Invertebrates in intermittent and perennial streams: is the hyporheic zone a refuge from drying? Journal of the North American Benthological Society 19:680-696.
- Department of the Interior. 1989. Review of water quality, sediment, and biota associated with the Fort Sumner and Carlsbad Irrigation Projects, Middle Pecos River area, New Mexico. A Department of Interior intensive desk evaluation of irrigation drainage. 34 pp.
- Dinsmore, J.J. and S.J. Dinsmore. 1988. Piping plover and least tern population and habitat in western Iowa. Unpublished report. 17 pp.
- Dirks, B.J. 1990. Distribution and productivity of least terns and piping plovers along the Missouri and Cheyenne Rivers in South Dakota. M.S. Thesis, South Dakota State University, Brookings. 64 pp.
- Dirks, B. and K.F. Higgins. 1988. Interior least tern and piping plover surveys, Missouri River, South Dakota. U.S. Fish and Wildlife Service report to the U.S. Army Corps of Engineers, Omaha, Nebraska.
- Donaldson, E.M. 1990. Reproductive indices as measures of the effects of environmental stressors in fish. Pages 109-122 in S. M. Adams (editor) Biological Indicators of Stress in Fish. American Fisheries Symposium 8. Bethesda, Maryland.

- Dryer, M.P., and P. J. Dryer. 1985. Investigations into the population, breeding sites, habitat characteristics, threats, and productivity of the least tern in North Dakota. U. S. Fish and Wildlife Service. Resource information paper number 1. Bismarck, North Dakota. 17 pp.
- Ducey, J.E. 1981. Interior least tern (*Sterna antillarum athalassos*). U.S. Fish and Wildlife Service, Pierre, South Dakota. Unpublished report. 56 pp.
- Ducey, J.E. 1988. Nest scrape characteristics of piping plover and least tern in Nebraska. Nebraska Bird Review 56:42-44.
- Dudley, R.K. and S.P. Platania. 1999. Downstream transport rates of drifting semibuoyant cyprinid eggs and larvae in the Pecos River, NM. DRAFT Reports to U.S. Bureau of Reclamation, Albuquerque. 53 pp.
- Dugger, K.M. 1997. Foraging ecology and reproductive success of least terns nesting on the lower Mississippi River. Ph.D. Dissertation, University of Missouri-Columbia. 137 pp.
- Erwin, R.M. 1983. Interior least tern (*Sterna antillarum athalassos*). Pages 212-226 in J. Armbruster, editor. Impacts of coal surface mining on 25 migratory bird species of high Federal interest. U.S. Fish and Wildlife Service, FWS/OBS-83/35. Washington, D.C. 384pp.
- Eschner, T., R. Hadley, and K. Crowley. 1981. Hydrologic and morphologic changes in the Platte River Basin in Colorado, Wyoming, and Nebraska: a historical perspective. U.S. Geological Survey Open File Report 81-1125. U.S. Geological Survey, Denver, Colorado.
- Etnier, D.A. and W.C. Starnes. 1993. The fishes of Tennessee. University of Tennessee Press, Knoxville. 681 pp.
- Evermann, B.W. and W.C. Kendall. 1894. The fishes of Texas and the Rio Grande Basin, considered chiefly with reference to their geographic distribution. U.S. Fish Commission, Bulletin, 12:57-126, with plates.
- Faanes, C. 1983. Aspects of the nesting ecology of least terns and piping plovers in central Nebraska. Prairie Naturalist 15(4):145-154.
- Fagan, W.F. 2006. Peer review of Pecos bluntnose shiner database and sampling protocol. Final Report to the U.S. Fish and Wildlife Service, Albuquerque, New Mexico.
- Fausch, K.D. 1984. Profitable stream positions for salmonids: relating specific growth rate to net energy gain. Canadian Journal of Zoology 62:441-451.

- Fausch, K.D. and R.J. White. 1981. Competition between brook trout (*Salvelinus fontinalis*) and brown trout (*Salmo trutta*) for positions in a Michigan Stream. *Canadian Journal of Fisheries and Aquatic Science* 38:1220-1227.
- Fiedler, A.G. and S.S. Nye. 1933. Geology and ground-water resources of the Roswell Artesian Basin New Mexico. U.S. Geological Survey, Water-Supply Paper 639. 372 pp. with attachments.
- Fisher, C.A. 1906. Geology and underground waters of the Roswell Artesian area New Mexico. U.S. Geological Survey Water-Supply Paper 158. 29 pp.
- Fisher, S.G. and N.B. Grimm. 1991. Streams and disturbance: are cross-ecosystem comparisons useful? Pages 196-221 in J. Cole, G. Lovett, and S. Findlay (editors). *Comparative Analyses of Ecosystems: Patterns, Mechanisms, and Theories*. Springer-Verlag, New York.
- Fishery Resource Office, U.S. Fish and Wildlife Service. 2006. Electronic message received from the Albuquerque Fishery Resources Office on 2005 Pecos bluntnose shiner data. Received February 28, 2006.
- Freeman, W.B. and J.G. Mathers. 1911. Surface water Supply of the United States; 1910; Part VIII. western Gulf of Mexico. U.S. Geological Survey Water-Supply Paper 288.
- Friedman, J.M., W.R. Osterkamp, M.L. Scott, and G.T. Auble. 1998. Downstream effects of dams on channel geometry and bottom land vegetation: regional patterns in the Great Plains. *Wetlands*. 18:619-633.
- Funk, J.L. and J.W. Robinson. 1974. Changes in the channel of the lower Missouri River and effects on fish and wildlife. Missouri Department of Conservation, Aquatic Series 11, Jefferson City. 52 pp.
- Garn, H.S. 1988. Seasonal changes in ground-water levels in the shallow aquifer near Hagerman and the Pecos River, Chavez County, New Mexico. USGS Open-File Report 88-197.
- Gasith, A. and V.H. Resh. 1999. Streams in Mediterranean climate regions: Abiotic influences and biotic responses to predictable seasonal events. *Annual Review of Ecology and Systematics* 30:51-81.
- Goodrich, L.J. 1982. The effects of disturbance on the reproductive success of the least tern. M.S. Thesis, Rutgers State University, New Brunswick, New Jersey. 100 pp.
- Gray, L.J. and S.G. Fisher. 1981. Postflood recolonization pathways of macroinvertebrates in a lowland Sonoran Desert stream. *American Midland Naturalist* 106:249-257.
- Griffith, J.S., Jr. 1974. Utilization of invertebrate drift by brook trout (*Salvelinus fontinalis*) and cutthroat trout (*Salmo clarki*) in small streams in Idaho. *Transactions of the American*

Fisheries Society 103:440-447.

- Grimm, N.B. and S.G. Fisher. 1989. Stability of periphyton and macroinvertebrates to disturbance by flash floods in a desert stream. *Journal of the North American Benthological Society* 8:293-307.
- Grover, N.C. 1922. Surface water supply of the United States; 1918; Part VIII. Western Gulf of Mexico basins. U.S. Geological Survey Water-Supply Paper 478. 106 pp.
- Grozier, R.U., H.W. Albert, J.F. Blakey, and C.H. Hembree. 1966. Water-delivery and low-flow studies, Pecos River, Texas; quantity and quality, 1964 to 1965. Texas Water Development Board, Austin, TX. 21 pp.
- Hallberg, G.R., J.M. Harbaugh, and P.M. Witinok. 1979. Changes in the channel area of the Missouri River in Iowa, 1879-1976. Iowa Geologic Survey Special Report Series 1. 32 pp.
- Hardy, J.W. 1957. The least tern in the Mississippi River. Publication of the Museum, Michigan State University, Biological Series 1:1-60.
- Harvey, B.C. 1987. Susceptibility of young-of-the-year fishes to downstream displacement by flooding. *Transactions of the American Fisheries Society* 116:851-855.
- Hatch, M.D. 1982. The status of *Notropis simus pecosensis* in the Pecos River of New Mexico, with notes on life history and ecology. New Mexico Department of Game and Fish, Santa Fe, New Mexico.
- Hatch, M.D., W.H. Baltosser, and C.G. Schmitt. 1985. Life history and ecology of the bluntnose shiner (*Notropis simus pecosensis*) in the Pecos River of New Mexico. *The Southwestern Naturalist* 30(4):555-562.
- Hoagstrom, C.W., N. L. Allan, and J. E. Brooks. 1995. Pecos River fishery investigations: fish community structure and habitat use and availability as a response to reservoir operations. 1994 Annual Report to 1995 Annual Report to U. S. Bureau of Reclamation, Albuquerque, New Mexico. 41 pp.
- Hoagstrom, C.W. 1997. Pecos River fishery investigations: fish habitat availability and use; fish community structure in relation to reservoir operation. 1995 Annual Report to U. S. Bureau of Reclamation, Albuquerque, New Mexico. 35 pp.
- Hoagstrom, C.W. 1999. Status of Pecos River, New Mexico fish and habitat with emphasis on Sumner Dam operation and Federal and State threatened Pecos bluntnose shiner (*Notropis simus pecosensis*). Pecos River fishery investigation draft final research report. U.S. Fish and Wildlife Service, Fishery Resources Office, Albuquerque, NM. 357 pp.

- Hoagstrom, C.W. 2000. Status of Pecos River fishes between Sumner Dam and Brantley Reservoir, New Mexico with emphasis on Sumner Dam operation, discharge-flow regime relations, and Federal and State threatened Pecos bluntnose shiner. Draft Report to U.S. Bureau of Reclamation, Albuquerque, New Mexico. 643 pp.
- Hoagstrom, C.W. 2001. Summary of Pecos bluntnose shiner (*Notropis simus pecosensis* Gilbert and Chernoff) population status 1992 to 2001. Draft Report to U.S. Bureau of Reclamation, Albuquerque, New Mexico. 37 pp.
- Hoagstrom, C.W. 2002. Pecos bluntnose shiner depth and velocity preference, Pecos River, New Mexico, 1992 to 1999. Draft Report to U.S. Bureau of Reclamation, Albuquerque, New Mexico. 86 pp.
- Hoagstrom, C.W. 2003. Pecos bluntnose shiner population dynamics and seasonal flow regime, Pecos River, New Mexico. Draft Final report submitted to Bureau of Reclamation February 10, 2003. 148 pp.
- Hoar, W.S. and D.J. Randall. 1969. Fish Physiology, Volume III. Academic Press, New York.
- Hubbs, C.L. and G.P. Cooper. 1936. Minnows of Michigan. Cranbrook Institute of Science, Bulletin No. 8. 84pp.
- Hubbs, C., R.J. Edwards, and G.P. Garrett. 1991. An annotated checklist of the freshwater fishes of Texas, with keys to identification of species. Texas Journal of Science, 43 (supplement). 56 pp.
- Hufstetler, M. and L. Johnson. 1993. Watering the land: the turbulent history of the Carlsbad Irrigation district. National Park Service, Rocky Mountain Region, Division of National Preservation Programs, Denver. 180 pp.
- Huser, G. 1996. Breeding success of least terns and piping plovers in 1995 at the mid-American generating facility near Sioux City. Iowa Bird Life 66: 73-75.
- Jenkins, R.E. and N.M. Burkhead. 1994. Freshwater fishes of Virginia. American Fisheries Society, Bethesda, Maryland.
- Jenks-Jay, N. 1982. Chick shelters decrease avian predation in least terns on the Mississippi Gulf Coast. Mississippi Kite 6(2):25-35.
- Johnson, R. 1987. Least tern survey of the Wabash River, 1987, and evaluation of available habitat. Endangered species progress report E- 1-1. Indiana Department of Natural Resources.

- Johnson, N.K., J.V. Remsen Jr., and C. Cicero. 1998. Refined colorimetry validates endangered subspecies of the Least Tern. *Condor* 100:18-26.
- Kasner, A.C., T.C. Maxwell, and R.D. Slack. 2005. Breeding distributions of selected Charadriiforms (Charadriiformes: Charadriidae, Scolopacidae, Laridae) in Interior Texas. *Texas Journal of Science* 57:1-16.
- Kehmeier, J.W., C.N. Medley, R.A. Valdez, and O.B. Meyers. 2004. Relationships between river discharge, mesohabitat availability, and cyprinid habitat selection in the Pecos River, New Mexico. Prepared for New Mexico Interstate Stream Commission, Santa Fe, New Mexico. September 13, 2004. 65 pp.
- Kirsch, E.M. 1987. Annual Report 1987: Least tern and piping plover on the lower Platte River in Nebraska. Nebraska Game and Parks Commission. Unpublished report.
- Kirsch, E.M. 1988. Annual Report 1988: Least tern and piping plover on the lower Platte River in Nebraska. Nebraska Game and Parks Commission. Unpublished report.
- Kirsch, E.M. 1989. Annual Report 1989: Least tern and piping plover on the lower Platte River in Nebraska. Nebraska Game and Parks Commission. Unpublished report.
- Kirsch, E.M. 1990. Final Report 1990: Least tern and piping plover on the lower Platte River in Nebraska. Nebraska Game and Fish Commission. Unpublished report.
- Kirsch, E.M. and J.G. Sidle. 1999. Status of the interior population of least tern. *Journal of Wildlife Management* 63(2):470-483.
- Klimkiewicz, K.M. and A.G. Fitcher. 1989. Longevity records of North American birds, Supplement 1. *Journal of Field Ornithology* 60: 469-494.
- Kondolf, G.M. 1997. Hungry water: effects of dams and gravel mining on river channels. *Environmental Management* 21:533-551.
- Koster, W.J. 1957. Guide to the fishes of New Mexico. University of New Mexico Press, Albuquerque, New Mexico, U.S.A. 116 pp.
- Lagasse, P.F. 1980. Variable response of the Rio Grande to dam construction. Pages 395-420 in *The Variability of Large Alluvial Rivers*. ASCE Press, New York, New York.
- Lane, E.W. 1934. Retrogression of levels in riverbeds below dams. *Engineering News-Record*, 112: June 28, pp. 836-840.

- Larimore, R.W., W.F. Childers, and C. Heckrotte. 1959. Destruction and re-establishment of stream fish and invertebrates affected by drought. *Transactions American Fisheries Society* 88:261-285.
- Larson, R.D., and D.L. Propst. 2000. Distribution, abundance, and food habits of piscivorous fishes inhabiting the Pecos River between Sumner Dam and Brantley Reservoir, New Mexico. New Mexico Department of Game and Fish. Santa Fe, New Mexico.
- Lawson, L.M. 1925. Effect of Rio Grande storage on river erosion and deposition. *Engineering News-Record* 95:372-376.
- Liles, Charlie A. 2000a. Pacific Decadal Oscillation and New Mexico precipitation. National Weather Service, Albuquerque, New Mexico.
[Http://www.srh.noaa.gov/ABQ/feature/PDO_NM.htm](http://www.srh.noaa.gov/ABQ/feature/PDO_NM.htm) (Viewed 10 January 2003)
- Liles, Charlie A. 2000b. Relationships between the Pacific Decadal Oscillation and New Mexico annual and seasonal precipitation. National Weather Service, Albuquerque, New Mexico.
[Http://www.srh.weather.gov/ABQ/feature/pdo5stdy_new_version_short.pdf](http://www.srh.weather.gov/ABQ/feature/pdo5stdy_new_version_short.pdf) (Viewed 6 February 2003).
- Lingle, R.T. and D. Linford. 1961. The Pecos River Commission of New Mexico and Texas. A report of a decade of progress: 1950-1960. The Rydal Press, Santa Fe, New Mexico. 284 pp.
- Lott, C.A. 2006. Distribution and abundance of the interior population of the Least Tern (*Sterna antillarum*), 2005: A review of the first complete range-wide survey in the context of historic and ongoing monitoring efforts. Dredging Operations and Environmental Research Program Technical Notes Collection, U.S. Army Engineer Research and Development Center, Vicksburg, Mississippi.
- Lyons, J. and T. Randle. 1988. Platte River channel characteristics in the Big Bend Reach. U.S. Bureau of Reclamation, Denver, Colorado.
- Marshall, N. 1947. Studies on the life history and ecology of *Notropis chalybaeus* (Cope). *Journal of the Florida Academy of Sciences* 9:163-188.
- Massey, B.W. 1972. The breeding biology of the California least tern. M.S. Thesis. California State University, Long Beach. 101pp.
- Massey, B.W. 1974. Breeding biology of California least tern. *Proceedings of the Linnaean Society, New York* 72:124.

- Massey, B.W. and J.A. Atwood. 1979. Application of ecological information to habitat management for the California least tern. Progress Report 1, U.S. Fish and Wildlife Service, Laguna Niguel, California.
- Matthews, W.J., K.B. Gido, and E. Marsh-Matthews. 2001. Density-dependent overwinter survival and growth of red shiners from a southwestern river. Transactions of the American Fisheries Society 130:478-488.
- Mayer, P.M., and M.P. Dryer. 1988. Population biology of piping plovers and least terns on the Missouri River in North Dakota and Montana: 1988 field season report. U. S. Fish and Wildlife Service, Bismarck, North Dakota. Unpublished report.
- Mayer, P.M. and M.P. Dryer. 1990. Population biology of piping plovers and least terns on the Missouri River in North Dakota and Montana: 1989 field season report. Unpublished report. U.S. Fish and Wildlife Service, Bismarck, North Dakota.
- McAuliffe, J.R. 1984. Competition for space, disturbance, and the structure of a benthic stream community. Ecology 65:894-908.
- Meffe, G.K. and W.L. Minckley. 1987. Persistence and stability of fish and invertebrate assemblages in a repeatedly disturbed Sonoran Desert stream. The American Midland Naturalist 117:177-191.
- Mendelson, J. 1975. Feeding relationships among species of *Notropis* (Pisces: Cyprinidae) in a Wisconsin stream. Ecological Monographs 45:199-230.
- Miller, R.R., J.D. Williams, and J.E. Williams. 1989. Extinctions of North American fishes during the past century. Fisheries 14:22-38.
- Minckley, W.L. 1963. The ecology of a spring stream, Doe Run, Meade County, Kentucky. Wildlife Monographs. No. 11, 124 pp.
- Molles, M.C. 1985. Recovery of a stream invertebrate community from a flash flood in Tesque Creek, New Mexico. The Southwestern Naturalist 30:279-287.
- Moore, G.A. 1944. Notes on the early life history of *Notropis girardi*. Copeia 1944:209-210.
- Moseley, L.J. 1976. Behavior and communication in the least tern (*Sterna albifrons*). Ph.D. dissertation, University of North Carolina, Chapel Hill. 164 pp.
- Moser, R. 1940. The piping plover and least tern in Omaha. Nebraska Bird Review 8:92-94.

- Mundie, J.H. 1969. Ecological implications of the diet of juvenile coho in streams. Pages 135-152 in T.G. Northcote (ed.). Symposium on salmon and trout in streams. Institute of Fisheries, University of British Columbia, Vancouver.
- National Weather Service. 2003. Hydrologic outlook - January 24, 2003. [Http://www.srh.noaa.gov/data/ABQ/ESF/ABQESFABQ.1.TXT](http://www.srh.noaa.gov/data/ABQ/ESF/ABQESFABQ.1.TXT) (Viewed 6 February 2003).
- Natural Resources Conservation Service. 2006. New Mexico water supply outlook - January 1, 2003. [Ftp://ftp.wcc.nrcs.usda.gov/support/water/basin_outlook/new_mexico/wy2003/bornm1.txt](ftp://ftp.wcc.nrcs.usda.gov/support/water/basin_outlook/new_mexico/wy2003/bornm1.txt) (Viewed 12 April 2006).
- Neck, R.W. and D. H. Riskind. 1981. Direct and indirect human impact on least tern nesting success at Falcon Reservoir, Zapata County, Texas. *Bulletin of the Texas Ornithological Society* 14:27-29.
- Newell, F.H. 1891. Hydrography of the arid regions. Pages 213-336 in *Twelfth Annual Report of the United States Geological Survey to the Secretary of the Interior, 1890-'91; Part II-Irrigation*.
- O'Brien, J.S. and P.J. Currier. 1987. Channel morphology, channel maintenance, and riparian vegetation changes in the Big Bend reach of the Platte River in Nebraska. Unpublished report. 49pp.
- Pearsons, T.N., and H.W. Li. 1992. Influence of habitat complexity on resistance to flooding and resilience of stream fish assemblages. *Transactions of the American Fisheries Society* 121:427-436.
- Platania, S.P. 1993. Pecos bluntnose shiner (*Notropis simus pecosensis*) research; 1992 Annual Progress Report. University of New Mexico in Pecos River Investigations Annual Research Report to U.S. Bureau of Reclamation, Albuquerque, New Mexico. 27 pp.
- Platania, S.P. 1995a. Pecos bluntnose shiner (*Notropis simus pecosensis*) research: larval fish drift studies. 1993 Annual Progress Report. Submitted to the U.S. Bureau of Reclamation, Albuquerque, New Mexico. 12 pp.
- Platania, S. P. 1995b. Distribution, relative abundance, and conservation status of Pecos bluntnose shiner, *Notropis simus pecosensis*. Report to New Mexico Department of Game and Fish, Santa Fe, New Mexico. 32 pp.
- Platania, S. and C. Altenbach. 1998. Reproductive strategies and egg types of seven Rio Grande basin cyprinids. *Copeia* 1998(3): 559-569.

- Poff, N.L. and J.V. Ward. 1989. Implications of streamflow variability and predictability for lotic community structure: a regional analysis of streamflow patterns. *Canadian Journal of Fish and Aquatic Science* 46:1805-1817.
- Polzin, M.L. and Rood, S.B. 2000. Effects of damming and flow stabilization on riparian processes and black cottonwoods along the Kootenay River. *Rivers* 7:221-232.
- Pope, J. 1854. Report of exploration of a route for the Pacific Railroad, near the thirty-second parallel of north latitude, from the Red River to the Rio Grande. *Explorations and Surveys for a Railroad from the Mississippi River to the Pacific Ocean*. War Department. Washington. 50 pp. plus appendices.
- Power, M.E., W.E. Dietrich, and J.C. Finlay. 1996. Dams and downstream aquatic biodiversity: Potential food web consequences of hydrologic and geomorphic change. *Environmental Management* 20:887-895.
- President's Water Resources Policy Commission. 1950. Ten rivers in America's future, No. 4. The Rio Grande. Volume 2, The Report of the President's Water Resources Policy Commission, U.S. Government Printing Office, Washington. 67 pp.
- Propst, D.L. 1999. Threatened and Endangered Fishes of New Mexico. Technical Report No. 1. New Mexico Department of Game and Fish, Santa Fe, New Mexico. 84 pp.
- Prindiville, E.M. 1986. Habitat selection and productivity of piping plovers in central North Dakota. M.S. Thesis, University of Missouri, Columbia.
- Resh, V.H., A.V. Brown, A.P. Covich, M.E. Gurtz, H.W. Li, G.W. Minshall, S.R. Reice, A.L. Sheldon, J.B. Wallace, and R.C. Wissmar. 1988. The role of disturbance in stream ecology. *Journal of the North American Benthological Society* 7:433-455.
- Rumancik, J.P., Jr. 1985. Survey of the interior least tern on the Mississippi River from Cape Girardeau, Missouri, to Greenville, Mississippi, 1985. U.S. Army Corps of Engineers, Memphis District, Memphis, Tennessee. Unpublished report.
- Rumancik, Jr., J. P. 1987. Population survey of the interior least tern on the Mississippi River from Cape Girardeau, Missouri to Greenville, Mississippi, 1987. U. S. Army Corps of Engineers, Memphis District, Memphis, Tennessee. Unpublished report. 22 pp.
- Rumancik, Jr. J. P. 1988. Population survey of the interior least tern on the Mississippi River from Cape Girardeau, Missouri to Greenville, Mississippi, 1988. U.S. Army Corps of Engineers, Memphis District, Memphis, Tennessee. Unpublished report. 25 pp. and appendices.

- Sandheinrich, M.B. and G.J. Atchison. 1986. Environmental effects of dikes and revetments on large riverine systems. Technical Report E86-5. U.S. Army Corps of Engineers, Waterways Experiment Station, Vicksburg, Mississippi.
- Schiemer, F. 1995. Restoration of floodplains – possibilities and constraints. *Archiv für Hydrobiologie* 101:383-398.
- Schreck, C. B. 1990. Physiological, behavioral, and performance indicators of stress. Pages 29-37 in S. M. Adams (editor) *Biological Indicators of Stress in Fish*. American Fisheries Symposium 8. Bethesda, Maryland.
- Schwalbach, M., C. Vandell, and K. Higgins. 1986. Status, distribution, and production of the interior least tern and piping plover along the mainstem Missouri River in South Dakota, 1986. Report number 86-10 to the U.S. Army Corps of Engineers, Missouri River Division, Omaha, Nebraska.
- Schwalbach, M., G. Vandell, and K. Higgins. 1988. Status, distribution, and production of the interior least tern and piping plover along the mainstem Missouri River in South Dakota, 1986-1987. Completion report to the U.S. Army Corps of Engineers, Missouri River Division, Omaha, Nebraska.
- Schweitzer, S.H. and D.M. Leslie, Jr. 1996. Foraging patterns of the least tern (*Sterna antillarum*) in North-central Oklahoma. *Southwestern Naturalist* 41:307-314.
- Shafroth, P. 1999. Downstream effects of dams on riparian vegetation: Bill Williams River, Arizona. Ph.D. Dissertation, Arizona State University.
- Sheldon, F., A.J. Boulton, and J.T. Puckridge. 2002. Conservation value of variable connectivity: aquatic invertebrate assemblages of channel and floodplain habitats of a central Australian arid-zone river, Cooper Creek. *Biological Conservation* 103:13-31.
- Sherrard, J.J. and W.D. Erskine. 1991. Complex response of a sand-bed stream to upstream impoundment. *Regulated Rivers: Research and Management* 6:53-70.
- Shields, F.D. Jr., A. Simon, and L.J. Steffen. 2000. Reservoir effects on downstream river channel migration. *Environmental Conservation* 27:54-66.
- Shomaker, J.W. 1971. Gains and losses in Pecos River between Alamogordo Dam and Acme, New Mexico. U.S. Geological Survey open-file report, 36 pp.
- Shomo, L. 1988. Observations on the interior least tern near Roswell, New Mexico, May-August 1987. New Mexico Department of Game and Fish. Contract number 519-76-01. 22 pp.

- Sidle, J.G. and E.M. Kirsch. 1993. Least tern and piping plover nesting and sand pits in Nebraska. *Colonial Waterbirds* 16:139-148.
- Sidle, J.G., E.D. Miller, and P.J. Currier. 1989. Changing habitats in the Platte River valley of Nebraska. *Prairie Naturalist* 21:91-104.
- Simons, D.B. and E.V. Richardson. 1962. The effect of bed roughness on depth-discharge relations in alluvial channels. U.S. Geological Survey Water-Supply Paper 1498-E. 26 pp.
- Sliger, W.A. 1967. The embryology, egg structure, micropyle and egg membranes of the plains minnow, *Hybognathus placitus* (Girard). M.S. Thesis, Oklahoma State University.
- Smith, J.W. 1985. Improving the status of endangered species in Missouri (interior least tern habitat and nest survey). Missouri Dept. of Conservation endangered species project number SE-01-12. 142 pp.
- Smith, J.W., and N.P. Stucky. 1988. Habitat management for interior least terns: Problems and opportunities in inland waterways. Pages 134-149 in M. C. Landin, Ed. *Inland Waterways: Proceedings national workshop on the beneficial uses of dredged material*. TRD-88-8. U. S. Army Engineers Waterways Experiment Station, Vicksburg, Mississippi.
- Smith, J.W., and R.B. Renken. 1990. Improving the status of endangered species in Missouri: least tern investigations. Final report, Jobs 1 and 2, Missouri Department of Conservation endangered species project SE-01-19.
- Smith, J.W. and R.B. Renken. 1991. Least tern nesting in the Mississippi River Valley adjacent to Missouri. *Journal of Field Ornithology* 62(4):497-504.
- Smith, K.L. and W.M. Shepherd. 1985. A survey of the interior least tern on the Arkansas and White Rivers in Arkansas. Arkansas Natural Heritage Commission. Unpublished report. 5 pp.
- Stanley, E.H. and S.G. Fisher. 1992. Intermittency, disturbance, and stability in stream ecosystems. Pages 271-280 in R.D. Robarts and M.L. Bothwell (editors) *Aquatic ecosystems in semi-arid regions: implications for resource management*. N.H.R.I. Symposium Series 7, Environment Canada, Saskatoon.
- Stanley, E.H., S.G. Fisher, and N.B. Grimm. 1997. Ecosystem expansion and contraction in streams. *BioScience* 47:427-435.
- Starrett, W.C. 1950. Food relationships of the minnows of the Des Moines River Iowa. *Ecology* 31:216-233.

- Stiles, B. 1939. The least tern in Iowa. *Iowa Bird Life* 14:18-21.
- Stinnett, D.P., R.W. Smith, and S.W. Conrady. 1987. Riparian areas of western Oklahoma: A special study of their status, trends, and values. U.S. Fish and Wildlife Service, Tulsa, Oklahoma. Unpublished report. 80 pp.
- Sublette, J.E., M.D. Hatch, and M. Sublette. 1990. *The Fishes of New Mexico*. Univ. New Mexico Press, Albuquerque, New Mexico. 393 pp.
- Summerfelt, R.C. and C.O. Minckley. 1969. Aspects of the life history of the sand shiner, *Notropis stramineus* (Cope), in the Smoky Hill River, Kansas. *Transactions of the American Fisheries Society* 98:444-453.
- Sweet, M.J. 1985. Least tern population survey, 1984. Illinois Dept. of Conservation. Unpublished report.
- Tashjian, P.J. 1993. Channel morphology, reservoir operations, and bluntnose shiner habitat, Pecos River, New Mexico; 1992 Annual Report *in* Pecos River Investigations Annual Report, Bureau of Reclamation, 1993, Albuquerque, New Mexico. 27 pp.
- Tashjian, P.J. 1994. Channel response to flow regimes and habitat diversity under differing flow conditions: Middle Pecos River, New Mexico. 1993 Annual Report. 26 pp.
- Tashjian, P.J. 1995. Channel response to flow regimes and habitat diversity under differing flow conditions: Middle Pecos River, New Mexico *in* Pecos River Investigations Annual Report, Bureau of Reclamation, 1994, Albuquerque, New Mexico. 27 pp.
- Tashjian, P.J. 1997. Channel morphology and bluntnose shiner habitat, Pecos River, New Mexico, 1995 *in* Pecos River Investigations Annual Report, Bureau of Reclamation, Albuquerque, New Mexico. 17 pp.
- Task Force on Bed Forms in Alluvial Channels. 1966. Nomenclature for bed forms in alluvial channels. *Journal of the Hydraulics Division, Proceedings of the American Society of Civil Engineers*. 92:51-64.
- Tetra Tech Inc. 2000. Pecos River Hydrology Report. Draft report submitted to U.S. Bureau of Reclamation. 49 pp.
- Tetra Tech Inc. 2003. Pecos River sediment transport/channel geometry study. Draft report submitted to U.S. Bureau of Reclamation. 17 pp.
- Thomas, H.E. 1959. Causes of depletion of the Pecos River in New Mexico. *Contributions to the Hydrology of the United States, Geological Survey Water Supply Paper 619-G*. U.S. Government Printing Office, Washington D.C., 14 pp.

- Tomkins, I.R. 1959. Life history notes on the least tern. *Wilson Bulletin* 71:313-322.
- U.S. Army Corps of Engineers. 1999. Pecos River, Chaves County, New Mexico: Channel capacity and riparian habitat planning study. Report to Chaves County Flood Control Authority, Roswell, New Mexico, U.S.A. 62 pp. plus appendices.
- U.S. Bureau of Reclamation. 1991. Santa Rosa Lake, Lake Sumner, and Brantley Reservoir water operations, Pecos River, New Mexico. Final Biological Assessment. 58 pp.
- U.S. Bureau of Reclamation. 2002. Biological assessment of proposed Pecos River Dam operations March 1, 2003 through February 28, 2006. 52 pp.
- U.S. Bureau of Reclamation. 2005. Biological assessment of the proposed Carlsbad Project water operations and water supply conservation environmental impact statement. Albuquerque Area Office, Albuquerque, New Mexico. August 2005. 71 pp.
- U.S. Bureau of Reclamation. 2005a. Biological assessment of the proposed Carlsbad Project water operations and water supply conservation environmental impact statement. Albuquerque Area Office, Albuquerque, New Mexico. 84 pp.
- U.S. Bureau of Reclamation. 2005b. Amendment of the biological assessment of the Bureau of Reclamation's proposed Pecos River Dam operations, March 1, 2003, through February 28, 2006 (Cons. #2-22-03-F-171). 52 pp.
- U.S. Fish and Wildlife Service. 1983. Northern states bald eagle recovery plan. U.S. Fish and Wildlife Service, Denver, Colorado. 76 pp.
- U.S. Fish and Wildlife Service. 1985. Interior population of the least tern determined to be endangered. *Federal Register* 50:21784-21792.
- U.S. Fish and Wildlife Service. 1987. Endangered and threatened wildlife and plants; determination of threatened status for the Pecos bluntnose shiner and designation of its critical habitat. *Federal Register* 52:5295-5303.
- U.S. Fish and Wildlife Service. 1987a. Least tern in: Endangered species information system (computer data base). U. S. Department of the Interior, Fish and Wildlife Service, Division of Endangered Species and Habitat Conservation, Washington, D.C.
- U.S. Fish and Wildlife Service. 1990. Recovery plan for the interior population of the least tern (*Sterna antillarum*). U. S. Fish and Wildlife Service, Twin Cities, Minnesota. 90 pp.
- U.S. Fish and Wildlife Service. 1991. Biological opinion for Pecos River water operations, New Mexico. Submitted to the Regional Director, U.S. Bureau of Reclamation, Upper Colorado Regional Office, Salt Lake City, Utah, U.S.A. 16 pp.

- U.S. Fish and Wildlife Service. 1992. Pecos bluntnose shiner recovery plan. U.S. Fish and Wildlife Service, Region 2, Albuquerque, New Mexico. 57 pp.
- U.S. Fish and Wildlife Service. 2000. Biological opinion on the operation of the Missouri River mainstem reservoir system, the operation and maintenance of the Missouri River bank stabilization and navigation project, and the operation of the Kansas River Reservoir System. U.S. Fish and Wildlife Service, Denver, Colorado.
- U.S. Fish and Wildlife Service 2003a. Biological opinion for the Bureau of Reclamation's proposed Pecos River Dam operations, March 1, 2003, through February 28, 2006 (June 18, 2003). U.S. Fish and Wildlife Service, Albuquerque, New Mexico.
- U.S. Fish and Wildlife Service 2003b. Pecos bluntnose shiner status report for 2003. USFWS, NM Fishery Resources Office, Albuquerque. 14 pp.
- U.S. Geological Survey. 2001. Water resources data, New Mexico, Water Year 2000.
- U.S. Geological Survey. 2002. Water resources data, New Mexico, Water Year 2001.
- U.S. National Resources Planning Board. 1942. The Pecos River joint investigation-reports of participating agencies. U.S. Government Printing Office, Washington. 407 pp.
- Valdez, R.A., J. Kehmeier, S.W. Carothers, and C. Berkhouse. 2003. Relationships between stream flow and habitat of Pecos bluntnose shiner and response of the fish community to intermittent summer flows in the Pecos River, New Mexico. Draft Report. SWCA Environmental Consultants, Albuquerque, New Mexico.
- Ward, J.V. and J.A. Stanford. 1995. Ecological connectivity in alluvial river ecosystems and its disruption by flow regulation. Pages 105-119 *in* Selected papers from the international conference, sustaining the ecological integrity of large floodplain rivers, K. Lubinski, J. Wiener, and N. Bhowmik (editors). Regulated Rivers: Research and Management 11:105-119.
- Whitaker, J.O., Jr. 1977. Seasonal changes in food habits of some cyprinid fishes from the White River at Petersburg, Indiana. American Midland Naturalist 97:411-418.
- Wilbur, S.R. 1974. The literature of the California least tern. U.S. Department of the Interior, Bureau of Fish and Wildlife, Washington, D.C., Species Science Report 175. 18pp.
- Williams, J.D., D.B. Bowman, J.E. Brooks, A.A. Echelle, R.J. Edwards, D.A. Hendrickson, and J.J. Landye. 1985. Endangered aquatic ecosystems in North American deserts with a list of vanishing fishes of the region. Journal of the Arizona - Nevada Academy of Science 20(1):1-62.

- Williams, J.E., J.E. Johnson, D.A. Hendrickson, S. Contreras-Balderas, J.D. Williams, M. Navarro-Mendoza, D.E. McAllister, and J.E. Deacon. 1989. Fishes of North America endangered, threatened, or of special concern: 1989. *Fisheries* 14:2-20.
- Williams, G.P. and M.G. Wolman. 1984. Downstream effects of dams on alluvial rivers. Professional Paper 1286. Washington DC: U.S. Geological Survey.
- Wilson, B.L. 1984. 1984 search for piping plover and least tern in Iowa. Unpublished report. 10 pp.
- Wilson, E.C., W.A. Hubert, and S.H. Anderson. 1993. Nesting and foraging of least terns on sand pits in central Nebraska. *Southwestern Naturalist* 38:9-14.
- Wolk, R.G. 1974. Reproductive behavior of the least tern. *Proceedings of the Linnaean Society, New York* 72:44-62.
- Woodson, R.C. and J.T. Martin. 1965. The Rio Grande comprehensive plan in New Mexico and its effects on the river regime through the middle valley. *Proceedings of the Federal Inter-Agency Sedimentation Conference, 1963*. Misc. pub. 970, USDA.
- Wycoff, R. 1960. The least tern. *Nebraska Bird Review* 28:39-42.
- Youngworth, W. 1930. Breeding of the least tern in Iowa. *Wilson Bulletin* 42:102-103.
- Youngworth, W. 1931. The American egret and least tern in South Dakota. *Wilson Bulletin* 43:309-310.
- Ziewitz, J.W., J.G. Sidle, and J.J. Dinan. 1992. Habitat conservation for nesting least terns and piping plovers on the Platte River, Nebraska. *Prairie Naturalist* 24:1-20.