

a

**Draft Report**  
***Beach Habitat Building Flow Resource Criteria:***  
***A Process Document***

Developed by:

<b>Barbara Ralston</b>	<b>General Biologist, Grand Canyon Monitoring and Research Center</b>
<b>Robert Winfree</b>	<b>Senior Scientist, Grand Canyon National Park</b>
<b>Barry Gold</b>	<b>Biological Program Manager, Grand Canyon Monitoring and Research Center</b>

Submitted to:

Technical Work Group

August 26, 1998

# ***Resource Criteria and Decision Making Process for Beach Habitat Building Flows for the Months of January to July***

## ***Introduction***

A hydrologic triggering criteria for determining the potential of initiating a Beach Habitat Building Flow (BHBF) during the months of January to July was developed by the Technical Work Group and forwarded for approval by the Adaptive Management Work Group (AMWG) in July 1998. The criteria are based on the Annual Operating Plan, and Lake Powell inflow forecasts. The hydrologic criteria provides a method to determine when a BHBF might be possible for a given year, but additional criteria are needed to evaluate the effects of a BHBF on downstream resources. The AMWG charged the TWG to work with scientific and resource managers to develop and put into operation, resource-based criteria for BHBF. The implementation and recommendation process for a BHBF is a two-step process that involves meeting the hydrologic triggering criteria, and evaluating impacts to downstream resources. The evaluation of the resources will be done on a yearly basis between the months of October through January for the following year based on the preceding year's monitoring information. The following is a description of the methods and materials available to evaluate the impacts to downstream resources by a BHBF.

Downstream resources are categorized into the following elements: Biological, Cultural, Physical, and Socio-economic. Managers and stakeholders have identified 43 resources within these categories that should be considered when making recommendations concerning operations associated with Glen Canyon Dam. These resources are listed in the resource matrix (appendix 1) Moreover, 10 of these 43 individual resources were considered "significant" or merited greater weight in the decision making process regarding BHBF because the resources are endangered species (e.g., humpback chub

Kanab ambersnail), or are valued recreational areas (e.g., Lees Ferry trout fishery), or are and integral part of the downstream resources (e.g., sediment supply). The list of these resources occurs in the management objectives developed by the TWG and in Figure 1 of this document (see page 8, this document).

The process of resource evaluation and deciding whether to recommend proceeding with a BHBF is dependent upon 1) the state of resources, particularly the nine "significant" resources, 2) the management objectives for the resources, and 3) the effect of timing, magnitude and duration of the BHBF on resources. Evaluating these elements and coming to a decision is based on a set of supporting documents that point out critical time of year for resources, critical life stages for a resource, or ask about stage/discharge relationships associated with physical habitats, structures, or properties with specific geographic locations. The accompanying documents are:

1. **The Resource Criteria** (a decision tree and descriptive document detailing the process for recommendations).
2. **The Resource Matrix** (a table that estimates positive and negative effects on resources for month January to July, based on previous research, e.g., BHBF data or general knowledge associated with a resource). Attachment 1
3. **The Resource Narrative** (a narrative for biological resources that details life history traits on a monthly basis). Attachment 2
4. **The State of the Resource Report** (a yearly report that describes the condition of downstream resources based on monitoring reports).

## 5. The Hydrologic Triggering Document.

As stated above, the following provides a description of the process a manager would use to make a recommendation about a BHBF.

### ***Resource Criteria and Resource Effects Matrix Interactions***

The decision tree (Fig. 1) that accompanies this document represents an overview of the processes, information needs and decisions that need to be made before a BHBF can go forward. The intent is to provide an initial framework by which criteria for each resource can be developed, and subsequent recommendations and decisions made. The criteria that form the basis of decisions are extracted from the Management Objectives, developed and agreed to by stakeholders. The specific criteria require development of values of acceptable loss or gain of resources associated with a BHBF, in accordance with management objectives. For example: management objectives for trout include "producing a self-sustaining population of a least 100,000 Age II+ that achieve 18" in length by Age III ...". Criteria in this case would include, aquatic foodbase, growth rate and population estimates to evaluate how a BHBF in a particular month might impact management objectives for trout. The following then, is a description of how the process might proceed and the information needed in order to determine the feasibility and prudence of a BHBF for the months of January to July. This narrative is intended to augment the decision tree that is diagrammed (Fig. 1). As stated above additional documents that go into the recommendation Process include the Resource Matrix, the Resource Narrative, the State of the Resource Report, and the Hydrologic Triggering Document. These documents are attached or are available on the TWG website.

Question by Tom Maddy  
 #2-#6 / or LE  
 hydro trig  
 [Signature]

**Decision-making Process**

**Hydrologic Triggering**

Move to after #6

1. Resources (net benefit)

2. Eval

3. Trigger

1. The first step required to consider a Beach Habitat Building Flow (BHBF) is to determine if the hydrologic triggering criteria are met (See Hydrologic Triggering Document). If these are NOT met, then a BHBF would not take place. In the event that the triggering criteria are met, then the next decision to make is to determine the hydrograph for the flow (i.e., magnitude and duration) and the purpose of the flow.<sup>1</sup>

2. *Deciding on the magnitude and duration of a BHBF*

Currently, the GCD-EIS and ROD calls for BHBFs with the intent to manage beaches, sediment, some native fish habitat and vegetation, and not to impact other resources such as cultural properties, endangered species, economic/recreation aspects. This is one purpose of high flow and the magnitude of this type of flow was presented as 45,000 cfs for a week in the EIS, and possibly occurring in late March. As knowledge regarding the affects of short duration high flows increases, flows of different duration and magnitude may be proposed with the intent of those flows to be different from that described in the EIS. The critical decision in this step is to determine the timing (January - July), magnitude (32,000 - 45,000 cfs or greater), duration and hypothesized results of a flow above power plant capacity. Subsequent resource assessment is dependent on this determination.

---

<sup>1</sup>While the immediate purpose for flows currently described are to mitigate sediment transport rates during periods of high power plant releases in high inflow years, the original intent of a BHBF was multi-purpose in scope and included affecting, or re-establishing riparian and marsh community processes. Hence the purpose of a flow for sediment mitigation, may have a hydrograph that is different than a flow that has a biological purpose attached to it.

## Resource Criteria, Compliance and Assessment

### β. *Beginning the criteria assessment.*

When a decision is made regarding the timing, magnitude, duration and hypothesized results of the high flow, then the recommendation/decision process begins to run in parallel. In one direction, compliance issues associated with Cultural Properties and Endangered Species need to be addressed and satisfied. In the other direction, specific resources need to be assessed and the impacts of anticipated flows considered. The assessment of a resource requires examining the "resource matrix" to determine if time of year may be an issue and to determine if specific life-stage aspects associated with a resource (e.g., larval vs adult stages in fish) need to be considered. The information gained in the resource assessment will be used by Reclamation to meet compliance requirements. Efforts are underway to develop programmatic assessments that reduce the amount of time needed to meet compliance requirements.

#### *What is the resource matrix?*

The resource matrix is a table that lists 43 resources that may be of concern in the event of a BHBF. The matrix assigns positive and negative numbers to a resource for each month. The construction of the matrix was based on researchers' experience with the previous effects of a BHBF, or on their general knowledge of the resource in question. The matrix is limited in the information it can give concerning a resource.<sup>2</sup> It only points to a resource or component of a

---

<sup>2</sup>Of critical importance here is the ability to distinguish the immediate disturbance effect a BHBF may have on resources, versus the recovery time for the resources relative to that effect, and the overall importance of the disturbance effect in structuring the ecosystem and related processes.

*Immediate  
purpose of flow*

resource that might be affected by a high flow for a given time of year. It does not describe the specific magnitude of impact beyond a scale of recovery time for biological resources or immediate impact to resources such as fishing, or power revenues. In effect, the matrix would be consulted to determine resources that need further consideration. Further information about a resource would be obtained by reading the accompanying documents (the Resource Narrative and the State of the Resources Report). Information about the assumptions associated with the matrix and the process through which the matrix was developed can be obtained by reading the attached document.

3 ~~A~~ *Examining accompanying documents.*

Information that would be used to better define BHBF effects associated with a resource would be the narrative for biologic resources that accompanies the matrix, the management objectives associated with the resource, and the annual State of the Resource Document developed by GCMRC. The information needs and decision-making process would be different for each resource for any month and for any year.

**Resources, Management Objectives and Resource Indicators**

4 ~~B~~ *Making recommendations/decisions about specific resources.*

Information concerning identified resources is gathered and evaluated on a yearly basis between the months of October to January. The sources of information are the state of the resource report and yearly monitoring reports associated with the resources. An example of this summary is in Table 1. The process involving making recommendations and decisions to

proceed with a high flow or not is the next step. This step involves reviewing values that have been agreed to by the AMWG for resources as acceptable losses or gains. Included in this review would be the issue of meeting compliance needs. Some of these are established in the Management Objectives (e.g., trout numbers). Others may be based on historic figures (e.g., beach numbers immediately following the BHBF in 1996). The decision could be grouped into an event having a 1-time effect on the resource, a high flow event causing cumulative effects or a high flow event having an impact on a resource that it exceeds acceptable limits for the resource-- a showstopper.

The GCMRC would compare the Resource Criteria against the probable resource effects identified in the Resource Matrix and Narrative and the State of the Resources Report, to determine whether the probable effects of a BHBF would significantly reverse efforts to achieve the respective Management Objectives. Several of the current Management Objectives lack specificity (i.e., not quantifiable or lack target dates) and additional detail will need to be developed. As stated above, the comparison and analysis of the Matrix, Narrative and State of the Resource Report would be translated into a three column table that lists the objectives of a BHBF, the result of no action and the result of a Proposed BHBF (see table 1).

### **Showstoppers**

4) *Sensitive and High Value Resources ("showstoppers") as identified by the TWG during their January 20-21, 1998 meeting (Fig.1 this document).*

A showstopper could prevent a BHBF unless 1) adequate mitigation measures could be



devised or 2) the probability of an emergency release (45,000 cfs or greater) is so high that a BHBF is deemed as the most appropriate protective action. These include Kanab Ambersnail (Biological Opinion), Humpback Chub (no acceptable take), Razorback Sucker (no acceptable take), Southwestern Willow Flycatcher (no acceptable take), Cultural (Programmatic Agreement), Trout (Lees Ferry Recreation - tailwater fishery), Other Native Fish.

6.7. *Making a final recommendation*

The final recommendation on whether to recommend a BHBF requires integrating information about the 10 "significant" resources with those remaining and with compliance needs being met. Considerations are how a BHBF event would either benefit or negatively impact a resource. This decision tree and the process as outlined provides a path. At best, this process and the accompanying documents can only point out possibilities or potential concerns. The document is not a crystal ball for predicting the future effects of a BHBF on resources. An experimental flow of 45K has occurred once on the Colorado River below Glen Canyon Dam, and the effect of a 45K is predictable to some degree for some resources (e.g., sediment will move from the channel bed to the channel margins). For many resources, antecedent conditions and subsequent flow scenarios have equally important effects, and are variables that need to be added to this equation when decisions are being made.

1 is now 7 ~~is now~~

**8. *Final decision***

**After the Adaptive Management process and compliance activities are completed, the recommendation to proceed on or not with a BHBF will be forwarded to the Secretary for a final decision.**


**Figure 1**

**RESOURCE CRITERIA DIAGRAM FOR SEDIMENT MITIGATION**

**Annual Resource Monitoring Reports - (September Status Report to GCMRC)**

**Determine if beach habitat will benefit from flooding (bank/bar storage capacity)  
GCMRC evaluation**

*BR to explain terms*



**Purpose and Kind of Flood Flow (e.g., BHBF, habitat maintenance, sediment conservation)**

**Conduct effects analysis for all probable months (with feedback to redesign flow as needed) in association with Management objectives**

**Resources, Mgmt Objectives and Resource Indicators (see accompanying Mgmt objectives, resource indicators)**


**Sediment Resources (Is there enough sand in the system?)**  
Sandbars, beaches and backwaters

**Terrestrial and Riparian Resources**  
Kanab ambersnail, Southwestern Willow Flycatcher


**Aquatic Resources:**  
Aquatic Foodbase, Humpback chub, Razorback sucker  
Flannelmouth sucker & other Native Fish, Rainbow trout

**Cultural Resources**  
Archeological sites, Traditional cultural properties

**Present effects analysis and BHBF recommendation to TWG (January)**




**Hydrologic Trigger Met (Every month Jan-July)?**



*hydro trigger narrative section*

*The order of the diagram is different now. Rewrote & expanded, per Sabo's comments @ Amur in July*



---

<sup>3</sup> In the event of a high inflow year when a hydrologic trigger is met, but compliance is not met, then mitigation efforts for sediment (BHBF scenario) will be unlikely to occur and will result in sediment loss downstream of Glen Canyon Dam.

## ***Resources of Concern, Management Objectives and Measurable Resource Indicators***

### **Sediment Resources**

#### **Sandbars, beaches and backwaters**

As a minimum for each reach, maintain the number and average size (area and thickness) of sandbars and backwaters between the stages associated with flows of 8,000 and 45,000 cfs that existed during the 1990/91 research flows.

Periodically increase the average size of sandbars above the 20,000 cfs river stage and number and average size of backwaters to the amounts measured during the high period of 1990/91 or the 1996 test of the beach/habitat-building flow in as many years as reservoir and downstream conditions allow.

#### ***Resource Indicators***

Total number of sandbars above 20,000 cfs, by reach and stage.

Average area of sandbars above 20,000 cfs, by reach and stage

Number of suitable backwater habitats by reach at specific river stages between 8,000 cfs and 45,000 cfs

Estimated quantity of river-stored sediment available for redistribution by reach

### **Terrestrial and Riparian Resources**

#### **Kanab ambersnail**

Protect, restore and enhance survival of native and special status species (Federal, tribal, and state designations). Ensure that the required habitat for these species is preserved.

Sustain populations of Kanab ambersnail wherever they currently exist within the Colorado River ecosystem.

Establish or discover and ensure the continued existence of a second population of Kanab ambersnail in Arizona.

#### ***Resource Indicators, as compared to 1996 pre-flood conditions***

Number of known populations of KAS in Arizona

Populated KAS habitat (total area) outside impact zone

Estimated total KAS population outside impact zone

Analysis: Probable BHBF effects on long-term sustainability of known populations (e.g., recruitment, genetic integrity, sustainability of pre-dam habitats)

### **Southwestern Willow Flycatcher**

Protect, restore and enhance survival of native and special status species (Federal, tribal and state designations). Ensure that the required habitat for these species is preserved

Protect, restore and enhance survival of native and special status avifauna.

#### ***Resource Indicators***

Number of SWWF territories expected to be significantly affected by BHBF (describe effect)

Number of breeding pairs expected to be displaced by BHBF

Analysis: Probable effects of BHBF on recruitment (reproduction, nest parasitism, survival of young, etc.)

## **Aquatic Resources**

### **Aquatic Food base**

Maintain and enhance the aquatic food base in the Colorado River ecosystem to support desired populations of native and non-native fish. At a minimum, maintain continuously inundated areas for *Cladophora* and aquatic invertebrates at or above 5,000 cfs discharge levels from Glen Canyon Dam.

#### ***Resource Indicator***

Food base species composition, population structure, density, and distribution in Glen and Grand Canyon reaches.

Analysis: Probable effects of BHBF on composition, recovery rates of algal, macroinvertebrates and effects on organic drift.

### **Humpback chub**

Maintain or enhance levels of recruitment of HBC in the mainstem as indexed by size frequency distributions and presence and strength of year-classes. (Focused at young-of-year and juvenile fish, and should include a fish health assessment.)

Remove jeopardy for the HBC in the Colorado River ecosystem (*B.O. 1994*).

Establish a second spawning aggregation of HBC downstream of Glen Canyon Dam (RPM 4).

### **Razorback sucker**

Remove jeopardy for the razorback sucker in the Colorado River ecosystem.

### **Flannemouth sucker and other native fish**

Achieve healthy, self-sustaining populations of flannemouth sucker, bluehead sucker, and speckled dace in the Colorado River ecosystem, with special emphasis on flannemouth sucker in Glen Canyon based upon the capability of the habitat to support those fishes.

Attain riverine conditions, including appropriate habitat, that support all life stages of endangered and native fish species.

Minimize, to the extent possible, competitive and predatory interactions between native and non-native fishes.

### **Rainbow trout**

In the Colorado River downstream of Glen Canyon Dam, to the confluence of the Paria river, sufficient ecological conditions (such as habitat, foodbase and temperature) should be maintained, which in conjunction with management by Arizona Game and Fish will produce a healthy self-sustaining population of at least 100,000 Age II+ rainbow trout that achieve 18 inches in length by Age III with a mean annual relative weight ( $W_r$ ) of at least 0.90.

### ***Resource Indicators, probable BHBF effect on Native & Non-native Fish:***

Number of successfully reproducing populations (including single trout population in Lees Ferry Reach).

Estimated number of successfully reproducing adult fish (creel catch rate; electrofishing catch rate by size class as an index of population size)

Survival of juveniles and subadults

Recruitment

Growth rate

Relative condition (length/weight relationship)

## **Cultural Resources**

### **Archeological sites**

Conserve *in situ* all the downstream cultural resources and take into account Native American cultural resource concerns in the Colorado River ecosystem.

### **Traditional Cultural Properties**

Protect, and maintain physical access to and use of traditional cultural properties and other cultural resources, where such access and use may be impacted by dam operations.

***Resource Indicators***

Number of archaeological sites expected to be impacted that cannot be successfully mitigated.  
Number of TCPs expected to be impacted that cannot be successfully mitigated.



**Attachments**

**Hydrologic triggering documents**

**Narrative for biological resources**

**Resource matrix and assumptions/development explanation**

**Table 1. Example of action/no action analysis for BHBF in May/June.**