


# Muddy Creek Utah Unit

*Monitoring and Evaluation Report, FY2014*



*U.S. Department of Agriculture  
Natural Resources Conservation Service*

The U.S. Department of Agriculture (USDA) prohibits discrimination against its customers. If you believe you experienced discrimination when obtaining services from USDA, participating in a USDA program, or participating in a program that receives financial assistance from USDA, you may file a complaint with USDA. Information about how to file a discrimination complaint is available from the Office of the Assistant Secretary for Civil Rights. USDA prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex (including gender identity and expression), marital status, familial status, parental status, religion, sexual orientation, political beliefs, genetic information, reprisal, or because all or part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.)

To file a complaint of discrimination, complete, sign, and mail a program discrimination complaint form, available at any USDA office location or online at [www.ascr.usda.gov](http://www.ascr.usda.gov), or write to:

USDA  
Office of the Assistant Secretary for Civil Rights  
1400 Independence Avenue, SW.  
Washington, DC 20250-9410

Or call toll free at (866)632-9992 (voice) to obtain additional information, the appropriate office or to request documents. Individuals who are deaf, hard of hearing, or have speech disabilities may contact USDA through the Federal Relay service at (800)877-8339 or (800)845-6136 (in Spanish). USDA is an equal opportunity provider, employer, and lender.

Persons, with disabilities who require alternative means for communication of program information (e.g., Braille, large print, audiotope, etc.) should contact USDA's TARGET Center at (202)720-2600 (voice and TDD).

## Project Synopsis

The Salinity Control Act (PL-93-320) (SCA) and subsequent related legislation authorizes the U.S. Department of Agriculture (USDA), acting through the Natural Resources Conservation Service (NRCS), to implement salinity control throughout the Colorado River Basin. The NRCS' Muddy Creel Salinity Control Unit (MC), in the southern portion of Emery County, Utah, encompasses 6,050 agricultural acres irrigated with water diverted from Muddy Creek and its tributaries. This area, approximately 13 miles east to west and 17 miles north to south, is a source of dissolved solids from Cretaceous marine deposits. The pre-project agricultural salt load was estimated to be 15,000 ton/year, on-farm and off-farm. Water, diverted to irrigate cropland and pasture, deep percolates through saline sediment, dissolving and transporting salts to the river system. MC was established by a 2004 Environmental Assessment (EA) and Finding of No Significant Impact (FONSI). The first USDA projects were funded in FY 2010. Salt load reduction is achieved by improving irrigation efficiency and reducing deep percolation. The 2004 EA anticipated treating 6,050 acres, building a small reservoir and two ponds, and replacing 28.66 miles of canal with pipeline, controlling 11,677 tons/year of salt at a cost of \$153/ton (2014 dollars). The plan anticipates 100% participation. Through the end of FY2014, USDA has treated 70 acres controlling 99 tons/year, on-farm (1% of EA projection). Of the original 6,050 irrigated acres, 5,920 acres or 99% have yet to be planned for irrigation improvements. Lack of hydrologic infrastructure is the primary impediment to progress. As prescribed by the Salinity Control Act, impacts to wildlife habitat foregone resulting from salinity control implementation, are assessed to assure that replacement of habitat is "concurrent and proportional" to installation of salinity control measures. With concurrence from U.S. Fish and Wildlife Service, habitat replacement acreage is to exceed two percent of improved irrigation acreage, or 1.4 acres through FY2014. No actual habitat replacement has taken place in MC. NRCS is actively seeking habitat replacement opportunities. Additional potential for additional salt control remains. NRCS continues to use its resources to implement salt control consistent with its authorities and resources.

## Executive Summary

### Project Status

- The Environmental Assessment (EA) for the Muddy Creek Unit was published in July, 2004. The Proposed Action anticipates treating 6,050 acres of flood irrigated fields with sprinkler systems, building a small reservoir, two settling ponds, and 28.66 miles of pipeline, reducing salt load by 11,677 tons/year at a cost of \$151/ton (2014 Dollars).
- In FY2014, no additional contracts were authorized for salinity control projects. Since project inception, two contracts have been obligated for \$364,000 (2014 dollars), to treat 129 acres, controlling 189 tons/year of salt loading at a cost of \$207/ton.
- In FY2014, \$29,000 FA was spent to apply irrigation treatments on 19 acres, reducing salt loading by 28 tons/year at a cost of \$105/ton. Since project inception, treatment of 70 acres has been applied, for \$111,000 (2014 dollars), controlling 99 tons/year of salt loading at a cost of \$127/ton.
- A new diversion and de-silting structure were constructed in 2009, funded with a U.S. Army Corp of Engineers grant.
- A potable water line is now complete (not funded by USDA). As additional infrastructure is completed, interest in on-farm improvements is expected to increase.
- There have been no planned or applied wildlife habitat acres in the Muddy Creek Utah Unit to date. To be concurrent and proportional with installation of the salinity control measures, 1.4 acres of wildlife habitat would need to be applied.

**Table 1. Project Progress Summary**

<b>Muddy Creek Utah Unit, All Programs, FY2014</b>				
<b>CONTRACTS PLANNED</b>	<b>UNIT (S)</b>	<b>CURRENT FY</b>	<b>CUMULATIVE</b>	<b>TARGET</b>
<b>1. CONTRACT STATUS</b>				
<b>A. Contracts Approved</b>	Number	-	2	
	Dollars	\$ -	\$ 327,857	
	Acres	-	129	6,050
<b>On-farm</b>	Tons/Year	-	183	8,150
<b>Off-farm</b>	Tons/Year	-	6	3,500
<b>B. Active Contracts</b>				
	Number		2	
	Dollars		\$ 328,660	
	Acres		129	
<b>On-farm</b>	Tons/Year		177	
<b>Off-farm</b>	Tons/Year		6	
<b>PRACTICES APPLIED</b>				
<b>CONTRACTS PLANNED</b>	<b>UNIT(S)</b>	<b>CURRENT FY</b>	<b>CUMULATIVE</b>	<b>TARGET</b>
<b>2. EXPENDITURES</b>				
<b>Financial Assistance (FA)</b>	Dollars	\$ 29,099	\$ 111,092	
<b>3. Irrigation Systems</b>				
<b>A. Sprinkler</b>	Acre	19	70	6,050
<b>B. Improved Surface System</b>	Acre	-	-	
<b>C. Drip System</b>	Acre	-	-	
<b>4. Salt Load Reduction</b>				
<b>A. Salt Load Reduction, On-farm</b>	Tons/Year	26	93	8,150
<b>B. Salt Load Reduction, Off-farm</b>	Tons/Year	2	6	3,500
<b>C. Tons of salt controlled prior to EQIP</b>	Tons		-	

**For further information, please contact:**

Jim Spencer, Wildlife Biologist  
 USDA-NRCS  
 815 South 400 West  
 Roosevelt, UT 84066  
 (435)722-4621 ext 128  
[jim.spencer@ut.usda.gov](mailto:jim.spencer@ut.usda.gov)

Ed Whicker, Civil Engineer  
 USDA-NRCS  
 815 South 400 West  
 Roosevelt, UT 84066  
 (435)722-4621 ext 124  
[ed.whicker@ut.usda.gov](mailto:ed.whicker@ut.usda.gov)

# Table of Contents

<i>Project Synopsis</i>	3
<i>Executive Summary</i>	4
<b>Project Status</b>	4
<i>Table of Contents</i>	6
<i>Tables</i>	8
<i>Figures</i>	8
<i>Historical Background</i>	9
<i>Monitoring and Evaluation History and Background</i>	10
<i>Project Status</i>	11
<b>FY2014 Project Results</b>	11
<b>Cumulative Project Results</b>	11
<i>Detailed Analysis of Status</i>	11
<b>Pre-Project Salt Loading</b>	11
<b>Salinity Control Practices</b>	12
<b>Planning Documents</b>	12
<b>Planned Practices</b>	12
FY2014 Obligation	13
Salt Load Reduction Calculation	13
Cost/Ton Calculation	13
Cost-Share Enhancement	13
<b>Applied Practices</b>	13
FY2014 Expenditures	13
<i>Hydro Salinity Monitoring</i>	14
<b>Salinity Monitoring Methods</b>	14

<b>Cooperator questionnaires, interviews, and training sessions</b>	<b>15</b>
<b>Irrigation Water Management (IWM)</b>	<b>15</b>
Irrigation Record Keeping	16
Soil Moisture Monitoring	19
<b><i>Wildlife Habitat and Wetlands</i></b>	<b>21</b>
<b>Background</b>	<b>21</b>
<b>Area-wide Wildlife Habitat Monitoring</b>	<b>22</b>
<b>Wildlife Habitat Contract Monitoring</b>	<b>22</b>
<b>Voluntary Habitat Replacement</b>	<b>22</b>
<b><i>Economics</i></b>	<b>23</b>
<b>Cooperator Economics</b>	<b>23</b>
Production Information	23
Expense Information	23
<b>Public Economics</b>	<b>23</b>
Positive public perceptions of the Salinity Control Program include:	23
Negative public perceptions of the Salinity Control Program include:	24
<b>Land Use Land Cover</b>	<b>24</b>
<b><i>Summary</i></b>	<b>24</b>
<b><i>Glossary and Acronyms</i></b>	<b>25</b>
<b><i>Appendix</i></b>	<b>29</b>
<b><i>References</i></b>	<b>31</b>

## Tables

<i>Table 1. Project Progress Summary</i>	5
<i>Table 2. FY2014 results</i>	11
<i>Table 3. Project goals and cumulative status</i>	11
<i>Table 4. Planned practices, cost/ton, nominal and 2014 dollars</i>	12
<i>Table 5. Applied practices, cost/ton, nominal and 2014 dollars</i>	14
<i>Table 6. Annual Wildlife Habitat Replacement</i>	22
<i>Table 7. Cumulative Wildlife Habitat Replacement</i>	22

## Figures

<i>Figure 1. Pre-project Salt Load Allocation</i>	11
<i>Figure 2. IWM Self Certification Spreadsheet input page</i>	17
<i>Figure 3. Sample graphs from the IWM Self Certification Spreadsheet</i>	18
<i>Figure 4. Sample Soil Moisture Data Logger with graphing</i>	19
<i>Figure 5. AWC estimated from downloaded soil moisture data</i>	20
<i>Figure 6. Pre-project land use land cover, used in preparing 2004 EA</i>	24

## Historical Background

With settlement of the Colorado River Basin, demands on the Colorado River grew rapidly. In the late 1800s and early 1900s, scores of canal companies were created and millions of acres of land were irrigated to sustain growing populations. In the mid-1900s, dozens of dams and water projects were constructed on the Colorado River and its tributaries.

By the 1960s, concern over increasing water consumption and decreasing water quality led to a national effort to direct environmental policy at the federal level. In 1969, the National Environmental Protection Act (NEPA) was signed into law, requiring extensive public involvement and analysis of environmental impacts when planning federally funded projects (federal actions). With NEPA, the Council on Environmental Quality (CEQ) was created as part of the Executive Branch.

In 1970, the Environmental Protection Agency (EPA) was created by a Nixon executive order, Reorganization Plan No. 3 of 1970, which also created National Oceanic and Atmospheric Administration. In the early 1970s, salinity control was driven by the EPA.

The Colorado River Basin Salinity Control Forum (Forum) was created in 1973, when the governors of each of the seven Colorado River Basin States appointed three water resource professionals to coordinate salinity control efforts among the states, federal agencies, and other major water management entities. The Forum has been instrumental in promoting salinity control to the benefit of all.

It is estimated that in the 1960s, more than two-thirds of water taken from the Colorado River was used to irrigate agricultural lands. Nearly all of this irrigation was by flooding, resulting in massive amounts of salt being dissolved by excess irrigation water and carried back to the river. With irrigation being the largest contributor to salt load in the river, it was determined that irrigation improvements, both on-farm and off-farm, would provide the most effective opportunity to reduce salt loading by improving irrigation efficiencies to reduce deep percolation and seepage.

The Colorado River Basin Salinity Control Act of 1974 (SCA) authorized federal funding of salinity control projects to manage salinity in the Colorado River. The SCA also created a Federal Advisory Committee (FAC), which has traditionally been composed of the same professionals as the Forum.

Federal funding of salinity control practices began in the early 1980s in the Grand Valley of Colorado and the Uinta Basin of Utah.

The Environmental Assessment (EA) for the Muddy Creek Unit was published in July, 2004. The Proposed Action anticipates treating 6,050 acres of flood irrigated fields with sprinkler systems, building a small reservoir, two settling ponds, and 28.66 miles of pipeline, reducing salt load by 11,677 tons/year at a cost of \$151/ton (2014 Dollars).

The first USDA contract was obligated in FY2010. A new diversion and de-silting structure were constructed in 2009, using a U.S. Army Corp of Engineers grant. A potable water line has been installed

(not funded by USDA). As additional infrastructure is completed, interest in on-farm improvements is expected to increase.

## **Monitoring and Evaluation History and Background**

The Colorado River Basin Salinity Control Program was established by the following Congressional Actions:

- The Water Quality Act of 1965 (Public Law 89-234) as amended by the Federal Water Pollution Control Act of 1972, mandated efforts to maintain water quality standards in the United States.
- Congress enacted the Colorado River Basin Salinity Control Act (PL 93-320) in June, 1974. Title I of the Act addresses the United States' commitment to Mexico and provided the means for the U.S. to comply with the provisions of Minute 242. Title II of the Act created a water quality program for salinity control in the United States. Primary responsibility was assigned to the Secretary of Interior and the Bureau of Reclamation (USBR). USDA was instructed to support USBR's program with its existing authorities.
- The Environmental Protection Agency (EPA) promulgated a regulation in December, 1974, which established a basin wide salinity control policy for the Colorado River Basin and also established a water quality standards procedure requiring basin states to adopt and submit for approval to the EPA, standards for salinity, including numeric criteria and a plan of implementation.
- In 1984, PL 98-569 amended the Salinity Control Act, authorizing the USDA Colorado River Salinity Control Program (CRSCP). Congress appropriated funds to provide financial assistance through Long Term Agreements administered by Agricultural Stabilization and Conservation Service (ASCS) with technical support from Soil Conservation Service (SCS). PL 98-569 also requires continuing technical assistance along with monitoring and evaluation to determine effectiveness of measures applied.
- In 1995, PL 103-354 reorganized several agencies of USDA, transforming SCS into Natural Resources Conservation Service (NRCS) and ASCS into Farm Service Agency (FSA).
- In 1996, the Federal Agricultural Improvement and Reform Act (PL 104-127) combined four existing programs, including the Colorado River Basin Salinity Control Program, into the Environmental Quality Incentives Program (EQIP). EQIP has been extended through FY2018 by the 2002, 2008, and 2014 Farm Bills.

Over the years, Monitoring and Evaluation (M&E) has evolved from a mode of labor/cost intensive detailed evaluation of a few farms and biological sites to a broader, but less detailed evaluation of many farms and environmental concerns, driven by budgetary restraints and improved technology. M&E is conducted as outlined in "The Framework Plan for Monitoring and Evaluating (M&E) the Colorado River Salinity Control Program", last revised in 2001.

## Project Status

### FY2014 Project Results

FY2014 project results for the Muddy Creek Utah Unit (MCU) are summarized in table 2. No new contracts were obligated in FY2014.

### Cumulative Project Results

Cumulative results through FY2014 are tabulated in Table 3, along with EA projections. Dollar amounts are expressed in 2014 dollars.

**Table 2. FY2014 results**

FY2014	Units	Planned	Applied
Irrigation Improvements	acres	-	19
Federal cost share, FA	\$	\$ -	\$ 29,099
Amortized federal cost share, FA+TA	\$/year	\$ -	\$ 2,943
Salt load reduction	tons/year	-	28
Federal cost, FA+TA	\$/ton	\$ -	\$ 105

**Table 3. Project goals and cumulative status**


FY2014 Cumulative Improvements	Units	NEPA	Planned	Applied
Irrigation improvements	acres	6,050	129	70
Federal cost share, FA+TA	2014\$	\$19,600,000	\$611,000	\$198,000
Amortized federal cost share, FA+TA	2014\$/yr	\$1,770,000	\$39,100	\$12,600
Salt load reduction, tons/year	tons/year	11,700	189	99
Federal cost/ton, FA+TA	2014\$	\$151	\$207	\$127

## Detailed Analysis of Status

### Pre-Project Salt Loading

Agricultural irrigation is a major source of salt loading into the Colorado River and is completely human induced. Irrigation improvements have great potential to control salt loading.

In the 2004 EA for Muddy Creek Unit, agricultural salt loading was estimated to be 15,000 tons/year with non-agricultural loading to be about 75,000 tons/year from intermittent seeps on BLM lands. A salt budget allocated agricultural salt loading to 5,393 tons/year off-farm and 9,587 tons/year on-farm. (Figure 1)



**Figure 1. Pre-project Salt Load Allocation**

## Salinity Control Practices

On-farm practices used to reduce salt loading in MCU are expected to be exclusively sprinkler systems fed by gravity pressurized pipelines. On-farm salt load reduction is achieved by reducing over-irrigation and deep percolation.

Off-farm practices used to reduce salt loading are associated with the reduction and/or elimination of canal/ditch seepage, usually by installing pipelines. Twenty-nine miles of pipelines were proposed in the EA.

## Planning Documents

The Environmental Assessment (EA) for the Muddy Creek Unit was published in July, 2004. The Proposed Action anticipates treating 6,050 acres of flood irrigated fields with sprinkler systems, building a small reservoir, two settling ponds, and 28.66 miles of pipeline, reducing salt load by 11,677 tons/year at a cost of \$151/ton (2014 Dollars). Development of salinity control contracts started in FY2010.

The recommended alternative in the EA addresses a complete system, on-farm and off-farm, with 100% participation.

## Planned Practices

Planned practices (obligations) represent contracts with participants to apply improved irrigation practices to the participant's agricultural activities. Only the federal share of project cost is analyzed in this section.

The installation of salinity control practices is voluntary on the part of landowners. An incentive to participate is created by cost-sharing on practice purchase and installation using federal grants. In essence, federal cost-share purchases salt load reductions in the Colorado River, while the participant's cost-share buys him/her reduced operating costs and increased production.

Federal cost-share is obligated when a contract is signed with the participant, assuring timely installation, to federal standards, of salt load reducing irrigation practices.

Just two contracts have been obligated in the Muddy Creek Unit. (Table 4)

**Table 4. Planned practices, cost/ton, nominal and 2014 dollars**

FY	Federal Water Project Discount Rate	Contracts Planned	FA Planned Nominal	Acres Planned	Salt Load Reduction Planned	Amortized FA+TA Nominal	\$/ton FA+TA Nominal	2014 PPI Factor	FA Planned 2014\$	Amortized FA+TA 2014\$	\$/ton 2014\$	Cum \$/ton 2014\$
2010	4.375%	1	\$114,112	71	106	\$12,661	\$119	123%	\$140,738	\$15,616	\$147	\$147
2011	4.125%	0	\$0	0	0	\$0	\$0	111%	\$0	\$0	\$0	\$147
2012	4.000%	0	\$0	0	0	\$0	\$0	105%	\$0	\$0	\$0	\$147
2013	3.750%	1	\$213,745	58	83	\$22,205	\$268	106%	\$225,959	\$23,474	\$283	\$207
2014	3.500%	0	0	0	0	\$0	\$0	100%	\$0	\$0	\$0	\$207
Totals		2	\$327,857	129	189	\$34,867	\$184		\$366,697	\$39,090	\$207	

### FY2014 Obligation

In FY2014, no new contracts were obligated.

### Salt Load Reduction Calculation

Estimated on-farm salt load reduction from planned practices in MC is 189 tons/year, calculated by multiplying the original on-farm tons/acre for the entire unit, by the acres to be treated and a percentage reduction based on change in irrigation practice. For MCU, the initial estimate of on-farm irrigation salt loading is 1.58 tons/acre-year. If 129 acres are converted from wild flood to continuous-move sprinklers, an estimated 91% of the original salt load will be controlled. Hence,  $129 \text{ acres} \times 1.58 \text{ tons/acre-year} \times 91\% = 189 \text{ tons/year}$  on-farm salt load reduction. The first MCU contract claims another 6 tons/year off-farm for replacing 1,200' of off-farm open ditch with a pipeline.

### Cost/Ton Calculation

The federal cost/ton for salt load reduction is calculated by amortizing the federal financial assistance (FA) over 25 years at the federal discount rate for water projects (3.500% for FY2014). Two-thirds of FA is added for technical assistance (TA) and the amortized total cost is divided by tons/year to yield cost/ton.

Normalization to 2014 dollars utilizes the Producer Price Index (PPI) for agricultural equipment purchased, provided by the National Agricultural Statistics Service (NASS).

### Cost-Share Enhancement

Typical federal cost-share, over the last several years, has been about 75% of total installation cost. A feature of the 2002, 2008, AND 2014 Farm Bills is cost-share enhancement, increasing the federal cost-share, to about 90% of total cost for limited resource, beginning, or socially disadvantaged farmers or ranchers.

In MCU, one contract has been obligated with a beginning farmer for \$131,000 (2014 dollars), on 71 acres, reducing salt loading by 100 tons/year, at a cost of \$145/ton (2014 dollars).

The second contract, with no enhancement, obligated \$226,000 (2014 dollars) to treat 58 acres, reducing salt loading by 83 tons/year, at a cost of \$282/ton (2014 dollars).

## **Applied Practices**

### FY2014 Expenditures

In FY2014, \$29,000 was expended applying sprinklers to 19 acres and reducing salt loading by 28 tons/year at a cost of \$105/ton, FA+TA (2014 dollars).

Since FY2010, \$119,000 (2014 dollars) has been expended treating 70 acres, controlling 99 tons/year of salt loading at a cost of \$127/ton (2014 dollars). (Table 5)

**Table 5. Applied practices, cost/ton, nominal and 2014 dollars**

FY	Federal Water Project Discount Rate	FA Applied Nominal	Acres Applied	Salt Load Reduction Applied	Amortized FA+TA Nominal	\$/ton FA+TA Nominal	2014 PPI Factor	FA Applied 2014\$	Amortized FA+TA 2014\$	\$/ton 2014\$	Cum \$/ton 2014\$
2010	4.375%	\$0	0	0	\$0	0	123%	\$0	\$0		0
2011	4.125%	\$57,914	36	50	\$6,261	125	111%	\$64,285	\$6,949	139	139
2012	4.000%	\$12,632	7	11	\$1,348	123	105%	\$13,228	\$1,411	128	137
2013	3.750%	\$11,447	8	10	\$1,189	119	106%	\$12,101	\$1,257	126	135
2014	3.500%	\$29,099	19	28	\$2,943	105	100%	\$29,099	\$2,943	105	127
<b>Totals</b>		\$111,092	70	99	\$11,740	119		\$118,713	\$12,560	127	

## Hydro Salinity Monitoring

Before implementation of salinity control measures, Muddy Creek Utah Unit agricultural operations contributed an estimated 15,000 tons of salt per year to the Colorado River (on-farm and off-farm), from an average of 6,050 acres of annually irrigated land. Salt loading of 9,587 tons/year was allocated to on-farm activities and 5,393 tons to off-farm canals and large laterals.

Three assumptions guide the calculation of salt load reduction from irrigation improvements:

1. Salt concentration of subsurface return flow from irrigation is relatively constant, regardless of the amount of canal seepage or on-farm deep percolation.
2. The available supply of mineral salts in the soil is essentially infinite and salinity of out-flowing water is dependent only on solubility of salts in the soil. Therefore, salt loading is directly proportional to the volume of subsurface return flow.
3. Water that percolates below the root zone of the crop and is not consumed by plants or evaporation will eventually find its way into the river system. Salt loading into the river is reduced by reducing deep percolation. (Hedlund, 1994).

Reduced deep percolation and salt load are achieved by reducing or eliminating canal/ditch seepage/leakage and by improving the efficiency and uniformity of irrigation. It is estimated that upgrading an uncontrolled flood irrigation system to a well-designed and operated sprinkler system will reduce deep percolation and salt load by 84-91%.

NRCS salinity control programs focus on helping cooperators improve irrigation systems, better manage water use, and sharply reduce deep percolation/salt loading.

## Salinity Monitoring Methods

As a result of labor intensive testing in the Uintah Basin Unit, it was confirmed that irrigation systems installed and operated as originally designed, produced the desired result of improved irrigation efficiencies and sharply reduced deep percolation rates, concurrent with reduced farm labor and improved yields.

A new “*Framework Plan for Monitoring and Evaluating (M&E) the Colorado River Salinity Control Program*” was adopted in 2001. Having established that properly installed and operated practices yield predictable and favorable results, the 2001 Framework Plan addresses hydro-salinity by:

- Utilizing random cooperator surveys to collect and evaluate cooperator understanding, and impressions concerning contracts and equipment
- Formal and informal Irrigation Water Management (IWM) training and encouragement
- Equipment spot checks and operational evaluations
- Agricultural statistics collected by government agencies

In MCU, virtually all salinity program irrigation improvements are expected to be sprinkler systems.

### **Cooperator questionnaires, interviews, and training sessions**

No cooperator questionnaires have been done in the Muddy Creek Utah Unit. It is anticipated that it will take two or three years for cooperators to become familiar with system operations before interviews be practical.

### **Irrigation Water Management (IWM)**

The goal of IWM is to assure that irrigated crops get the right amount of water at the right place at the right time, which will accomplish the goal of minimizing deep percolation and salt loading in the river. Proper IWM is achieved by careful equipment design, cooperator education, and maintenance resulting in implementation of effective water management techniques.

In general, sprinkler systems designed by NRCS are capable of irrigating the most water-consumptive projected crop in the hottest part of the year. When growing crops with lower water needs, or at other times in the growing season, these systems are capable of over-irrigating to some extent.

Crops generally use water before the irrigation season begins and after the irrigation season ends, leaving the soil moisture profile partially depleted. In the spring, filling the soil with water requires additional irrigation, over and above crop needs. Farms in MCU have historically ran short of full season irrigation water.

Preventing over-irrigation is a contractual obligation of the cooperator. To help cooperators fulfill this obligation they must be educated and coached in the proper use and maintenance of their irrigation systems.

Cooperator interest is enhanced by creating financial incentives for IWM. In FY2014, three practice options were available for IWM,

1. Basic IWM, which requires the cooperator to
  - a. Attend a two hour IWM training session, an approved water conference, or receive one-on-one training on their farm
  - b. Keep detailed irrigation records using the IWM Self-Certification Spreadsheet or another irrigation water accounting system (check book method)

- c. Review the records with an NRCS employee or contractor trained to evaluate and explain IWM principals
2. Intermediate IWM, which requires everything in Basic IWM plus installation and use of simple electronic soil moisture monitoring equipment.
3. Advanced IWM, which requires everything in Basic and Intermediate IWM plus real-time estimating evapotranspiration, monitoring soil moisture, or monitoring crop temperature stress using telemetered data. Irrigation water volumes are recorded from a flow meter near the field.

Water management seminars and conventions are sponsored by various government, educational, and commercial groups, encouraging everyone to manage and conserve water. USDA is a willing and eager participant in these partnership educational endeavors.

Additionally, personal guidance is available to cooperators, on request, at local NRCS field offices.

Intensive and continuous IWM training is essential to successful long term salt load reduction.

To help cooperators with irrigation timing, a major part of IWM, NRCS demonstrates two simple, low-cost approaches:

1. Irrigation record keeping, wherein the cooperator keeps track of water put on the field and compares the volume used to the volume required by the crop
2. Soil moisture monitoring, wherein the cooperator determines when to irrigate, based on measured available water content (AWC) of the soil

### Irrigation Record Keeping

To help with irrigation timing, NRCS has developed and provided the, "IWM Self Certification Spreadsheet" which allows cooperators to graphically evaluate available water content (AWC) of the soil and compare actual irrigation with projected average crop water requirements and/or with modeled crop evapotranspiration. Evapotranspiration is calculated from climate data collected by NRCS and other public agencies, using Penman-Montieth procedures outlined by the Food and Agriculture Organization of the United Nations (FAO). The final output of the spreadsheet is two graphs comparing water applied, with water required, on a seasonal basis.



On the input page, the participant enters system design data, crop data, soil data, and the beginning date of each irrigation cycle. The spreadsheet calculates AWC and deep percolation, which is graphed on the following pages of the spreadsheet. (Figures 2 and 3)

A modest amount of deep percolation is designed into all irrigation systems to compensate for distribution anomalies and to leach accumulated salts from the root zone.

In general, cooperators respond positively to this training and work hard to irrigate more efficiently.

In MCU, no IWM Self Certifications have been completed.





**Figure 3. Sample graphs from the IWM Self Certification Spreadsheet**  
 In the first graph, AWC is the blue line. Deep percolation appears as spikes above the 100% level. For maximum crop growth, soil moisture must be kept between 50% and 100% (MAD range).

In the second graph, the blue line is average Crop CU. The green line is actual water applied. The purple line is designed deep percolation. The solid red line is actual deep percolation. The dashed red line is minimum annual leaching requirement.

### Soil Moisture Monitoring

A time-tested method for timing irrigation involves augering a hole and determining the water content of the soil to decide when to apply the next irrigation. This may well be the best method available for irrigation timing, both simple and inexpensive. However, few irrigators take time to do it.

NRCS is demonstrating and guiding cooperators in the use of modern soil moisture monitoring systems, utilizing electronic probes and data recorders. Such systems can now be installed for about \$700, giving the cooperator information on the water content of his soil at several different depths, without time-consuming augering.

In a typical case, electrical resistance based probes are installed at various depths, such as 12", 24" and 48". Using a simple data recorder, indicated soil pore pressure (implied soil moisture content) is read and recorded multiple times per day. With some recorders, soil pore pressure is presented graphically on an LCD display in the field, making it a simple matter to estimate when the next irrigation will be required. (Figure 4)

Since gravimetric drainage generally does not occur unless the soil horizon is nearly saturated (above field capacity), it is assumed that deep percolation is not occurring if the deepest probe reading is below -10 centibars. Installed data recorders in other salinity units indicate that deep percolation occurs less than 3% of the time on monitored fields.


Soil moisture data recorders typically store more than 10 months of data in nonvolatile memory. Data can be uploaded to a laptop computer or PDA. Battery life is over a year, using AA or 9 volt batteries. When carefully installed, maintenance requirements are minimal.

Available water content (AWC), the soil moisture available to the plant, can be roughly estimated, using multiple probes. The AWC calculation is dependent on many soil and environmental parameters and is tedious to model accurately, but when an operator becomes familiar with the system, he will be able to use it well for irrigation timing. (Figure 5)

No known data recorders have been installed in MCU.



**Figure 4. Sample Soil Moisture Data Logger with graphing**



**Figure 5. AWC estimated from downloaded soil moisture data**

## Wildlife Habitat and Wetlands

### Background

In July, 2004, the Muddy Creek Utah Unit (MCU) was recognized as a Colorado River Basin Salinity Control Program (CRBSCP) Salinity Area. Salinity irrigation and wildlife habitat development plans are eligible to compete for funds allocated to the CRBSCP. Impacts from this project to wildlife habitat and wetlands will be monitored and evaluated and subsequently compensated. Compensation is accomplished on a voluntary basis from private landowners through applications for funding from the Environmental Quality Incentives Program (EQIP). Impacts may include loss of wildlife habitat and wetlands, conversion of wetland habitats to upland areas such as agricultural fields, or other vegetation changes brought about by the more efficient use of irrigation water.

In the upper Colorado River Basins there are several Salinity Areas, each with its own unique methodology for monitoring and evaluating impacts and replacement of wildlife habitat and wetlands. The Muddy Creek Utah Salinity Project is a relatively small project, and impacts from the project can be observed from project inception. The Monitoring and Evaluation Team (M&E) will monitor land cover maps utilizing aerial photography from the National Agricultural Image Program (NAIP). The NAIP images are one meter resolution true color or color-infrared aerial photos planned to be re-flown tri-annually. With these high resolution photos, M&E has the ability to zoom in close and create a reasonably accurate land cover map which can be verified with minimal ground truthing. These images can be compared through time to monitor land cover changes. By the use of Geographical Information System (GIS) software, estimates of gains or losses in wildlife habitat or wetlands can be quantified.

Representative photographic points may also be established, to be compared throughout the years, to assist with land cover mapping efforts, defining vegetation composition of the land cover elements and what impacts, if any, are occurring.

On November 27, 2012 NRCS received a response to a letter sent to Ms. Patricia S. Gelatt, Western Colorado Supervisor for the USFWS regarding proposed changes in the assessment method of wildlife replacement needed to offset incidental fish and wildlife values foregone resulting from salinity control projects in the State of Utah. The Service supported the proposal for minimum habitat improvement to be greater than 2 percent of irrigation acres treated for salinity control, and that wildlife habitat losses resulting from irrigation improvements will be replaced on a 1:1 acreage basis. The Service also stated that they agree that permanent easements would be preferred, but if not possible the habitat practice lifespan will be as long as, if not longer, than the lifespan of irrigation improvement practices (see Appendix).

The Muddy Creek Salinity unit has not achieved this proportion and as of this report the unit is not considered concurrent and proportional with salinity irrigation improvements. For the Muddy Creek Unit to be considered concurrent and proportional approximately 1.4 acres of wildlife habitat would need to be applied. Efforts to plan and apply additional acres of habitat replacement will continue. When the habitat acres in the Unit are concurrent and proportional with the irrigation acres, NRCS will

not relax by virtue of this change in assessment method. NRCS will continue to plan and apply real habitat improvements to offset the losses incurred by the Colorado River Salinity Control Program.

### Area-wide Wildlife Habitat Monitoring

As mentioned above, M&E will monitor land cover maps utilizing aerial photography from the National Agricultural Image Program (NAIP). As new images become available the land cover maps may be presented in future versions of this document.

### Wildlife Habitat Contract Monitoring

In this tenth year of eligibility (FY2014) for salinity projects, there have been no awarded contracts for salinity wildlife only habitat improvement project funds. Table 6 represents annual acres of wildlife habitat improvement planned and applied within the MCU Salinity Area.

Table 7 represents cumulative acres of wildlife habitat improvement planned and applied within the MCU Salinity Area.

### Voluntary Habitat Replacement

NRCS continues to encourage replacement of wildlife habitat on a voluntary basis. Federal and State funding programs are in place to promote wildlife habitat replacement. This information is advertised annually in local newspapers, in Local Workgroup meetings, and Conservation District meetings throughout the Salinity Areas. The [Utah NRCS Homepage](#) also has information and deadlines relating to Farm Bill programs.

**Table 6. Annual Wildlife Habitat Replacement**

Acres of Wildlife Habitat Creation or Enhancement				
FY2014 Annual practices				
Program	Acres Planned		Acres Applied	
	Wetland*	Upland	Wetland*	Upland
BSP	-	-	-	-
EQIP	-	-	-	-
WHIP	-	-	-	-
<b>Total</b>	-	-	-	-

\*Wetland acres include riparian habitat

**Table 7. Cumulative Wildlife Habitat Replacement**

Acres of Wildlife Habitat Creation or Enhancement				
Cumulative practices thru FY 2014				
Program	Acres Planned		Acres Applied	
	Wetland*	Upland	Wetland*	Upland
BSP	-	-	-	-
EQIP	-	-	-	-
WHIP	-	-	-	-
<b>Total</b>	-	-	-	-

## Economics

### Cooperator Economics

It is logical to expect that upgrading from flood to sprinkler irrigation improves profitability by increasing production while decreasing costs for water, fertilizer, labor, and field maintenance. Irrigation system maintenance may increase somewhat, but should be less variable on an annual basis.

### Production Information

In MCU, forage crops and grass pasture account for nearly all producing acres.

Agricultural statistics do not separate Emery, Utah production from other areas in Emery County. Since MCU production is a minor portion of production in Emery County, it is impossible to accurately measure production from statistical sources.

Water for MCU comes directly from Muddy Creek and a few smaller tributaries. Irrigation water storage facilities are minimal. Nearly all of the irrigated acres are water short and cannot irrigate for the full season.

### Expense Information

Reliable expense information is difficult to obtain. Many of the farms are family operations and the cost of family labor is rarely evaluated or reported. From National Agricultural Statistics Service (NASS) data, labor benefits are elusive as both *Hired Farm Labor* and *Total Farm Production Expenses*, for Emery County, have increased steadily over the 1987, 1992, 1997, 2002, 2007, and 2012 Agricultural Censuses.

As with production data, labor statistics for MCU is pretty well masked by larger producing areas in Emery County.

### Public Economics

Just two irrigation improvements have been contracted in MCU and no cooperator surveys have been completed. Local farmers in other parts of Emery County seem to have positive attitudes about the salinity program. There is fairly strong interest in installing sprinkler systems, which is expected to increase with time in MCU. Lack of water storage and delivery systems are the major impediment to progress on-farm.

### **Positive public perceptions of the Salinity Control Program include:**


- Reduced salinity in the Colorado River
- Lengthened irrigation season
- Increased flows in streams and rivers
- Economic lift to the entire community from employment and broadened tax base
- Aesthetically pleasing, green fields, denser, for longer periods of time
- Improved safety and control of water resources, with a reduction in open streams

**Negative public perceptions of the Salinity Control Program include:**

- Conversion of artificial wetlands to upland habitat and other shifts in wildlife habitat
- Changes in Water Related Land Use (WRLU)

**Land Use Land Cover**

Figure 6 is a graphical presentation of pre-project land use in the Muddy Creek Utah Unit. This data was derived from the 2004 Environmental Assessment.



**Figure 6. Pre-project land use land cover, used in preparing 2004 EA**

**Summary**

Local land owners are willing and able to participate in salinity control programs. At present funding levels, ample opportunities exist to install improved irrigation systems and reduce salt loading to the Colorado River system. In MCU, the lack of off-farm irrigation infrastructure is impeding the creation of on-farm grant opportunities. Salinity programs in other salinity units indicate that participants are apparently satisfied with results and generally positive about salinity control programs.

## Glossary and Acronyms

**Available Water Content (AWC)** – Water contained in the soil that can be utilized by the plant, defined to be the difference between Field Capacity and Permanent Wilting Point, usually expressed as inches/foot.

**Average salt pickup** – The increase in the amount of salt carried by a stream as a result of inflows containing increased salt from dissolution of the soil. Usually expressed as tons/acre-foot.

**Annual average salt load** – The average estimated annual salt load carried by a stream, based on a period of record of several years. Usually expressed as tons/year.

**Application efficiency** – The portion of the irrigation water delivered to the field that is stored in the soil, expressed as a percentage of the total delivery volume.

**Applied Practices** – Functioning practices for which Federal cost share dollars have been expended.

**BSPP** – Basin States Parallel Program – managing LCRB matching funds from FY1997 to FY2012.

**BSP** – Basin States Program - managing LCRB matching funds starting in FY2012.

**Bureau of Reclamation (Reclamation or USBR)** – A branch of the U.S. Department of Interior charged with water interests in the United States. Reclamation is the lead agency for salinity control in the Colorado River.

**Catch-can testing** – a procedure whereby dozens of containers are spread out under a sprinkler system in an array, to determine how much water is being applied to different spots of ground under the sprinkler to evaluate uniformity.

**CFS** – Cubic feet per second or second-feet.

**Christiansen Coefficient of Uniformity (CCU)** – a sprinkler uniformity rating. In a catch-can test, CU is the sum of the squares of the ratio of each catch to the average catch.

**Continuous Move Sprinkler** – a sprinkler system designed to move continuously, such as a center pivot, lateral move, or a big-gun on a reel.

**Cover Map** – a map categorizing land use based on surface cover, e.g. urban, crop type, wetlands, etc.

**Crop Consumptive Use (CU)** – The amount of water required by the crop for optimal production. It is dependent on many factors including altitude, temperature, wind, humidity, and solar radiation.

**CRBSCP** – Colorado River Basin Salinity Control Program

**CRSC** – Colorado River Salinity Control Program, a USDA funding program from FY1984 to FY1995.

**Daubenmire cover class frame** – An instrument used to quantify vegetation cover and species frequency occurrences within a sampling transect or plot.

**Deep Percolation** – The amount of irrigation water that percolates below the root zone of the crop, usually expressed in acre-feet.

**Dissolved salt or Total Dissolved Solids (TDS)** – The amount of cations and anions in a sample of water, usually expressed in milligrams/liter, but often expressed in Tons/Acre-foot for salinity control programs.

**Distribution Uniformity (DU)** – A measure of how evenly the irrigation water is applied to the field. If DU is poor, more water is needed to assure that the entire crop has an adequate supply. Using a catch can test, DU is the ratio of the low quarter average catch to the total average catch.

**EQIP** – Environmental Quality Improvement Program

**Evapotranspiration (ET)** - The amount of water used by the crop. ET is generally synonymous with CU and is frequently mathematically modeled from weather station data.

**Field Capacity** – The total volume of water contained in the soil after gravimetric drainage has occurred. The soil pore pressure is 0 to -33 centibars.

**Financial Assistance (FA)** – The Federal cost share of conservation practices. For USDA funding, FA is normally 60% of total cost of conservation practices.

**Gated Pipe** – Water delivery pipe with individual, evenly spaced gates to spread water evenly across the top of a field.

**Gravimetric drainage** – The volume of water that will drain from a saturated soil profile due to gravity alone.

**Hand line** – An irrigation system composed of separate joints of aluminum pipe, each with one sprinkler, designed to irrigate for a period of time and be moved to the next parallel strip of land.

**Improved Flood** – Increasing the efficiency of flood irrigation systems with control and measurement structures, corrugations, land-leveling, gated pipe, etc.

**Irrigation Water Management (IWM)** – Using practices and procedures to maximize water use efficiency by applying the right amount of water at the right place at the right time.

**Leakage** – Water loss from ditches and canals through fissures, cracks or other channels through the soil, either known or unknown.

**Management Allowable Depletion (MAD)** – The fraction of AWC that allows for maximum production. Typically 50%, only the top 50% of AWC should be used for crop growth.

**National Agricultural Statistics Service (NASS)** - A branch of the U.S. Department of Agriculture (USDA) charged with keeping agricultural statistical data.

**Natural Resource Conservation Service (NRCS)** A branch of the U.S. Department of Agriculture (USDA) charged with providing technical assistance to agricultural interests and conservation programs.

**NEPA** – National Environmental Policy Act which sets out requirements for Federal Agencies to evaluate impacts of Federal actions on the environment, prior to initiating the project.

**Periodic Move** – A sprinkler system designed to irrigate in one position for a set amount of time, then be periodically moved to a new position by hand or on wheels repeatedly until the field is covered. (includes sprinkler systems such as hand-line, wheel-line (side-roll), pod, big-gun, etc.)

**Permanent Wilting Point (PWP)** – The volume of water in a soil profile that cannot be extracted by the plant. Normally, watering a plant at this point will not restore its vitality. Soil pore pressure is about -1,500 centibars at the PWP.

**Pivot or Center Pivot** – A continuous-move sprinkler system that uses moving towers to rotate a sprinkler lateral about a pivot point.

**Planned Practices** – Practices for which Federal cost share dollars have been obligated by contract.

**Ranking** – A process by which applications for federal funds are prioritized based on their effectiveness in achieving Federal goals.

**Readily Available Water (RAW)** – water that a plant can easily extract from the soil. A synonym for Managed Allowable Depletion.

**Return Flow** – The fraction of deep percolation that is not consumed by plants, animals, or evaporation and returns to the river system, carrying salt.

**Salt Budget** – Balancing the inflow and outflows of a salinity project to estimate unknown salt pickup.

**Salts** – Any chemical compound that is dissolved from the soil and carried to the river system by water. Salt concentration is frequently expressed as “Total Dissolved Solids” measured in parts per million (ppm) or milligrams per liter (mg/l). For salinity control work, it is often converted to Tons per acre-foot of water.

**Salt load** – The amount of dissolved salt carried by a flowing stream, usually expressed in tons/year.

**Seepage** – Fairly uniform percolation of water into the soil from ponds, ditches, and canals.

**Salt Load Reduction** – A measure of the annual tons of salt prevented from entering the waters of the Colorado River. As applied to agriculture, salt load reduction is achieved by reducing seepage and deep percolation from over-irrigating.

**Soil Conservation Service** – The predecessor agency to NRCS.

**Technical Assistance (TA)** – The cost of technical assistance provided by Federal Agencies to design, monitor, and evaluate practice installation and operation, and to train and consult with cooperators.

TA is generally assumed to be 40% of the total cost of conservation practices in the salinity control program.

**Uniformity** – A mathematical expression representing how evenly water is applied to a plot of ground by a sprinkler system. The two most common measures used by NRCS are the Christiansen Coefficient of Uniformity (CCU) and Distribution Uniformity (DU).

**Utah Division of Wildlife Resources (UDWR or DWR)** – Managing division for wildlife resources in the State of Utah.

**Water Budget** – An accounting for the amount of water entering (irrigation and precipitation) and the amount of water leaving (evaporation, CU, deep percolation) a given plot of land to determine efficiency and estimate deep percolation.

**Wheel line, Wheeline, Side-roll**– A periodic-move sprinkler system designed to be moved periodically by rolling the sprinkler lateral on large wheels.

**WHIP** – Wildlife Habitat Incentives Program, a Farm bill program instituted in 1997, designed to create, restore, and enhance wildlife habitat.

**Yield (or Crop Yield)** – The amount of a given crop harvested annually from an acre of ground. Yield is usually expressed as Tons/Acre or Bushels/Acre, depending on the crop.

## Appendix



### United States Department of the Interior

FISH AND WILDLIFE SERVICE  
Ecological Services  
764 Horizon Drive, Building B  
Grand Junction, Colorado 81506-3946



IN REPLY REFER TO:  
ES/CO:NRCS Salinity Program Habitat Replacement  
TAILS 06E24100-2013-CPA-0003

November 27, 2012

David C. Brown, Utah State Conservationist  
Natural Resources Conservation Service  
125 South State Street, Room 4010  
Salt Lake City, Utah 84138-1100


Dear Mr. Brown:

This responds to your July 16, 2012, letter regarding the proposed changes in the assessment method of wildlife replacement needed to offset incidental fish and wildlife values foregone resulting from salinity control projects in the State of Utah. The Fish and Wildlife Service (Service) supports the proposal for minimum habitat improvement to be greater than 2 percent of irrigation acres treated for salinity control, and that wildlife habitat losses resulting from irrigation improvements will be replaced on a 1:1 acreage basis. We agree that permanent easements are preferred, but if not possible, that habitat practice lifespan will be as long or longer than the practice lifespan of irrigation improvements. This change is in line with Colorado Natural Resource Conservation Service (NRCS), and we trust that it will help the salinity program offset real habitat losses with real habitat improvements. We hope this change will allow NRCS biologists to focus their efforts on implementing quality habitat replacement projects with willing landowners.

The Service commends NRCS for the habitat replacements/improvements in both the Uintah Basin and Price San Rafael River Salinity Units, that are proportional and concurrent with salinity irrigation improvements, and exceed 2 percent of the irrigation improvements. We appreciate continuing efforts by NRCS field staff to pursue and implement new projects, as well as to monitor and evaluate ongoing and completed projects. Please let us know if there is any way we can assist NRCS in reaching the replacement needs associated with the Muddy Creek, Green River, and Manila-Washam Salinity Units.

For further assistance, please contact Barb Osmundson by phone at (970) 243-2778, extension 21, or by email at [Barb\\_Osmundson@fws.gov](mailto:Barb_Osmundson@fws.gov).

Sincerely,



Patricia S. Gelatt  
Western Colorado Supervisor

cc: NRCS-SLC Utah (Travis James, Pedro Ramos)  
NRCS-Roosevelt Utah (Ed Whicker, Jim Spencer)

B:\smindson\NRCS Utah\WildlifeReplacement\Comment\zbrer.docx:112712:KM

## References

1. U.S. Department of the Interior, Bureau of Land Management, The Effects of Surface Disturbance on the Salinity of Public Lands in the Upper Colorado River Basin, 1977 Status Report, February, 1978.
2. U.S. Department of Agriculture, Natural Resources Conservation Service, Final Draft Plan and Environmental Assessment, Muddy Creek Utah Unit of the Colorado River Salinity Control Program, July, 2004.
3. "Salt Primer – Water and Salt Budgets", John C. Hedlund, Soil Conservation Service, 1992.
4. "FRAMEWORK PLAN FOR MONITORING AND EVALUATING THE COLORADO RIVER SALINITY CONTROL PROGRAMS of the U.S. Department of Agriculture (USDA)-Natural Resources Conservation Service (NRCS)", May, 2002.
5. "QUALITY OF WATER COLORADO RIVER BASIN – Progress Report #20", U.S. Department of the Interior, 2001.
6. "Colorado River Salinity Control Program, Uintah Basin Unit, Monitoring and Evaluation, 2001 Report", Draper, Brent W., Goins, Donald J., Lundstrom, D. Nick.
7. "Colorado River Salinity Control Program, Uintah Basin Unit, Monitoring and Evaluation, 2005 Report", USDA-NRCS.
8. 1987, 1992, 1997, 2002, 2007 "Census of Agriculture", United States Department of Agriculture, National Agricultural Statistics Service.
9. U.S. Department of the Interior, US Geological Survey, Scientific Investigations Report 2006-5211, entitled "Characterization of Dissolved Solids in Water Resources of Agricultural Lands near Manila, Utah, 2004-2005", Gerner, Steve et al., <http://pubs.usgs.gov/sir/2006/5211/>.
10. U.S. Department of the Interior, US Geological Survey, "Hydrology and Water Quality in the Green River and Surrounding Agricultural Areas near Green River in Emery and Grand Counties, Utah, 2004-05", Steve Gerner et al.
11. U.S. Department of the Interior, US Geological Survey, Spatially Referenced Statistical Assessment of Dissolved-Solids Load Sources and Transport in Streams of the Upper Colorado River Basin, Scientific Investigations Report 2009-5007, <http://pubs.usgs.gov/sir/2009/5007/>.
12. Allen, Richard G. et al., FAO Irrigation and Drainage Paper No. 56, Crop Evapotranspiration, <http://www.fao.org/docrep/X0490E/X0490E00.htm>.